



The *bidi* Package

Documentation for version 31.5

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/tex-xet/bidi/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2007–2017 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bidi* Package

Bidirectional typesetting in plain \TeX and \LaTeX , using $\text{Xe}\text{\TeX}$ engine

Documentation for version 31.5

Vafa Khalighi
persian-tex@tug.org

October 11, 2017

Contents

I \LaTeX Manual	4
1 Basics	4
1.1 Loading The Package	4
1.2 <i>bidi</i> 's Symbol	5
1.3 Commands for Version number, and Date of The Package	6
1.4 Turning \TeX -- $\text{Xe}\text{\TeX}$ features on and off	6
1.5 Options of The Package	6
1.6 Paragraph Switching Commands	7
1.7 Paragraph Switching Environ- ments	8
1.8 Typesetting Short LTR and RTL Texts	8
1.9 Footnotes	9
1.9.1 Footnote Rule	10
1.10 Two Column Typesetting	10
1.11 RTL cases	11
1.12 Typesetting Logos	11
1.13 Separation Mark	11
1.14 \backslash raggedright, \backslash raggedleft commands, flushleft and flushright Environments	12
1.15 Primitive-like commands	12
1.16 Something To know about \backslash hbox	12
1.17 \backslash bidiillap and \backslash bidiirlap Commands	13
1.18 LTRitems and RTLitems Envi- ronments	13
1.19 LTRbibitems and RTLbib- items Environments	15
1.20 \backslashsetLTRbibitems, \backslashsetRTLbibitems, and \backslashsetDefaultbibitems commands	15
1.21 Typesetting margin par	16
1.22 Typesetting of Headers and Footers	16
1.23 Tabular Typesetting	16
1.24 Equation Numbers	16
2 Support For Various Packages and Classes	16
2.1 Color	17
2.2 The dblfnote package	17
2.3 Hyperref	17
2.4 The listings package	18
2.5 flowfram Package	18
2.6 Multicolumn Typesetting	18
3 Extra <i>bidi</i> Packages and Classes	18
3.1 biditufe bundle	18
3.2 Typesetting \TeX and \LaTeX Codes	19
3.3 Typesetting Poems	19
3.4 Typesetting Resumé	20

3.5	Print Two Pages On A Single Page	20
3.6	Producing Presentations	20
4	Some Useful Internal Macros and Programming Tips	20
4.1	Equating Conditionals	20
4.2	RTL Conditional	21
4.3	Main RTL Conditional	21
4.4	Latin Conditional	21
4.5	Tags Internal Macro	21
4.6	Definition File Loaded Internal Macro	21
4.7	Tabular Conditional	22
4.8	Footnote Conditional	22
4.9	Direction Ensuring Macros	22
4.10	Reset Direction Macro	22
II	Plain TeX Manual	22
5	Basics	22
5.1	Loading The Package	23
5.2	Commands for Version number, and Date of The Package	23
5.3	Turning TeX–XeT features on and off	23
5.4	Paragraph Switching Commands	23
5.5	Paragraph Switching Environments	24
5.6	Typesetting Short LTR and RTL Texts	24
5.7	Primitive-like commands	25
5.8	Something To know about \hbox	25
5.9	Typesetting Logos	26
6	Some Useful Internal Macros and Programming Tips	26
6.1	RTL Conditional	26
6.2	Main RTL Conditional	26
6.3	Direction Ensuring Macros	26
6.4	Reset Direction Macro	27
7	bidi implementation	27
7.1	amsart-xetex-bidi.def	27
7.2	adjmulticol-xetex-bidi.def	29
7.3	algorithm2e-xetex-bidi.def	30
7.4	amsbook-xetex-bidi.def	31
7.5	amsmath-xetex-bidi.def	34
7.6	amstext-xetex-bidi.def	34
7.7	amsthm-xetex-bidi.def	34
7.8	array-xetex-bidi.def	34
7.9	article-xetex-bidi.def	35
7.10	artikel1-xetex-bidi.def	39
7.11	artikel2-xetex-bidi.def	44
7.12	artikel3-xetex-bidi.def	50
7.13	arydshln-xetex-bidi.def	55
7.14	bidi.sty	58
7.15	bidi.tex	61
7.16	bidi2in1.sty	63
7.17	bidicode.sty	64
7.18	bidifnextra.sty	67
7.19	bidimoderncv.cls	70
7.20	biditools.sty	75
7.21	bidituftefloat.sty	109
7.22	biditufteidenote.sty	121
7.23	bidituftetoc.sty	131
7.24	bidituftegeneralstructure.sty	134
7.25	bidituftehyperref.sty	137
7.26	biditufteitle.sty	137
7.27	biditufte-handout.cls	140
7.28	biditufte-book.cls	141
7.29	bidipoem.sty	142
7.30	boek3-xetex-bidi.def	150
7.31	boek-xetex-bidi.def	153
7.32	bokest-xetex-bidi.def	157
7.33	book-xetex-bidi.def	158
7.34	breqn-xetex-bidi.def	162
7.35	cals-xetex-bidi.def	163
7.36	caption-xetex-bidi.def	164
7.37	caption3-xetex-bidi.def	164
7.38	colortbl-xetex-bidi.def	164
7.39	color-xetex-bidi.def	165
7.40	combine-xetex-bidi.def	166
7.41	crop-xetex-bidi.def	166
7.42	cutwin-xetex-bidi.def	168
7.43	cuted-xetex-bidi.def	169
7.44	cvthemedicasual.sty	178
7.45	cvthemedicclassic.sty	180
7.46	dblfnote-xetex-bidi.def	182
7.47	draftwatermark-xetex-bidi.def	185
7.48	eso-pic-xetex-bidi.def	185
7.49	empheq-xetex-bidi.def	186
7.50	extarticle-xetex-bidi.def	189
7.51	extbook-xetex-bidi.def	193
7.52	extletter-xetex-bidi.def	196
7.53	extrafootnotefeatures-xetex-bidi.def	197
7.54	extreport-xetex-bidi.def	236
7.55	fancybox-xetex-bidi.def	240



7.56	fancyhdr-xetex-bidi.def	240
7.57	fix2col-xetex-bidi.def	241
7.58	fleqn-xetex-bidi.def	242
7.59	float-xetex-bidi.def	243
7.60	floatrow-xetex-bidi.def	243
7.61	flowfram-xetex-bidi.def	243
7.62	footnote-xetex-bidi.def	246
7.63	framed-xetex-bidi.def	253
7.64	ftnright-xetex-bidi.def	256
7.65	graphicx-xetex-bidi.def	259
7.66	geometry-xetex-bidi.def	261
7.67	hvfloat-xetex-bidi.def	262
7.68	hyperref-xetex-bidi.def	268
7.69	imsproc-xetex-bidi.def	280
7.70	leqno-xetex-bidi.def	282
7.71	letter-xetex-bidi.def	282
7.72	lettrine-xetex-bidi.def	282
7.73	listings-xetex-bidi.def	285
7.74	loadingorder-xetex-bidi.def	287
7.75	longtable-xetex-bidi.def	292
7.76	mdframed-xetex-bidi.def	295
7.77	bidi-media9.sty	297
7.78	memoir-xetex-bidi.def	308
7.79	midfloat-xetex-bidi.def	312
7.80	minitoc-xetex-bidi.def	316
7.81	multicol-xetex-bidi.def	317
7.82	multienum-xetex-bidi.def	320
7.83	natbib-xetex-bidi.def	321
7.84	newfloat-xetex-bidi.def	322
7.85	ntheorem-xetex-bidi.def	323
7.86	ntheorem-hyper-xetex-bidi.def	323
7.87	overpic-xetex-bidi.def	324
7.88	pdfbase-xetex-bidi.def	324
7.89	pdfpages-xetex-bidi.def	325
7.90	pgfcorescopes.code-xetex-bidi.def	326
7.91	picinpar-xetex-bidi.def	327
7.92	plain-xetex-bidi.def	330
7.93	pstricks-xetex-bidi.def	332
7.94	quotchap-xetex-bidi.def	333
7.95	ragged2e-xetex-bidi.def	333
7.96	rapport1-xetex-bidi.def	335
7.97	rapport3-xetex-bidi.def	340
7.98	refrep-xetex-bidi.def	346
7.99	report-xetex-bidi.def	349
7.100	rotating-xetex-bidi.def	353
7.101	scrartcl-xetex-bidi.def	356
7.102	scrbook-xetex-bidi.def	367
7.103	scrlatex-xetex-bidi.def	379
7.104	scrreprt-xetex-bidi.def	381
7.105	sidecap-xetex-bidi.def	393
7.106	soul-xetex-bidi.def	393
7.107	stabular-xetex-bidi.def	394
7.108	subfigure-xetex-bidi.def	395
7.109	tbls-xetex-bidi.def	395
7.110	tabularx-xetex-bidi.def	396
7.111	tabulary-xetex-bidi.def	397
7.112	tc-xetex-bidi.def	398
7.113	tcolorbox-xetex-bidi.def	398
7.114	titlesec-xetex-bidi.def	399
7.115	titletoc-xetex-bidi.def	399
7.116	tocbibind-xetex-bidi.def	400
7.117	tocloft-xetex-bidi.def	402
7.118	tocbasic-xetex-bidi.def	408
7.119	tocstyle-xetex-bidi.def	421
7.120	todonotes-xetex-bidi.def	426
7.121	wrapfig-xetex-bidi.def	429
7.122	xcolor-xetex-bidi.def	431
7.123	latex-xetex-bidi.def	433
7.124	xltextra-xetex-bidi.def	450
8	Index	450
9	Change History	599



Introduction

bidi provides a convenient interface for typesetting bidirectional texts in plain \TeX and \LaTeX , using the Xe \TeX engine.

bidi Info On The Terminal and In The Log File

If you use bidi package to write any input \TeX document, and then run `xelatex` on your document, bidi writes some information about itself to the terminal and to the log file. The information is something like:

```
*****
*
* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*
* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.
*
* Copyright (c) 2009--2017 Vafa Khalighi
*
* 2017/10/11, v31.5
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/bidi
*
* Issue tracker: https://github.com/tex-xet/bidi/issues
*
* Support: persian-tex@tug.org
*
*****
```

Part I \LaTeX Manual

1 Basics

1.1 Loading The Package

You can load the package in the ordinary way;



```
\usepackage [Options] {bidi}
```

Where options of the package are explained later in [subsection 1.5](#).

When loading the package, it is important to know that:

- ❶ bidi should be the last package that you load, because otherwise you are certainly going to overwrite bidi's definitions and consequently, you will not get the expected output.
- ❷ In fact, bidi makes sure that some specific packages are loaded before bidi; these are those packages that bidi modifies them for bidirectional typesetting. If you load bidi before any of these packages, then you will get an error saying that you should load bidi as your last package.

For instance, consider the following minimal example:

```
1 \documentclass{minimal}
2 \usepackage{bidi}
3 \usepackage{graphicx}
4 \begin{document}
5 This is just a test.
6 \end{document}
```

Where graphicx is loaded after bidi. If you run xelatex on this document, you will get an error which looks like this:

```
! Package bidi Error: Oops! you have loaded package graphicx after
bidi package. Please load package graphicx before bidi package, and
then try to run xelatex on your document again.

See the bidi package documentation for explanation.
Type H <return> for immediate help.
...
1.4 \begin{document}

?
```

1.2 bidi's Symbol

As you may know lion symbolizes T_EX but lion does not symbolizes bidi. Simorgh¹ (shown on the first page of this documentation) symbolizes bidi.

¹Simorgh is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>



1.3 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

☞ \bidiversion gives the current version of the package.

☞ \bididate gives the current date of the package.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
5 \end{document}
```

1.4 Turning TeX--XeT features on and off

The bidirectional typesetting in Xe_TE_X is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by T_EX, the typesetting of a document by TeX--XeT may therefore differ from that performed by T_EX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original T_EX. Two commands are provided for this purpose:

```
\TeXeTOn \TeXeTOff
```

☞ \TeXeTOn turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ \TeXeTOff turns TeX--XeT feature off.

1.5 Options of The Package

There are three options, namely `RTLdocument` and `rldocument`, which are essentially equivalent. If you pass any of these options to the package, you will be typesetting a document containing mainly RTL texts with some LTR texts. These options activate `\setRTL` (explained in [subsection 5.4](#)), `\RTLdblcol` (explained in [subsection 1.10](#)) and `\autofootnoterule` (explained in [subsubsection 1.9.1](#)).

It is clear that if you do not pass any of these options to the package, you will be typesetting a document containing mainly LTR texts with some RTL texts.

There is also `extrafootnotefeatures` option that allows footnotes to be typeset in different formats:



```
\normalfootnotes
\twocolumnfootnotes \threecolumnfootnotes \fourcolumnfootnotes
\fivecolumnfootnotes \sixcolumnfootnotes \sevencolumnfootnotes
\eightcolumnfootnotes \ninecolumnfootnotes \tencolumnfootnotes
\RTLcolumnfootnotes \LTRcolumnfootnotes
\paragraphfootnotes
\setLTRparagraphfootnotes \setRTLparagraphfootnotes
```

- ☞ \normalfootnotes typesets footnotes in Standard L^AT_EX format.
- ☞ \twocolumnfootnotes to \tencolumnfootnotes, typeset footnotes in two-columns to ten-columns, respectively.
- ☞ \RTLcolumnfootnotes typesets footnotes columns RTL (first column on the RHS and each next column to the left of the previous column) and \LTRcolumnfootnotes typesets footnotes columns LTR (first column on the LHS and each next column to the right of the previous column). \LTRcolumnfootnotes is active by default.
- ☞ \paragraphfootnotes typesets footnotes in paragraph format.
- ☞ \setLTRparagraphfootnotes makes footnotes run from left to right. This command is active by default.
- ☞ \setRTLparagraphfootnotes makes footnotes run from right to left.

Please note that when using extrafootnotefeatures option, the footnote rule will be as wide as the text width and \autofootnoterule, \rightfootnoterule, \leftfootnoterule, and \textwidthfootnoterule commands have no effects. Please also note that if you redefine \baselinestretch command or change the value of \baselineskip primitive before \paragraphfootnotes command, then you may get Arithmetic Overflow error. You should change these after using \paragraphfootnotes command.

1.6 Paragraph Switching Commands

```
\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR
```

- ☞ With any of the commands in the first row, you can typeset LTR paragraphs.
- ☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \setRTL%
```



```

5 Anyone who reads Old and Middle English literary texts will be
6 familiar with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8
9 \setLTR% Notice the blank line before \setLTR
10 Anyone who reads Old and Middle English literary texts will be
11 familiar with the mid-brown volumes of the EETS, with the symbol
12 of Alfred's jewel embossed on the front cover.
13 \end{document}

```

1.7 Paragraph Switching Environments

```
\begin{LTR} <text> \end{LTR}
\begin{RTL} <text> \end{RTL}
```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{RTL}
5 Anyone who reads Old and Middle English literary texts will be familiar
6 with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8 \begin{LTR}
9 Anyone who reads Old and Middle English literary texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \end{LTR}
13 And we are still typesetting RTL.
14 \end{RTL}
15 \end{document}

```

1.8 Typesetting Short LTR and RTL Texts

```
\LRE{<text>} \LR{<text>}
\RLE{<text>} \RL{<text>}
```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.



```

1 \begin{document}
2 \begin{RTL}
3 Anyone who reads Old and Middle English \LRE{Short LTR text} literary
texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol
of Alfred's jewel embossed on the front cover.
5 \begin{LTR}
6 Anyone who reads Old and Middle English \RLE{Short RTL text} literary
texts will be familiar
7 with the mid-brown volumes of the EETS, with the symbol
of Alfred's jewel embossed on the front cover.
8 \end{LTR}
9 \end{RTL}
10 \end{document}

```

1.9 Footnotes

```

\footnote [num] {\text} \LTRfootnote [num] {\text} \RTLfootnote [num] {\text}
\setfootnoteRL \setfootnoteLR \unsetfootnoteRL
\thanks{\text} \LTRthanks{\text} \RTLthanks{\text}

```

- ☞ \footnote in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ \LTRfootnote will always produce an LTR footnote, independent on the current mode.
- ☞ \RTLfootnote will always produce an RTL footnote, independent on the current mode.
- ☞ Specifying a \setfootnoteRL command anywhere will make \footnote produce an RTL footnote.
- ☞ Specifying either a \setfootnoteLR or an \unsetfootnoteRL command anywhere will make \footnote produce an LTR footnote.
- ☞ \thanks (to be used only inside \author or \title argument) in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ \LTRthanks (to be used only inside \author or \title argument) will always produce an LTR footnote, independent on the current mode.
- ☞ \RTLthanks (to be used only inside \author or \title argument) will always produce an RTL footnote, independent on the current mode.



```
\footnotetext [num] {\text} \LTRfootnotetext [num] {\text}  
\RTLfootnotetext [num] {\text}
```

- ☞ \footnotetext used in conjunction with \footnotemark, in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ \LTRfootnotetext used in conjunction with \footnotemark, will always produce an LTR footnote, independent on the current mode.
- ☞ \RTLfootnotetext used in conjunction with \footnotemark, will always produce an RTL footnote, independent on the current mode.

1.9.1 Footnote Rule

The behavior of footnote rules can also be controlled.

```
\autofootnoterule \rightfootnoterule \leftfootnoterule  
\LRfootnoterule \textwidthfootnoterule \SplitFootnoteRule  
\debugfootnotedirection
```

- ☞ \autofootnoterule will draw the footnote rule right or left aligned based on the direction of the first footnote following the rule (i.e., put in the current page).
- ☞ \rightfootnoterule will put footnote rule on the right-hand side.
- ☞ \leftfootnoterule or \LRfootnoterule will put footnote rule on the left-hand side.
- ☞ \textwidthfootnoterule will draw the footnote rule with a width equal to \textwidth.
- ☞ \SplitFootnoteRule puts a full-width rule above the split-off part of a split footnote.
- ☞ \debugfootnotedirection writes the direction of the first footnote on each page, in the log file.

1.10 Two Column Typesetting

```
\RTLdblcol \LTRdblcol
```

If you pass the `twocolumn` option to the class file and if the main direction of the document is RTL, then you get RTL two column and if the main direction of the document is LTR, then you get LTR two column. In addition, \RTLdblcol allows you to have RTL two column typesetting and \LTRdblcol allows you to have LTR two column typesetting as the options of the class file.



Also please note that in `twocolumn` documents, the width of the `\footnoterule` will be equal to `\columnwidth` no matter which footnote-rule commands you use; indeed, in `twocolumn` documents only `\textwidth\footnoterule` is active and other footnote-rule commands will not be effective.

1.11 RTL cases

`\RTLcases` command was previously known as `\rcases` command but since there was a clash with mathtools package (mathtools defines `rcases` environment), we had to rename `\rcases` command to `\RTLcases` command.

```
1 \RTLcases{ \text{\langle brach1\rangle}\cr \text{\langle brach2\rangle}\cr \text{\langle brach3\rangle}... }  
2 \text{\langle main\rangle}
```

`\RTLcases` is defined in `bidi` for typesetting RTL cases. `\text` is defined in `amsmath` package, so this means that you need to load `amsmath` package too.

```
1 \documentclass{article}  
2 \usepackage{amsmath}  
3 \usepackage{bidi}  
4 \begin{document}  
5 \setRTL  
6 \[\RTLcases{\text{men}}{\text{women}}  
7 \text{Humans Beings}  
8 \]  
9 \end{document}
```

1.12 Typesetting Logos

```
\XeTeX \XeLaTeX
```

`bidi` defines `XeTeX` and `XeLaTeX` logos and in addition, it makes sure that logos, `TEX`, `LATEX`, `LATEX 2ε` are typeset LTR.

1.13 Separation Mark

```
\SepMark{\langle mark\rangle} \c@SepMark
```

Generally in Standard `LATEX`, dot is used for separation between section numbers, equation numbers any anything else which needs to be separated. You can use `\SepMark` to use any other mark as the separation mark instead a dot.

```
1 \documentclass{article}  
2 \usepackage{bidi}  
3 \SepMark{-}  
4 \begin{document}  
5 \section{First}  
6 \subsection{Second}  
7 \subsubsection{Third}  
8 \end{document}
```



If you decide to change the numbering of chapters, sections, subsections, equations, figures and ..., you should either load amsmath package and use \numberwithin macro to do this or do the ordinary way, but instead dot write \@SepMark. Using dot instead \@SepMark will certainly make trouble.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \makeatletter
5 \renewcommand\theequation{\thesection \@SepMark \arabic \c@equation}
6 \makeatother
7 \begin{document}
8 \section{First}
9 \begin{equation}
10 x^2+y^2=z^2
11 \end{equation}
12 \end{document}
```

1.14 \raggedright, \raggedleft commands, flushleft and flushright Environments

\raggedright command and flushleft environment put the text on the left hand side and \raggedleft command and flushright environment put the text on the right hand side, independent on the current mode.

1.15 Primitive-like commands

```
\hboxR \hboxL \vboxR \vboxL
```

- ☞ The syntax of \hboxR is exatly the same as the syntax of \hbox, but its contents is always typeset RTL.
- ☞ The syntax of \hboxL is exatly the same as the syntax of \hbox, but its contents is always typeset LTR.
- ☞ The syntax of \vboxR is exatly the same as the syntax of \vbox, but its contents is always typeset RTL.
- ☞ The syntax of \vboxL is exatly the same as the syntax of \vbox, but its contents is always typeset LTR.

1.16 Something To know about \hbox

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:



```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \hbox{This is a Test}
6 \end{document}

```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \leavevmode\hbox{This is a Test}
6 \end{document}

```

1.17 \bidillap and \bidirlap Commands

In RTL mode, `\llap` and `\rlap` do oposite things. Since these two macros are used in a lot of classes and packages, instead modifying these two macros, we have created two new macros `\bidillap` and `\bidirlap` which give logical results.

1.18 LTRitems and RTLitems Environments

If you typeset an itemize, or an enumerate, or a description environment where all `\item`s are one directional, you have no problem at all as shown below:

```

1 \documentclass{article}
2 \begin{document}
3 Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
4 \begin{enumerate}
5 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
6 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
7 \end{enumerate}
8 \end{document}

```

However if the above example becomes bidirectional, as shown below:

```

1 \documentclass{article}
2 \usepackage{bidi}

```



```

3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
7 \setRTL
8 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
9 \end{enumerate}
10 \end{document}

```

Then some people may argue that this typographically does not look promising. For this purpose, RTLItems environment is provided which has the following syntax:

```

\begin{RTLItems}
\item <text>
...
\end{RTLItems}

```

By using the RTLItems environment, the previous example will look like the following:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
7 \begin{RTLItems}
8 \item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
9 \end{RTLItems}
10 \end{enumerate}
11 \end{document}

```

Similarly, LTRItems environment is defined which has the following syntax:

```

\begin{LTRItems}
\item <text>
...
\end{LTRItems}

```



1.19 LTRbibitems and RTLbibitems Environments

The syntax of LTRbibitems and RTLbibitems environments is exactly like the syntax of LTRItems and RTLItems environments but there are few differences:

- ☞ LTRItems and RTLItems environments should only be used for list-like environments (such as itemize, enumerate and description environments) but LTRbibitems and RTLbibitems environments should only be used for thebibliography environment.
- ☞ Clearly instead of \item, you have \bibitem inside LTRbibitems and RTLbibitems environments.

1.20 \setLTRbibitems, \setRTLbibitems, and \setDefaultbibitems commands

```
\setLTRbibitems \setRTLbibitems \setDefaultbibitems
```

- ☞ If your whole thebibliography environment is inside RTL mode, but all your \bibitems are LTR and you actually want to have \bibname to appear on the RHS, you can use \setLTRbibitems command before thebibliography environment.
- ☞ If your whole thebibliography environment is inside LTR mode, but all your \bibitems are RTL and you actually want to have \bibname to appear on the LHS, you can use \setRTLbibitems command before thebibliography environment.
- ☞ \setDefaultbibitems is the default, when your \bibitems are a mixture of LTR and RTL and it does not matter what mode (LTR or RTL) your thebibliography environment is in. Please note that you do not have to use \setDefaultbibitems command in this case at all.

Consider an example that your thebibliography environment is inside LTR mode and you have, say two \bibitems. The first \bibitem is LTR and the second \bibitem is RTL. One could typeset this scenario as shown below:

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{thebibliography}{99}
5 \bibitem This is the first bibitem which is LTR.
6 \begin{RTLbibitems}
7 \bibitem This is the second bibitem which is RTL.
8 \end{RTLbibitems}
9 \end{thebibliography}
10 \end{document}
```



1.21 Typesetting margin par

By default, in RTL mode, `\marginpar` appears on LHS and its content is typeset RTL and in LTR mode, `\marginpar` appears on RHS and its content is typeset LTR. In addition, the following commands are provided:

```
\setRTLmarginpar \setLTRmarginpar \setDefaultmarginpar  
\LTRmarginpar[<left-text>]{<right-text>}  
\RTLmarginpar[<left-text>]{<right-text>}
```

- ☞ `\setRTLmarginpar` always makes `\marginpar` to appear on LHS and the content of `\marginpar` is typeset RTL (this is independent of the current mode).
- ☞ `\setLTRmarginpar` always makes `\marginpar` to appear on RHS and the content of `\marginpar` is typeset LTR (this is independent of the current mode).
- ☞ `\setDefaultmarginpar` gives the default behaviour of `\marginpar` as described above.
- ☞ `\LTRmarginpar` typesets `<left-text>` and `<right-text>` always LTR.
- ☞ `\RTLmarginpar` typesets `<left-text>` and `<right-text>` always RTL.
- ☞ in RTL mode, places of `<left-text>` and `<right-text>` swaps.

1.22 Typesetting of Headers and Footers

If the main direction of the document is RTL, then headers and footers are typeset RTL and if the main direction of the document is LTR, then headers and footers are typeset LTR.

1.23 Tabular Typesetting

In RTL mode, tabular are typeset RTL and in LTR mode, tabular are typeset LTR.

1.24 Equation Numbers

For `reqno`, equation numbers are on the right hand side and for `leqno`, equation numbers are on the left hand side, independent on the current mode.

2 Support For Various Packages and Classes

The `bidi` package supports `amsmath`, `amstext`, `amsthm`, `array`, `arydshln`, `breqn`, `cals`, `caption`, `color`, `colortbl`, `crop`, `cuted`, `cutwin`, `dblfnote`, `draftwatermark`, `empheq`, `fancyhdr`, `fancybox`, `fix2col`, `float`, `floatrow`, `flowfram`, `framed`, `ftnright`, `geometry`, `graphicx`, `hfvfloat`, `hyperref`, `lettrine`, `listings`, `mdframed`, `midfloat`, `minitoc`, `multicol`, `multienum`, `newfloat`, `pdfpages`, `pstricks`, `quotchap`, `picinpar`, `ragged2e`, `rotating`, `sidecap`, `stabular`,



subfig, subfigure, supertabular, xtab, tabls, tabulary, PGF & TIKZ, tocbibind, tocloft, tocstyle, wrapfig, xcolor, xltextra packages, amsart, amsbook, artikel1, artikel2, artikel3, extarticle, flashcards, standrad article, boek, boek3, standard book, bookest, extbook, extletter, scrlettr,standard letter, memoir, extreport, rapport1, rapport3, refrep, standard report, scrartcl, scrbook, scrreprt classes and any other packages and classes that relies on these packages and classes. This means, you can use all these packages and classes in addition to other packages and classes that rely on these packages and classes and use their functionality fully for your bidirectional documents. We now give some details that you should know about the supported packages or classes.

2.1 Color

You can use color and xcolor packages to typeset texts in colours and colour boxes produced by \colorbox and \fcolorbox commands. Please note that your Coloured text should not span more than a line, if your text spans more than a line, you will be in trouble which means your whole document, page or paragraph may be coloured. If your texts spans more than a line, then you should use xecolor package. Also if you are going to use \color command to colour the text at the beginning of a paragraph, then you should have \leavevmode before \color command. For having coloured tabular, you can use colortbl package.

2.2 The dblfnote package

The dblfnote package makes footnotes double-columned. In addition bidi package adds bidirectional support for the dblfnote package by providing the following commands:

```
\RTLdfnmakecol    \LTRdfnmakecol
```

- ☞ \RTLdfnmakecol makes footnotes double-columned RTL.
- ☞ \LTRdfnmakecol makes footnotes double-columned LTR.
- ☞ If the main direction of the document is RTL, \RTLdfnmakecol is active and if the main direction of the document is LTR, \LTRdfnmakecol is active.

Please note that when using dblfnote package, the footnote rule will be as wide as the footnote column and \autofootnoterule, \rightfootnoterule, \leftfootnoterule, and \textwidthfootnoterule commands have no effects.

2.3 Hyperref

The hyperref package works fine with bidirectional documents if and only if, your link will not span more than a line. If your link spans more than a line, then your whole document, or page or paragraph may be linked.



2.4 The `listings` package

Suppose that the main direction of the document is RTL, and you want to typeset a piece of C code in LTR mode but you also have the requirement that the caption of that particular code should be RTL. Since the direction of the code is LTR, then the direction of the caption also will be LTR and this is not something you want; sadly there is no easy way to do this. For this very reason, the `bidi` package adds a key to the `listings` package, namely `captiondirection`. This key can have the following values:

- ☒ `textdirection` follows the direction of the text (default).
- ☒ `RTL` sets the direction of the caption to RTL.
- ☒ `LTR` sets the direction of the caption to LTR.

Giving any other values gives you an error.

2.5 `flowfram` Package

You can use `flowfram` package for your bidirectional documents. Please note that `flowfram` package provides support for bidirectional column typesetting, for details, see its manual.

2.6 Multicolumn Typesetting

In the previous versions of `bidi` package, it was recommended that you need to use `fmultico` package instead the original `multicol` package for RTL multicolumn typesetting. This is not the case any more and you should not use buggy `fmultico` package any more. Simply load the original `multicol` package before loading `bidi`. `bidi` now supports `multicol` package and you can typeset bidirectional multi columns. When using `multicol` package, the following two additional commands are provided:

```
\RTLmulticolcolumns \LTRmulticolcolumns
```

If the main direction of the document is RTL, then you get RTL multi columns and if the main direction of the document is LTR, then you get LTR multi columns. In addition, `\RTLmulticolcolumns` allows you to have RTL multi columns and `\LTRmulticolcolumns` allows you to have LTR multi columns.

In addition, you also can use `vwcol` package for variable width bidirectional column typesetting.

3 Extra `bidi` Packages and Classes

3.1 `buditufe` bundle

A modified version of `tufte-latex`, `buditufe` bundle, mainly for RTL typesetting, is provided. If you never used `buditufe` bundle or `tufte-latex` package and you want



to use `buditufe` bundle, then you need to look at `tufte-latex` package's manual and examples. In addition, for using `buditufe` bundle, you need to know the following notes:

- ☞ You need to use `buditufe-book` class instead `tufte-book` class and `buditufe-handout` class instead `tufte-handout` class.
- ☞ `buditufe` bundle provides the following extra commands:

```
\LTrsidenote \RTLsidenote \LTrmarginnote \RTLmarginnote
```

- ☞ `buditufe` bundle unlike `tufts-latex` package, only provides justified lines.
- ☞ Some features of `tufte-latex` that does not make any sense in RTL, do not exist in `buditufe` bundle (no need for `soul`, `letterspace` and `macrotype` packages).
- ☞ If you want to configure `buditufe-book` class for your own needs, then you can create a file with the name `buditufe-book.cfg` and put your \LaTeX macros in that file; similarly, if you want to configure `buditufe-handout` class for your own needs, then you can create a file with the name `buditufe-handout.cfg` and put your \LaTeX macros in that file.

3.2 Typesetting \TeX and \LaTeX Codes

The \LaTeX codes in this manual are typeset using the `bicode` package. In standard \LaTeX you can not use footnotes inside `\chapter`, `\part`, `\section`, `\subsection`, `\subsubsection` and any other section-like commands, `\caption` and `tabular` environment.

`bidi` package provides `bidifnextra` package that solves the issue of footnote in standard \LaTeX . `bidifnextra` package should be loaded after `bidi` package.

3.3 Typesetting Poems

The `bidi` package provides `bidipoem` package for typesetting Persian poems. It provides four environments, `traditionalpoem`, `modernpoem` and starred version of these. In the starred version of these environments you do not need to type `\`` and that is the only difference with the normal version of the environments. The `traditionalpoem` environment and its starred version are also useful for typesetting Classic Arabic poetry, in fact this package may also be useful for other RTL languages.

When using `bidipoem` package, at least you need to run `xelatex` twice on your document. In fact, if you run `xelatex` just once on your document, you get a message saying "Unjustified poem. Rerun XeLaTeX to get poem right".

When you typeset your poems, you might get underfull `\hbox` messages. This is absolutely normal and if you want to get rid of these underfull `\hbox` messages, then you would need to use Kashida.

If you need to change the default distance between two verses, you can do just that by:



```
\renewcommand{\poemcolsep}{\skip{<length>}}
```

```
\begin{traditionalpoem}
<verse1>&<verse2>\\
<verse3>&<verse4>\\
...
\end{traditionalpoem}
```

```
\begin{traditionalpoem*}
<verse1>&<verse2>
<verse3>&<verse4>
...
\end{traditionalpoem*}
```

3.4 Typesetting Resumé

The `bidi` package provides `bidimoderncv`² class for typesetting resumés. There are two examples, namely `test-casualcv.tex` and `test-classiccv.tex`, in the doc folder than you can look and learn how you can use it.

3.5 Print Two Pages On A Single Page

`bidi` package provides `bidi2in1` package for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape 'container' page.

3.6 Producing Presentations

At the moment, there is only one class that you can prepare your presentations with.

4 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

4.1 Equating Conditionals

```
\eqnewif{\newconditional1}{\newconditional2}
```

In standard L^AT_EX, `\newif` command is provided that you can define a new conditional with it. `\eqnewif` command is similar to `\newif` command but:

- ☞ With `\eqnewif` command, you can define two new conditionals instead one, so clearly it has two mandatory arguments.

²This class is the modified version of `moderncv` class.



 \newconditional1 will be identical to \newconditional2, so that whenever \newconditional1 is true, then \newconditional2 is also true and whenever \newconditional1 is false, then \newconditional2 is also false and vice versa.

4.2 RTL Conditional

```
\if@RTL
```

\if@RTL conditional is true inside RTL mode and it is false in LTR mode.

4.3 Main RTL Conditional

```
\if@RTLmain
```

If the main direction of the document is RTL, \if@RTLmain is true and if the main direction of the document is LTR, \if@RTLmain is false.

4.4 Latin Conditional

```
\if@nonlatin
```

The packages should set the value of \if@nonlatin inside any environment that uses LTR script to false (\@nonlatinfalse) and inside any environment that uses RTL script to true (\@nonlatintrue).

4.5 Tags Internal Macro

```
\@iftagsloaded{\langle tags name\rangle}{\langle do thing(s) if the tag is loaded\rangle}{\langle do thing(s) if the tag is not loaded\rangle}
```

As you can see, the syntax of \iftagsloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By tags, we mean things like leqno or reqno. Please note that in the argument *\langle tags name\rangle*, the extension clo should not be given.

4.6 Definition File Loaded Internal Macro

```
\@ifdefinitionfileloaded{\langle definition file name\rangle}{\langle do thing(s) if the definition file is loaded\rangle}{\langle do thing(s) if the definition file is not loaded\rangle}
```

As you can see, the syntax of \ifdefinitionfileloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By definition file, we mean things like hyperref-bidi.def or wrapfig-bidi.def. Please note that in the argument *\langle definition file name\rangle*, the extension def should not be given.



4.7 Tabular Conditional

```
\if@RTLtab
```

If the tabular is typeset RTL, `\if@RTLtab` is true and if the tabular is typeset LTR, `\if@RTLtab` is false.

4.8 Footnote Conditional

```
\if@RTL@footnote
```

When footnotes are typeset RTL, `\if@RTL@footnote` is true and when footnotes are typeset LTR, `\if@RTL@footnote` is false.

4.9 Direction Ensuring Macros

```
\@ensure@RTL{\text} \@ensure@RL{\text} \@ensure@LTR{\text}  
\@ensure@LR{\text} \@ensure@dir{\text} \@ensure@maindir{\text}
```

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that `\text` is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that `\text` is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `\text` inside `\RLE` and if used in LTR mode, they put the text as it is.

4.10 Reset Direction Macro

```
\save@dir \saved@@dir \reset@dir
```

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

Part II

Plain T_EX Manual

5 Basics



5.1 Loading The Package

You can load the package in the ordinary way;

```
\input bidi
```

When loading the package, it is important to know that: `bidi` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi`'s definitions and consequently, you will not get the expected output.

5.2 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \input bidi
2 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
3 \end
```

5.3 Turning TeX--XeT features on and off

The bidirectional typesetting in Xe_TE_X is based on TeX--XeT algorithm and `bidi` package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by T_EX, the typesetting of a document by TeX--XeT may therefore differ from that performed by T_EX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original T_EX. Two commands are provided for this purpose:

```
\TeXeTOn \TeXeTOff
```

☞ `\TeXeTOn` turns TeX--XeT feature on, which is active by default when `bidi` package is loaded.

☞ `\TeXeTOff` turns TeX--XeT feature off.

5.4 Paragraph Switching Commands

```
\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR
```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.



☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \input bidi
2 \setRTL%
3 Anyone who reads Old and Middle English literary texts will be
4 familiar with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6
7 \setLTR% Notice the blank line before \setLTR
8 Anyone who reads Old and Middle English literary texts will be
9 familiar with the mid-brown volumes of the EETS, with the symbol
10 of Alfred's jewel embossed on the front cover.
11 \end
```

5.5 Paragraph Switching Environments

```
\LTR{<text>} \endLTR
\RTL{<text>} \endRTL
```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```
1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6 \LTR
7 Anyone who reads Old and Middle English literary texts will be familiar
8 with the mid-brown volumes of the EETS, with the symbol
9 of Alfred's jewel embossed on the front cover.
10 \endLTR
11 And we are still typesetting right to left.
12 \endRTL
13 \end
```

5.6 Typesetting Short LTR and RTL Texts

```
\LRE{<text>} \LR{<text>}
\RLE{<text>} \RL{<text>}
```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.



- ☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```

1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English \LRE{Short left to right text}
   literary texts will be familiar
4   with the mid-brown volumes of the EETS, with the symbol
   of Alfred's jewel embossed on the front cover.
5 \LTR
6 Anyone who reads Old and Middle English \RLE{Short right to left text}
   literary texts will be familiar
7   with the mid-brown volumes of the EETS, with the symbol
   of Alfred's jewel embossed on the front cover.
8 \endLTR
9 \endRTL
10 \end
11
12

```

5.7 Primitive-like commands

```
\hboxR \hboxL \vboxR \vboxL
```

- ☞ The syntax of \hboxR is exactly the same as the syntax of \hbox, but its contents is always typeset RTL.
- ☞ The syntax of \hboxL is exactly the same as the syntax of \hbox, but its contents is always typeset LTR.
- ☞ The syntax of \vboxR is exactly the same as the syntax of \vbox, but its contents is always typeset RTL.
- ☞ The syntax of \vboxL is exactly the same as the syntax of \vbox, but its contents is always typeset LTR.

5.8 Something To know about \hbox

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```

1 \input bidi
2 \setRTL
3 \hbox{This is a Test}
4 \end

```

You see that even you have used \setRTL, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TeX starts, it is in the vertical mode so if you need to have that \hbox appear RTL, then write \leavevmode before \hbox:



```

1 \input bidi
2 \setRTL
3 \leavevmode\hbox{This is a Test}
4 \end

```

5.9 Typesetting Logos

\XeTeX

bidi defines Xe_TE_X logo and in addition, it makes sure that the logo, T_EX is typeset LTR.

6 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

6.1 RTL Conditional

\if@RTL

\if@RTL conditional is true inside RTL mode and it is false in LTR mode.

6.2 Main RTL Conditional

\if@RTLmain

If the main direction of the document is RTL, \if@RTLmain is true and if the main direction of the document is LTR, \if@RTLmain is false.

6.3 Direction Ensuring Macros

```

\@ensure@RTL{\text} \@ensure@RL{\text} \@ensure@LTR{\text}
\@ensure@LR{\text} \@ensure@dir{\text} \@ensure@maindir{\text}

```

☞ \@ensure@RTL and \@ensure@RL internals make sure that *\text* is always typeset RTL, independent on the current mode.

☞ \@ensure@LTR and \@ensure@LR internals make sure that *\text* is always typeset LTR, independent on the current mode.

☞ \@ensure@dir and \@ensure@maindir if used in RTL mode, they put *\text* inside \RLE and if used in LTR mode, they put the text as it is.



6.4 Reset Direction Macro

```
\save@dir \saved@@dir \reset@dir
```

- ☞ \save@dir, if the direction of typesetting is RTL, defines \saved@@dir to be RTL and if the direction of typesetting is LTR, defines \saved@@dir to be LTR.
- ☞ \reset@dir, if \saved@@dir is defined as RTL, inserts \setRTL otherwise, if \saved@@dir is defined as LTR, inserts \setLTR, otherwise does nothing.

7 bidi implementation

7.1 amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for XeTLA]
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begin{group} \hyphenpenalty\@M
7       \@ifempty{#4}{%
8         \atempdima\csname r@tocindent\number#1\endcsname\relax
9       }{%
10         \atempdima#4\relax
11       }%
12       \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi\if@RTL\leftskip\else\rightskip\fi\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
13       \if@RTL\leftskip\else\rightskip\fi\fi\@pnumwidth
14       \leavevmode\hskip-\atempdima #6\nobreak\relax
15       \hfil\hbox to\@pnumwidth{\atocpagenum{#7}}\par
16       \nobreak
17       \endgroup
18   \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24   \z@\linespacing\@plus\linespacing}{.5\linespacing}%
25   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}
26 \def\right@footnoterule{%
27   \kern-.4\p@
28   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
29   \kern11\p@\kern-\footnotesep}
30 \def\left@footnoterule{\kern-.4\p@
31   \hrule\width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
```



```

36   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37   \reset@font%
38   \bidi@@footnotetext@font% \normalfont\footnotesize
39   \interlinepenalty\interfootnotelinepenalty
40   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41   \floatingpenalty\@MM \hsize\columnwidth
42   \parboxrestore \parindent\normalparindent \sloppy
43   \protected@edef@\currentlabel{%
44     \csname p@footnote\endcsname@\thefnmark}%
45   \makefntext{%
46     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
47
48 \long\def\@RTLfootnotetext#1{%
49   \insert\footins{%
50     \@RTLtrue%
51     \reset@font%
52     \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
53     \interlinepenalty\interfootnotelinepenalty
54     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55     \floatingpenalty\@MM \hsize\columnwidth
56     \parboxrestore \parindent\normalparindent \sloppy
57     \protected@edef@\currentlabel{%
58       \csname p@footnote\endcsname@\thefnmark}%
59     \makefntext{%
60       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65   \insert\footins{%
66     \@RTLfalse%
67     \reset@font%
68     \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
69     \interlinepenalty\interfootnotelinepenalty
70     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71     \floatingpenalty\@MM \hsize\columnwidth
72     \parboxrestore \parindent\normalparindent \sloppy
73     \protected@edef@\currentlabel{%
74       \csname p@footnote\endcsname@\thefnmark}%
75     \makefntext{%
76       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
77
78
79 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84   \bibtitlestyle
85   \normalfont\bibliofont\labelsep .5em\relax

```



```

86 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
87 \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
88 \bidi@thebibliography@font@hook%
89 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90 \leftmargin\labelwidth \advance\leftmargin\labelsep
91 \usecounter{enumiv}}%
92 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
93 \sfcode`\.=\@m
94 }{%
95 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96 \endlist
97 }
98 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
99 \columnseprule\z@\columnsep 35\p@
100 \indextitlestyle
101 \thispagestyle{plain}%
102 \let\item\@idxitem
103 \parindent\z@ \parskip\z@\@plus.3\p@\relax
104 \if@RTL\raggedleft\else\raggedright\fi
105 \hyphenpenalty\@M
106 \footnotesize
107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111 \topnum\z@ % this prevents figures from falling at the top of page 1
112 \setcopyright
113 \thispagestyle{firstpage}% this sets first page specifications
114 \uppercaseonmath\shorttitle
115 \ifx\empty\shortauthors \let\shortauthors\shorttitle
116 \else \andify\shortauthors
117 \fi
118 \maketitle@hook
119 \begingroup
120 \maketitle
121 \toks@{\exp{\shortauthors}\temptokena\exp{\shorttitle}%
122 \toks4{\def\\{\ignorespaces}}% defend against questionable usage
123 \edef\@tempa{%
124 \nx\markboth{\the\toks4
125 \nx\MakeUppercase{\the\toks@}{\the\temptokena}}%
126 \@tempa
127 \endgroup
128 \c@footnote\z@
129 \cleartopmattertags
130 }

```

7.2 adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pa
132 \def\adjmulticols#1#2#3{\col@number#1\relax

```



```

133 \def\@tempa{#2}%
134 \ifx\@tempa\empty\adjmc@inner\z@\else\adjmc@inner#2\fi
135 \def\@tempa{#3}%
136 \ifx\@tempa\empty\adjmc@outer\z@\else\adjmc@outer#3\fi
137 \ifnum\col@number<\@ne
138   \PackageWarning{adjmulticol}%
139   {Using `\'number\col@number'
140    columns doesn't seem a good idea.^^J
141    I therefore use one columns instead}%
142   \col@number\@ne\fi
143 \ifnum\col@number>10
144   \PackageError{adjmulticol}%
145   {Too many columns}%
146   {Current implementation doesn't
147    support more than 10 columns.%}
148   \MessageBreak
149   {I therefore use 10 columns instead}%
150   \col@number10\fi
151 \ifx\@footnotetext\mult@footnotetext\else
152   \let\orig@footnotetext\@footnotetext
153   \let\@footnotetext\mult@footnotetext
154 \fi
155 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
156   \let\orig@LTRfootnotetext\@LTRfootnotetext
157   \let\@LTRfootnotetext\mult@LTRfootnotetext
158 \fi
159 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160   \let\orig@RTLfootnotetext\@RTLfootnotetext
161   \let\@RTLfootnotetext\mult@RTLfootnotetext
162 \fi
163 \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]
164 \let\adjmc@page@sofar@orig=\page@sofar

```

7.3 algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e pa
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%
168 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
169 \fi%
170
171 \def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}
172 \def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hspace]{\box\algocf@algoframe}\par}%
173 \def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}%
174 \def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hspace]{\box\algocf@algoframe}\par}%
175 \renewcommand{\@algocf@start}{%
176   \@algoskip%
177   \begin{bidi@lrbox}{\algocf@algobox}%
178   \setlength{\algowidth}{\hspace}%
179   \vbox\bgroup% save all the algo in a box

```



```

180 \hbox to\algorwidth\bgroup\hbox to \algomargin{\hfill}\vtop\bgroup%
181 \ifthenelse{\boolean{algocf@slide}}{\parskip 0.5ex\color{black}}{}%
182 % initialization
183 \addtolength{\hsize}{-1.5\algomargin}%
184 \let\@mathsemicolon=\;\def\;{\ifmmode\@mathsemicolon\else\endalgoln\fi}%
185 \raggedright\AlFnt{}%
186 \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgo@slide}}{}%
187 \@algoinsideskip%
188 % \let\@mathdisplay=\]\def\]\{\algocf@endline\@mathdisplay\nl}%
189 }%
190 \renewcommand{\@algocf@finish}{%
191 \@algoinsideskip%
192 \egroup% end of vtop which contain all the text
193 \hfill\egroup% end of hbox which contains [margin] [vtop]
194 \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgo@slide}}{}%
195 %
196 \egroup% end of main vbox
197 \end{bidi@lrbox}%
198 \algocf@makethealgo% print the algo
199 \@algoskip%
200 % restore dimension and macros
201 \setlength{\hsize}{\algorwidth}%
202 \lineskip\normallineskip\setlength{\skiptotal}{\@defaultskiptotal}%
203 \let\;=\@mathsemicolon%
204 \let\]=\@mathdisplay%
205 }%

```

7.4 amsbook-xetex-bidi.def

```

206 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for ]
207 \def\@tocline#1#2#3#4#5#6#7{\relax
208   \ifnum #1>\c@tocdepth % then omit
209   \else
210     \par \addpenalty\@secpenalty\addvspace{#2}%
211     \begingroup \hyphenpenalty\@M
212     \@ifempty{#4}{%
213       \tempdima\csname r@tocindent\endcsname\relax
214     }{%
215       \tempdima#4\relax
216     }%
217     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi#5\leavevmode\hskip-\tempdima #6\nobreak\relax
218     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
219     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
220     \nobreak
221     \endgroup
222   \fi}
223 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
224 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
225 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}

```



```

227 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
228 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
229   \columnseprule\z@\columnsep 35\p@
230   \cindextitlestyle
231   \thispagestyle{plain}%
232   \let\item\cidxitem
233   \parindent\z@\parskip\z@\@plus.3\p@\relax
234   \if@RTL\raggedleft\else\raggedright\fi
235   \hyphenpenalty\@M
236   \footnotesize}
237 \def\cidxitem{\par\hangindent \if@RTL-\fi2em}
238 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
239 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
240 \def\right@footnoterule{%
241   \kern-.4\p@
242   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
243   \kern11\p@\kern-\footnotesep}
244 \def\left@footnoterule{\kern-.4\p@
245   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
246
247 \long\def\@footnotetext#1{%
248   \insert\footins{%
249     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
250     \reset@font%
251     \bidi@@footnotetext@font% \normalfont\footnotesize
252     \interlinepenalty\interfootnotelinepenalty
253     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
254     \floatingpenalty\@MM \hsize\columnwidth
255     \parboxrestore \parindent\normalparindent \sloppy
256     \protected@edef\@currentlabel{%
257       \csname p@footnote\endcsname\@thefnmark}%
258     \makefntext{%
259       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
260
261 \long\def\@RTLfootnotetext#1{%
262   \insert\footins{%
263     \@RTLtrue%
264     \reset@font%
265     \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
266     \interlinepenalty\interfootnotelinepenalty
267     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
268     \floatingpenalty\@MM \hsize\columnwidth
269     \parboxrestore \parindent\normalparindent \sloppy
270     \protected@edef\@currentlabel{%
271       \csname p@footnote\endcsname\@thefnmark}%
272     \makefntext{%
273       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
274
275
276 \long\def\@LTRfootnotetext#1{%

```



```

277 \insert\footins{%
278   \RTLfalse%
279   \reset@font%
280   \bidi@LTRfootnotetext@font% \normalfont\footnotesize
281   \interlinepenalty\interfootnotelinepenalty
282   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
283   \floatingpenalty@MM \hsize\columnwidth
284   \parboxrestore \parindent\normalparindent \sloppy
285   \protected@edef\@currentlabel{%
286     \csname p@footnote\endcsname\@thefnmark}%
287   \makefntext{%
288     \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
289
290
291
292 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext@\footnotetext{\bidi@footdir@footnote}%
293 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext@\RTLfootnotetext{R}%
294 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext@\LTRfootnotetext{L}%
295
296 \renewenvironment{thebibliography}[1]{%
297   \bibtitlestyle
298   \normalfont\bibliofont\labelsep .5em\relax
299   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
300   \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
301   \bidi@thebibliography@font@hook%
302   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
303     \leftmargin\labelwidth\advance\leftmargin\labelsep
304     \usecounter{enumiv}}%
305   \sloppy \clubpenalty@M \widowpenalty\clubpenalty
306   \sfcode`.=\@m
307 }{%
308   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
309   \endlist
310 }
311 \def\makechapterhead#1{\global\topskip 7.5pc\relax
312   \begingroup
313   \fontsize{@xivpt}{18}\bfseries\centering
314   \ifnum\c@secnumdepth>\m@ne
315     \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
316     \rlap{\vbox to\z@{\vss
317       \centerline{\normalsize\mdseries
318         \uppercase\exp{\chaptername}\enspace\thechapter}
319         \vskip 3pc}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
320     #1\par \endgroup
321   \skip@34\p@ \advance\skip@-\normalbaselineskip
322   \vskip\skip@ }
323 \def\maketitle{\par
324   \topnum\z@ % this prevents figures from falling at the top of page 1
325   \begingroup
326   \maketitle

```



```

327 \endgroup
328 \c@footnote\z@
329 \def\do##1{\let##1\relax}%
330 \do\maketitle \do\@maketitle \do\@title \do\xtitle \do\@title
331 \do\author \do\xauthor \do\address \do\xaddress
332 \do\email \do\xemail \do\curraddr \do\xcurraddr
333 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
334 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
335 }

```

7.5 amsmath-xetex-bidi.def

```

336 \ProvidesFile{amsmath-xetex-bidi.def}[2016/09/12 v1.0 bidi adaptations for amsmath package for XeLaTeX]
337 \let\veqno=\eqno
338 \iftagsleft@ \let\veqno=\leqno \fi
339 \renewcommand{\numberwithin}[3]{\arabic}{%
340   \@ifundefined{c@#2}{\@nocounterr{#2}}{%
341     \@ifundefined{c@#3}{\@nocnterr{#3}}{%
342       \addtoreset{#2}{#3}%
343       \expandafter\csname the#2\endcsname{%
344         \expandafter\csname the#3\endcsname \nx@SepMark\nx#1{#2}}}}}}%
345 }
346 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\ignorespaces#1\unskip\@italiccorr)\if@nonlatin\endR\fi}}

```

7.6 amstext-xetex-bidi.def

```

347 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package for XeLaTeX]
348 \def\textdef@#1#2#3{\hbox{%
349   \everymath{#1}%
350   \let\f@size\selectfont
351   \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}

```

7.7 amsthm-xetex-bidi.def

```

352 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for XeLaTeX]
353 \def\@thmcountersep{\nx@SepMark}

```

7.8 array-xetex-bidi.def

```

354 \ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for XeLaTeX]
355 \def\@testpach{\chclass
356   \ifnum\@lastchclass=6 \one\chnum\one\else
357   \ifnum\@lastchclass=7 5\else
358   \ifnum\@lastchclass=8 \tw@\else
359   \ifnum\@lastchclass=9 \thr@%
360   \else\z@\else
361   \ifnum\@lastchclass = 10 \else
362   \edef\@nextchar{\expandafter\string\@nextchar}%
363   \chnum
364   \if\@nextchar c\z@\else
365   \if\@nextchar \if@RTLtab r\else l\fi\one\else
366   \if\@nextchar \if@RTLtab l\else r\fi\tw@\else
367   \z@\chclass

```



```

368  \if\@nextchar |\@ne \else
369   \if \@nextchar !6 \else
370   \if \@nextchar @7 \else
371   \if \@nextchar <8 \else
372   \if \@nextchar >9 \else
373   10
374   \@chnum
375   \if \@nextchar m\thr@@\else
376   \if \@nextchar p4 \else
377   \if \@nextchar b5 \else
378   \z@\@chclass \z@\@preamerr \z@\fi \fi \fi \fi
379   \fi \fi
380 \def\@tabular{%
381   \leavevmode
382   \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\begingroup
383                               \let\d@llarend\endgroup
384   \@tabarray
385 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
386 \expandafter\let\csname endtabular*\endcsname=\endtabular
387 \def\@array[#1]#2{%
388   \tempdima \ht \strutbox
389   \advance \tempdima by \extrarowheight
390   \setbox \carstrutbox \hbox{\vrule
391     \height \arraystretch \tempdima
392     \depth \arraystretch \dp \strutbox
393     \width \z@}%
394   \begingroup
395   \mkpream{#2}%
396   \xdef\@preamble{\noexpand \ialign \halignto
397     \bgroup \carstrut \preamble
398     \tabskip \z@ \cr}%
399   \endgroup
400   \arrayleft
401   \if #1\vtop \else \if#1b\vbox \else \vcenter \fi \fi
402   \bgroup
403   \let \sharp ##\let \protect \relax
404   \lineskip \z@
405   \baselineskip \z@
406   \m@th
407   \let\\ \@arraycr \let\tabularnewline\\ \let\par\empty \if@RTLtab\hbox\bgroup\beginR\hbox\relax
408 \def\@tabarray{\ifnextchar[{\@array}{\@array[c]}}
409 \def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \arrayright \gdef\@pream
410 \def\array{\col@sep\arraycolsep
411 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\halign{\def\d@llarbegin{\hbox\relax
412 \def\@RTLtabfalse\@tabarray}
```

7.9 article-xetex-bidi.def

```

413 \ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article c
414 \if@titlepage
```



```

415 \renewcommand{\maketitle}{\begin{titlepage}%
416 \let\footnotesize\small
417 \let\right@footnoterule\relax
418 \let\left@footnoterule\relax
419 \let\textwidth@footnoterule\relax
420 \let \footnote \thanks
421 \let \LTrfootnote \LTrthanks
422 \let \RTLfootnote \RTLthanks
423 \null\vfil
424 \vskip 60\p@
425 \begin{center}%
426   {\LARGE \@title \par}%
427   \vskip 3em%
428   {\large
429     \lineskip .75em%
430     \begin{tabular}[t]{c}%
431       \author
432     \end{tabular}\par}%
433   \vskip 1.5em%
434   {\large \@date \par}        % Set date in \large size.
435 \end{center}\par
436 \@thanks
437 \vfil\null
438 \end{titlepage}%
439 \setcounter{footnote}{0}%
440 \global\let\thanks\relax
441 \global\let\LTrthanks\relax
442 \global\let\RTLthanks\relax
443 \global\let\maketitle\relax
444 \global\let\@thanks\@empty
445 \global\let\@author\@empty
446 \global\let\@date\@empty
447 \global\let\@title\@empty
448 \global\let\title\relax
449 \global\let\author\relax
450 \global\let\date\relax
451 \global\let\and\relax
452 }
453 \else
454 \renewcommand{\maketitle}{\par
455   \begingroup
456     \renewcommand{\thefootnote}{\@fnsymbol\c@footnote}%
457     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
458     \long\def\@makefntext{\#1{\parindent 1em\noindent
459       \hb@xt@1.8em{%
460         \hss\@textsuperscript{\normalfont\@thefnmark}\#1}}%
461     \if@twocolumn
462       \ifnum \col@number=\@ne
463         \@maketitle
464       \else

```



```

465      \twocolumn[\@maketitle]%
466      \fi
467      \else
468      \newpage
469      \global\@topnum\z@    % Prevents figures from going at top of page.
470      \@maketitle
471      \fi
472      \thispagestyle{plain}\@thanks
473      \endgroup
474      \setcounter{footnote}{0}%
475      \global\let\thanks\relax
476      \global\let\LTRthanks\relax
477      \global\let\RTLthanks\relax
478      \global\let\maketitle\relax
479      \global\let\@maketitle\relax
480      \global\let\@thanks\@empty
481      \global\let\@author\@empty
482      \global\let\@date\@empty
483      \global\let\@title\@empty
484      \global\let\title\relax
485      \global\let\author\relax
486      \global\let\date\relax
487      \global\let\and\relax
488 }
489 \def\@maketitle{%
490   \newpage
491   \null
492   \vskip 2em%
493   \begin{center}%
494   \let \footnote \thanks
495   \let \LTRfootnote \LTRthanks
496   \let \RTLfootnote \RTLthanks
497   {\LARGE \@title \par}%
498   \vskip 1.5em%
499   {\large
500     \lineskip .5em%
501     \begin{tabular}[t]{c}%
502       \author
503       \end{tabular}\par}%
504   \vskip 1em%
505   {\large \@date}%
506   \end{center}%
507   \par
508   \vskip 1.5em}
509 \fi
510 \renewcommand*\l@part[2]{%
511   \ifnum \c@tocdepth >-2\relax
512     \addpenalty\@secpenalty
513     \addvspace{2.25em \@plus\p@}%
514     \setlength\tempdima{3em}%

```



```

515 \begin{group}
516   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
517   \parfillskip -\c@pnumwidth
518   {\leavevmode
519     \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
520     \nobreak
521     \if@compatibility
522       \global\nobreaktrue
523       \everypar{\global\nobreakfalse\everypar{}}
524     \fi
525   }\endgroup
526 \fi}
527 \renewcommand*\l@section[2]{%
528   \ifnum \c@tocdepth >\z@
529     \addpenalty\@secpenalty
530     \addvspace{1.0em \c@plus\p@}%
531     \setlength\tempdima{1.5em}%
532     \begin{group}
533       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
534       \parfillskip -\c@pnumwidth
535       \leavevmode \bfseries
536       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
537       \hskip -\if@RTL\rightskip\else\leftskip\fi
538       #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
539     }\endgroup
540   \fi}
541 \renewcommand\left@footnoterule{%
542   \kern-3\p@
543   \hrule\@width.4\columnwidth
544   \kern2.6\p@}
545 \renewcommand\right@footnoterule{%
546   \kern-3\p@
547   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
548   \kern2.6\p@}
549 \renewcommand\thesubsection {\thesection\c@SepMark\c@arabic\c@subsection}
550 \renewcommand\thesubsubsection{\thesubsection\c@SepMark\c@arabic\c@subsubsection}
551 \renewcommand\theparagraph {\thesubsubsection\c@SepMark\c@arabic\c@paragraph}
552 \renewcommand\thesubparagraph {\theparagraph\c@SepMark\c@arabic\c@subparagraph}
553 \def\@part[#1]#2{%
554   \ifnum \c@secnumdepth >\m@ne
555     \refstepcounter{part}%
556     \addcontentsline{toc}{part}{\thepart\hskip.1em}#1}%
557   \else
558     \addcontentsline{toc}{part}{#1}%
559   \fi
560   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
561     \interlinepenalty \OM
562     \normalfont
563     \ifnum \c@secnumdepth >\m@ne
564       \Large\bfseries \partname\nobreakspace\thepart

```



```

565      \par\nobreak
566      \fi
567      \huge \bfseries #2%
568      \markboth{}{}\par}%
569      \nobreak
570      \vskip 3ex
571      \o@afterheading}
572 \renewenvironment{thebibliography}[1]
573     {\section*{\refname}%
574      \Omkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
575      \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
576      \bidi@thebibliography@font@hook\%
577      \list{\@biblabel{\@arabic\c@enumiv}}%
578          {\settowidth\labelwidth{\@biblabel{#1}}%
579           \leftmargin\labelwidth
580           \advance\leftmargin\labelsep
581           \openbib@code
582           \usecounter{enumiv}%
583           \let\p@enumiv\empty
584           \renewcommand\theenumiv{\@arabic\c@enumiv}%
585           \sloppy
586           \clubpenalty4000
587           \clubpenalty \clubpenalty
588           \widowpenalty4000%
589           \sfcode`\. \Om}
590       {\def\@noitemerr
591         {\@latex@warning{Empty `thebibliography' environment}}%
592       \endlist}
593 \renewenvironment{theindex}
594     {\if@twocolumn
595      \restonecolfalse
596      \else
597      \restonecoltrue
598      \fi
599      \columnseprule \z@
600      \columnsep 35\p@
601      \twocolumn[\section*{\indexname}]%
602      \Omkboth{\MakeUppercase\indexname}{\MakeUppercase\indexname}%
603      {\MakeUppercase\indexname}%
604      \thispagestyle{plain}\parindent\z@
605      \parskip\z@ \Oplus .3\p@\relax
606      \let\item\idxitem
607      {\if@restonecol\onecolumn\else\clearpage\fi}

```

7.10 artikel1-xetex-bidi.def

```

608 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class for
609 \renewenvironment{theindex}{%
610   \if@twocolumn
611     \restonecolfalse

```



```

612 \else
613   \restonecoltrue
614 \fi
615 \columnseprule \z@
616 \columnsep 35\p@
617 \twocolumn[\section*\{\indexname\}%
618 @mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
619 \thispagestyle{plain}\parindent\z@%
620 \parskip\z@ \relax .3\p@\relax
621 \let\item\idxitem
622 }%}
623 \if@restonecol\onecolumn\else\clearpage\fi}
624 \renewcommand*\head@style{%
625   \interlinepenalty \OM
626   \hyphenpenalty=\OM \exhyphenpenalty=\OM
627   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
628 \if@titlepage
629   \renewenvironment{abstract}{%
630     \titlepage
631     \null\vfil
632     \section*\{\SectFont\abstractname\}
633     \noindent\ignorespaces
634     {\par\vfil\null\endtitlepage}
635 }%
636 \else
637   \renewenvironment{abstract}{%
638     \if@twocolumn
639       \section*\{\abstractname\}%
640       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
641       \section*\{\small\SectFont\abstractname\}%
642       \noindent\ignorespaces
643     }%
644     {\if@twocolumn\else\par\egroup\fi}
645 }%
646 \renewcommand*\@regtocline[3]{%
647   \ifnum #1>\c@tocdepth
648   \else
649     \vskip\z@\relax .2\p@
650     \hangindent\z@ \afterindenttrue \interlinepenalty\OM
651     \if@RTL\rightskip\else\leftskip\fi\unitindent
652     \if@RTL\leftskip\else\rightskip\fi\unitindent\relax\ifil
653     \parfillskip\z@
654     \tempdima\unitindent
655     \parindent\z@
656     \leavevmode
657     \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak}
658     \hspace{1em}\nobreak\slshape\#3\par
659   }%
660 }%
661 \if@oldtoc

```



```

662 \renewcommand*\l@part[2]{%
663   \ifnum \c@tocdepth >-2\relax
664     \addpenalty\@secpenalty
665     \addvspace{2.25em \oplus \p@}%
666     \begingroup
667       \setlength\tempdima{3em}%
668       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
669       \parfillskip -\pnumwidth
670     {\leavevmode
671       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
672       \nobreak
673       \if@compatibility
674         \global\@nobreaktrue
675         \everypar{\global\@nobreakfalse\everypar{}}
676       \fi
677     \endgroup
678   \fi}
679 \else
680   \renewcommand*\l@part{%
681     \ifnum \c@tocdepth >-2\relax
682       \addpenalty\@secpenalty
683       \addvspace{2.25em \oplus \p@}%
684       \regtocline{0}%
685     \fi}
686 \fi
687 \if@oldtoc
688 \renewcommand*\l@section[2]{%
689   \addpenalty\@secpenalty
690   \addvspace{1.0em \oplus \p@}%
691   \setlength\tempdima{1.5em}%
692   \begingroup
693     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
694     \parfillskip -\pnumwidth
695     \leavevmode \bfseries
696     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
697     \hskip -\if@RTL\rightskip\else\leftskip\fi
698     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
699   \endgroup}
700 \else
701   \renewcommand*\l@section{\regtocline{1}}
702 \fi
703 \renewcommand*\thesubsection{\thesection\SepMark\arabic\c@subsection}
704 \renewcommand*\thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
705 \renewcommand*\theparagraph{\thesubsubsection\SepMark\arabic\c@paragraph}
706 \renewcommand*\thesubparagraph{\theparagraph\SepMark\arabic\c@subparagraph}
707 \renewenvironment{thebibliography}[1]
708   {\section*{\refname}%
709    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
710    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
711    \bidi@thebibliography\font@hook%
```



```

712     \list{@biblabel{@arabic{c@enumiv}}%
713         {\settowidth\labelwidth{@biblabel{#1}}%
714             \leftmargin\labelwidth
715             \advance\leftmargin\labelsep
716             \openbib@code
717             \usecounter{enumiv}%
718             \let\p@enumiv\empty
719             \renewcommand*\theenumiv{@arabic{c@enumiv}}%
720             \sloppy\clubpenalty4000\widowpenalty4000%
721             \sfcode`\.@m}
722         \def@noitemerr
723             {@latex@warning{Empty `thebibliography' environment}%
724             \endlist}
725     \renewcommand*\left@footnoterule{%
726         \kern-3\p@
727         \kern.5\baselineskip
728         \hrule\@width\unitindent
729         \kern.4\baselineskip
730     }
731     \renewcommand*\right@footnoterule{%
732         \kern-3\p@
733         \kern.5\baselineskip
734         \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
735         \kern.4\baselineskip}
736     \if@titlepage
737     \renewcommand*\TitleFont{\rmfamily}
738     \renewcommand*\maketitle{%
739         \begin{titlepage}%
740             \let\footnotesize\small
741             \let\right@footnoterule\relax
742             \let\left@footnoterule\relax
743             \let\textwidth@footnoterule\relax
744             \let \footnote \thanks
745             \long\def\makefntext##1{\par\indent\z@%
746                 \def\labelitemi{\textendash}\revlabeltrue
747                 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
748             \renewcommand*\thefootnote{@fnssymbol\c@footnote}%
749             \if@compatibility\setcounter{page}{0}\fi
750             \null\vfil
751             \vskip 60\p@
752             \begin{center}%
753                 \TitleFont
754                 {\LARGE \def\{\penalty -\@M}
755                     \if@allcaps
756                         \expandafter\uc@nothanks\@title\thanks\relax
757                     \else
758                         \@title
759                     \fi\par}%
760                     \vskip 3em%
761                     \large

```



```

762          \lineskip .75em \parindent\z@%
763          \begin{tabular}[t]{c}%
764              \if@allcaps
765                  \expandafter\uc@authornothanks\@author\and\relax
766              \else
767                  \@author
768              \fi
769          \end{tabular}\par}%
770          \vskip 1.5em%
771          {\large
772              \if@allcaps
773                  \uppercase\expandafter{\@date}%
774              \else
775                  \@date
776              \fi\par}%
777          \end{center}\par
778          \@thanks
779          \vfil\null
780      \end{titlepage}%
781      \setcounter{footnote}{0}%
782      \global\let\thanks\relax
783      \global\let\maketitle\relax
784      \global\let\@thanks\empty
785      \global\let\@author\empty
786      \global\let\@title\empty
787      \global\let\@date\empty
788      \global\let\title\relax
789      \global\let\author\relax
790      \global\let\date\relax
791      \global\let\and\relax
792  }
793 \def\uc@nothanks#1\thanks{\uppercase{\#1}\futurelet\@tempa\uc@tx}
794 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
795     \futurelet\@tempa\uc@ax}
796 \def\uc@ax{%
797     \ifx\@tempa\relax
798     \else
799         \\ \andname \\ \expandafter\uc@authornothanks
800     \fi}
801 \def\uc@tx{\ifx\@tempa\relax
802     \else \expandafter\uc@ty \fi}
803 \def\uc@ty#1{\thanks{\#1}\uc@nothanks}
804 \else
805 \renewcommand*\maketitle{\par
806     \begingroup
807         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
808         \def\@makefnmark{\rlap{%
809             \textsuperscript{\normalfont\thefnmark}}}}%
810         \long\def\@makefntext{\xmakefntext{%
811             \textsuperscript{\normalfont\thefnmark}}}}%

```



```

812     \if@twocolumn
813         \ifnum \col@number=\@ne
814             \@maketitle
815         \else
816             \twocolumn[\@maketitle]%
817         \fi
818     \else
819         \newpage
820         \global\@topnum\z@
821         \@maketitle
822     \fi
823     \thispagestyle{plain}\@thanks
824 \endgroup
825 \setcounter{footnote}{0}%
826 \global\let\thanks\relax
827 \global\let\maketitle\relax
828 \global\let\@maketitle\relax
829 \global\let\@thanks\@empty
830 \global\let\@author\@empty
831 \global\let\@title\@empty
832 \global\let\@date\@empty
833 \global\let\title\relax
834 \global\let\author\relax
835 \global\let\date\relax
836 \global\let\and\relax
837 }
838 \def\@maketitle{%
839     \newpage
840     \null
841     \vskip 2em%
842     \begin{center}%
843         \let \footnote \thanks
844         {\LARGE \TitleFont \@title \par}%
845         \vskip 1.5em%
846         {\large \TitleFont
847             \lineskip .5em%
848             \begin{tabular}[t]{c}%
849                 \author
850             \end{tabular}\par}%
851         \vskip 1em%
852         {\large \TitleFont \@date}%
853     \end{center}%
854     \par
855     \vskip 1.5em}
856 \fi

```

7.11 artikel2-xetex-bidi.def

```

857 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class for
858 \renewenvironment{theindex}{%

```



```

859 \if@twocolumn
860   \restonecolfalse
861 \else
862   \restonecoltrue
863 \fi
864 \columnseprule \z@
865 \columnsep 35\p@
866 \twocolumn[\section*{\indexname}]%
867 \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
868 \thispagestyle{plain}\parindent\z@
869 \parskip\z@ \relax .3\p@\relax
870 \let\item\@idxitem
871 }{%
872 \if@restonecol\onecolumn\else\clearpage\fi}
873 \renewcommand*\@regtocline[3]{%
874 \ifnum #1>\c@tocdepth
875 \else
876   \vskip\z@\relax .2\p@
877   {\hangindent\z@ \cafterindenttrue \interlinepenalty\OM
878     \if@RTL\rightskip\else\leftskip\fi\unitindent
879     \if@RTL\leftskip\else\rightskip\fi\unitindent\relax\fil
880     \parfillskip\z@
881     \tempdima\unitindent
882     \advance\tempdima by \othermargin
883     \parindent\z@
884     \leavevmode
885     \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak
886     \hspace{1em}\nobreak\slshape\#3}\par
887   }%
888 \fi}
889 \if@oldtoc
890 \renewcommand*\l@section[2]{%
891   \addpenalty\secpenalty
892   \addvspace{1.0em \relax .\p@}%
893   \setlength\tempdima{1.5em}%
894   \begin{group}
895     \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\pnumwidth
896     \parfillskip -\pnumwidth
897     \leavevmode \bfseries
898     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
899     \hspace{-\if@RTL\rightskip\else\leftskip\fi\relax\#1\nobreak\hfil\nobreak\hb@xt@\pnumwidth\hss\#2}\par
900   \end{group}
901 \else
902   \renewcommand*\l@section{\@regtocline{1}}
903 \fi
904 \if@oldtoc
905 \renewcommand*\l@part[2]{%
906 \ifnum \c@tocdepth >-2\relax
907   \addpenalty\secpenalty

```



```

909      \addvspace{2.25em \@plus\p@}%
910      \begingroup
911          \setlength{\tempdima{3em}%
912          \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
913          \parfillskip -\pnumwidth
914          {\leavevmode
915              \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
916              \nobreak
917              \if@compatibility
918                  \global\c@nobreaktrue
919                  \everypar{\global\c@nobreakfalse\everypar{}}
920              \fi
921          \endgroup
922      \fi}
923 \else
924     \renewcommand*\l@part{%
925         \ifnum \c@tocdepth >-2\relax
926             \addpenalty\secpenalty
927             \addvspace{2.25em \@plus \p@}%
928             \c@regtocline{0}%
929         \fi}
930     \fi
931 \renewcommand*\head@style{%
932     \interlinepenalty \OM
933     \hyphenpenalty=\OM \exhyphenpenalty=\OM
934     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
935 \if@titlepage
936     \renewenvironment{abstract}{%
937         \titlepage
938         \null\vfil
939         \section*{\SectFont\abstractname}%
940         \noindent\ignorespaces
941     {\par\vfil\null\endtitlepage}
942 \else
943     \renewenvironment{abstract}{%
944         \if@twocolumn
945             \section*{\abstractname}%
946         \else
947             \section*{\hskip\unitindent\small\SectFont\abstractname}%
948             \list{}{\setlength{\listparindent}{\unitindent}%
949                 \setlength{\parindent}{\z@}%
950                 \setlength{\leftmargin}{\unitindent}%
951                 \setlength{\rightmargin}{\unitindent}%
952                 \setlength{\parsep}{\z@}%
953                 \item[]%
954             \fi}
955             {\if@twocolumn\else\par\endlist\fi}
956     \fi
957 \renewcommand*\thesubsection{\thesection\SepMark\arabic\c@subsection}
958 \renewcommand*\thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}

```



```

959 \renewcommand*\theparagraph{\thesubsubsection@\SepMark@arabic\c@paragraph}
960 \renewcommand*\thesubparagraph{\theparagraph@\SepMark@arabic\c@subparagraph}
961 \renewcommand*\left@footnoterule{%
962   \kern-3\p@
963   \hrule\@width 3\unitindent
964   \kern 2.6\p@
965 }
966 \renewcommand*\right@footnoterule{%
967   \kern-3\p@
968   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-3\unitindent\relax}\hrulefill }
969   \kern 2.6\p@}
970 \renewenvironment{thebibliography}[1]
971   {\section*{\refname}%
972     \if@mkboth{\MakeUppercase{\refname}}{\MakeUppercase{\refname}}%
973     \if@RTL\if@LTrbitems\@RTLfalse\else\fi\else\if@RTLrbitems\@RTLtrue\else\fi\fi
974     \bidi@thebibliography\font@hook%
975     \list{\@biblabel{\@arabic\c@enumiv}}{%
976       \settowidth\labelwidth{\@biblabel{\#1}}%
977       \leftmargin\labelwidth
978       \advance\leftmargin\labelsep
979       \openbib@code
980       \usecounter{enumiv}%
981       \let\p@enumiv\empty
982       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
983       \sloppy\clubpenalty4000\widowpenalty4000%
984       \sfcode`.\. @m}
985     {\def\@noitemerr
986      {\@latex@warning{Empty `thebibliography' environment}}%
987     \endlist}
988 \if@titlepage
989 \renewcommand*\TitleFont{\rmfamily}
990 \renewcommand*\maketitle{%
991   \begin{titlepage}%
992     \let\footnotesize\small
993     \let\right@footnoterule\relax
994     \let\left@footnoterule\relax
995     \let\textwidth@footnoterule\relax
996     \let \footnote \thanks
997     \long\def\makefntext{\par\def\z@{\par\indent\z@}
998       \def\labelitemi{\textendash}\relax\labeltrue
999       \leavevmode\textsuperscript{\@thefnmark}\kern1em\relax \#1}
1000   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1001   \if@compatibility\setcounter{page}{0}\fi
1002   \null\vfil
1003   \vskip 60\p@
1004   \begin{center}%
1005     \TitleFont
1006     \LARGE \def\\{\penalty -\@M}
1007     \if@allcaps
1008       \expandafter\uc@nothanks\@title\thanks\relax

```



```

1009     \else
1010         \@title
1011         \fi\par}%
1012     \vskip 3em%
1013 {\large
1014     \lineskip .75em \parindent\z@
1015     \begin{tabular}[t]{c}%
1016         \if@allcaps
1017             \expandafter\uc@authornothanks\@author\and\relax
1018         \else
1019             \@author
1020             \fi
1021         \end{tabular}\par}%
1022     \vskip 1.5em%
1023 {\large
1024     \if@allcaps
1025         \uppercase\expandafter{\@date}%
1026     \else
1027         \@date
1028         \fi\par}%
1029     \end{center}\par
1030     \@thanks
1031     \vfil\null
1032     \end{titlepage}%
1033     \setcounter{footnote}{0}%
1034     \global\let\thanks\relax
1035     \global\let\maketitle\relax
1036     \global\let\@thanks\@empty
1037     \global\let\@author\@empty
1038     \global\let\@title\@empty
1039     \global\let\@date\@empty
1040     \global\let\title\relax
1041     \global\let\author\relax
1042     \global\let\date\relax
1043     \global\let\and\relax
1044 }
1045 \def\uc@nothanks#1\thanks{\uppercase{\#1}\futurelet\@tempa\uc@tx}
1046 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1047     \futurelet\@tempa\uc@ax}
1048 \def\uc@ax{%
1049     \ifx\@tempa\relax
1050     \else
1051         \\\andname \\ \expandafter\uc@authornothanks
1052     \fi}
1053 \def\uc@tx{\ifx\@tempa\relax
1054     \else \expandafter\uc@ty \fi}
1055 \def\uc@ty#1{\thanks{\#1}\uc@nothanks}
1056 \else
1057 \renewcommand*\maketitle{\par
1058     \begingroup

```



```

1059      \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
1060      \long\def\@makefntext##1{\par\indent\z@
1061          \def\labelitemi{\textendash}%
1062          \leavevmode\hb@xt@.5\unit\indent{%
1063              \textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1064      \if@twocolumn
1065          \ifnum \col@number=\@ne
1066              \maketitle
1067          \else
1068              \twocolumn[\maketitle]%
1069          \fi
1070      \else
1071          \newpage
1072          \global\@topnum\z@
1073          \maketitle
1074          \fi
1075          \thispagestyle{plain}\@thanks
1076      \endgroup
1077      \setcounter{footnote}{0}%
1078      \global\let\thanks\relax
1079      \global\let\maketitle\relax
1080      \global\let\@maketitle\relax
1081      \global\let\@thanks\@empty
1082      \global\let\@author\@empty
1083      \global\let\@title\@empty
1084      \global\let\@date\@empty
1085      \global\let\@title\relax
1086      \global\let\@author\relax
1087      \global\let\@date\relax
1088      \global\let\and\relax
1089  }
1090 \def\@maketitle{%
1091     \newpage
1092     \null
1093     \vskip 2em%
1094     \begin{center}%
1095         \let \footnote \thanks
1096         {\LARGE \TitleFont \@title \par}%
1097         \vskip 1.5em%
1098         {\large \TitleFont
1099             \lineskip .5em%
1100             \begin{tabular}[t]{c}%
1101                 \author
1102             \end{tabular}\par}%
1103             \vskip 1em%
1104             {\large \TitleFont \@date}%
1105             \end{center}%
1106             \par
1107             \vskip 1.5em}
1108 \fi

```



7.12 artikel3-xetex-bidi.def

```
1109 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class for
1110 \renewenvironment{theindex}{%
1111   \if@twocolumn
1112     \restonecolfalse
1113   \else
1114     \restonecoltrue
1115   \fi
1116   \columnseprule \z@
1117   \columnsep 35\p@
1118   \twocolumn[\section*{\indexname}]%
1119   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1120   \thispagestyle{plain}\parindent\z@
1121   \parskip\z@ \plus .3\p@\relax
1122   \let\item\@idxitem
1123 }{%
1124   \if@restonecol\onecolumn\else\clearpage\fi}
1125 \renewcommand*\head@style{%
1126   \interlinepenalty \zM
1127   \hyphenpenalty=\zM \exhyphenpenalty=\zM
1128   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1129 \renewcommand*\@regtocline[3]{%
1130   \ifnum #1>\c@tocdepth
1131   \else
1132     \vskip\z@\plus.2\p@
1133     {\hangindent\z@ \afterindenttrue \interlinepenalty\zM
1134       \if@RTL\rightskip\else\leftskip\fi\unitindent
1135       \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil
1136       \parfillskip\z@
1137       \tempdima\unitindent
1138       \parindent\z@
1139       \leavevmode
1140       \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak
1141       \hspace 1em \nobreak\slshape \#3\par
1142     }%
1143   \fi}
1144 \if@oldtoc
1145 \renewcommand*\l@part [2]{%
1146   \ifnum \c@tocdepth >-2\relax
1147     \addpenalty\@secpenalty
1148     \addvspace{2.25em \plus\p@}%
1149     \begingroup
1150       \setlength\tempdima{3em}%
1151       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\pnumwidth
1152       \parfillskip -\pnumwidth
1153       \leavevmode
1154       \large \bfseries \#1\hfil \hb@xt@\pnumwidth{\hss \#2}\par
1155       \nobreak
1156     \if@compatibility
```



```

1157      \global\@nobreaktrue
1158      \everypar{\global\@nobreakfalse\everypar{}}
1159      \fi
1160      \endgroup
1161      \fi}
1162 \else
1163     \renewcommand*\l@part{%
1164       \ifnum \c@tocdepth >-2\relax
1165         \addpenalty\@secpenalty
1166         \addvspace{2.25em \oplus \p@}%
1167         \regtocline{0}%
1168     \fi}
1169 \fi
1170
1171 \if@oldtoc
1172 \renewcommand*\l@section[2]{%
1173   \addpenalty\@secpenalty
1174   \addvspace{1.0em \oplus \p@}%
1175   \setlength\tempdima{1.5em}%
1176   \begin{group}
1177     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
1178     \parfillskip -\pnumwidth
1179     \leavevmode \bfseries
1180     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
1181     \hskip -\if@RTL\rightskip\else\leftskip\fi
1182     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
1183   \endgroup}
1184 \else
1185   \renewcommand*\l@section{\regtocline{1}}
1186 \fi
1187 \if@titlepage
1188   \renewenvironment{abstract}{%
1189     \titlepage
1190     \null\vfil
1191     \section*{\SectFont\abstractname}%
1192     \noindent\ignorespaces
1193   }{\par\vfil\null\endtitlepage}
1194 \else
1195   \renewenvironment{abstract}{%
1196     \if@twocolumn
1197       \section*{\abstractname}%
1198     \else
1199       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1200       \section*{\small\SectFont\abstractname}%
1201       \noindent\ignorespaces
1202     \fi}
1203   {\if@twocolumn\else\par\egroup\fi}
1204 \fi
1205 \renewcommand*\left@footnoterule{%
1206   \kern-3\p@
```



```

1207   \kern.5\baselineskip
1208   \hrule\@width\unitindent
1209   \kern.4\baselineskip
1210 }
1211 \renewcommand*\right@footnoterule{%
1212   \kern-3\p@
1213   \kern.5\baselineskip
1214   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax} \hrulefill }
1215   \kern.4\baselineskip}
1216 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1217 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1218 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1219 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1220 \renewenvironment{thebibliography}[1]
1221   {\section*{\refname}%
1222    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1223    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1224    \bidi@@thebibliography@font@hook%
1225    \list{\@biblabel{\@arabic\c@enumiv}}%
1226      {\settowidth\labelwidth{\@biblabel{\#1}}%
1227       \leftmargin\labelwidth
1228       \advance\leftmargin\labelsep
1229       \openbib@code
1230       \usecounter{enumiv}%
1231       \let\p@enumiv\empty
1232       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
1233       \sloppy\clubpenalty4000\widowpenalty4000%
1234       \sfcode`.\.0m}
1235     {\def\@noitemerr
1236      {\@latex@warning{Empty `thebibliography' environment}}%
1237     \endlist}
1238 \if@titlepage
1239 \renewcommand*\TitleFont{\rmfamily}
1240 \renewcommand*\maketitle{%
1241   \begin{titlepage}%
1242     \let\footnotesize\small
1243     \let\right@footnoterule\relax
1244     \let\left@footnoterule\relax
1245     \let\textwidth@footnoterule\relax
1246     \let \footnote \thanks
1247     \long\def\makefntext##1{\par\indent\z@
1248       \def\labelitemi{\textendash}\revlabeltrue
1249       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1250     \renewcommand*\thefootnote{\fnssymbol\c@footnote}%
1251     \if@compatibility\setcounter{page}{0}\fi
1252     \null\vfil
1253     \vskip 60\p@
1254     \begin{center}%
1255       \TitleFont
1256       {\LARGE \def\\{\penalty -\OM}}

```



```

1257     \if@allcaps
1258         \expandafter\uc@nothanks\@title\thanks\relax
1259     \else
1260         \@title
1261         \fi\par}%
1262     \vskip 3em%
1263 {\large
1264     \lineskip .75em \parindent\z@
1265     \begin{tabular}[t]{c}%
1266         \if@allcaps
1267             \expandafter\uc@authornothanks\@author\and\relax
1268         \else
1269             \@author
1270             \fi
1271         \end{tabular}\par}%
1272     \vskip 1.5em%
1273 {\large
1274     \if@allcaps
1275         \uppercase\expandafter{\@date}%
1276     \else
1277         \@date
1278         \fi\par}%
1279     \end{center}\par
1280     \@thanks
1281     \vfil\null
1282 \end{titlepage}%
1283 \setcounter{footnote}{0}%
1284 \global\let\thanks\relax
1285 \global\let\maketitle\relax
1286 \global\let\@thanks\@empty
1287 \global\let\@author\@empty
1288 \global\let\@title\@empty
1289 \global\let\@date\@empty
1290 \global\let\title\relax
1291 \global\let\author\relax
1292 \global\let\date\relax
1293 \global\let\and\relax
1294 }
1295 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1296 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1297     \futurelet\@tempa\uc@ax}
1298 \def\uc@ax{%
1299     \ifx\@tempa\relax
1300     \else
1301         \\\andname \\ \expandafter\uc@authornothanks
1302     \fi}
1303 \def\uc@tx{\ifx\@tempa\relax
1304     \else \expandafter\uc@ty \fi}
1305 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1306 \else

```



```

1307 \renewcommand*\maketitle{\par
1308   \begingroup
1309     \renewcommand*\thefootnote{@fnssymbol\c@footnote}%
1310     \def\@makefnmark{\rlap{%
1311       \textsuperscript{\normalsize\@thefnmark}}}\%
1312     \long\def\@makefntext{\xmakefntext{%
1313       \textsuperscript{\normalsize\@thefnmark}}}\%
1314   \if@twocolumn
1315     \ifnum \col@number=\@ne
1316       \maketitle
1317     \else
1318       \twocolumn[\maketitle]
1319     \fi
1320   \else
1321     \newpage
1322     \global\@topnum\z@
1323     \maketitle
1324   \fi
1325   \thispagestyle{plain}\@thanks
1326 \endgroup
1327 \setcounter{footnote}{0}%
1328 \global\let\thanks\relax
1329 \global\let\maketitle\relax
1330 \global\let\@maketitle\relax
1331 \global\let\@thanks\@empty
1332 \global\let\@author\@empty
1333 \global\let\@title\@empty
1334 \global\let\@date\@empty
1335 \global\let\title\relax
1336 \global\let\author\relax
1337 \global\let\date\relax
1338 \global\let\and\relax
1339 }
1340 \def\@maketitle{%
1341   \newpage
1342   \null
1343   \vskip 2em%
1344 \if@titlecentered
1345   \begin{center}%
1346     \let \footnote \thanks
1347     {\LARGE \TitleFont \@title \par}%
1348     \vskip 1.5em%
1349     {\large \TitleFont
1350       \lineskip .5em%
1351       \begin{tabular}[t]{c}%
1352         \author
1353         \end{tabular}\par}%
1354     \vskip 1em%
1355     {\large \TitleFont \@date}%
1356   \end{center}%

```



```

1357 \else
1358   {\LARGE \TitleFont \head@style \title \par} \vskip 1.5em
1359   {\large \TitleFont \lineskip .5em \tabcolsep\z@
1360     \def\and{%% \begin{tabular} has already started
1361       \end{tabular}\hskip 1em plus .17fil
1362       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}
1363       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \author\end{tabular}\p
1364     \vskip 1em {\large \TitleFont \date}
1365   \fi
1366   \par
1367   \vskip 1.5em}
1368 \fi

```

7.13 arydshln-xetex-bidi.def

```

1369 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package]
1370 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1371 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
1372 \expandafter\let\csname endtabular*\endcsname\endtabular
1373 \let\adl@array\array
1374 \def\@array{\adl@everyvbox\everyvbox
1375   \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1376   \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1377   \let\adl@noalign\noalign
1378   \adl@array}
1379 \ifadl@usingarypk
1380 \def\@testpach{\@chclass
1381 \ifnum \@lastchclass=6 \one \chnum \one \else
1382 \ifnum \@lastchclass=7 5 \else
1383 \ifnum \@lastchclass=8 \tw@ \else
1384 \ifnum \@lastchclass=9 \thr@@
1385 \else \z@
1386 \ifnum \@lastchclass = 10 \else
1387 \edef\@nextchar{\expandafter\string\@nextchar}%
1388 \chnum
1389 \if \@nextchar c\z@ \else
1390 \if \@nextchar \if@RTLtab r\else l\fi\one \else
1391 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1392 \z@ \chclass
1393 \if \@nextchar |\one \let\@arrayrule\adl@arrayrule \else
1394 \if \@nextchar :\one \let\@arrayrule\adl@arraydashrule \else
1395 \if \@nextchar ;\one \let\@arrayrule\adl@argarraydashrule \else
1396 \if \@nextchar !6 \else
1397 \if \@nextchar @7 \else
1398 \if \@nextchar <8 \else
1399 \if \@nextchar >9 \else
1400 10
1401 \chnum
1402 \if \@nextchar m\thr@@\else
1403 \if \@nextchar p4 \else

```



```

1404     \if \@nextchar b5 \else
1405     \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi
1406     \fi \fi
1407
1408 \def\@classz{\@classx
1409   \tempcnta \count@
1410   \prepnext@tok
1411   \addtopreamble{\ifcase \chnum
1412     \hfil
1413     \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1414     \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1415     \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1416     \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1417     \adl@endmbox\or
1418     \setbox\adl@box\vtop \adl@startpbox{\@nextchar}\insert@column \endpbox \or
1419     \setbox\adl@box\vbox \adl@startpbox{\@nextchar}\insert@column \endpbox
1420   \fi}\prepnext@tok}
1421 \def\adl@class@start{4}
1422 \def\adl@class@iiiorvii{7}
1423
1424 \else
1425 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4\relax \else
1426   \ifnum \lastchclass=\thr@@ 5\relax \else
1427     \z@ \if #1\chnum \z@ \else
1428       \if \if@RTLtab#1\@else#1\fi\chnum \one \else
1429       \if \if@RTLtab#1\@else#1\fi\chnum \tw@ \else
1430     \chnum
1431       \if #1\one \let\arrayrule\adl@arrayrule \else
1432       \if #1:\one \let\arrayrule\adl@arraydashrule \else
1433       \if #1;\one \let\arrayrule\adl@argarraydashrule \else
1434       \if #1@\tw@ \else
1435         \if #1\thr@@ \else \z@ \@preamerr 0\fi
1436       \fi \fi
1437
1438 \def\@arrayclassz{\ifcase \lastchclass \acolampacol \or \campacol \or
1439   \or \or \caddamp \or
1440   \acolampacol \or \firststampfalse \acol \fi
1441   \edef\@preamble{\preamble
1442     \ifcase \chnum
1443       \hfil\adl@putlrc{$\relax\sharp$}\hfil
1444       \or \adl@putlrc{$\relax\sharp$}\hfil
1445       \or \hfil\adl@putlrc{$\relax\sharp$}\fi}}
1446 \def\@tabclassz{\ifcase \lastchclass \acolampacol \or \campacol \or
1447   \or \caddamp \or
1448   \acolampacol \or \firststampfalse \acol \fi
1449   \edef\@preamble{\preamble
1450     \ifcase \chnum
1451       \hfil\adl@putlrc{@sharp\unskip}\hfil
1452       \or \adl@putlrc{@sharp\unskip}\hfil
1453       \or \hfil\hskip\z@ \adl@putlrc{@sharp\unskip}\fi}}

```



```

1454 \def\adl@class@start{6}
1455 \def\adl@class@iiiorvii{3}
1456 \fi
1457 \@ifpackageloaded{colortbl}{%
1458 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1459 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1460         \let\endpbox\adl@org@endpbox}
1461 \let\adl@CT@setup\CT@setup
1462 \def\CT@setup{\adl@CT@setup
1463         \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1464         \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1465         \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1466 \let\adl@act@CT@setup\CT@setup
1467 \def@classz{\@classx
1468         \@tempcpta\count@\prepnext@tok
1469         \expandafter\CT@extract\the\toks\@tempcpta\columncolor!\@nil
1470         \expandafter\adl@extract@arc\the\toks\@tempcpta\arrayrulecolor!\@nil
1471         \expandafter\adl@extract@drsc
1472             \the\toks\@tempcpta\doublerulesepcolor!\@nil
1473         \expandafter\adl@extract@dgc\the\toks\@tempcpta\dashgapcolor!\@nil
1474         \@addtopreamble{\if@RTL\beginL\fi%
1475             \setbox\z@\hbox\bgroup\beginR\if@RTL\beginR\fi
1476             \ifcase\@chnum
1477                 \hskip\stretch{.5}\kern\z@
1478                 \d@llarbegin
1479                 \insert@column
1480                 \d@llarend\hskip\stretch{.5}%
1481             \or \d@llarbegin \insert@column \d@llarend \hfill
1482             \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1483             \or \$\vcenter
1484                 \startpbox{@nextchar}\insert@column \endpbox $%
1485             \or \vtop \startpbox{@nextchar}\insert@column \endpbox
1486             \or \vbox \startpbox{@nextchar}\insert@column \endpbox
1487             \fi
1488             \if@RTL\endR\fi\egroup\egroup
1489             \begingroup
1490                 \CT@setup
1491                 \CT@column@color
1492                 \CT@row@color
1493                 \CT@cell@color
1494                 \CT@do@color
1495             \endgroup
1496             \@tempdima\ht\z@
1497             \advance\@tempdima\minrowclearance
1498             \vrule\@height\@tempdima\@width\z@
1499             \unhbox\z@\if@RTL\endL\fi}%
1500             \prepnext@tok}
1501 \let\adl@act@classz\@classz
1502 \let\adl@org@classz\@classz
1503 }{}}

```



7.14 bidi.sty

```
1504 \NeedsTeXFormat{LaTeX2e}
1505 \def\biddidate{2017/10/11}
1506 \def\bidiversion{v31.5}
1507 \ProvidesPackage{bidi}[\biddidate\space \bidiversion\space
1508 Bidirectional typesetting in plain TeX and LaTeX]
1509 \edef\bidi@info{*****}
1510 * ^~J%
1511 * bidi package (Bidirectional typesetting in~^~J%
1512 * plain TeX and LaTeX, using XeTeX engine)~^~J%
1513 * ^~J%
1514 * Description: A convenient interface for~^~J%
1515 * typesetting bidirectional texts in plain TeX~^~J%
1516 * and LaTeX. The package includes adaptations~^~J%
1517 * for use with many other commonly-used packages.~^~J%
1518 * ^~J%
1519 * Copyright (c) 2009--2017 Vafa Khalighi~^~J%
1520 * ^~J%
1521 * \biddidate, \bidiversion~^~J%
1522 * ^~J%
1523 * License: LaTeX Project Public License, version~^~J%
1524 * 1.3c or higher (your choice)~^~J%
1525 * ^~J%
1526 * Location on CTAN: /macros/xetex/latex/bidi~^~J%
1527 * ^~J%
1528 * Issue tracker: https://github.com/tex-xet/bidi/issues~^~J%
1529 * ^~J%
1530 * Support: persian-tex@tug.org~^~J%
1531 * ^~J%
1532 ****}
1533 \typeout{@bidi@info}
1534 \edef\bidi@everyjob{\the\everyjob}
1535 \everyjob{\bidi@everyjob\typeout{@bidi@info}}
1536 \edef\bidi@strip@v@bidiversion{\expandafter\gobble\bidiversion}
1537 \newcommand*{\IfbidiPackageVersionLater}[1]{%
1538   \ifdim\bidi@strip@v@bidiversion pt > #1 pt %
1539     \expandafter@\firstoftwo
1540   \else
1541     \expandafter@\secondoftwo
1542   \fi}
1543 \newcommand*{\IfbidiPackageVersionBefore}[1]{%
1544   \ifdim\bidi@strip@v@bidiversion pt < #1 pt %
1545     \expandafter@\firstoftwo
1546   \else
1547     \expandafter@\secondoftwo
1548   \fi}
1549 \newcommand*{\IfbidiPackageVersion}[1]{%
1550   \ifdim\bidi@strip@v@bidiversion pt = #1 pt %
1551     \expandafter@\firstoftwo
```



```

1552 \else
1553   \expandafter\@secondoftwo
1554 \fi}
1555 \RequirePackage{iftex}
1556 \RequireXeTeX
1557 \RequirePackage{biditools}
1558 \RequirePackage{zref-abspage}
1559 \RequirePackage{auxhook}
1560 \RequirePackage{ltxcmds}
1561 \RequirePackage{xkeyval}
1562 \eqnewif{\if@RTLmain}{\if@rlmain}
1563 \eqnewif{\if@RTL}{\if@rl}
1564 \newif\if@nonlatin
1565 \newcommand*{\setlatin}{\@nonlatinfalse}
1566 \newcommand*{\setnonlatin}{\@nonlatintrue}
1567 \eqnewif{\if@RTLtab}{\if@tab@rl}
1568 \newif\if@hboxRconstruct
1569 \newcommand*{\setRTLtable}{\@RTLtabtrue}
1570 \newcommand*{\setLTRtable}{\@RTLtabfalse}
1571 \newif\if@RTLmarginpar
1572 \newif\if@LTRmarginpar
1573 \newif\if@LTRbibitems
1574 \newif\if@RTLbibitems
1575 \newif\if@extrafootnotefeatures
1576 \newif\if@parafootRTL
1577 \newif\if@RTLcolumnfootnotes
1578 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1579 \newif\if@bidi@list@minipage@parbox
1580 \newif\if@bidi@list@minipage@parbox@not@nob
1581 \@RTLmainfalse
1582 \AtBeginDocument{%
1583   \if@RTLmain\else
1584     \if@RTL\@RTLmaintrue%
1585     \else\@RTLmainfalse%
1586     \fi%
1587   \fi%
1588 }
1589 \let\n@xt=\
1590 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1591 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1592 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
1593 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1594 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt\fi
1595   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1596 \input{latex-xetex-bidi.def}
1597 \input{loadingorder-xetex-bidi.def}
1598 \define@choicekey{bidi.sty}{RTLdocument}{[\bidi@tempa\bidi@tempb]{on,off}[on]}{%
1599   \ifcase\bidi@tempb\relax
1600     \@RTLtrue
1601   \or

```



```

1602     \@RTLfalse
1603     \fi}
1604 \define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}
1605   \ifcase\bidi@tempb\relax
1606     \@RTLtrue
1607   \or
1608     \@RTLfalse
1609   \fi}
1610 \define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}{%
1611   \ifcase\bidi@tempb\relax
1612     \@RTLtabtrue
1613   \or
1614     \@RTLtabfalse
1615   \fi}
1616 \define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
1617   \ifcase\bidi@tempb\relax
1618     \@nonlatinfalse
1619   \or
1620     \@nonlatintrue
1621   \fi}
1622 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1623   \ifcase\bidi@tempb\relax
1624     \@RTLtrue
1625   \or
1626     \@RTLfalse
1627   \fi}
1628 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,}
1629   \ifcase\bidi@tempb\relax
1630     \autofootnoterule
1631   \or
1632     \leftfootnoterule
1633   \or
1634     \rightfootnoterule
1635   \or
1636     \SplitFootnoteRule
1637   \or
1638     \textwidthfootnoterule
1639   \fi}
1640 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}
1641   \ifcase\bidi@tempb\relax
1642     \@RTL@footnotetrue
1643   \or
1644     \@RTL@footnotefalse
1645   \fi}
1646 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1647   \ifcase\bidi@tempb\relax
1648     \footdir@debugtrue
1649   \or
1650     \footdir@debugfalse
1651   \fi}

```



```

1652 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1653   \ifcase\bidi@tempb\relax
1654     \@extrafootnotefeaturestrue
1655   \or
1656     \@extrafootnotefeaturesfalse
1657   \fi}
1658
1659 \define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1660   \ifcase\bidi@tempb\relax
1661   \def\bidi@firstcolumn@status@write{%
1662     \protected@write\@auxout{%
1663       {\string\bidi@column@status
1664        {1}}}}%
1665   \def\bidi@lastcolumn@status@write{%
1666     \protected@write\@auxout{%
1667       {\string\bidi@column@status{2}}}}%
1668   \or
1669     \let\bidi@firstcolumn@status@write\relax
1670     \let\bidi@lastcolumn@status@write\relax
1671   \fi}
1672
1673 \ExecuteOptionsX{%
1674   DetectColumn=off
1675 }
1676
1677 \ProcessOptionsX
1678
1679 \if@extrafootnotefeatures
1680   \input{extrafootnotefeatures-xetex-bidi.def}
1681 \fi
1682 \newcount\bidi@digits
1683 \XeTeXinterchartokenstate=\@ne
1684 \newXeTeXintercharclass\bidi@digits@charclass
1685 \newXeTeXintercharclass\bidi@dot@charclass
1686 \newXeTeXintercharclass\bidi@dash@charclass
1687 \XeTeXcharclass `.\ \bidi@dot@charclass
1688 \XeTeXcharclass `-\ \bidi@dash@charclass
1689 \bidi@digits=`\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<%
1690 \bidi@digits=`\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<%
1691 \XeTeXinterchartoks \bidi@digits@charclass \bidi@dot@charclass = {\DigitsDotDashInterCharTok{%
1692 \XeTeXinterchartoks \bidi@dot@charclass \bidi@digits@charclass = {\DigitsDotDashInterCharTok{%
1693 \XeTeXinterchartoks \bidi@digits@charclass \bidi@dash@charclass = {\DigitsDotDashInterCharTok{%
1694 \XeTeXinterchartoks \bidi@dash@charclass \bidi@digits@charclass = {\DigitsDotDashInterCharTok{%
1695 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
```

7.15 bidi.tex

```

1696 \def\bididate{2015/10/16}
1697 \def\bidiversion{v0.3}
1698 \catcode`@=11
```



```

1699 \let \protect \relax
1700 \newlinechar`^^J
1701 \edef\bidi@info{*****`^^J%
1702 * `^^J%
1703 * bidi package (Bidirectional typesetting in`^^J%
1704 * plain TeX and LaTeX, using XeTeX engine)`^^J%
1705 * `^^J%
1706 * Description: A convenient interface for`^^J%
1707 * typesetting bidirectional texts in plain TeX`^^J%
1708 * and LaTeX. The package includes adaptations`^^J%
1709 * for use with many other commonly-used packages.`^^J%
1710 * `^^J%
1711 * Copyright (c) 2009--2015 Vafa Khalighi`^^J%
1712 * `^^J%
1713 * \bididate, \bidiversion`^^J%
1714 * `^^J%
1715 * License: LaTeX Project Public License, version`^^J%
1716 * 1.3c or higher (your choice)`^^J%
1717 * `^^J%
1718 * Location on CTAN: /macros/xetex/latex/bidi`^^J%
1719 * `^^J%
1720 * Issue tracker: https://github.com/tex-xet/bidi/issues`^^J%
1721 * `^^J%
1722 * Support: persian-tex@tug.org`^^J%
1723 * `^^J%
1724 *****`^^J%
1725 \message{\bidi@info}
1726 \edef\bidi@everyjob{\the\everyjob}
1727 \everyjob{\bidi@everyjob\message{\bidi@info}}
1728 \input iftex.sty
1729 \RequireXeTeX
1730 \newif\if@RTLmain
1731 \newif\if@RTL
1732 \newif\if@hboxRconstruct
1733 \newif\if@sentrdir
1734 \newif\if@RTL@footnote
1735 \if@RTLmainfalse
1736 \def\setRTLmain{%
1737   \if@RTLmain\else
1738     \if@RTL\if@RTLmaintrue%
1739     \else\if@RTLmainfalse%
1740     \fi%
1741   \fi%
1742 }
1743 \let\n@xt=\
1744 \protected\def\LRE{\protect\pLRE}%
1745 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1746 \protected\def\RLE{\protect\pRLE}%
1747 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1748 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi}

```



```

1749 \errmessage{Missing left brace has been substituted}\fi \bgroup}
1750 \input plain-xetex-bidi.def
1751 \catcode`@=12

```

7.16 bidi2in1.sty

```

1752 \NeedsTeXFormat{LaTeX2e}
1753 \ProvidesPackage{bidi2in1}
1754 \pagestyle{plain}
1755 \newcount\evenpage
1756 \newcount\oddpage
1757 \twocolumn
1758 \def\@oddfoot{\evenpage=\thepage%
1759 \multiply\evenpage by 2%
1760 \oddpage=\the\evenpage%
1761 \advance\oddpage by -1%
1762 \hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
1763 \def\@evenfoot{\evenpage=\thepage%
1764 \multiply\evenpage by 2%
1765 \oddpage=\the\evenpage%
1766 \advance\oddpage by -1%
1767 \hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
1768 \textwidth 9.49in
1769 \textheight 6.7in
1770 \columnsep 0.9in
1771 \columnseprule 0.125pt
1772 \headheight 0cm
1773 \topmargin 0in
1774 \marginparwidth 0in
1775 \marginparsep 0in
1776 \hoffset 0.05in % Corrected
1777 \voffset -0.5in %top margin space is 1.0in by default
1778 \oddsidemargin 0in
1779 \evensidemargin 0in
1780 \headsep 0cm
1781 \topskip 0cm
1782 \parskip 0.15in      %
1783 \headsep 0pt
1784 \special{papersize=11.69in,8.26in}
1785 \renewcommand\maketitle{\par
1786 \begingroup
1787 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1788 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1789 \long\def\@makefntext##1{\parindent 1em\noindent
1790 \hb@xt@1.8em{%
1791 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1792 \renewcommand\maketitle
1793 \renewcommand\thanks
1794 \endgroup
1795 \setcounter{footnote}{0}%

```



```

1796 \global\let\thanks\relax
1797 \global\let\maketitle\relax
1798 \global\let@\maketitle\relax
1799 \global\let@\thanks@\empty
1800 \global\let@\author@\empty
1801 \global\let@\date@\empty
1802 \global\let@\title@\empty
1803 \global\let\title\relax
1804 \global\let\author\relax
1805 \global\let\date\relax
1806 \global\let\and\relax
1807 }

```

7.17 bidicode.sty

```

1808 \NeedsTeXFormat{LaTeX2e}
1809 \ProvidesPackage{bidicode}
1810 \RequirePackage{xcolor}
1811 \RequirePackage{showexpl}
1812 \definecolor{hellgelb}{rgb}{1,1,0.85}
1813 \definecolor{colKeys}{rgb}{0,0,1}
1814 \definecolor{colIdentifier}{rgb}{0,0,0}
1815 \definecolor{colComments}{rgb}{1,0,0}
1816 \definecolor{colString}{rgb}{0,0.5,0}
1817 \lstset{
1818   language=[LaTeX]TEX,
1819   float=hb,
1820   basicstyle=\ttfamily\small,
1821   identifierstyle=\color{colIdentifier},
1822   keywordstyle=\color{colKeys},
1823   stringstyle=\color{colString},
1824   commentstyle=\color{colComments},
1825   columns=flexible,
1826   tabsize=4,
1827   gobble =1,
1828   extendedchars=true,
1829   showspaces=false,
1830   showstringspaces=false,
1831   numbers=left,
1832   numbersep=0.9em,
1833   numberstyle=\tiny, %
1834   frame=single,
1835   captionpos=b,
1836   xleftmargin=1em,
1837   breaklines=true,
1838   breakautoindent=false,
1839   breakindent=0pt,
1840   escapeinside=**,
1841   pos=r,
1842   explpreset={%

```



```

1843     xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
1844     morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
1845 }
1846 \newcommand\HLON{%
1847   \gdef\lst@alloverstyle##1{%
1848     \fboxrule=0pt
1849     \fboxsep=0pt
1850     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
1851   }%
1852 \newcommand\HLOFF{%
1853   \xdef\lst@alloverstyle##1{##1}%
1854 }%
1855 \newcommand\Larg [1]{\normalfont\itshape#1\/}}
1856 \newcommand\Large[1]{\$\langle\!\!\langle Larg{#1}\!\!\rangle\!\!\$}
1857 \newcommand\Largb[1]{\lcb\Large\#1\rcb}
1858 \newcommand\Largs[1]{\lsb\Large\#1\rsb}
1859 \newcommand\Lagr[1]{\lrb\Large\#1\rrb}
1860 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}begin\lcb\#1\rcb}
1861 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}end\lcb\#1\rcb}
1862
1863 \DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
1864 \DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\\}}
1865 \DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\\}}
1866 \DeclareRobustCommand\lsb{{\normalfont\ttfamily[]}}
1867 \DeclareRobustCommand\rsb{{\normalfont\ttfamily[]}}
1868 \DeclareRobustCommand\lrb{{\normalfont\ttfamily()}}
1869 \DeclareRobustCommand\rrb{{\normalfont\ttfamily())}}
1870
1871 \def\Lcs#1{\nxLcs{#1}}
1872 \def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
1873 \def\nxLcs#1{\texttt{\symbol{92}\#1}}
1874
1875 \def\Coordx#1{$x_{\#1}$}
1876 \def\Coordy#1{$y_{\#1}$}
1877 \def\Coordz#1{$z_{\#1}$}
1878 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
1879 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
1880 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
1881 \def\cAny{\Coordx{},\kern 1pt\Coordy{}}
1882 \def\cIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
1883 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
1884 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
1885 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
1886 \def\coordx#1{($x_{\#1}$)}
1887 \def\coordy#1{($y_{\#1}$)}
1888 \def\coordz#1{($z_{\#1}$)}
1889 \def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
1890 \def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}
1891
1892 \newsavebox{\boxdef}

```



```

1893 \newenvironment{BDef}
1894   {\begin{lrbox}\boxdef
1895     \def\arraystretch{1.0}
1896     \begin{tabular}{@{}l@{}l@{}l@{}}
1897   }
1898   {\end{tabular}\end{lrbox}}
1899
1900   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
1901   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1902 }

1903 \newenvironment{BDef*}
1904   {\begin{lrbox}\boxdef
1905     \def\arraystretch{1.0}
1906     \begin{tabular}{@{}l@{}l@{}l@{}}
1907   }
1908   {\end{tabular}\end{lrbox}}
1909   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
1910   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1911 }

1912 \newenvironment{BCmd}{
1913   \begin{parpenalty-}\lowpenalty
1914   \topsep\BDefaboveskip
1915   \fboxsep3pt
1916   \flushleft}
1917 {\endparpenalty\OM
1918 \topsepadd\BDefbelowskip
1919 \endflushleft}

1920 \newenvironment{BCmd*} {
1921   \begin{parpenalty}\OM
1922   \topsep\BDefinlineskip
1923   \fboxsep3pt
1924   \flushleft}
1925 {\endparpenalty5000
1926 \endflushleft}

1927 \newskip\BDefaboveskip
1928 \newskip\BDefbelowskip
1929 \newskip\BDefinlineskip
1930 \setlength\BDefaboveskip{10pt plus 4pt}
1931 \setlength\BDefbelowskip{6pt}
1932 \setlength\BDefinlineskip{6pt}
1933 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt
1934 \def\OptArg{\ifnextchar*\OptArg@i{\OptArg@ii*}}
1935 \def\OptArg@i*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt
1936 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt

```



7.18 `bidiftnxtra.sty`

```
1941 \NeedsTeXFormat{LaTeX2e}
1942 \ProvidesPackage{bidiftnxtra}
1943 \newtoks\bidi@p@ftn
1944 \let\FN@sf@@footnote\footnote
1945 \let\FN@sf@@LTRfootnote\LTRfootnote
1946 \let\FN@sf@@RTLfootnote\RTLfootnote
1947 \def\footnote{\ifx\protect\@typeset@protect
1948     \expandafter\FN@sf@@footnote
1949     \else
1950     \expandafter\FN@sf@gobble@opt
1951     \fi
1952 }
1953 \def\LTRfootnote{\ifx\protect\@typeset@protect
1954     \expandafter\FN@sf@@LTRfootnote
1955     \else
1956     \expandafter\FN@sf@gobble@opt
1957     \fi
1958 }
1959 \def\RTLfootnote{\ifx\protect\@typeset@protect
1960     \expandafter\FN@sf@@RTLfootnote
1961     \else
1962     \expandafter\FN@sf@gobble@opt
1963     \fi
1964 }
1965 \edef\FN@sf@gobble@opt{\noexpand\protect
1966     \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
1967 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
1968     \@ifnextchar[%]
1969         \FN@sf@gobble@twobracket
1970         \@gobble
1971 }
1972 \def\FN@sf@gobble@twobracket[#1]#2{}
1973 \let\FN@sf@@footnotemark\footnotemark
1974 \def\footnotemark{\ifx\protect\@typeset@protect
1975     \expandafter\FN@sf@@footnotemark
1976     \else
1977     \expandafter\FN@sf@gobble@optionly
1978     \fi
1979 }
1980 \edef\FN@sf@gobble@optionly{\noexpand\protect
1981     \expandafter\noexpand\csname FN@sf@gobble@optionly \endcsname}
1982 \expandafter\def\csname FN@sf@gobble@optionly \endcsname{%
1983     \@ifnextchar[%]
1984         \FN@sf@gobble@bracket
1985         {}%
1986 }
1987 \def\FN@sf@gobble@bracket[#1]{}
1988 \def\@tabular{%
```



```

1989  \leavevmode \hbox \bgroup
1990  \let\@footnotetext\bidi@p@ftntext
1991  \let\@LTRfootnotetext\bidi@p@LTRftntext
1992  \let\@RTLfootnotetext\bidi@p@RTLftntext
1993  \let\@xfootnotenext\bidi@p@xftntext
1994  \let\@xfootnote\bidi@p@xfootnote
1995  \let\@xLTRfootnotenext\bidi@p@xLTRftntext
1996  \let\@xLTRfootnote\bidi@p@xLTRfootnote
1997  \let\@xRTLfootnotenext\bidi@p@xRTLftntext
1998  \let\@xRTLfootnote\bidi@p@xRTLfootnote
1999  \if@RTLtab\beginR \fi
2000  \$\let\@acol\@tabacol
2001  \let\@classz\@tabclassz
2002  \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
2003 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
2004  \egroup \$\if@RTLtab\endR\fi\egroup
2005  \ifx\@captype\@undefined
2006  \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi
2007 \long\def\bidi@p@ftntext#1{%
2008  \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
2009  \global\bidi@p@ftn\expandafter{\@tempy\#1}}%
2010 \long\def\bidi@p@LTRftntext#1{%
2011  \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2012  \global\bidi@p@ftn\expandafter{\@tempyi\#1}}%
2013 \long\def\bidi@p@RTLftntext#1{%
2014  \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2015  \global\bidi@p@ftn\expandafter{\@tempyii\#1}}%
2016
2017
2018 \long\def\bidi@p@xftntext[#1]#2{%
2019  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]\{#2\}}}
2020
2021 \long\def\bidi@p@xLTRftntext[#1]#2{%
2022  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]\{#2\}}}
2023
2024 \long\def\bidi@p@xRTLftntext[#1]#2{%
2025  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]\{#2\}}}
2026
2027
2028 \def\bidi@p@xfootnote[#1]{%
2029  \begingroup
2030  \csname c@\@mpfn\endcsname #1\relax
2031  \unrestored@protected\xdef\@thefnmark{\thempfn}%
2032  \endgroup
2033  \footnotemark\bidi@p@xftntext[#1]}
2034
2035
2036 \def\bidi@p@xLTRfootnote[#1]{%
2037  \begingroup
2038  \csname c@\@mpfn\endcsname #1\relax

```



```

2039      \unrestored@protected@xdef\@thefnmark{\thempfn}%
2040      \endgroup
2041      \@footnotemark\bidi@p@xLTRftntext[#1]}
2042
2043
2044 \def\bidi@p@xRTLfootnote[#1]{%
2045   \begingroup
2046     \csname c@\@mpfn\endcsname #1\relax
2047     \unrestored@protected@xdef\@thefnmark{\thempfn}%
2048   \endgroup
2049   \@footnotemark\bidi@p@xRTLftntext[#1]}
2050
2051 \def\xffloat #1[#2]{%
2052   \nodocument
2053   \def \capttype {#1}%
2054   \def \fps {#2}%
2055   \onelevel@sanitize \fps
2056   \def \reserved@b {!}%
2057   \ifx \reserved@b \fps
2058     \fpsadddefault
2059   \else
2060     \ifx \fps \empty
2061       \fpsadddefault
2062     \fi
2063   \fi
2064   \ifhmode
2065     \bsphack
2066     \floatpenalty -\Mii
2067   \else
2068     \floatpenalty-\Miii
2069   \fi
2070   \ifinner
2071     \parmoderr\floatpenalty\z@
2072   \else
2073     \next\currbox\freelist
2074   \%
2075     \tempcnta \sixt@n
2076     \expandafter \tfor \expandafter \reserved@a
2077     \expandafter :\expandafter =\fps
2078     \do
2079   \%
2080     \if \reserved@a h%
2081       \ifodd \tempcnta
2082         \else
2083           \advance \tempcnta \one
2084         \fi
2085       \fi
2086     \if \reserved@a t%
2087       \setfpsbit \tw@
2088     \fi

```



```

2089         \if \reserved@a b%
2090             \@setfpsbit 4%
2091         \fi
2092         \if \reserved@a p%
2093             \@setfpsbit 8%
2094         \fi
2095         \if \reserved@a !%
2096             \ifnum \tempcnta>15
2097                 \advance\tempcnta -\sixt@@n\relax
2098             \fi
2099         \fi
2100     }%
2101     \tempcntb \csname ftype@\capttype \endcsname
2102     \multiply \tempcntb \xxxii
2103     \advance \tempcnta \tempcntb
2104     \global \count\currbox \tempcnta
2105 }%
2106     \@flovf
2107 \fi
2108 \global \setbox\currbox
2109     \color@vbox
2110         \normalcolor
2111         \vbox \bgroup
2112             \let\footnotetext\bidi@p@ftntext
2113             \let\LTRfootnotetext\bidi@p@LTRftntext
2114             \let\RTLfootnotetext\bidi@p@RTLftntext
2115             \let\xfootnotenext\bidi@p@xftntext
2116             \let\xfootnote\bidi@p@xfootnote
2117             \let\xLTRfootnotenext\bidi@p@xLTRftntext
2118             \let\xLTRfootnote\bidi@p@xLTRfootnote
2119             \let\xRTLfootnotenext\bidi@p@xRTLftntext
2120             \let\xRTLfootnote\bidi@p@xRTLfootnote
2121             \hsize\columnwidth
2122             \parboxrestore
2123             \floatboxreset
2124 }
2125 \def \endfloatbox{%
2126     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
2127     \minipagefalse
2128     \outer@nobreak
2129     \egroup          %% end of vbox
2130     \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
2131     \color@endbox
2132 }

```

7.19 **bidimoderncv.cls**

```

2133 \NeedsTeXFormat{LaTeX2e}
2134 \ProvidesClass{bidimoderncv}
2135 \newif\if@DEBUG\@DEBUGfalse

```



```

2136 \DeclareOption{a4paper}{
2137   \setlength{\paperheight}{297mm}
2138   \setlength{\paperwidth}{210mm}}
2139 \DeclareOption{a5paper}{
2140   \setlength{\paperheight}{210mm}
2141   \setlength{\paperwidth}{148mm}}
2142 \DeclareOption{b5paper}{
2143   \setlength{\paperheight}{250mm}
2144   \setlength{\paperwidth}{176mm}}
2145 \DeclareOption{letterpaper}{
2146   \setlength{\paperheight}{11in}
2147   \setlength{\paperwidth}{8.5in}}
2148 \DeclareOption{legalpaper}{
2149   \setlength{\paperheight}{14in}
2150   \setlength{\paperwidth}{8.5in}}
2151 \DeclareOption{executivepaper}{
2152   \setlength{\paperheight}{10.5in}
2153   \setlength{\paperwidth}{7.25in}}
2154 \DeclareOption{landscape}{
2155   \setlength{\tempdima}{\paperheight}
2156   \setlength{\paperheight}{\paperwidth}
2157   \setlength{\paperwidth}{\tempdima}}
2158 \newcommand{\@ptsize}{}
2159 \DeclareOption{10pt}{\renewcommand{\@ptsize}{0}}
2160 \DeclareOption{11pt}{\renewcommand{\@ptsize}{1}}
2161 \DeclareOption{12pt}{\renewcommand{\@ptsize}{2}}
2162 \DeclareOption{draft}{\setlength{\overfullrule}{5pt}}
2163 \DeclareOption{final}{\setlength{\overfullrule}{0pt}}
2164 \newif\if@colour\colortrue
2165 \DeclareOption{nocolour}{\colorfalse}
2166 \ExecuteOptions{a4paper,11pt,colour,final}
2167 \ProcessOptions\relax
2168 \input{size1\@ptsize.clo}
2169 \RequirePackage{color}
2170 \RequirePackage{graphicx}
2171 \RequirePackage{ifthen}
2172 \RequirePackage{marvosym}
2173 \addtolength{\oddsidemargin}{-54pt}
2174 \addtolength{\textwidth}{109pt}
2175 \addtolength{\topmargin}{-70pt}
2176 \addtolength{\textheight}{122pt}
2177 \addtolength{\marginparsep}{-5pt}
2178 \addtolength{\marginparwidth}{-10pt}
2179 \RequirePackage{url}
2180 \RequirePackage{hyperref}
2181 \hypersetup{%
2182   breaklinks,
2183   baseurl      = http://,%
2184   pdfborder    = 0 0 0,%
2185   pdfpagemode = UseNone,%

```



```

2186 pdfstartpage = 1}
2187 \AtEndOfClass{%
2188   \AtBeginDocument{%
2189     \hypersetup{%
2190       pdfauthor      = \@firstname~\@familyname,%
2191       pdftitle       = \@title,%
2192       pdfsubject     = \@firstname~\@familyname,%
2193       pdfkeywords    = \@resumename~\@firstname~\@familyname}}}
2194 \urlstyle{tt}
2195 \RequirePackage{fancyhdr}
2196 \fancypagestyle{plain}{%
2197   \renewcommand{\headrulewidth}{0pt}
2198   \renewcommand{\footrulewidth}{0pt}
2199   \fancyhf{}}
2200 \pagestyle{plain}
2201 \setlength{\lineskip}{1\p@}
2202 \setlength{\normalineskip}{1\p@}
2203 \renewcommand{\baselinestretch}{}
2204 \setlength{\parindent}{0pt}
2205 \setlength{\parskip}{0pt}
2206 \setlength{\columnsep}{10\p@}
2207 \setlength{\columnseprule}{0\p@}
2208 \pagestyle{empty}
2209 \pagenumbering{arabic}
2210 \raggedbottom
2211 \onecolumn
2212 \providecommand*{\listitemsymbol}{\textbullet}
2213 \providecommand*{\addresssymbol}{}
2214 \providecommand*{\mobilesymbol}{\Mobilefone}
2215 \providecommand*{\phonesymbol}{\Telefon}
2216 \providecommand*{\faxsymbol}{\FAX}
2217 \providecommand*{\emailsymbol}{\Letter}
2218 \definecolor{firstnamecolor}{rgb}{0,0,0}
2219 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
2220 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
2221 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
2222 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
2223 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
2224 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
2225 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2226 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
2227 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
2228 \providecommand*{\firstnamefont}{}
2229 \providecommand*{\familynamefont}{}
2230 \providecommand*{\titlefont}{}
2231 \providecommand*{\addressfont}{}
2232 \providecommand*{\quotefont}{}
2233 \providecommand*{\sectionfont}{}
2234 \providecommand*{\subsectionfont}{}
2235 \providecommand*{\hintfont}{\small}

```



```

2236 \providecommand*{\firstnamestyle}[1]{{\firstnamefont \@firstnamecolour#1}}
2237 \providecommand*{\familynamestyle}[1]{{\familynamefont \@familynamecolour#1}}
2238 \providecommand*{\titlestyle}[1]{{\titlefont \@titlecolour#1}}
2239 \providecommand*{\addressstyle}[1]{{\addressfont \@addresscolour#1}}
2240 \providecommand*{\quotestyle}[1]{{\quotefont \@quotecolour#1}}
2241 \providecommand*{\sectionstyle}[1]{{\sectionfont \@sectiontitlecolour#1}}
2242 \providecommand*{\subsectionstyle}[1]{{\subsectionfont \@subsectioncolour#1}}
2243 \providecommand*{\hintstyle}[1]{{\hintfont \@hintcolour#1}}
2244 \newcommand*{\cvtheme}[2][]{%
2245   \def\@cvtheme{#2}
2246   \def\@cvthemeoptions{#1}%
2247   \cvtheme{bidi-casual}%
2248   \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}%
2249   \newcommand*{\resumename}[1]{\def\@resumename{#1}}
2250   \newcommand*{\firstname}[1]{\def\@firstname{#1}}
2251   \newcommand*{\familyname}[1]{\def\@familyname{#1}}
2252   \renewcommand*{\title}[1]{\def\@title{#1}}
2253   \newcommand*{\address}[1]{\def\@address{#1}}
2254   \newcommand*{\mobile}[1]{\def\@mobile{#1}}
2255   \newcommand*{\phone}[1]{\def\@phone{#1}}
2256   \renewcommand*{\fax}[1]{\def\@fax{#1}}
2257   \newcommand*{\email}[1]{\def\@email{#1}}
2258   \newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
2259   \def\@photowidth{0pt}%
2260   \newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}%
2261   \newcommand*{\quote}[1]{\def\@quote{#1}}%
2262   \newlength{\quotewidth}%
2263   \newlength{\hintscolumnwidth}%
2264   \newlength{\separatorcolumnwidth}%
2265   \setlength{\separatorcolumnwidth}{0.025\textwidth}%
2266   \newlength{\maincolumnwidth}%
2267   \newlength{\doubleitemmaincolumnwidth}%
2268   \newlength{\listitemsymbolwidth}%
2269   \setlength{\listitemsymbolwidth}{\listitemsymbol{}-}%
2270   \newlength{\listitemmaincolumnwidth}%
2271   \newlength{\listdoubleitemmaincolumnwidth}%
2272   \newcommand*{\recomputethemelengths}{}%
2273   \newcommand*{\recapturelengths}{\%}%
2274   \setlength{\quotewidth}{0.65\textwidth}\%%
2275   \setlength{\maincolumnwidth}{\textwidth}\%%
2276   \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}\%%
2277   \addtolength{\maincolumnwidth}{-\hintscolumnwidth}\%%
2278   \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}\%%
2279   \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}\%%
2280   \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}\%%
2281   \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}\%%
2282   \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}\%%
2283   \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}\%%
2284   \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}\%%
2285   \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}\%%

```



```

2286 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2287 \renewcommand{\headwidth}{\textwidth}%
2288 \recomputethemelengths%
2289 \setlength{\hintscolumnwidth}{0.15\textwidth}%
2290 \recomputelengths%
2291 \title{}%
2292 \renewcommand*{\maketitle}{}%
2293 \newcommand*{\section}[1]{%
2294 \vspace*{2.5ex} \oplus 1ex \ominus .2ex}%
2295 \phantomsection{}%
2296 \addcontentsline{toc}{part}{#1}%
2297 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}#1}}%
2298 \hspace{\separatorcolumnwidth}%
2299 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\relax
2300 \newcommand*{\subsection}[1]{%
2301 \cvline[0.45em]{}{\subsectionstyle{#1}}}%
2302 \newcommand*{\cvline}[3][.25em]{%
2303 \begin{tabular} {@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}#1}%
2304 \bidi@raggedleft\hintfont{#2} &{#3}%
2305 \end{tabular}\relax
2306 \newcommand*{\cvdoubleitem}[4]{%
2307 \cvline[#1]{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2308 \hfill%
2309 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\separatorcolumnwidth}%
2310 \newcommand*{\cvlistitem}[2][\listitemsymbol]{%
2311 \cvline[Opt]{#1-\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}%
2312 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol]{%
2313 \cvline[Opt]{#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
2314 \hfill%
2315 \ifthenelse{\equal{#3}{}}{%
2316 }{%
2317 \#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}%
2318 \newcommand*{\cventry}[6]{%
2319 \cvline[#1]{%
2320 \bfseries{#2}%
2321 \ifx#3\else{, \slshape{#3}}\fi%
2322 \ifx#4\else{, #4}\fi%
2323 \ifx#5\else{, #5}\fi%
2324 .%
2325 \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
2326 }%
2327 \newcommand*{\cvlanguage}[3]{%
2328 \cvline[#1]{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}#3\end{minipage}}}%
2329 \newcommand*{\cvcomputer}[4]{%
2330 \cvdoubleitem[#1]{\small#2}{#3}{\small#4}}
2331 \newcommand*{\link}[2]{%
2332 \ifthenelse{\equal{#1}{}}{%
2333 {\ href{#2}{#2}}%
2334 {\ href{#2}{#1}}}%
2335 \newcommand*{\httplink}[2]{%

```



```

2336 \ifthenelse{\equal{#1}{}}{%
2337   {\href{http://#2}{#2}}{%
2338   {\href{http://#2}{#1}}{%
2339 \newcommand*{\emaillink}[2][]{%
2340   \ifthenelse{\equal{#1}{}}{%
2341     {\href{mailto:#2}{#2}}{%
2342     {\href{mailto:#2}{#1}}{%
2343 \newif\if@displaypagenumbers\@displaypagenumberstrue
2344 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
2345 \AtBeginDocument{%
2346   \if@displaypagenumbers{%
2347     \@ifundefined{r@lastpage}{}{%
2348       \ifthenelse{\pageref{lastpage} > 1}{%
2349         \fancypagestyle{plain}{%
2350           \fancyfoot[r]{\begin{L}\addressfont\quotecolour\footnotesize\thepage\begin{L}\end{L}\page}
2351           \pagestyle{plain}}{}}{%
2352   \AtEndDocument{\label{lastpage}}{%
2353     \fi}
2354 \newlength{\bibindent}
2355 \setlength{\bibindent}{1.5em}
2356 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2357 \newenvironment{thebibliography}[1]{%
2358   {%
2359     \section{\refname}{%
2360       \small{%
2361         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2362         \bidi@thebibliography\font@hook{%
2363           \begin{list}{\bibliographyitemlabel}{%
2364             {%
2365               \setlength{\topsep}{0pt}{%
2366               \setlength{\labelwidth}{\hintscolumnwidth}{%
2367               \setlength{\labelsep}{\separatorcolumnwidth}{%
2368               \leftmargin\labelwidth{%
2369                 \advance\leftmargin\labelsep{%
2370                   \openbib@code{%
2371                     \usecounter{enumiv}{%
2372                     \let\p@enumiv\empty{%
2373                     \renewcommand{\theenumiv}{\arabic{enumiv}}{%
2374                     \sloppy\clubpenalty4000\widowpenalty4000{%
2375                   }{%
2376                   }{%
2377                     \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}{%
2378                     \end{list}}{%
2379                   }{%
2380 \newcommand{\newblock}{\hspace{.11em}\@plus.33em\@minus.07em}
2381 \let\openbib@code\empty

```

7.20 biditools.sty

```
2382 \NeedsTeXFormat{LaTeX2e}
```



```

2383 \ProvidesPackage{biditools}[2017/10/11 v1.2 Programming tools for bidi package]
2384 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\relax
2385   \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2386   \ifx\@tempa\@tempb \global\let#2#1%
2387   \else
2388     \edef\@tempb{\meaning#2}%
2389     \ifx\@tempa\@tempb
2390     \else
2391       \@latex@error{Unable to properly define \string#2; primitive
2392         \noexpand#1 no longer primitive}\@eha
2393     \fi
2394   \fi
2395 \endgroup}
2396 \newtoks\@bidi@envbody
2397 \newtoks\@bidi@emptytoks
2398 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2399 \def\bidi@collect@body#1{%
2400   \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
2401   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\currenvir}}%
2402   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2403   \begingroup
2404   \expandafter\let\csname\currenvir\endcsname\bidi@collect@@body
2405   \edef\bidi@process@envbody{\expandafter\noexpand\csname\currenvir\endcsname}%
2406   \bidi@process@envbody
2407 }
2408 \def\bidi@push@begins#1\begin#2{%
2409   \ifx\end#2\else b\expandafter\bidi@push@begins\fi
2410 }
2411 \def\bidi@collect@@body#1\end#2{%
2412   \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter@gobble\begin@bidi@stack}%
2413   \ifx\empty\begin@bidi@stack
2414     \endgroup
2415     \checkend{#2}%
2416     \bidi@addto@envbody{#1}%
2417   \else
2418     \bidi@addto@envbody{#1\end{#2}}%
2419   \fi
2420   \bidi@process@envbody % A little tricky! Note the grouping
2421 }
2422 \long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2423 \long\def\bidi@collect@long@body#1{%
2424   \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
2425   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\currenvir}}%
2426   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2427   \begingroup
2428   \expandafter\let\csname\currenvir\endcsname\bidi@collect@long@@body
2429   \edef\bidi@process@envbody{\expandafter\noexpand\csname\currenvir\endcsname}%
2430   \bidi@process@envbody
2431 }
2432 \long\def\bidi@push@long@begins#1\begin#2{%

```



```

2433   \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
2434 }
2435 \long\def\bidi@collect@long@@body#1\end#2{%
2436   \edef\begin@\bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter@gobble\begin@\bidi@%
2437   \ifx@\empty\begin@\bidi@stack
2438     \endgroup
2439     \checkend{#2}%
2440     \bidi@addto@long@envbody{#1}%
2441   \else
2442     \bidi@addto@long@envbody{#1\end{#2}}%
2443   \fi
2444   \bidi@process@envbody % A little tricky! Note the grouping
2445 }
2446 \long\def\bidi@new@ifnextchar#1#2#3{%
2447   \let\reserved@d= #1%
2448   \def\reserved@a{#2}\def\reserved@b{#3}%
2449   \futurelet\@let@token\bidi@new@ifnch
2450 }
2451 \def\bidi@new@ifnch{%
2452   \ifx@\let@token\reserved@d \let\reserved@b\reserved@a \fi
2453   \reserved@b
2454 }
2455 \def\bidi@matrix@check#1{%
2456   \expandafter\ifx\csname@currenvir\endcsname#1%
2457   \else\bidi@matrix@error#1%
2458   \expandafter@gobble
2459   \fi
2460 }
2461 \def\bidi@matrix@error#1{%
2462   \PackageError{biditools}{%
2463 Old form `string#1' should be \string\begin{\expandafter@gobble\string#1}%
2464 }{%
2465 `string#1{...}' is old bidi package syntax whose use is
2466 ill-advised in the old versions of bidi package.%}
2467 }%
2468 }
2469 \def\@tagsextension{clo}
2470 \def\@definitionfileextension{def}
2471 \def\@texfileextension{tex}
2472 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2473 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2474 \def\@iftexfileloaded{\@ifl@aded\@texfileextension}
2475 \def\eqnewif#1#2{%
2476   \count@\escapechar \escapechar\m@ne
2477   \let#1\iffalse
2478   \let#2\iffalse
2479   \eq@if#1#2\iftrue
2480   \eq@if#1#2\iffalse
2481   \escapechar\count@
2482 \def\eq@if#1#2#3{%

```



```

2483 \expandafter\def\csname\expandafter\@gobbletwo\string#1%
2484           \expandafter\@gobbletwo\string#3\endcsname
2485           {\let#1#3%
2486           \let#2#3}%
2487 \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2488           \expandafter\@gobbletwo\string#3\endcsname
2489           {\let#2#3%
2490           \let#1#3}%
2491 \newcommand*{\SetBoolean}[2]{%
2492   \lowercase{\def\@tempa{#2}}%
2493   \@ifundefined{@tempswa@\tempa}%
2494     {\PackageError{biditools}%
2495      {You can only set a boolean to `true' or `false'}\@ehc}%
2496   \@ifundefined{#1@\tempa}%
2497     {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2498     {\csname#1@\tempa\endcsname}}}
2499 \newcommand*{\GlobalSetBoolean}[2]{%
2500   \lowercase{\def\@tempa{#2}}%
2501   \@ifundefined{@tempswa@\tempa}%
2502     {\PackageError{biditools}%
2503      {You can only set a boolean to `true' or `false'}\@ehc}%
2504   \@ifundefined{#1@\tempa}%
2505     {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2506     {\global\csname#1@\tempa\endcsname}}}
2507 \newcommand*{\SetatBoolean}[2]{%
2508   \lowercase{\def\@tempa{#2}}%
2509   \@ifundefined{@tempswa@\tempa}%
2510     {\PackageError{biditools}%
2511      {You can only set a boolean to `true' or `false'}\@ehc}%
2512   \@ifundefined{@#1@\tempa}%
2513     {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2514     {\csname @#1@\tempa\endcsname}}}
2515 \newcommand*{\GlobalSetatBoolean}[2]{%
2516   \lowercase{\def\@tempa{#2}}%
2517   \@ifundefined{@tempswa@\tempa}%
2518     {\PackageError{biditools}%
2519      {You can only set a boolean to `true' or `false'}\@ehc}%
2520   \@ifundefined{@#1@\tempa}%
2521     {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2522     {\global\csname @#1@\tempa\endcsname}}}
2523 \def\bidi@removefromreset#1#2{%
2524   \expandafter\let\csname c@#1\endcsname\bidi@removefromreset
2525   \def\@elt##1{%
2526     \expandafter\ifx\csname c@##1\endcsname\bidi@removefromreset
2527     \else
2528       \noexpand\@elt{##1}%
2529     \fi}%
2530   \expandafter\xdef\csname cl@#2\endcsname{%
2531     \csname cl@#2\endcsname}}}
2532 \newcommand*{\ifRtoL}{%

```



```

2533 \if@RTL
2534   \expandafter\@firstoftwo
2535 \else
2536   \expandafter\@secondoftwo
2537 \fi}
2538 \newcommand*{\ifLtoR}{%
2539   \if@RTL
2540     \expandafter\@secondoftwo
2541   \else
2542     \expandafter\@firstoftwo
2543   \fi}
2544 \newcommand*{\ifRtoLtable}{%
2545   \if@RTLtab
2546     \expandafter\@firstoftwo
2547   \else
2548     \expandafter\@secondoftwo
2549   \fi}
2550 \newcommand*{\ifLtoRtable}{%
2551   \if@RTLtab
2552     \expandafter\@secondoftwo
2553   \else
2554     \expandafter\@firstoftwo
2555   \fi}
2556 \newcommand*{\ifRtoLhboxconstruct}{%
2557   \if@hboxRconstruct
2558     \expandafter\@firstoftwo
2559   \else
2560     \expandafter\@secondoftwo
2561   \fi}
2562 \newcommand*{\ifLtoRhboxconstruct}{%
2563   \if@hboxRconstruct
2564     \expandafter\@secondoftwo
2565   \else
2566     \expandafter\@firstoftwo
2567   \fi}
2568 \newcommand*{\iflatin}{%
2569   \if@nonlatin
2570     \expandafter\@secondoftwo
2571   \else
2572     \expandafter\@firstoftwo
2573   \fi}
2574 \newcommand*{\ifnonlatin}{%
2575   \if@nonlatin
2576     \expandafter\@firstoftwo
2577   \else
2578     \expandafter\@secondoftwo
2579   \fi}
2580
2581 \newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
2582   \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}

```



```

2583
2584 \newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
2585     \dimexpr #1*65536/\dimexpr 1pt\relax}
2586
2587 \newcommand*{\if@bidi@csdef}[1]{%
2588     \ifcsname#1\endcsname
2589         \expandafter\@firstoftwo
2590     \else
2591         \expandafter\@secondoftwo
2592     \fi}
2593 \newcommand*{\if@bidi@csundef}[1]{%
2594     \ifcsname#1\endcsname
2595         \expandafter\ifx\csname#1\endcsname\relax
2596             \expandafter\expandafter
2597             \expandafter\@firstoftwo
2598         \else
2599             \expandafter\expandafter
2600             \expandafter\@secondoftwo
2601         \fi
2602     \else
2603         \expandafter\@firstoftwo
2604     \fi}
2605 \newcommand{\if@bidi@def}[1]{%
2606     \ifdefined#1%
2607         \expandafter\@firstoftwo
2608     \else
2609         \expandafter\@secondoftwo
2610     \fi}
2611 \newcommand{\if@bidi@undef}[1]{%
2612     \ifdefined#1%
2613         \ifx#1\relax
2614             \expandafter\expandafter
2615             \expandafter\@firstoftwo
2616         \else
2617             \expandafter\expandafter
2618             \expandafter\@secondoftwo
2619         \fi
2620     \else
2621         \expandafter\@firstoftwo
2622     \fi}
2623 \newcommand{\if@bidi@blank}[1]{% from url.sty
2624     \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2625 \long\def\bidi@ifblank@i#1#2#3#4#5:{#4}
2626 \newcommand{\bidi@notblank}[1]{%
2627     \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2628 \newcommand{\if@bidi@defmacro}{}%
2629 \long\edef\if@bidi@defmacro#1{%
2630     \noexpand\expandafter\noexpand\bidi@ifdefmacro
2631     \noexpand\meaning#1\detokenize{macro}:&}
2632 \edef\bidi@ifdefmacro{%

```



```

2633 \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
2634 \bidi@ifdefmacro{\bidi@notblank{#2}}
2635 \newcommand*{\if@bidi@csmacro}[1]{%
2636   \if@bidi@csdef{#1}%
2637     {\expandafter\if@bidi@defmacro\csname#1\endcsname}%
2638     {\@secondoftwo}%
2639 \newcommand{\if@bidi@defprimitive}[1]{%
2640   \ifprimitive#1%
2641     \expandafter\@firstoftwo
2642   \else
2643     \expandafter\@secondoftwo
2644   \fi}%
2645 \newcommand{\if@bidi@csprimitive}[1]{%
2646 \begingroup\expandafter\expandafter\expandafter\endgroup%
2647   \expandafter\ifprimitive\csname#1\endcsname%
2648   \expandafter\@firstoftwo
2649 \else
2650   \expandafter\@secondoftwo
2651 \fi}%
2652 \newcommand*{\bidi@csdefcs}[2]{%
2653 \expandafter\@ifdefinable \csname#1\endcsname{%
2654 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}%
2655 \newcommand*{\bidi@csletcs}[2]{%
2656 \expandafter\@ifdefinable \csname#1\endcsname{%
2657 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}%
2658 \newcommand*{\bidi@cslet}[2]{%
2659 \expandafter\@ifdefinable \csname#1\endcsname{%
2660 \expandafter\let\csname#1\endcsname#2}}%
2661 \newcommand{\bidi@namelongdef}[1]{%
2662   \long\expandafter\def\csname #1\endcsname}%
2663 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}%
2664 \def\bidi@ensure@new@command#1{%
2665   \begingroup \escapechar\m@ne\xdef\@gtempa{\string#1}\endgroup
2666   \expandafter\if@bidi@csundef\@gtempa
2667   {\new@command#1}{\relax}%
2668   \let\@ifdefinable\@rc@ifdefinable%
2669   \new@command#1}%
2670 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}
2671
2672 \protected\def\bidi@error{\PackageError{bidi}}
2673 \protected\def\bidi@warning{\PackageWarning{bidi}}
2674 \protected\def\bidi@info{\PackageInfo{bidi}}
2675
2676
2677 \newcommand*{\setbaselineskip}[1]{%
2678   \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\relax}%
2679   \selectfont
2680 }%
2681
2682

```



```

2683 \newcommand*{\bidi@newrobustcmd}={}
2684 \protected\def\bidi@newrobustcmd{@star@or@long\bidi@new@command}
2685
2686 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
2687
2688 \def\bidi@newcommand#1[#2]{%
2689   \@ifnextchar[%]
2690     {\bidi@xargdef#1[#2]}
2691     {\ifx\l@ngrel@x\relax
2692      \let\l@ngrel@x\protected
2693     \else
2694       \protected\def\l@ngrel@x{\protected\long}%
2695     \fi
2696     \bidi@argdef#1[#2]}%
2697
2698 \long\def\bidi@xargdef#1[#2] [#3]#4{%
2699   \@ifdefinable#1{%
2700     \expandafter\protected
2701     \expandafter\def
2702     \expandafter#1%
2703     \expandafter{%
2704       \expandafter\@testopt
2705       \csname\string#1\endcsname{#3}}%
2706     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
2707
2708 \bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}
2709
2710 \def\bidi@renew@command#1{%
2711   \if\bidi@undefined{#1}
2712     {\bidi@error{\string#1 undefined}\@ehc}
2713   }%
2714   \let\@ifdefinable\@rc@ifdefinable
2715   \bidi@new@command#1}
2716
2717
2718
2719 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
2720
2721 \def\bidi@provide@command#1{%
2722   \if\bidi@undefined{#1}
2723     {\def\reserved@a{\bidi@new@command#1}}
2724     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
2725   \reserved@a}
2726
2727 \newcommand*{\bidi@csuse}[1]{%
2728   \ifcsname#1\endcsname
2729     \csname#1\expandafter\endcsname
2730   \fi}
2731
2732 \newcommand{\bidi@expandonce}[1]{%

```



```

2733 \unexpanded\expandafter{#1}}
2734 \def\bidi@protected{%
2735   \let\@protect\protect
2736   \let\protect\unexpandable@protect
2737   \afterassignment\restore@protect}
2738
2739
2740 \bidi@newrobustcmd{\bidi@appto}[2]{%
2741   \if@bidi@undef{#1}
2742     {\edef#1{\unexpanded{#2}}}
2743     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2744 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2745   \if@bidi@undef{#1}
2746     {\edef#1{#2}}
2747     {\edef#1{\bidi@expandonce#1#2}}}
2748 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2749   \if@bidi@undef{#1}
2750     {\xdef#1{\unexpanded{#2}}}
2751     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2752 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2753   \if@bidi@undef{#1}
2754     {\xdef#1{#2}}
2755     {\xdef#1{\bidi@expandonce#1#2}}}
2756
2757 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
2758 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
2759
2760
2761
2762 \bidi@newrobustcmd{\bidi@preto}[2]{%
2763   \if@bidi@undef{#1}
2764     {\edef#1{\unexpanded{#2}}}
2765     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2766 \bidi@newrobustcmd{\bidi@epreto}[2]{%
2767   \if@bidi@undef{#1}
2768     {\edef#1{#2}}
2769     {\edef#1{#2\bidi@expandonce#1}}}
2770 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
2771   \if@bidi@undef{#1}
2772     {\xdef#1{\unexpanded{#2}}}
2773     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2774 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
2775   \if@bidi@undef{#1}
2776     {\xdef#1{#2}}
2777     {\xdef#1{#2\bidi@expandonce#1}}}
2778
2779 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
2780 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
2781
2782

```



```

2783
2784 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
2785 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
2786 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
2787 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
2788 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
2789 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
2790
2791
2792
2793 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
2794 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
2795 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
2796 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
2797 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
2798 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
2799
2800
2801
2802 \bidi@newrobustcmd{\if@bidi@patchable}{%
2803   \bidi@dbg@trce\if@bidi@patchable
2804   \begingroup
2805   @makeother\#%
2806   @ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
2807
2808 \long\def\bidi@ifpatchable#1#2{%
2809   \endgroup
2810   \bidi@dbg@init#1%
2811   \if@bidi@undef{#1}
2812     {\bidi@dbg@fail{def}@secondoftwo}
2813     {\bidi@dbg@info{def}%
2814      \if@bidi@defmacro{#1}
2815        {\bidi@dbg@info{mac}%
2816         \bidi@ifscanable{#1}
2817         {\bidi@ifhashcheck{#2}
2818           {\bidi@dbg@info{tok}%
2819             \bidi@ifpattern{#1}{#2}
2820             {\bidi@dbg@info{pat}%
2821               \bidi@dbg@info{pos}@firstoftwo
2822               {\bidi@dbg@fail{pat}@secondoftwo}}
2823               {\bidi@dbg@fail{hsh}@secondoftwo}}
2824             {\bidi@dbg@fail{tok}@secondoftwo}}
2825             {\bidi@dbg@fail{mac}@secondoftwo}}}
2826
2827 \long\def\bidi@ifpatchable@i#1{%
2828   \endgroup
2829   \bidi@dbg@init#1%
2830   \if@bidi@undef{#1}
2831     {\bidi@dbg@fail{def}@secondoftwo}
2832     {\bidi@dbg@info{def}}%

```



```

2833 \if@bidi@defmacro{#1}
2834   {\bidi@dbg@info{mac}%
2835   \if@bidi@defparam{#1}
2836     {\bidi@dbg@info{prm}%
2837       \bidi@ifscanable{#1}
2838         {\bidi@dbg@info{tok}%
2839           \bidi@dbg@info{pos}\@firstoftwo}
2840           {\bidi@dbg@fail{tok}\@secondoftwo}}
2841       {\bidi@dbg@info{pr1}%
2842         \if@bidi@defprotected{#1}
2843           {\bidi@dbg@info{pro}%
2844             {}%
2845             \bidi@dbg@info{pos}\@firstoftwo}
2846           {\bidi@dbg@fail{mac}\@secondoftwo}}}
2847
2848 \bidi@newrobustcmd*{\bidi@patchcmd}{%
2849   \bidi@dbg@trce\bidi@patchcmd
2850   \begingroup
2851   \makeother\#%
2852   \bidi@patchcmd}
2853
2854 \newcommand{\bidi@patchcmd}[4] [#####1]{%
2855   \bidi@ifpatchable#2{#3}%
2856     {\bidi@dbg@succ{ret}%
2857       \begingroup
2858       \edef\bidi@resrvda{%
2859         \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
2860           #1\def$string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
2861         \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
2862           #####1\detokenize{#4}####2}%
2863         \edef\noexpand\bidi@resrvda{%
2864           \noexpand\bidi@resrvda\meaning#2&}}%
2865       \bidi@resrvda
2866       \bidi@patchcmd@scantoks\bidi@resrvda
2867       \let#2\bidi@resrvda
2868       \bidi@undef\bidi@resrvda
2869       \@firstoftwo}
2870     {\@secondoftwo}}
2871
2872 \def\bidi@patchcmd@scantoks#1{%
2873   \edef\bidi@resrvda{\endgroup
2874     \unexpanded{\makeatletter\scantokens}{#1}%
2875     \catcode\number`@\the\catcode`\@relax}%
2876   \bidi@resrvda}
2877
2878 \newcommand\bidi@isloaded[2][]{%
2879   \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
2880     \expandafter\newif\csname if@bidi@#2loaded@\endcsname
2881   \fi
2882   \@ifpackageloaded{#2}

```



```

2883      {\csname @bidi@#2loaded@true\endcsname #1}
2884      {\csname @bidi@#2loaded@false\endcsname}}
2885
2886 \protected\def\bidi@ifscanable#1{%
2887   \begingroup
2888   \edef\bidi@resrvda{%
2889     \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
2890       ####1\def$string\bidi@resrvda####2{####3}}%
2891     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
2892   \bidi@resrvda
2893   \makeatletter
2894   \scantokens\expandafter{\bidi@resrvda}%
2895   \expandafter\endgroup\ifx#1\bidi@resrvda
2896     \expandafter\@firstoftwo
2897   \else
2898     \expandafter\@secondoftwo
2899   \fi}
2900
2901
2902 \protected\long\def\bidi@ifhashcheck#1{%
2903   \begingroup
2904   \edef\bidi@resrvda{\detokenize{#1}}%
2905   \expandafter\endgroup
2906   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
2907
2908 \edef\bidi@ifhashcheck@i#1&{%
2909   \noexpand\expandafter
2910   \noexpand\bidi@ifhashcheck@ii
2911   \noexpand\strip@prefix#1$string#\string##&}
2912
2913 \edef\bidi@ifhashcheck@ii{%
2914   \def\noexpand\bidi@ifhashcheck@ii##1$string#\string##2&%
2915 \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}}
2916
2917
2918 \protected\long\def\bidi@ifpattern#1#2{%
2919   \begingroup
2920   \edef\bidi@resrvda{%
2921     \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
2922       \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
2923     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
2924       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}}%
2925     \noexpand\bidi@resrvda}
2926   \bidi@resrvda\@secondoftwo\@firstoftwo}
2927
2928
2929 \newcommand{\if@bidi@defparam}{}%
2930 \long\edef\if@bidi@defparam#1{%
2931   \noexpand\expandafter\expandafter\noexpand\bidi@ifdefparam
2932   \noexpand\meaning#1\detokenize{macro}:->&}

```



```

2933 \edef\bidi@ifdefparam{%
2934   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
2935 \bidi@ifdefparam{\bidi@notblank{#2}}
2936
2937
2938 \newcommand{\if\bidi@defprotected}{}%
2939 \long\edef\if\bidi@defprotected#1{%
2940   \noexpand\expandafter\noexpand\bidi@ifdefprotected
2941   \noexpand\meaning#1\string\protected&}
2942 \edef\bidi@ifdefprotected{%
2943   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
2944 \bidi@ifdefprotected{\bidi@notblank{#2}}
2945
2946
2947 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
2948
2949 \let\bidi@dbg@trce@\gobble
2950 \let\bidi@dbg@init@\gobble
2951 \let\bidi@dbg@info@\gobble
2952 \let\bidi@dbg@succ@\gobble
2953 \let\bidi@dbg@fail@\gobble
2954
2955
2956
2957 \bidi@newrobustcmd*\{\bidi@apptocmd\}{%
2958   \bidi@dbg@trce\bidi@apptocmd
2959   \begingroup
2960   \@makeother\#%
2961   \bidi@hooktocmd\bidi@append}
2962
2963
2964
2965 \bidi@newrobustcmd*\{\bidi@pretocmd\}{%
2966   \bidi@dbg@trce\bidi@pretocmd
2967   \begingroup
2968   \@makeother\#%
2969   \bidi@hooktocmd\bidi@prepend}
2970
2971 \long\def\bidi@hooktocmd#1#2#3{%
2972   \endgroup
2973   \bidi@dbg@init#2%
2974   \if\bidi@undef{#2}
2975     {\bidi@dbg@fail{def}\@secondoftwo}
2976     {\bidi@dbg@info{def}\%
2977      \if\bidi@defmacro{#2}
2978        {\bidi@dbg@info{mac}\%
2979         \if\bidi@defparam{#2}
2980           {\bidi@dbg@info{prm}\%
2981            \bidi@ifscanable{#2}
2982              {\bidi@ifhashcheck{#3}

```



```

2983          {\bidi@dbg@info{tok}}%
2984          \bidi@dbg@succ{ret}%
2985          \bidi@hooktocmd@i#1#2{#3}%
2986          \@firstoftwo%
2987          {\bidi@dbg@fail{hsh}\@secondoftwo}%
2988          {\bidi@dbg@fail{tok}\@secondoftwo}%
2989          {\bidi@dbg@info{prl}}%
2990          \if@bidi@defprotected{#2}%
2991          {\bidi@dbg@info{pro}}%
2992          \bidi@dbg@succ{red}%
2993          \protected%
2994          {\bidi@dbg@succ{red}}%
2995          \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}}%
2996          \@firstoftwo}%
2997          {\bidi@dbg@fail{mac}\@secondoftwo}}}
2998
2999 \long\def\bidi@hooktocmd@i#1#2#3{%
3000   \begingroup
3001   \edef\bidi@resrvda{%
3002     \def\noexpand\bidi@resrvda####1{\detokenize{macro}:####2->####3&{%
3003       ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}}}%
3004   \edef\noexpand\bidi@resrvda{%
3005     \noexpand\bidi@resrvda\meaning#2&}}%
3006   \bidi@resrvda
3007   \bidi@patchcmd@scantoks\bidi@resrvda
3008   \let#2\bidi@resrvda
3009   \bidi@undef\bidi@resrvda}
3010
3011 \long\def\bidi@append#1#2{#1#2}
3012 \long\def\bidi@prepend#1#2{#2#1}
3013
3014 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
3015 \newcommand*{\bidi@endpreamblehook}{}}
3016
3017 \bidi@preto\document{%
3018   \endgroup
3019   \let\bidi@AtEndPreamble\@firstofone
3020   \bidi@endpreamblehook
3021   \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
3022   \bidi@undef\bidi@endpreamblehook
3023   \begingroup}
3024
3025 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
3026 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
3027
3028 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
3029 \newcommand*{\bidi@afterendpreamblehook}{}}
3030
3031 \bidi@appto\document{%
3032   \let\bidi@AfterEndPreamble\@firstofone

```



```

3033 \bidi@afterendpreamblehook
3034 \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
3035 \bidi@undef\bidi@afterendpreamblehook
3036 \ignorespaces}
3037
3038 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
3039
3040 \bidi@newrobustcmd*\{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}%
3041 \newcommand*\{\bidi@afterenddocumenthook}{}%
3042
3043 \bidi@patchcmd\enddocument
3044 {\deadcycles}
3045 {\let\bidi@AfterEndDocument\@firstofone
3046 \bidi@afterenddocumenthook
3047 \deadcycles}
3048 {}
3049 {\let\bidi@@end\@end
3050 \def\@end{%
3051 \let\bidi@AfterEndDocument\@firstofone
3052 \bidi@afterenddocumenthook
3053 \bidi@@end}}
3054
3055 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
3056 \bidi@csgappto{\bidi@begin@#1@hook}}}
3057
3058 \bidi@patchcmd\begin
3059 {\csname #1\endcsname}
3060 {\bidi@csuse{\bidi@begin@#1@hook}%
3061 \csname #1\endcsname}
3062 {}
3063 {\bidi@warning{%
3064 Patching '\string\begin' failed!\MessageBreak
3065 '\string\bidi@AtBeginEnvironment' will not work\@gobble}}}
3066
3067
3068
3069 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
3070 \bidi@csgappto{\bidi@end@#1@hook}}}
3071
3072 \bidi@patchcmd\end
3073 {\csname end#1\endcsname}
3074 {\bidi@csuse{\bidi@end@#1@hook}%
3075 \csname end#1\endcsname}
3076 {}
3077 {\bidi@warning{%
3078 Patching '\string\end' failed!\MessageBreak
3079 '\string\bidi@AtEndEnvironment' will not work\@gobble}}}
3080
3081
3082

```



```

3083 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
3084   \bidi@csgappto{@bidi@beforebegin@#1@hook}}
3085
3086 \bidi@pretocmd\begin
3087   {\bidi@csuse{@bidi@beforebegin@#1@hook}}
3088 {}
3089 {\bidi@warning{%
3090   Patching '\string\begin' failed!\MessageBreak
3091   '\string\bidi@BeforeBeginEnvironment' will not work@gobble}}
3092
3093
3094 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
3095   \bidi@csgappto{@bidi@afterend@#1@hook}}
3096
3097 \bidi@patchcmd\end
3098   {\if@ignore}
3099   {\bidi@csuse{@bidi@afterend@#1@hook}%
3100     \if@ignore}
3101   {}
3102 {}
3103 {\bidi@warning{%
3104   Patching '\string\end' failed!\MessageBreak
3105   '\string\bidi@AfterEndEnvironment' will not work@gobble}}
3106
3107 \chardef\bidi@backslash`\\
3108 \def\bidics#1{\texttt{\char\bidi@backslash#1}}
3109
3110 % anonymous control sequences
3111 \newcount\bidi@tempcountb
3112 \newtoks\bidi@temptoksa
3113 \newtoks\bidi@temptoksb
3114
3115 % Catcode (re)storing
3116 %
3117 \def\bidi@storecatcode#1%
3118   {\escapechar`\m@ne
3119    \bidi@csarg\edef{\bidi@restorecatcode\string#1}%
3120      {\catcode`\string#=%
3121        \the\catcode\expandafter`\string#1}%
3122      \catcode\expandafter`\string#1=12\relax
3123      \escapechar`\\relax}
3124 \def\bidi@restorecatcode#1%
3125   {\escapechar`\m@ne
3126    \csname bidi@restorecatcode\string#1\endcsname
3127    \escapechar`\\relax}
3128
3129 % Construct a control sequence inside \edef
3130 %
3131 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
3132

```



```

3133 % Construct a control sequence out of #2, and give it to #1
3134 %
3135 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
3136
3137 % Pick an escapecharacter
3138 % this presumes that its argument is a character.
3139 %
3140 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
3141
3142 % Equality of strings.
3143 % the fast approach: does not work in expansion-only environment.
3144 %
3145 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
3146     \ifx\bidi@eqs@a\bidi@eqs@b}
3147
3148 % Test by expansion only
3149 %
3150 \def\bidi@EqualStringX#1#2{00\fi
3151     \csname if\bidi@EqualStringX#1$#2&$\endcsname}
3152 \def@\bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
3153     \ifx#1&true\else\bidi@hop@ES@\bidi@EqualStringX#2$#4$\fi
3154     \else false\fi}
3155 \def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}
3156
3157 % Lexicographic ordering
3158 % note the use of \def
3159 % also note the characters 0,127,255 that are used,
3160 % these are not supposed to appear in the strings
3161 %
3162 {\catcode0=12 \catcode255=12 \catcode127=12
3163 \gdef\bidi@StringBeforeNC#1#2{00\fi
3164     \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
3165 \gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
3166     \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
3167     \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
3168     \else\ifnum\lccode`#1<\lccode`#3
3169         \def\bidi@next{\csname iftrue\endcsname}%
3170         \else\ifnum\lccode`#1>\lccode`#3
3171             \def\bidi@next{\csname ifffalse\endcsname}%
3172             \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
3173     \fi \fi \fi
3174 \bidi@next}
3175 \gdef\bidi@StringBefore#1#2{00\fi
3176     \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
3177 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
3178     \ifnum`#1<`#3
3179         \def\bidi@next{\csname iftrue\endcsname}%
3180     \else\ifnum`#1>`#3
3181         \def\bidi@next{\csname ifffalse\endcsname}%
3182         \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%

```



```

3183   \fi\fi
3184   \bidi@next}
3185 }
3186
3187 % Null argument test
3188 %
3189 \def\bidi@empty{}
3190 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
3191 \def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
3192 %\def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
3193 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
3194
3195 % Next character test
3196 %
3197 \def\bidi@NextChar#1#2#3{00\fi
3198   \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3199   \futurelet\bidi@nxt@c@\bidi@ifnxtc}
3200 \def\bidi@ifNextChar#1#2#3{%
3201   \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
3202   \futurelet\bidi@nxt@c@\bidi@ifnxtc}
3203 \def@\bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
3204   \else \expandafter\bidi@nxt@b \fi}
3205
3206 % Test for defined-ness of string as control sequence.
3207 % works inside \edef
3208 %
3209 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}
3210
3211 % Define uniquely defined dummy macros,
3212 % usually to serve as bumper blocks at the end of a list
3213 %
3214 \newcount\bidi@dummies
3215 \def\DefNewDummy#1{
3216   \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{bidi@dum\the\bidi@dummies}%
3217   \advance\bidi@dummies\@ne
3218 \else
3219   \bidi@error{Attempt at second definition of `#1'}
3220 \fi}
3221
3222 % string case statement
3223 % use: \bidi@switch \iftest{...} in:
3224 %     item1 action1
3225 %     ...
3226 %     itemn actionn
3227 %     default defaultaction [optional]
3228 %     \endbidi@switch
3229 % inspired by Jonathan Fine: Some Basic Control Macros
3230 % Tugboat 12 #4
3231 %
3232 \let@\bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}

```



```

3233 \def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
3234 \def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3235   #1{#2}\bidi@switch@exit #3 \@bidi@fi
3236   \bidi@switch {#1}
3237 }
3238 % this version puts the test object in {}
3239 \def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3240   #1{#2}\bidi@switch@exit #3 \@bidi@fi
3241   \bidi@switch #1 in:
3242 }
3243 % this version assumes that the test object is just one character
3244 \def\bidi@csswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3245   #1#2\bidi@switch@exit #3 \@bidi@fi
3246   \bidi@csswitch #1 in:
3247 }
3248 % this version assumes that the test object can have an optional space
3249 \def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3250   #1#2 \bidi@switch@exit #3 \@bidi@fi
3251   \bidi@bswitch #1 in:
3252 }
3253 % this version can cope with significant spaces at the start of #3;
3254 % #2 is macro argument
3255 \def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3256   #1{#2}\bidi@switch@exit #3 \@bidi@fi
3257   \bidi@mswitch #1 in:
3258 }
3259 % idem; #2 does not have to be enclosed in braces
3260 \def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
3261   #1#2 \bidi@switch@exit #3 \@bidi@fi
3262   \bidi@fswitch #1 in:
3263 }
3264
3265 % Routines for taking the value of a string:
3266 % if the string is defined as control sequence
3267 % take the value of that, otherwise take the string itself
3268
3269 % String or value of control sequence
3270 %
3271 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
3272
3273 % String or control sequence
3274 %
3275 \def@\bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
3276
3277 % String or \noexpand-ed control sequence;
3278 % for use in \edef
3279 %
3280 \newif\ifbidi@in@label
3281 \def@\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
3282           \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}

```



```

3283 \newtoks\bidi@are@these@correct
3284 \def\bidi@t@w@w#1{%
3285   \if\bidi@undefinedcs{#1}#1%
3286     \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
3287   \else
3288     \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
3289
3290 % List Manipulation .....
3291 % this assumes that #1 is a list of tokens, #2 is the name of a list
3292 %
3293 % Names of lists (and of items to pop into) are given as strings;
3294 % not as control sequences.
3295 %
3296 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
3297 % basic append/prepend macro
3298 \long\def\@bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3299   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@listb}
3300 \long\def\@bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3301   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@listb}
3302 \def\@bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
3303 % variations:
3304 \long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{#2}}
3305 \def\bidi@append@list@to@list#1#2{%
3306   \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter{\expandafter\the\expandafter\csname#2\expandafter\endcsname}}
3307 \def\bidi@append@cslist@to@cslist#1#2{%
3308   \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
3309 \def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
3310
3311 \let\bidi@willbeunhskip\unhskip
3312
3313 % A few list macros for the user
3314 \def\NewList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
3315 \def\EmptyList:#1 {\global\csname#1\endcsname{}}
3316 \long\def\AppendToList:#1#2 {\@bidi@append@to@list{#1}{#2}}
3317 \def\TheList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\empty
3318   \if\bidi@undefinedcs{#1}\bidi@error{List <#1> undefined}
3319   \else\bidi@csarg\the{#1}\fi
3320   \let\bidi@willbeunhskip\bidi@oldwbuskip}
3321
3322 \def\bidi@del@tok@from@list#1#2{\begingroup
3323   \long\def\bidi@cs@liste##1##2##2\bidi@tok@SM
3324     {\bidi@toks@lista{##1}\bidi@toks@listb{##2}%
3325       \edef\bidi@cs@listb{\global\bidi@csname{#1}=
3326         {\the\bidi@toks@lista\the\bidi@toks@listb}}%
3327       \bidi@cs@listb}%
3328     \edef\bidi@cs@lista{\noexpand\bidi@cs@liste{}\expandafter\the\csname#1\endcsname\noexpand
3329       \bidi@cs@lista \endgroup}
3330 \def\bidi@in@front@of@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
3331   \bidi@in@front@of@cslist\bidi@cs@lista}
3332 \long\def\bidi@in@front@of@cslist#1#2{\begingroup\bidi@toks@lista={#2}%

```



```

3333 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista
3334 \endgroup
3335 \long\def\bidi@local@in@front@of@list#1#2{\bidi@toks@lista={#2}%
3336     \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
3337         \expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
3338     \expandafter\the\csname#1\endcsname}%
3339 }
3340 \def\bidi@set@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
3341   \bidi@set@cslist\bidi@cs@lista}
3342 \long\def\bidi@set@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
3343   \global#1=\expandafter{\the\bidi@toks@lista}\endgroup}
3344
3345 %%%%%%%%%%%%%% Stack macros
3346 %
3347 % push in terms of prepending of lists
3348 \def\bidi@push@cs@onto#1#2{\@bidi@prepend@to@cslist#1\expandafter{\expandafter\\\expandaft
3349 \def\bidi@push@onto#1{\bidi@csarg\bidi@push@onto@cs{#1}}
3350 \def\bidi@push@onto@cs#1#2{\@bidi@prepend@to@cslist#1{}{\\"{#2}}}
3351 \def\bidi@local@push@onto#1#2{\let\\=\relax
3352   \bidi@local@in@front@of@list{#1}{\"{#2}}}
3353 % pop via auxiliary macro: #1 is result, #2 is stack
3354 % two cs arguments
3355 \def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
3356   {\noexpand@@bidi@pop@into\noexpand#1\noexpand#2\the#2\noexpand\@@bidi@pop}\bidi@cs@e}
3357 % two string arguments
3358 \def\bidi@pop@into#1#2{\edef\bidi@cs@e
3359   {\noexpand@@bidi@pop@into\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg\the{#2}\noexpand\@@bidi@pop}
3360 \long\def\@@bidi@pop@into#1#2\#3\@@bidi@pop{#1{#3}\#2{#4}}
3361 \def\bidi@copy@stacktop#1#2{%
3362   \edef\bidi@cs@e{\noexpand\bidi@copy@stacktop
3363     \bidi@csarg\the{#2}\noexpand\@@bidi@pop}%
3364   \bidi@cs@e}
3365 \def\@bidi@copy@stacktop#1\#2#3\@@bidi@pop{\csname#1\endcsname#2\relax}
3366 \newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\\"{}}
3367 \def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{#1}}
3368 \def\bidi@length@of@csstack#1{\def\#\#1{\advance\bidi@stack@length\@ne}%
3369   \bidi@stack@length\m@ne \the#1}
3370 % turn a stack upside down
3371 \def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
3372   \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@stack
3373   \loop\ifnum\bidi@tempcountb<\bidi@stack@length
3374     \bidi@pop@cs@into\bidi@temptoksb#\!{\advance\bidi@stack@length\m@ne
3375     \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
3376   \% \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b
3377 \% \bidi@temptoksa\bidi@temptoksb
3378   \repeat% copy b to a
3379   #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
3380 % invert a stack into a list
3381 \def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
3382   \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks

```



```

3383 \loop\ifnum\bidi@tempcountb<\bidi@stack@length
3384   \bidi@pop@into{\bidi@temptoksb}{\#1}\advance\bidi@stack@length\m@ne
3385   \bidi@append@list@to@list{\bidi@temptoksb}{\bidi@temptoksa}\repeat
3386 \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
3387
3388
3389 % General loop macro:
3390 % \looprepeat
3391 %   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
3392 %           \untilcondition{<cond>} \whilecondition{<cond>}
3393 %   \doloopbody { <loop body> }
3394 % where all control sequences in between \looprepeat and \doloopbody are optional.
3395 %
3396 % var: characters to form a control sequence;
3397 %       after \forvariable{index} you can access the loop counter as \index.
3398 %       This is a count register; to print it use \number\index.
3399 % start,step,end: integers with obvious relations to the loop counter;
3400 %       start and step have a default value of 1
3401 % cond: (sequence of commands ending in) any TeX \if... test.
3402 %
3403 % Count down instead of up with \downtovalue; the increment given in \bystep
3404 % is always positive, and is added or subtracted accordingly.
3405 %
3406 % Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
3407 % at the beginning of the loop body.
3408 %
3409 % Exit from middle of loop: \breaklooprepeat
3410 % use this at any place in the loop; in case of a conditional use
3411 %   \ifsomething ... \expandafter \breaklooprepeat \fi
3412 %
3413 % Note that the line ends do not cause spaces in the output.
3414 %
3415 % Technical details:
3416 % The loop body is not executed in a group: the braces are those
3417 % of a token list.
3418 % The `forvariable' variable is \let to a \count register.
3419
3420
3421
3422 % Auxiliary stuff
3423 \def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
3424 \def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
3425 \def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepeat@depth\endcsname}
3426
3427 \newcount\bidi@looprepeat@depth
3428 \let\endlooprepeat\relax \def\bidi@csprotect{}%
3429 % Trace switches may later be defined by PAC_utils
3430 \let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax
3431
3432 % Main repeatloop macro

```



```

3433 % - go to next level and allocate unique counter/toks if this is the
3434 %   first time we visit this level
3435 % - setup: gather bounds and termination conditions
3436 % - scoop up body in token list; after the assignment define and
3437 %   execute body
3438 \def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
3439   \advance\bidi@looprepeat@depth\@ne\relax
3440   \bidi@looprepeat@csargromannumeral\ifx{\bidi@looprepeat@count}\relax
3441     \bidi@looprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{\bidi@looprepeat@count}
3442     \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepeat@toks}
3443     \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepeat@body}
3444     \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepeat@body}
3445   \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{} \bidi@looprepeat@body
3446   \edef\bidi@looprepeat@tmp
3447     {\def\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@looprepeat}{\bidi@looprepeat@body}}
3448   \afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumeral{\bidi@looprepeat@toks}
3449
3450 % Define and execute loop body
3451 % This is done with an \edef to construct the actual sequence
3452 \def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumeral\edef{\bidi@looprepeat@body}{%
3453   \bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@wtest}%
3454   \noexpand\the\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@toks}%
3455   \bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@utest}%
3456   \global\bidi@looprepeat@csargromannumeral\advance{\bidi@looprepeat@count} by \bidi@looprepeat@count
3457   \noexpand\endlooprepeat
3458   \bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@looprepeat}}%
3459   \bidi@looprepeat@csromannumeral{\bidi@looprepeat@body}\ignorespaces}
3460
3461 % Stop test
3462 %% In order to stop, issue a
3463 % \breaklooprepeat which scoops up the rest of the body and exits
3464 \def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral\relax
3465   \advance\bidi@looprepeat@depth\@ne \bidi@looprepeat@traceexit
3466 }
3467
3468
3469 % Setup
3470 % gather bounds and termination conditions
3471 \def\bidi@looprepeat@setup#1{%
3472   \begingroup
3473     \def\forvariable##1{%
3474       \edef\bidi@looprepeat@tmp{%
3475         \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral{\bidi@looprepeat@body}%
3476         \bidi@looprepeat@tmp}%
3477       \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{\bidi@looprepeat@count}##1\ignorespaces}
3478       \def\tovalue##1{%
3479         \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@body}%
3480           \bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@wtest}%
3481           \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@count}\bidi@looprepeat@body
3482             \noexpand\expandafter\noexpand\breaklooprepeat

```



```

3483     \noexpand\fi}\ignorespaces}%
3484     \bidi@looprepeat@tmp}%
3485 \def\downtovalue##1{%
3486     \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
3487 \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}%
3488     \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{-##1}\else
3489     \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{##1}\fi\ignorespaces}%
3490 \def\untilcondition##1{%
3491     \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loopr
3492         {\noexpand##1\relax
3493         \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3494     \bidi@looprepeat@tmp}%
3495 \def\whilecondition##1{%
3496     \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loopr
3497         {\noexpand##1\relax \noexpand\else
3498         \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3499     \bidi@looprepeat@tmp}%
3500     \fromvalue{\@ne}\bystep{\@ne}#1%
3501 \endgroup}
3502 \def\bidi@looprepeat@zero
3503 { \bidi@looprepeat@csromannumeral{\bidi@looprepeat@toks}{} \bidi@looprepeat@csromannumeral{\bi
3504     \bidi@looprepeat@csargromannumeral\def\bidi@looprepeat@body}{}}
3505
3506 %\tracingmacros2
3507 %\newcount\tmpcount % used in some examples below
3508
3509 %\looprepeat \forvariable{i}
3510 %     \bystep{2}
3511 % \doloopbody {%
3512 %     \ifnum\i=13 \expandafter\breaklooprepeat \fi
3513 %     \number\i{} %
3514 %}%
3515
3516 %\looprepeat \forvariable{iii}
3517 %     \tovalue{8}
3518 % \doloopbody {}%
3519 %After loop: \number\iii%
3520
3521 %\looprepeat \forvariable{i}
3522 %     \fromvalue{10}
3523 %     \bystep{2}
3524 %     \downtovalue{0}
3525 % \doloopbody {\number\i{} }%
3526
3527 %\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
3528 % \doloopbody {\number\x{} }%
3529
3530 %\looprepeat \tovalue{3} \doloopbody {Hello world! }
3531
3532 %\looprepeat \forvariable{j}

```



```

3533 \%      \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
3534 \% \doloopbody {\number\j{} }
3535
3536 \% \looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
3537 \% {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}
3538 \% \doloopbody {(\number\i.\number\j) }
3539 \% }
3540
3541 \% infinite loop
3542 \% \looprepeat \doloopbody {}
3543
3544 \CheckCommand{\InputIfFileExists}[2]{%
3545   \IfExists{#1}%
3546     {#2\@addtolist{#1}\@@input \@filef@und}}
3547
3548 \renewcommand{\InputIfFileExists}[2]{%
3549   \begingroup\expandafter\expandafter\expandafter\endgroup
3550   \expandafter\ifx\csname #1-\@bidi@alias\endcsname\relax
3551     \expandafter\@secondoftwo
3552   \else
3553     \bidi@replacefile@msg{\csname #1-\@bidi@alias\endcsname}{#1}%
3554     \expandafter\@firstoftwo
3555   \fi
3556 }%
3557   \expandafter\InputIfFileExists\expandafter{\csname
3558     #1-\@bidi@alias\endcsname}{#2}%
3559 }%
3560 {\IfExists{#1}{%
3561   \bidi@load@hook{before}{#1}%
3562   #2\@addtolist{#1}%
3563   \@@input \@filef@und
3564   \bidi@load@hook{after}{#1}%
3565 }%
3566 }
3567
3568 \newcommand*{\bidi@loadwithoptions}{}%
3569 \newcommand*{\bidi@loadwithoptions}{}%
3570 \let\bidi@loadwithoptions@\loadwithoptions
3571
3572 \renewcommand*{\loadwithoptions}[3]{%
3573   \begingroup\expandafter\expandafter\expandafter\endgroup
3574   \expandafter\ifx\csname #3.#1-\@bidi@aliasname\endcsname\relax
3575     \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
3576   \else
3577     \bidi@replacefile@msg{\csname #3.#1-\@bidi@aliasname\endcsname.#1}{#3.#1}%
3578     \def\bidi@loadwithoptions{%
3579       \loadwithoptions{#1}{#2}{\csname #3.#1-\@bidi@aliasname\endcsname}%
3580     }%
3581   \fi
3582   \bidi@loadwithoptions

```



```

3583 }
3584
3585 \newcommand*{\bidi@onefilewithoptions}{}%
3586 \let\bidi@onefilewithoptions\@onefilewithoptions
3587 \def\@onefilewithoptions#1[#2] [#3]#4{%
3588   \begingroup\expandafter\expandafter\expandafter\endgroup
3589   \expandafter\ifx\csname #1.#4-\bidi@aliasname\endcsname\relax
3590     \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
3591   \else
3592     \bidi@replacefile@msg{\csname #1.#4-\bidi@aliasname\endcsname.#4}{#1.#4}%
3593     \edef\bidi@onefilewithoptions{%
3594       \noexpand\@onefilewithoptions{\csname #1.#4-\bidi@aliasname\endcsname}}%
3595   \fi
3596 \bidi@onefilewithoptions[#{2}][{#3}]{#4}%
3597 \bidi@load@hook{lateafter}{#1.#4}%
3598 }
3599
3600 \newcommand*{\bidi@ReplaceInput}[2]{%
3601   \expandafter\edef\csname #1-\bidi@alias\endcsname{#2}%
3602 }
3603
3604 \newcommand*{\bidi@UnReplaceInput}[1]{%
3605   \ifcsname #1-\bidi@alias\endcsname
3606     \expandafter\let\csname #1-\bidi@alias\endcsname\relax
3607   \fi
3608 }
3609
3610 \newcommand*{\@bidi@replacefilewithext}[3]{%
3611   \expandafter\edef\csname #1.#3-\bidi@aliasname\endcsname{#2}%
3612 }
3613 \newcommand*{\bidi@ReplacePackage}[2]{%
3614   \@bidi@replacefilewithext{#1}{#2}\@pkextension
3615 }
3616 \newcommand*{\bidi@ReplaceClass}[2]{%
3617   \@bidi@replacefilewithext{#1}{#2}\@clsextension
3618 }
3619 \newcommand*{\@bidi@unreplacefilewithext}[2]{%
3620   \ifcsname #1.#2-\bidi@aliasname\endcsname
3621     \expandafter\let\csname #1.#2-\bidi@aliasname\endcsname\relax
3622   \fi
3623 }
3624 \newcommand*{\bidi@UnReplacePackage}[1]{%
3625   \@bidi@unreplacefilewithext{#1}\@pkextension
3626 }
3627 \newcommand*{\bidi@UnReplaceClass}[1]{%
3628   \@bidi@unreplacefilewithext{#1}\@clsextension
3629 }
3630 \newcommand*{\bidi@replacefile@msg}[2]{%
3631   \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
3632 }

```



```

3633
3634 \newcommand*{\bidi@load@hook}[2]{%
3635   \@ifundefined{#2-\@#1}{}{%
3636     \nameuse{#2-\@#1}{%
3637       \expandafter\let\csname #2-\@#1\endcsname=\relax}%
3638 \newcommand*{\bidi@set@load@hook}[2]{%
3639   \@ifundefined{#2-\@#1}{\namedef{#2-\@#1}{}{}}{%
3640     \expandafter\g@addto@macro\csname #2-\@#1\endcsname}%
3641 \newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}%
3642 \newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}%
3643 \newcommand*{\bidi@BeforeClass}[1]{%
3644   \bidi@set@load@hook{before}{\#1.\@clsextension}}%
3645 \newcommand*{\bidi@AfterClass}[1]{%
3646   \@ifstar {\@s@bidi@AfterClass}{%
3647     \@ifnextchar +{\@bidi@AfterClass}{%
3648       \@ifnextchar !{\@bidi@AfterClass}{\bidi@AfterClass}%
3649     }%
3650   }%
3651 }%
3652
3653 \newcommand*{\@@@bidi@AfterClass}[2]{%
3654   \begingroup\ifx\csname #2.\@clsextension-h\@k\endcsname\relax
3655     \aftergroup\@s@bidi@AfterClass
3656   \else
3657     \aftergroup\bidi@AfterAtEndOfClass
3658   \fi
3659   \endgroup{#2}%
3660 }
3661
3662 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
3663   \bidi@set@load@hook{lateafter}{\#1.\@clsextension}}%
3664 \newcommand*{\@bidi@AfterClass}[2]{%
3665   \begingroup
3666     \expandafter\ifx\csname #2.\@clsextension-h\@k\endcsname\relax
3667       \aftergroup\@s@bidi@AfterClass
3668     \else
3669       \aftergroup\@bidi@AfterClass
3670     \fi
3671   \endgroup{#2}%
3672 }%
3673
3674 \newcommand*{\@bidi@AfterClass}[1]{%
3675   \bidi@set@load@hook{after}{\#1.\@clsextension}}%
3676 \newcommand*{\@s@bidi@AfterClass}[1]{%
3677   \begingroup
3678     \@ifclassloaded{#1}{%
3679       \aftergroup\@secondoftwo
3680     }{%
3681       \aftergroup\@bidi@AfterClass
3682     }%

```



```

3683 \endgroup
3684 {#1}%
3685 }
3686
3687
3688 \newcommand*{\bidi@BeforePackage}[1]{%
3689   \bidi@set@load@hook{before}{#1.\@pkgextension}}
3690 \newcommand*{\bidi@AfterPackage}{%
3691   \@ifstar {\@s@bidi@AfterPackage}{%
3692     \@ifnextchar +\@@bidi@AfterPackage{%
3693       \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
3694     }%
3695   }%
3696 }
3697 \newcommand*{\@@@bidi@AfterPackage}[2]{%
3698   \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
3699     \aftergroup\@s@bidi@AfterPackage
3700   \else
3701     \aftergroup\bidi@AfterAtEndOfPackage
3702   \fi
3703   \endgroup{#2}%
3704 }
3705 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
3706   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
3707 \newcommand*{\@bidi@AfterPackage}[2]{%
3708   \begingroup
3709     \expandafter\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
3710       \aftergroup\@s@bidi@AfterPackage
3711     \else
3712       \aftergroup\@bidi@AfterPackage
3713     \fi
3714   \endgroup{#2}%
3715 }
3716 \newcommand*{\@bidi@AfterPackage}[1]{%
3717   \bidi@set@load@hook{after}{#1.\@pkgextension}}
3718 \newcommand*{\@s@bidi@AfterPackage}[1]{%
3719   \begingroup
3720     \@ifpackageloaded{#1}{%
3721       \aftergroup\@secondoftwo
3722     }{%
3723       \aftergroup\@bidi@AfterPackage
3724     }%
3725   \endgroup
3726   {#1}%
3727 }
3728
3729 \newcommand*{\bidi@excludedpackages}{}%
3730 \let\bidi@excludedpackages\empty
3731 \newcommand*{\bidi@saved@RequirePackage}{}%
3732 \newcommand*{\bidi@PreventPackageFromLoading}{%

```



```

3733  \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}{%
3734      {\@bidi@PreventPackageFromLoading\PackageWarning}{%
3735  }%
3736 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
3737     \ifnextchar [%]
3738         {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading#1[]}{%
3739  }%
3740 \newcommand*{\@bidi@PreventPackageFromLoading}{}%
3741
3742 \def\@bidi@PreventPackageFromLoading#1[#2]#3{%
3743     \edef\reserved@b{\zap@space#3 \empty}%
3744     \ifx \reserved@b\empty
3745         #1{biditools}{%
3746             \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
3747             argument ignored%
3748         }%
3749     \else
3750         \ifx\bidi@excludedpackages\empty
3751             \let\bidi@saved@RequirePackage\RequirePackage
3752             \let\RequirePackage\bidi@RequirePackage
3753             \def\reserved@a##1##{%
3754                 \@latex@error
3755                 {\noexpand \usepackage before \string\documentclass}{%
3756                     \noexpand \usepackage may only appear in the document
3757                     preamble, i.e.,\MessageBreak
3758                     between \noexpand\documentclass and
3759                     \string\begin{document}.}%
3760                 \@gobble}%
3761             \ifx\reserved@a\usepackage\else
3762                 \ifx\usepackage\bidi@saved@RequirePackage\else
3763                     \PackageWarning{biditools}{%
3764                         Maybe serious problem: unexpected definition of\MessageBreak
3765                         \string\usepackage
3766                     }%
3767                 \fi
3768                 \let\usepackage\RequirePackage
3769             \fi
3770         \fi
3771         \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
3772         \reserved@b\do {%
3773             \ifx\reserved@a\empty
3774                 #1{biditools}{%
3775                     empty package argument for
3776                     \string\bidi@PreventPackageFromLoading\MessageBreak
3777                     ignored%
3778                 }%
3779             \else
3780                 \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
3781                     #1{biditools}{%
3782                         package '\reserved@a' already loaded.\MessageBreak

```



```

3783         Cannot prevent it from being loaded%
3784     }%
3785 }{%
3786     \edef\bidi@excludedpackages{\bidi@excludedpackages,%
3787         \reserved@a}%
3788     \if\relax\detokenize{#2}\relax\else
3789         \@ifndef\bidi@exclude@package@\reserved@a \do}{%
3790             \namedef\bidi@exclude@package@\reserved@a \do}{%
3791         }{}%
3792     \expandafter\def
3793     \csname bidi@exclude@package@\reserved@a
3794         \do\expandafter\expandafter\expandafter\endcsname
3795     \expandafter\expandafter\expandafter{%
3796         \csname bidi@exclude@package@\reserved@a \do\endcsname
3797         #2%
3798     }%
3799     \fi
3800 }%
3801 \fi
3802 }%
3803 \ifx\bidi@excludedpackages\empty
3804     \bidi@ResetPreventPackageFromLoading
3805 \fi
3806 \fi
3807 }
3808
3809 @onlypreamble\bidi@PreventPackageFromLoading
3810 \newcommand*{\bidi@ResetPreventPackageFromLoading}{%
3811     \let\bidi@excludedpackages\empty
3812     \ifx\RequirePackage\bidi@RequirePackage
3813         \ifx\usepackage\RequirePackage
3814             \let\usepackage\bidi@saved@RequirePackage
3815         \fi
3816         \let\RequirePackage\bidi@saved@RequirePackage
3817     \fi
3818 }
3819 @onlypreamble\bidi@ResetPreventPackageFromLoading
3820 \newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
3821     \let#1\bidi@excludedpackages
3822 }
3823 @onlypreamble\bidi@StorePreventPackageFromLoading
3824 \newcommand*{\bidi@UnPreventPackageFromLoading}{%
3825     \@ifstar {\@tempswatrue\bidi@UnPreventPackageFromLoading}%
3826         {\@tempswfalsetrue\bidi@UnPreventPackageFromLoading}%
3827 }
3828
3829 \newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
3830     \edef\reserved@b{\zap@space#1 \empty}%
3831     \if@tempswa
3832         \for\reserved@a:=\reserved@b\do {%

```



```

3833     \ifx\reserved@a\empty \else
3834         \ifcsname bidi@exclude@package@\reserved@a \do\endcsname
3835             \expandafter\let
3836             \csname bidi@exclude@package@\reserved@a \do\endcsname
3837                 \undefined
3838             \fi
3839         \fi
3840     }%
3841     \fi
3842     \ifcsname bidi@excludedpackages\endcsname
3843         \let\reserved@a\bidi@excludedpackages
3844         \let\bidi@excludedpackages\empty
3845         \expandafter\@for\expandafter\reserved@c
3846             \expandafter:\expandafter=\reserved@a
3847         \do{%
3848             \ifx\reserved@c\empty\else
3849                 \@expandtwoargs\in@{\, \reserved@c,}{, \reserved@b,}%
3850                 \ifin@
3851                 \else
3852                     \edef\bidi@excludedpackages{%
3853                         \bidi@excludedpackages,\reserved@c
3854                     }%
3855                 \fi
3856             \fi
3857         }%
3858         \ifx\bidi@excludedpackages\empty\bidi@ResetPreventPackageFromLoading\fi
3859     \fi
3860 }
3861
3862
3863 \newcommand*{\bidi@RequirePackage}[2][]{%
3864     \let\reserved@c\empty
3865     \let\reserved@d\empty
3866     \edef\reserved@b{\zap@space#2 \empty}%
3867     \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
3868     \do {%
3869         \begingroup
3870             \tempswatru
3871             \@for\reserved@a:=\bidi@excludedpackages\do {%
3872                 \ifx\reserved@a\reserved@b
3873                     \tempswafal
3874                 \fi
3875             }%
3876             \if@tempswa
3877                 \xdef\reserved@c{\reserved@c,\reserved@b}%
3878             \else
3879                 \ifx\reserved@b\empty\else
3880                     \PackageInfo{biditools}{Excluding package ` \reserved@b '\MessageBreak
3881                         from loading}%
3882                     \@ifundefined{bidi@exclude@package@\reserved@b \do}{}%

```



```

3883     }{%
3884         \expandafter\g@addto@macro\expandafter\reserved@d
3885         \csname bidi@exclude@package@\reserved@b \do\endcsname
3886     }%
3887     \fi
3888     \fi
3889     \endgroup
3890 }%
3891 \ifx\reserved@c\empty
3892     \let\reserved@a\bidi@gobbleopt
3893 \else
3894     \edef\reserved@a{\noexpand\bidi@saved@RequirePackage [#1] {%
3895         \expandafter\@gobble\reserved@c\empty} }%
3896 \fi
3897 \expandafter\reserved@d
3898 \reserved@a
3899 }
3900
3901 \newcommand{\bidi@gobbleopt}[1] []
3902 \AtEndDocument{%
3903     \let\bidi@saved@checkend=\@checkend
3904     \renewcommand*{\@checkend}[1]{%
3905         \def\reserved@a{\#1}\def\reserved@b{document}%
3906         \bidi@saved@checkend{\#1}%
3907         \ifx\reserved@a\reserved@b
3908             \let\bidi@saved@clearpage=\clearpage
3909             \renewcommand*{\clearpage}{\bidi@saved@clearpage
3910                 \bidi@hook@bcma
3911                 \bidi@restore@newpage
3912                 \let\clearpage=\bidi@saved@clearpage}%
3913         \fi%
3914         \let\bidi@saved@dofilelist\@dofilelist
3915         \def\@dofilelist{%
3916             \bidi@hook@acma
3917             \let\@dofilelist\bidi@saved@dofilelist
3918             \bidi@saved@dofilelist
3919         }%
3920     }%
3921 }
3922
3923
3924 \newcommand*{\bidi@saved@checkend}{}%
3925 \newcommand*{\bidi@saved@dofilelist}{}%
3926 \newcommand*{\bidi@ redefine@newpage}{}{%
3927     \let\bidi@saved@newpage\newpage
3928     \def\bidi@restore@newpage{%
3929         \renewcommand*{\newpage}{%
3930             \PackageWarningNoLine{%
3931                 biditools%
3932             }{%

```



```

3933   \string\newpage\space at main aux file!\MessageBreak
3934   You have output material at the main aux file.\MessageBreak
3935   Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
3936   are processed before the output from aux file%
3937   }%
3938   \let\newpage\bidi@saved@newpage
3939   \newpage
3940   }%
3941   }%
3942   \renewcommand*{\newpage}{%
3943     \PackageError{%
3944       bidi@tools%
3945     }{%
3946       \string\newpage\space at \string\bidi@BeforeClosingMainAux
3947     }{%
3948       You should never use \string\newpage\space or
3949       \string\clear(double)page or other output material at the\MessageBreak
3950       argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
3951       If you'll continue, the \string\newpage\space will be ignored to
3952       avoid corruption of\MessageBreak
3953       every prior use of \string\bidi@BeforeClosingMainAux.
3954     }%
3955   }%
3956 }
3957
3958 \newcommand*{\bidi@restore@newpage}{}%
3959 \newcommand*{\bidi@hook@bcma}{}%
3960 \newcommand*{\bidi@hook@acma}{}%
3961 \newcommand*{\bidi@BeforeClosingMainAux}{%
3962   \ifx\bidi@hook@bcma\empty
3963     \gdef\bidi@hook@bcma{%
3964       \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
3965       \let\protected@write\bidi@protected@immediate@write
3966       \bidi@ redefine@newpage
3967     }%
3968   \fi
3969   \g@addto@macro\bidi@hook@bcma%
3970 }
3971
3972 \newcommand*{\bidi@AfterReadingMainAux}{%
3973   \ifx\bidi@hook@acma\empty
3974     \gdef\bidi@hook@acma{%
3975       \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
3976       \let\protected@write\bidi@protected@immediate@write
3977     }%
3978   \fi
3979   \g@addto@macro\bidi@hook@acma%
3980 }
3981
3982 \long\def\bidi@protected@immediate@write#1#2#3{%

```



```

3983 \begingroup
3984   #2%
3985   \let\protect\@unexpandable@protect
3986   \edef\reserved@a{\immediate\write#1{#3}}%
3987   \reserved@a
3988 \endgroup
3989 \if@nobreak\ifvmode\nobreak\fi\fi
3990 }
3991
3992 \def\bidi@patch@counter{0}%
3993 \if@bidi@csundefined{numexpr}{%
3994   \def\bidi@patch@stepcounter{%
3995     \begingroup
3996       \count@\bidi@patch@counter\relax
3997       \advance\count@\@ne\relax
3998       \edef\x{\endgroup
3999         \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
4000       }%
4001       \x
4002     }%
4003   }{%
4004   \def\bidi@patch@stepcounter{%
4005     \edef\bidi@patch@counter{%
4006       \the\numexpr\bidi@patch@counter+\@ne\relax
4007     }%
4008   }%
4009 }
4010 \def\bidi@patch@list{}
4011 \def\bidi@patch@Add{%
4012   \bidi@appto\bidi@patch@list
4013 }
4014 \def\bidi@patch@AfterPackage#1{%
4015   \@ifpackageloaded{#1}{%
4016     \@firstofone
4017   }{%
4018     \bidi@patch@AfterPackage{#1}%
4019   }%
4020 }
4021 \def\@bidi@patch@AfterPackage#1{%
4022   \edef\bidi@patch@temp{#1}%
4023   \bidi@patch@stepcounter
4024   \expandafter\bidi@patch@@AfterPackage
4025   \csname \bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
4026     \bidi@patch@temp
4027   }%
4028 }
4029 \def\bidi@patch@@AfterPackage#1#2#3{%
4030   \begingroup
4031     \toks@{#3}%
4032     \xdef\bidi@patch@gtemp{%

```



```

4033     \noexpand\@ifpackageloaded{#2}{%
4034         \noexpand\let\noexpand#1\noexpand\relax
4035         \the\toks@
4036     }{%
4037 }
4038 \endgroup
4039 \let#1\bidi@patch@gtemp
4040 \bidi@patch@Add#1%
4041 \bidi@patch@try{\bidi@AfterPackage}{#2}#1%
4042 }
4043 \def\bidi@patch@try#1#2#3{%
4044     \if\bidi@csundef{#1}{}{%
4045         \csname #1\endcsname{#2}{#3}%
4046     }%
4047 }
4048 }
4049 \AtBeginDocument{\bidi@patch@list}
4050
4051 \bidi@AtEndPreamble{\bidi@patch@list}%
4052
4053 \bidi@AfterEndPreamble{%
4054     \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
4055     \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
4056     \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
4057     \let\bidi@patch@OrgIfClassLater\@ifclasslater
4058     \bidi@patch@list
4059     \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
4060     \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
4061     \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
4062     \let\@ifclasslater\bidi@patch@OrgIfClassLater
4063 }
4064 }%

```

7.21 bidituftefloat.sty

```

4065 \NeedsTeXFormat{LaTeX2e}
4066 \ProvidesPackage{bidituftefloat}[2017/05/19 v0.2
4067 bidi implementation of tufte float]
4068 \RequirePackage{xifthen}
4069 \newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
4070 \newcommand{\bidituftefloatError}[2]{\PackageError{@bidituftefloat@pkgname}{#1}{#2}}
4071 \newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bidi
4072 \newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{@bidituftefloat@pkgname}{#1\@gobble}}
4073 \newboolean{@bidituftefloat@reversegeometry}
4074 \setboolean{@bidituftefloat@reversegeometry}{false}
4075 \DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
4076 \newboolean{@bidituftefloat@afourpaper}
4077 \DeclareOption{a4paper}{\setboolean{@bidituftefloat@afourpaper}{true}}
4078 \newboolean{@bidituftefloat@bfivepaper}
4079 \DeclareOption{b5paper}{\setboolean{@bidituftefloat@bfivepaper}{true}}

```



```

4080 \newboolean{@bidituftefloat@symmetric}
4081 \newboolean{@bidituftefloat@twoside}
4082 \DeclareOption{twoside}{%
4083   \twosidetrue \c@mparswitchtrue%
4084   \setboolean{@bidituftefloat@twoside}{true}%
4085   \setboolean{@bidituftefloat@symmetric}{true}%
4086 }
4087 \DeclareOption{oneside}{%
4088   \twosidefalse \c@mparswitchfalse%
4089   \setboolean{@bidituftefloat@twoside}{false}%
4090   \setboolean{@bidituftefloat@symmetric}{false}%
4091 }
4092 \ifclassloaded{book}{\ExecuteOptions{twoside}{}}
4093 \newboolean{@bidituftefloat@debug}
4094 \newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetect}
4095 \ProcessOptions
4096 %% Globally sets the length
4097 \newcommand*{\gsetlength}[2]{%
4098   \setlength{#1}{#2}%
4099   \global#1=\#1\relax%
4100 }
4101
4102 %% Set the font sizes and baselines to match bidituftefloat's books
4103 \renewcommand\normalsize{%
4104   \@setfontsize\normalsize\c@xpt{14}%
4105   \abovedisplayskip 10\p@ \c@plus2\p@ \c@minus5\p@
4106   \abovedisplayshortskip \z@ \c@plus3\p@
4107   \belowdisplayshortskip 6\p@ \c@plus3\p@ \c@minus3\p@
4108   \belowdisplayskip \abovedisplayskip
4109   \let\@listi\@listI}
4110 \normalbaselineskip=14pt
4111 \normalsize
4112 \renewcommand\footnotesize{%
4113   \@setfontsize\footnotesize\c@viipt{10}%
4114   \abovedisplayskip 6\p@ \c@plus2\p@ \c@minus4\p@
4115   \abovedisplayshortskip \z@ \c@plus\p@
4116   \belowdisplayshortskip 3\p@ \c@plus\p@ \c@minus2\p@
4117   \def\@listi{\leftmargin\leftmargini
4118     \topsep 3\p@ \c@plus\p@ \c@minus\p@
4119     \parsep 2\p@ \c@plus\p@ \c@minus\p@
4120     \itemsep \parsep}%
4121   \belowdisplayskip \abovedisplayskip
4122 }
4123 %% Paragraph indentation and separation for marginal text
4124 \newcommand{\@bidituftefloat@margin@par}{%
4125   \setlength{\RaggedRightParindent}{0.5pc}%
4126   \setlength{\JustifyingParindent}{0.5pc}%
4127   \setlength{\parindent}{0.5pc}%
4128   \setlength{\parskip}{0pt}%
4129 }

```



```

4130 \RequirePackage{ragged2e}
4131 \ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
4132 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip, textwidth=26pc,marginparwidth=107mm,marginparsep=13.88mm]{geometry}
4133 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}{%
4134 {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm,marginparwidth=102.66mm,marginparsep=14.66mm}}{%
4135 {}}
4136 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}{%
4137 {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm, textwidth=102.66mm,marginparwidth=102.66mm,marginparsep=13.88mm}}{%
4138 {}}}{%
4139 \RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip, textwidth=26pc,marginparwidth=107mm,marginparsep=13.88mm]{geometry}
4140 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}{%
4141 {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm,marginparwidth=102.66mm,marginparsep=14.66mm}}{%
4142 {}}
4143 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}{%
4144 {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm, textwidth=102.66mm,marginparwidth=102.66mm,marginparsep=13.88mm}}{%
4145 {}}}{%
4146 \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4147 {}}
4148 {\geometry{asymmetric}}% forces internal LaTeX `twoside'
4149 \setlength\marginparpush{10pt}
4150 %% Font for margin items
4151 \newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
4152 \newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
4153 \newcommand*{\@bidituftefloat@setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
4154 \newcommand{\@bidituftefloat@justification}{\justify}
4155 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
4156 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
4157 \newboolean{@bidituftefloat@changepage}
4158 \IfFileExists{changepage.sty}{%
4159 {\bidituftefloatDebugInfoNL{Found changepage.sty}}
4160 \RequirePackage[strict]{changepage}
4161 \setboolean{@bidituftefloat@changepage}{true}
4162 }{%
4163 \bidituftefloatDebugInfoNL{Found chngpage.sty}
4164 \RequirePackage[strict]{chngpage}
4165 \setboolean{@bidituftefloat@changepage}{false}
4166 }
4167 \newboolean{@bidituftefloat@odd@page}
4168 \setboolean{@bidituftefloat@odd@page}{true}
4169 \newcommand*{\@bidituftefloat@checkoddpage}{%
4170 \checkoddpage%
4171 \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
4172 \ifoddpage%
4173 {\setboolean{@bidituftefloat@odd@page}{true}}%
4174 \else%
4175 {\setboolean{@bidituftefloat@odd@page}{false}}%
4176 \fi%
4177 }{%
4178 \ifcpoddpage%
4179 {\setboolean{@bidituftefloat@odd@page}{true}}%

```



```

4180      \else%
4181          \setboolean{@bidituftefloat@odd@page}{false}%
4182      \fi%
4183  }%
4184 }
4185 \newlength{\@bidituftefloat@overhang}%
4186 \newlength{\@bidituftefloat@fullwidth}%
4187 \newlength{\@bidituftefloat@caption@fill}%
4188 \newcommand{\bidituftefloatRecalculate}{%
4189     \setlength{\@bidituftefloat@overhang}{\marginparwidth}%
4190     \addtolength{\@bidituftefloat@overhang}{\marginparsep}%
4191     \setlength{\@bidituftefloat@fullwidth}{\textwidth}%
4192     \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}%
4193     \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}%
4194
4195     \setlength{\@bidituftefloat@caption@fill}{\textwidth}%
4196     \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}%
4197 }
4198 }
4199 \AtBeginDocument{\bidituftefloatRecalculate}
4200 \RequirePackage{optparams}%
4201 \ProvideTextCommandDefault{\placeins}{\placeins}
4202 \newsavebox{\@bidituftefloat@margin@floatbox}%
4203 \newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
4204     {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order
4205     \begin{lrbox}{\@bidituftefloat@margin@floatbox}}%
4206     \begin{minipage}{\marginparwidth}%
4207         \bidituftefloat@caption@font%
4208         \def\@capttype{\#2}%
4209         \hbox{}\vspace*{\#1}%
4210         \bidituftefloat@caption@justification%
4211         \bidituftefloat@margin@par%
4212         \noindent%
4213     }
4214     \end{minipage}%
4215     \end{lrbox}%
4216     \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
4217 }
4218 \newenvironment{marginfigure}[1][-1.2ex]%
4219     {\begin{@bidituftefloat@margin@float}[#1]{figure}}%
4220     {\end{@bidituftefloat@margin@float}}%
4221 \newenvironment{margintable}[1][-1.2ex]%
4222     {\begin{@bidituftefloat@margin@float}[#1]{table}}%
4223     {\end{@bidituftefloat@margin@float}}%
4224 \newcommand*{\bidituftefloat@justification@autodetect}{\justifying}%
4225
4226 \newcommand{\@bidituftefloat@float@debug@info}{}%
4227 \newcommand{\@bidituftefloat@float@debug}[1]{%
4228     \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{#1}}{%
4229         \def\@bidituftefloat@float@debug@info{\#1}%
}

```



```

4230      {\g@addto@macro{\bidiutfefloat@float@debug@info{\MessageBreak#1}}%
4231 }
4232 \newcommand{\floatalignment}{x}%
4233 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\bidiutfefloat@float@debug}
4234 \newboolean{\bidiutfefloat@float@recto}
4235 \newcommand{\forcecorrectofloat}{\GlobalSetBoolean{\bidiutfefloat@float@recto}{true}\bidiutfefloat}
4236 \newcommand{\forceversofloat}{\GlobalSetBoolean{\bidiutfefloat@float@recto}{false}\bidiutfefloat}
4237 \newsavebox{\@bidiutfefloat@figure@box}
4238 \newsavebox{\@bidiutfefloat@caption@box}
4239 \let\@bidiutfefloat@orig@float\@float
4240 \let\@bidiutfefloat@orig@endfloat\end@float
4241 \newlength{\@bidiutfefloat@caption@vertical@offset}
4242 \setlength{\@bidiutfefloat@caption@vertical@offset}{0pt}
4243 \newcommand{\@bidiutfefloat@stored@shortcaption}{}
4244 \newcommand{\@bidiutfefloat@stored@caption}{}
4245 \newcommand{\@bidiutfefloat@stored@label}{}
4246 \long\def\@bidiutfefloat@caption[#1][#2]{%
4247   \ifthenelse{\isempty{#1}}{%
4248     {\gdef\@bidiutfefloat@stored@shortcaption{#3}}%
4249     {\gdef\@bidiutfefloat@stored@shortcaption{#1}}%
4250   \gsetlength{\@bidiutfefloat@caption@vertical@offset}{-#2}%
4251   \gdef\@bidiutfefloat@stored@caption{#3}}%
4252 }
4253 \newcommand{\@bidiutfefloat@label}[1]{%
4254   \gdef\@bidiutfefloat@stored@label{#1}}%
4255 }
4256 \newcommand{\@bidiutfefloat@fps}{}
4257 \newboolean{\bidiutfefloat@float@star}
4258 \newlength{\@bidiutfefloat@float@contents@width}
4259 \newenvironment{@bidiutfefloat@float}[3][htbp]{%
4260   {%
4261     % Should this float be full-width or just text-width?
4262     \ifthenelse{\equal{#3}{star}}{%
4263       {\GlobalSetBoolean{\bidiutfefloat@float@star}{true}}%
4264       {\GlobalSetBoolean{\bidiutfefloat@float@star}{false}}%
4265     % Check page side (recto/verso) and store detected value -- can be overridden in environment
4266     \@bidiutfefloat@checkoddpage%
4267     \ifthenelse{\boolean{\bidiutfefloat@odd@page}}{%
4268       {\GlobalSetBoolean{\bidiutfefloat@float@recto}{true}\@bidiutfefloat@float@debug{Detec}%
4269       {\GlobalSetBoolean{\bidiutfefloat@float@recto}{false}\@bidiutfefloat@float@debug{Dete}%
4270     % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
4271     \renewcommand{\@bidiutfefloat@fps}{#1}%
4272     \@bidiutfefloat@float@debug{Allowed positions: [#1]}%
4273     \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}{%
4274       {\renewcommand{\floatalignment}{b}\@bidiutfefloat@float@debug{Presumed position: [bot}%
4275       {\renewcommand{\floatalignment}{t}\@bidiutfefloat@float@debug{Presumed position: [top}%
4276     % Capture the contents of the \caption and \label commands to use later
4277     \global\let\@bidiutfefloat@orig@caption\caption%
4278     \global\let\@bidiutfefloat@orig@label\label%
4279     \renewcommand{\caption}{\optparams{\@bidiutfefloat@caption}{[] [0pt]}}%

```



```

4280 \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
4281 % Handle subfigure package compatibility
4282 \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
4283   \bidi@patchcmd{\subfigure}{%
4284     \let\subfig@oldlabel=\label
4285   }{%
4286     \let\subfig@oldlabel=\@bidituftefloat@orig@label
4287   }
4288   {}%
4289   {}%
4290   \let\subtable=\subfigure
4291 }% subfigure package is not loaded
4292 \@bidituftefloat@orig@float[#2][#1]%
4293 \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
4294   {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
4295   {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
4296   \begin{lrbox}{\@bidituftefloat@figure@box}%
4297     \begin{minipage}[\floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
4298   }% end @bidituftefloat@float
4299   \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% al
4300   \end{minipage}%
4301 \end{lrbox}%
4302 % build the caption box
4303 \begin{lrbox}{\@bidituftefloat@caption@box}%
4304   \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
4305   \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}{\@bidituftefloat@orig@capt
4306   \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}{\@bidituftefloat@orig@label{%
4307     \par\vspace{-\prevdepth}% TODO: DOUBLE-CHECK FOR SAFETY
4308   }%
4309   \end{minipage}%
4310   % now typeset the stored boxes
4311 \begin{fullwidth}%
4312   \begin{minipage}[\floatalignment]{\linewidth}%
4313   \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
4314     {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@bidit
4315     {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@bidit
4316   }%
4317   \end{minipage}%
4318 \end{fullwidth}%
4319 \@bidituftefloat@orig@endfloat% end original LaTeX float environment
4320 % output debug info
4321 \ifthenelse{\boolean{@bidituftefloat@debug}}{%
4322   \typeout{^^J----- bidituftefloat package float information -----}%
4323   \ifthenelse{\equal{\@bidituftefloat@stored@label}{}{}}{%
4324     {\typeout{Warning: Float unlabeled!}}%
4325     {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
4326   \typeout{Page number: [\thepage]}%
4327   \def\MessageBreak{^^J}%
4328   \typeout{\@bidituftefloat@float@debug@info}%
4329   \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4330     {\typeout{Symmetric: [true]}}%

```



```

4330      {\typeout{Symmetric: [false]}}%
4331      \typeout{-----^~J~~J}%
4332  }{ }%
4333  % reset commands and temp boxes and captions
4334  \gdef\@bidituftefloat@float@debug@info{}%
4335  \let\caption\@bidituftefloat@orig@caption%
4336  \let\label\@bidituftefloat@orig@label%
4337  \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
4338  \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
4339  \gdef\@bidituftefloat@stored@shortcaption{}%
4340  \gdef\@bidituftefloat@stored@caption{}%
4341  \gdef\@bidituftefloat@stored@label{}%
4342  \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
4343 }
4344 \newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
4345   \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}%
4346     % asymmetric or page is odd, so caption is on the right
4347     \hbox{%
4348       \usebox{#2}%
4349       \hspace{\marginparsep}%
4350       \smash{\raisebox{#1}{\usebox{#3}}}%
4351     }%
4352     \@bidituftefloat@float@debug{Caption position: [right]}%
4353   }% symmetric pages and page is even, so caption is on the left
4354   \hbox{%
4355     \smash{\raisebox{#1}{\usebox{#3}}}%
4356     \hspace{\marginparsep}%
4357     \usebox{#2}%
4358   }%
4359   \@bidituftefloat@float@debug{Caption position: [left]}%
4360 }
4361 }
4362 \newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%
4363   \ifthenelse{\equal{\floatalignment}{b}}{%
4364     % place caption above figure
4365     \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}{%
4366       \hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug{%
4367         \smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{%
4368       }}% place caption below figure
4369       \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}{%
4370         \usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug{%
4371           \usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug{%
4372         }}%
4373   }%
4374   \renewenvironment{figure}[1][htbp]{%
4375     {\ifvmode\else\unskip\fi\begin{bidiuftefloat@float}{\#1}{\figure}{}{}}%
4376     {\end{bidiuftefloat@float}}%
4377   }%
4378   \renewenvironment{table}[1][htbp]{%
4379     {\ifvmode\else\unskip\fi\begin{bidiuftefloat@float}{\#1}{\table}{}{}}%
4380     {\end{bidiuftefloat@float}}%

```



```

4380 \renewenvironment{figure*}[1][htbp]{%
4381   {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[\#1]{figure}{star}}%
4382   {\end{@bidituftefloat@float}}%
4383 \renewenvironment{table*}[1][htbp]{%
4384   {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[\#1]{table}{star}}%
4385   {\end{@bidituftefloat@float}}%
4386 \newenvironment{fullwidth}{%
4387   {\ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4388     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefl}}%
4389     {\begin{adjustwidth}{}{-\@bidituftefloat@overhang}}}}%
4390   }%
4391   {\ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4392     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}}}%
4393   {\end{adjustwidth}}%
4394 }%
4395 \long\def\@caption#1[#2]#3{%
4396   \par%
4397   \addcontentsline{\csname ext@#1\endcsname}{#1}{%
4398     {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}}}%
4399   \begingroup%
4400     \parboxrestore%
4401     \if@minipage%
4402       \osetminipage%
4403     \fi%
4404     \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
4405     \noindent\csname fnum@\#1\endcsname: \ignorespaces#3\par%
4406     \%@\makecaption{\csname fnum@\#1\endcsname}{\ignorespaces #3}\par
4407   \endgroup%
4408 }%
4409 % Turns newlines into spaces. Based on code from the `titlesec' package.
4410 \DeclareRobustCommand{\@biditufteheading@newlinetospace}{%
4411   \@ifstar{\@biditufteheading@newlinetospace@i}{\@biditufteheading@newlinetospace@i}{%
4412 }%
4413 \def\@biditufteheading@newlinetospace@i{%
4414   \ifdim\lastskip>\z@\else\space\fi
4415   \ignorespaces%
4416 }%
4417 \DeclareRobustCommand{\newlinetospace}[1]{%
4418   \let\@biditufteheading@orig@cr\% save the original meaning of \\
4419   \def\\{\@biditufteheading@newlinetospace}\% turn \\ and \\* into \space
4420   \let\newline\%\% turn \newline into \space
4421   #1%
4422   \let\\{\@biditufteheading@orig@cr}\% revert to original meaning of \\
4423 }%
4424 \RequirePackage{fancyhdr}
4425 \pagestyle{fancy}
4426 \AtBeginDocument{%
4427   \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
4428     {\fancyhf[LE,RO]{\@bidituftefloat@overhang}}%
4429     {\fancyhf[RE,RO]{\@bidituftefloat@overhang}}%

```



```

4430 }
4431 % The running heads/feet don't have rules
4432 \renewcommand{\headrulewidth}{0pt}
4433 \renewcommand{\footrulewidth}{0pt}
4434 % The 'fancy' page style is the default style for all pages.
4435 \fancyhf{} % clear header and footer fields
4436   \ifthenelse{\boolean{@biditufefloat@symmetric}}
4437     {\fancyhead[LE]{\thepage\quad\textrm{\tiny{plainauthor}}}}
4438     {\fancyhead[RO]{\textrm{\tiny{plaintitle}}\quad\thepage}}
4439     {\fancyhead[RE,RO]{\textrm{\tiny{plaintitle}}\quad\thepage}}
4440 % The 'plain' page style is used on chapter opening pages.
4441 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
4442 % bottom of pages -- the folios are unexpressed.
4443 \fancypagestyle{plain}{%
4444   \fancyhf{} % clear header and footer fields
4445   % Uncomment the following five lines of code if you want the opening page
4446   % of the chapter to express the folio in the lower outside corner.
4447   % \ifthenelse{\boolean{@biditufefloat@symmetric}}
4448   % {\fancyfoot[LE,RO]{\thepage}}
4449   % {\fancyfoot[RE,RO]{\thepage}}
4450 }
4451 % The 'empty' page style suppresses all headers and footers.
4452 % It's used on title pages and 'intentionally blank' pages.
4453 \fancypagestyle{empty}{%
4454   \fancyhf{} % clear header and footer fields
4455 }
4456 \def\morefloats{%
4457   \ifthenelse{\isundefined{\bx@S}}{%
4458     \biditufefloatDebugInfoNL{Adding 34 more float slots.}
4459     \newinsert\bx@S
4460     \newinsert\bx@T
4461     \newinsert\bx@U
4462     \newinsert\bx@V
4463     \newinsert\bx@W
4464     \newinsert\bx@X
4465     \newinsert\bx@Y
4466     \newinsert\bx@Z
4467     \newinsert\bx@a
4468     \newinsert\bx@b
4469     \newinsert\bx@c
4470     \newinsert\bx@d
4471     \newinsert\bx@e
4472     \newinsert\bx@f
4473     \newinsert\bx@g
4474     \newinsert\bx@h
4475     \newinsert\bx@i
4476     \newinsert\bx@j
4477     \newinsert\bx@k
4478     \newinsert\bx@l
4479     \newinsert\bx@m

```



```

4480   \newinsert\bx@n
4481   \newinsert\bx@o
4482   \newinsert\bx@p
4483   \newinsert\bx@q
4484   \newinsert\bx@r
4485   \newinsert\bx@s
4486   \newinsert\bx@t
4487   \newinsert\bx@u
4488   \newinsert\bx@v
4489   \newinsert\bx@w
4490   \newinsert\bx@x
4491   \newinsert\bx@y
4492   \newinsert\bx@z
4493 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4494           \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4495           \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4496           \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4497           \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4498           \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
4499           \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4500           \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4501           \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
4502           \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4503           \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4504           \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
4505 }% we've already added another 34 floats, so we'll add 26 more, but that's it!
4506 \ifthenelse{\isundefined{\bx@AA}}{%
4507     \bidiutfefloatDebugInfoNL{Adding 26 more float slots.}
4508     \newinsert\bx@AA
4509     \newinsert\bx@BB
4510     \newinsert\bx@CC
4511     \newinsert\bx@DD
4512     \newinsert\bx@EE
4513     \newinsert\bx@FF
4514     \newinsert\bx@GG
4515     \newinsert\bx@HH
4516     \newinsert\bx@II
4517     \newinsert\bx@JJ
4518     \newinsert\bx@KK
4519     \newinsert\bx@LL
4520     \newinsert\bx@MM
4521     \newinsert\bx@NN
4522     \newinsert\bx@OO
4523     \newinsert\bx@PP
4524     \newinsert\bx@QQ
4525     \newinsert\bx@RR
4526     \newinsert\bx@SS
4527     \newinsert\bx@TT
4528     \newinsert\bx@UU
4529     \newinsert\bx@VV

```



```

4530   \newinsert\bx@WW
4531   \newinsert\bx@XX
4532   \newinsert\bx@YY
4533   \newinsert\bx@ZZ
4534   \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4535     \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4536     \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4537     \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4538     \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4539     \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
4540     \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4541     \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4542     \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
4543     \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4544     \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4545     \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
4546     \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
4547     \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
4548     \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
4549     \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
4550     \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
4551     \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
4552 }
4553   \budituftefloatError{You may only call \string\morefloats\space twice. See the\MessageB
4554   {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\}
4555 }
4556 }
4557 }
4558 \newboolean{@budituftefloat@packages@subfigure}
4559 \setboolean{@budituftefloat@packages@subfigure}{false}
4560 \AtBeginDocument{%
4561   \@ifpackageloaded{subfigure}
4562     {\GlobalSetBoolean{@budituftefloat@packages@subfigure}{true}}
4563     {\GlobalSetBoolean{@budituftefloat@packages@subfigure}{false}}%
4564 }
4565 \AtBeginDocument{%
4566   \@ifpackageloaded{float}{%
4567     % Save the redefined float environment (instead of the LaTeX float environment)
4568     \let@\budituftefloat@orig@float\@float
4569     \let@\budituftefloat@orig@endfloat\end@float
4570
4571     % Define Tuftian float styles (with the caption in the margin)
4572     \newcommand{\float@budituftefloatplain}[2]{%
4573       \begin{lrbox}{\budituftefloat@caption@box}%
4574         \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
4575           \budituftefloat@caption@font{\@fs@cfont #1:} #2\par%
4576         \end{minipage}%
4577       \end{lrbox}%
4578       \smash{\hspace{\budituftefloat@caption@fill}\usebox{\budituftefloat@caption@box}}%
4579     }

```



```

4580 \newcommand{\fs@bidituftefloatplain}{%
4581   \def\@fs@cfont{\@bidituftefloat@caption@font}%
4582   \let\@fs@capt\floatc@bidituftefloatplain%
4583   \def\@fs@pre{}%
4584   \def\@fs@post{}%
4585   \def\@fs@mid{}%
4586   \let\@fs@iftopcapt\iftrue%
4587 }
4588 \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
4589 \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
4590 \newcommand\floatc@bidituftefloatruled[2]{%
4591   {\@fs@cfont #1} #2\par%
4592 }
4593 \newcommand\fs@bidituftefloatruled{%
4594   \def\@fs@cfont{\@bidituftefloat@caption@font}%
4595   \let\@fs@capt\floatc@bidituftefloatplain%
4596   \def\@fs@pre{\hrule height .8pt depth 0pt width \textwidth \kern2pt}%
4597   \def\@fs@post{\kern2pt\hrule width \textwidth\relax}%
4598   \def\@fs@mid{}%
4599   \let\@fs@iftopcapt\iftrue%
4600 }
4601 \newcommand\fs@bidituftefloatboxed{%
4602   \def\@fs@cfont{}%
4603   \let\@fs@capt\floatc@bidituftefloatplain%
4604   \def\@fs@pre{%
4605     \setbox\@currbox\vbox{\hbadness10000
4606     \moveleft3.4pt\vbox{\advance\hsize by6.8pt
4607       \hrule\hbox to\hsize{\vrule\kern3pt
4608         \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}%
4609   }%
4610   \def\@fs@mid{\kern2pt}%
4611   \def\@fs@post{}%
4612   \let\@fs@iftopcapt\iftrue%
4613 }
4614 }{%
4615   % Nothing to do
4616 }
4617 }
4618 \AtBeginDocument{%
4619   \@ifpackageloaded{algorithm}{%
4620     % Set the float style to the Tuftian version
4621     \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@floatstyle}{switch}}{\bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak}}{\floatstyle{\bidituftefloat\ALG@floatstyle}%
4622     \restylefloat{algorithm}%
4623   }{}%
4624   }{%
4625   }%
4626 }{%
4627   % Nothing to do
4628 }
4629 }

```



```
4630 \PassOptionsToPackage{caption=false}{subfig}
```

7.22 **buditufesidenote.sty**

```
4631 \NeedsTeXFormat{LaTeX2e}
4632 \ProvidesPackage{buditufesidenote}[2017/08/09 v0.4
4633 bidi implementation of tufte sidenote]
4634 \RequirePackage{xifthen}
4635 \RequirePackage{ragged2e}
4636 \RequirePackage{setspace}
4637 \RequirePackage{biditools}
4638 \def\buditufesidenotemarginpar{%
4639   \ifhmode
4640     \@bsphack
4641     \@floatpenalty -\@Mii
4642   \else
4643     \@floatpenalty-\@Miii
4644   \fi
4645   \ifinner
4646     \parmoderr
4647     \@floatpenalty\z@
4648   \else
4649     \@next\@currbox\@freelist{}{}%
4650     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4651     {\@floatpenalty\z@
4652       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
4653   \fi
4654   \@ifnextchar [\@buditufesidenotexmpar\@buditufesidenoteypar]
4655   \long\def\@buditufesidenotexmpar[#1]#2{%
4656     \@buditufesidenotesavemarbox\@marbox{#1}%
4657     \@buditufesidenotesavemarbox\@currbox{#2}%
4658     \xympar}
4659   \long\def\@buditufesidenoteypar#1{%
4660     \@buditufesidenotesavemarbox\@marbox{#1}%
4661     \global\setbox\@currbox\copy\@marbox
4662     \xympar}
4663   \long\def \@buditufesidenotesavemarbox #1#2{%
4664     \global\setbox #1%
4665     \color@vbox
4666     \vtop{%
4667       \hsize\marginparwidth
4668       \parboxrestore
4669       \buditufesidenotemarginparreset
4670       #2%
4671       \minipagefalse
4672       \outer\nobreak
4673     }%
4674     \color@endbox
4675   }
4676 \def \buditufesidenotemarginparreset {%
```



```

4677      \reset@font
4678      \normalsize
4679      \@minipagetrue
4680      \everypar{\@minipagefalse\everypar{}{\if@RTL@footnote\beginR\else\beginL\fi}%
4681 }
4682 \def\LTRbidituftesidenotemarginpar{%
4683   \ifhmode
4684     \@bsphack
4685     \@floatpenalty -\@Mii
4686   \else
4687     \@floatpenalty-\@Miii
4688   \fi
4689   \ifinner
4690     \parmmoderr
4691     \@floatpenalty\z@
4692   \else
4693     \next@\currbox\@freelist{}{%
4694       \next@\marbox\@freelist{\global\count\@marbox\m@ne}%
4695         \floatpenalty\z@
4696         \@fltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}%
4697   \fi
4698   \ifnextchar [ \@LTRbidituftesidenotexmpar\@LTRbidituftesidenoteypar%
4699   \long\def\@LTRbidituftesidenotexmpar[#1]#2{%
4700     \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
4701     \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
4702     \xympar}
4703   \long\def\@LTRbidituftesidenoteypar#1{%
4704     \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
4705     \global\setbox\currbox\copy\@marbox
4706     \xympar}
4707   \long\def\@LTRbidituftesidenotesavemarbox #1#2{%
4708     \global\setbox #1%
4709     \color@vbox
4710       \vtop{%
4711         \hsize\marginparwidth
4712         \parboxrestore
4713         \@LTRbidituftesidenotemarginparreset
4714         #2%
4715         \minipagefalse
4716         \outer@nobreak
4717         }%
4718       \color@endbox
4719   }
4720 \def \@LTRbidituftesidenotemarginparreset {%
4721   \reset@font
4722   \normalsize
4723   \@minipagetrue
4724   \everypar{\@minipagefalse\everypar{}{\beginL}%
4725 }
4726 \def\RTLbidituftesidenotemarginpar{%

```



```

4727   \ifhmode
4728     \@bsphack
4729     \@floatpenalty -\@Mii
4730   \else
4731     \@floatpenalty-\@Miii
4732   \fi
4733   \ifinner
4734     \parmoderr
4735     \@floatpenalty\z@
4736   \else
4737     \next@\currbox\@freelist{}{}%
4738     \next@\marbox\@freelist{\global\count\@marbox\m@ne}%
4739     {\@floatpenalty\z@
4740       \@fltovf\def\currbox{\@tempboxa}\def\marbox{\@tempboxa}}%
4741   \fi
4742   \ifnextchar [ \@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteypar}
4743 \long\def\@RTLbidituftesidenotexmpar[#1]#2{%
4744   \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
4745   \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
4746   \xympar}
4747 \long\def\@RTLbidituftesidenoteypar#1{%
4748   \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
4749   \global\setbox\currbox\copy\@marbox
4750   \xympar}
4751 \long\def \@RTLbidituftesidenotesavemarbox #1#2{%
4752   \global\setbox #1%
4753   \color@vbox
4754   \vtop{%
4755     \hsize\marginparwidth
4756     \parboxrestore
4757     \@RTLbidituftesidenotemarginparreset
4758     #2%
4759     \minipagefalse
4760     \outer@nobreak
4761     }%
4762   \color@endbox
4763 }
4764 \def \@RTLbidituftesidenotemarginparreset {%
4765   \reset@font
4766   \normalsize
4767   \minipagetrue
4768   \everypar{\minipagefalse\everypar{}\beginR}%
4769 }
4770 \newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
4771 \newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
4772 \newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
4773 \newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
4774 \newcommand*{\@bidituftesidenote@LTRsidenote@font}{\@bidituftesidenote@LTRmarginfont}
4775 \newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
4776 \newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}

```



```

4777 \newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
4778 \newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
4779 \newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
4780 \newcommand*{\@bidituftesidenote@LTCitation@font}{\@bidituftesidenote@LTRmarginfont}
4781 \newcommand*{\@bidituftesidenote@RTLCitation@font}{\@bidituftesidenote@RTLmarginfont}
4782 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
4783 \newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRsidenote@font}{#1}}
4784 \newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}}
4785 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
4786 \newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}{#1}}
4787 \newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{#1}}
4788 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
4789 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}}
4790 \newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLCitation@font}{#1}}
4791 \newcommand*{\@bidituftesidenote@justification}{\@bidituftesidenote@justification@auto}
4792 \newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@auto}
4793 \newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@auto}
4794 \newcommand*{\@bidituftesidenote@justification@autodetect}{\@bidituftesidenote@justifying}%
4795 \newcommand{\@bidituftesidenote@margin@par}{%
4796   \setlength{\RaggedRightParindent}{0.5pc}%
4797   \setlength{\JustifyingParindent}{0.5pc}%
4798   \setlength{\parindent}{0.5pc}%
4799   \setlength{\parskip}{0pt}%
4800 }
4801 %%%
4802 % Globally sets the length
4803 \@ifundefined{gsetlength}{%
4804 \newcommand*{\gsetlength}[2]{%
4805   \setlength{#1}{#2}%
4806   \global#1=#1\relax%
4807 }%
4808 }%
4809 %
4810 %%%
4811 % A function that removes leading and trailling spaces from the supplied macro.
4812 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
4813 % Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
4814 % being trimmed of leading and trailing white space.
4815 \catcode`\Q=3
4816 \def\@bidituftesidenote@trim@spaces#1{%
4817   % Use grouping to emulate a multi-token afterassignment queue
4818   \begingroup%
4819   % Put `\'toks 0 {' into the afterassignment queue
4820   \aftergroup\toks\aftergroup0\aftergroup{%
4821   % Apply \trimb to the replacement text of #1, adding a leading
4822   % \noexpand to prevent brace stripping and to serve another purpose
4823   % later.
4824   \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
4825   % Transfer the trimmed text back into #1.
4826   \edef#1{\the\toks0}%

```



```

4827 }
4828 % \trimb removes a trailing space if present, then calls \bidoitufesidenote@trim@c to
4829 % clean up any leftover bizarre Qs, and trim a leading space. In
4830 % order for \trimc to work properly we need to put back a Q first.
4831 \def\bidoitufesidenote@trim@b#1 Q{\bidoitufesidenote@trim@c#1Q}
4832 % Execute \vfuzz assignment to remove leading space; the \noexpand
4833 % will now prevent unwanted expansion of a macro or other expandable
4834 % token at the beginning of the trimmed text. The \endgroup will feed
4835 % in the \aftergroup tokens after the \vfuzz assignment is completed.
4836 \def\bidoitufesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
4837 \catcode`\Q=11
4838 %%
4839 % Citations should go in the margin as sidenotes
4840
4841 \RequirePackage{natbib}
4842 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography environment
4843 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
4844 \renewcommand\BR@b@bibitem[2][]{%
4845   \ifthenelse{\isempty{#1}}{%
4846     {\BR@bibitem{#2}}%
4847     {\BR@bibitem[#1]{#2}}%
4848   \BR@c@bibitem{#2}%
4849 }%
4850 \bidi@AtEndPreamble{\nobibliography} % pre-loads the bibliography keys
4851 %%
4852 % Normal \cite behavior
4853 \newcounter{\bidoitufesidenote@num@bibkeys}%
4854 \newcommand{\bidoitufesidenote@normal@cite}[2][0pt]{%
4855   % Snag the last bibentry in the list for later comparison
4856   \let\@temp@last@bibkey\empty%
4857   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4858   \sidenote[] [#1]{%
4859     % Loop through all the bibentries, separating them with semicolons and spaces
4860     \normalsize\normalfont\bidoitufesidenote@citation@font%
4861     \setcounter{\bidoitufesidenote@num@bibkeys}{0}%
4862     \@for\@temp@bibkeyx:=#2\do{%
4863       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4864         \ifthenelse{\equal{\value{\bidoitufesidenote@num@bibkeys}}{0}}{}{and\ }%
4865         \bidoitufesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4866         \bibentry{\@temp@bibkeyx}%
4867         {\bidoitufesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4868           \bibentry{\@temp@bibkeyx};\ }%
4869         \stepcounter{\bidoitufesidenote@num@bibkeys}%
4870       }%
4871     }%
4872   }%
4873 \newcommand{\bidoitufteLTRsidenote@normal@cite}[2][0pt]{%
4874   % Snag the last bibentry in the list for later comparison
4875   \let\@temp@last@bibkey\empty%
4876   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%

```



```

4877 \LTRsidenote[] [#1]{%
4878   % Loop through all the bibentries, separating them with semicolons and spaces
4879   \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
4880   \setcounter{@bidituftesidenote@num@bibkeys}{0}%
4881   \@for\@temp@bibkeyx:=#2\do{%
4882     \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4883       \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
4884       \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4885       \bibentry{\@temp@bibkeyx}}{%
4886       {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4887       \bibentry{\@temp@bibkeyx};\ }%
4888     \stepcounter{@bidituftesidenote@num@bibkeys}%
4889   }%
4890 }%
4891 }%
4892 \newcommand{\@biditufteRTLsidenote@normal@cite}[2] [0pt]{%
4893   % Snag the last bibentry in the list for later comparison
4894   \let\@temp@last@bibkey\empty%
4895   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4896   \RTLsidenote[] [#1]{%
4897     % Loop through all the bibentries, separating them with semicolons and spaces
4898     \normalsize\normalfont\@bidituftesidenote@citation@font%
4899     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
4900     \@for\@temp@bibkeyx:=#2\do{%
4901       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4902         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
4903         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4904         \bibentry{\@temp@bibkeyx}}{%
4905         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4906         \bibentry{\@temp@bibkeyx};\ }%
4907       \stepcounter{@bidituftesidenote@num@bibkeys}%
4908     }%
4909   }%
4910 }%
4911 }%
4912 % Macros for holding the list of cite keys until after the \sidenote
4913 \gdef\@bidituftesidenote@citations{}% list of cite keys
4914 \newcommand{\@bidituftesidenote@add@citation}[1]{\relax% adds a new bibkey to the list of cite keys
4915   \ifx\@bidituftesidenote@citations\empty\else
4916     \g@addto@macro\@bidituftesidenote@citations{,}% separate by commas
4917   \fi
4918   \g@addto@macro\@bidituftesidenote@citations{#1}
4919 }%
4920 \newcommand{\@bidituftesidenote@print@citations}[1] [0pt]{% puts the citations in a margin note
4921   % Snag the last bibentry in the list for later comparison
4922   \let\@temp@last@bibkey\empty%
4923   \@for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
4924   \marginpar{%
4925     \hbox{}\vspace*{#1}%
4926     \@bidituftesidenote@citation@font%

```



```

4927   \@buditufesidenote@citation@justification%
4928   \@buditufesidenote@margin@par% use parindent and parskip settings for marginal text
4929   \vspace*{-1\baselineskip}%
4930   % Loop through all the bibentries, separating them with semicolons and spaces
4931   \setcounter{@buditufesidenote@num@bibkeys}{0}%
4932   \@for\@temp@bibkeyx:=\@buditufesidenote@citations\do{%
4933     \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
4934       \ifthenelse{\equal{\value{@buditufesidenote@num@bibkeys}}{0}}{}{and\ }%
4935       \@buditufesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
4936       \bibentry{\@temp@bibkeyx}%
4937       {\@buditufesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
4938         \bibentry{\@temp@bibkeyx};\ }%
4939       \stepcounter{@buditufesidenote@num@bibkeys}%
4940     }%
4941   }%
4942 }%
4943 %%%
4944 % \cite behavior when executed within a sidenote
4945 \newcommand{\@buditufesidenote@sidenote@citations}{}% contains list of \cites in sidenote
4946 \newcommand{\@buditufesidenote@infofootnote@cite}[1]{%
4947   \@buditufesidenote@add@citation{#1}%
4948 }%
4949 %%%
4950 % Set the default \cite style. This is set and reset by the \sidenote command.
4951 \let\cite\@buditufesidenote@normal@cite
4952 \let\LTRcite\@buditufteLTRsidenote@normal@cite
4953 \let\RTLcite\@buditufteRTLsidenote@normal@cite
4954 %%%
4955 % Transform existing \footnotes into \sidenotes
4956 % Sidenote: ``Where God meant footnotes to go.'' ---buditufesidenote
4957 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
4958 \providedeclaration{\footnotelayout}{\@buditufesidenote@sidenote@font\@buditufesidenote@sidenote@font}
4959 \renewcommand{\footnotelayout}{\@buditufesidenote@sidenote@font\@buditufesidenote@sidenote@font}
4960 % Override footmisc's definition to set the sidenote marks (numbers) inside the
4961 % sidenote's text block.
4962 \bidi@patch@AfterPackage{bidi}{\long\def\makefntext#1{\textsuperscript{\buditufesidenote@font#1}}}
4963 % Set the in-text footnote mark in the same typeface as the body text itself.
4964 \bidi@patch@AfterPackage{bidi}{\def\makefnmark{\hbox{\textsuperscript{\normalfont\footnotesize\buditufesidenote@font#1}}}}
4965 \providedeclaration{\multiplefootnotemarker}{3sp}
4966 \providedeclaration{\multfootsep}{,}
4967 \bidi@patch@AfterPackage{bidi}{%
4968 \renewcommand{\footnotemark}{%
4969   \leavevmode%
4970   \ifhmode%
4971     \edef\x@sf{\the\spacefactor}%
4972     \buditufesidenote@check@multiple@sidenotes%
4973     \nobreak%
4974   \fi%
4975   \makefnmark%
4976   \ifhmode\spacefactor\x@sf\fi%

```



```

4977   \relax%
4978 }%
4979 }
4980 \newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
4981   \ifdim\lastkern=\multiplefootnotemarker\relax%
4982     \edef\x@sf{\the\spacefactor}%
4983     \unkern%
4984     \textsuperscript{\multfootsep}%
4985     \spacefactor\x@sf\relax%
4986   \fi
4987 }
4988 \bidi@patch@AfterPackage{bidi}{%
4989 \renewcommand{\footnotetext[2][0pt]}{%
4990   \bidituftesidenotemarginpar{%
4991     \hbox{}\vspace*{\#1}%
4992     \def\baselinestretch {\setspace@singlespace}%
4993     \reset@font%
4994     \bidi@@footnotetext@font% \reset@font\footnotesize%
4995     \bidi@footnotetext@margin@par% use parindent and parskip settings for marginal text
4996     \vspace*{-1\baselineskip}\noindent%
4997     \protected@edef{\currentlabel{%
4998       \csname p@footnote\endcsname\@thefnmark%
4999     }}%
5000     \color@begingroup%
5001       \makefntext{%
5002         \ignorespaces#2%
5003       }%
5004     \color@endgroup%
5005   }%
5006 }%
5007 \renewcommand{\LTRfootnotetext[2][0pt]}{%
5008   \LTRbidituftesidenotemarginpar{%
5009     \hbox{}\vspace*{\#1}%
5010     \def\baselinestretch {\setspace@singlespace}%
5011     \reset@font%
5012     \bidi@LTRfootnotetext@font% \reset@font\footnotesize%
5013     \bidi@footnotetext@margin@par% use parindent and parskip settings for marginal text
5014     \vspace*{-1\baselineskip}\noindent%
5015     \protected@edef{\currentlabel{%
5016       \csname p@footnote\endcsname\@thefnmark%
5017     }}%
5018     \color@begingroup%
5019       \makefntext{%
5020         \ignorespaces#2%
5021       }%
5022     \color@endgroup%
5023   }%
5024 }%
5025 \renewcommand{\RTLfootnotetext[2][0pt]}{%
5026   \RTLbidituftesidenotemarginpar{%

```



```

5027   \hbox{}\vspace*{#1}%
5028   \def\baselinestretch {\setspace@singlespace}%
5029   \reset@font%
5030   \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
5031   \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
5032   \vspace*{-1\baselineskip}\noindent%
5033   \protected@edef@\currentlabel{%
5034     \csname p@footnote\endcsname@\thefnmark%
5035   }%
5036   \color@begingroup%
5037     \makefntext{%
5038       \ignorespaces#2%
5039     }%
5040   \color@endgroup%
5041 }%
5042 }%
5043 }
5044 %
5045 % Define \sidenote command. Can handle \cite.
5046 \newlength{\bidi@bidituftesidenote@sidenote@vertical@offset}
5047 \setlength{\bidi@bidituftesidenote@sidenote@vertical@offset}{0pt}
5048 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
5049 \long\def\bidi@bidituftesidenote@sidenote[#1][#2]{#3}{%
5050   \let\cite@\bidi@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
5051   \gdef@\bidi@bidituftesidenote@citations{}% clear out any old citations
5052   \ifthenelse{\NOT\isempty{#2}}{%
5053     \gsetlength{\bidi@bidituftesidenote@sidenote@vertical@offset}{#2}%
5054   }{%
5055     \gsetlength{\bidi@bidituftesidenote@sidenote@vertical@offset}{0pt}%
5056   }%
5057   \ifthenelse{\isempty{#1}}{%
5058     % no specific footnote number provided
5059     \stepcounter@mpfn%
5060     \protected@xdef@\thempfn{%
5061       \footnotemark\footnotetext[\bidi@bidituftesidenote@sidenote@vertical@offset]{#3}%
5062     }%
5063     % specific footnote number provided
5064     \begin{group}%
5065       \csname c@\thempfn\endcsname #1\relax%
5066       \unrestored@protected@xdef@\thefnmark{\thempfn}%
5067     \end{group}%
5068     \footnotemark\footnotetext[\bidi@bidituftesidenote@sidenote@vertical@offset]{#3}%
5069   }{%
5070     \bidi@bidituftesidenote@print@citations% print any citations
5071     \let\cite@\bidi@bidituftesidenote@normal@cite% go back to using normal in-text \cite command
5072     \let\LTRcite@\bidi@biditufteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5073     \let\RTLcite@\bidi@biditufteRTLsidenote@normal@cite% go back to using normal in-text \RTLc
5074     \unskip\ignorespaces% remove extra white space
5075     \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
5076     \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked

```



```

5077 }
5078 \long\def\@LTRbidituftesidenote@sidenote[#1][#2]#3{%
5079   \let\cite\@bidituftesidenote@infofootnote@cite%   use the in-sidenote \cite command
5080   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
5081   \ifthenelse{\NOT\isempty{#2}}{%
5082     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
5083   }{%
5084     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
5085   }%
5086   \ifthenelse{\isempty{#1}}{%
5087     % no specific footnote number provided
5088     \stepcounter\@mpfn%
5089     \protected@xdef\@thefnmark{\thempfn}%
5090     \footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5091   }{%
5092     % specific footnote number provided
5093     \begin{group}%
5094       \csname c@\@mpfn\endcsname #1\relax%
5095       \unrestored@protected@xdef\@thefnmark{\thempfn}%
5096     \end{group}%
5097     \footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5098   }%
5099   \@bidituftesidenote@print@citations%           print any citations
5100   \let\cite\@bidituftesidenote@normal@cite%        go back to using normal in-text \cite command
5101   \let\LTRcite\@biditufteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5102   \let\RTLcite\@biditufteRTLsidenote@normal@cite% go back to using normal in-text \RTLc
5103   \unskip\ignorespaces%                           remove extra white space
5104   \kern-\multiplefootnotemarker%                remove \kern left behind by sidenote
5105   \kern\multiplefootnotemarker\relax%            add new \kern here to replace the one we yanked
5106 }
5107 \long\def\@RTLbidituftesidenote@sidenote[#1][#2]#3{%
5108   \let\cite\@bidituftesidenote@infofootnote@cite%   use the in-sidenote \cite command
5109   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
5110   \ifthenelse{\NOT\isempty{#2}}{%
5111     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
5112   }{%
5113     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
5114   }%
5115   \ifthenelse{\isempty{#1}}{%
5116     % no specific footnote number provided
5117     \stepcounter\@mpfn%
5118     \protected@xdef\@thefnmark{\thempfn}%
5119     \footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
5120   }{%
5121     % specific footnote number provided
5122     \begin{group}%
5123       \csname c@\@mpfn\endcsname #1\relax%
5124       \unrestored@protected@xdef\@thefnmark{\thempfn}%
5125     \end{group}%
5126     \footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%

```



```

5127 }%
5128 \@bidituftesidenote@print@citations%           print any citations
5129 \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
5130 \let\LTRcite\@biditufteLTRsidenote@normal@cite%   go back to using normal in-text \LTRc
5131 \let\RTLcite\@biditufteRTLSidenote@normal@cite%  go back to using normal in-text \RTLc
5132 \unskip\ignorespaces%                           remove extra white space
5133 \kern-\multiplefootnotemarker%                remove \kern left behind by sidenote
5134 \kern\multiplefootnotemarker\relax%            add new \kern here to replace the one we yanked
5135 }
5136 \newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{[] [0pt]}}
5137 \newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{[] [0pt]}}
5138 \newcommand{\RTLsidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{[] [0pt]}}
5139 \bidi@patch@AfterPackage{bidi}{%
5140 \renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{[] [0pt]}}%
5141 \renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{[] [0pt]}}%
5142 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{[] [0pt]}}%
5143 }
5144 %%%
5145 % Sidenote without the footnote mark
5146 \newcommand\marginnote[2][0pt]{%
5147   \let\cite\@bidituftesidenote@infofootnote@cite%  use the in-sidenote \cite command
5148   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
5149   \bidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@font\@bidituf-
5150   \@bidituftesidenote@print@citations%           print any citations
5151   \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
5152   \let\LTRcite\@biditufteLTRsidenote@normal@cite%  go back to using normal in-text \LTRc
5153   \let\RTLcite\@biditufteRTLSidenote@normal@cite%  go back to using normal in-text \RTLc
5154 }
5155 \newcommand\LTRmarginnote[2][0pt]{%
5156   \let\cite\@bidituftesidenote@infofootnote@cite%  use the in-sidenote \cite command
5157   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
5158   \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@font\@b-
5159   \@bidituftesidenote@print@citations%           print any citations
5160   \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
5161   \let\LTRcite\@biditufteLTRsidenote@normal@cite%  go back to using normal in-text \LTRc
5162   \let\RTLcite\@biditufteRTLSidenote@normal@cite%  go back to using normal in-text \RTLc
5163 }
5164 \newcommand\RTLmarginnote[2][0pt]{%
5165   \let\cite\@bidituftesidenote@infofootnote@cite%  use the in-sidenote \cite command
5166   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
5167   \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@font\@b-
5168   \@bidituftesidenote@print@citations%           print any citations
5169   \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
5170   \let\LTRcite\@biditufteLTRsidenote@normal@cite%  go back to using normal in-text \LTRc
5171   \let\RTLcite\@biditufteRTLSidenote@normal@cite%  go back to using normal in-text \RTLc
5172 }

```

7.23 bidituftetoc.sty

```
5173 \NeedsTeXFormat{LaTeX2e}
```



```

5174 \ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
5175 bidi implementation of tufte toc]
5176 \RequirePackage{titlesec,titletoc,xifthen,biditools}
5177 \newcommand{\@bidituftetoc@pkgname}{\bidituftetoc}
5178 \newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
5179 %%
5180 % Turn off section numbering
5181 \setcounter{secnumdepth}{-1}
5182 \newboolean{@bidituftetoc@toc}
5183 \setboolean{@bidituftetoc@toc}{true}
5184 \DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
5185 \DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
5186 \ProcessOptions
5187 %%
5188 % Make Tuftian-style section headings and TOC formatting
5189 \bidi@patch@AfterPackage{bidi}{%
5190 \titleformat{\chapter}%
5191   [display]%
5192   {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}}{}% format after the chapter label
5193   {\itshape\huge\thechapter}%
5194   {0pt}% horizontal separation between label and title body
5195   {\huge\rmfamily\itshape}%
5196   {\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}}{}% before the title body
5197 \titleformat{\section}%
5198   [hang]%
5199   {\normalfont\Large\itshape}%
5200   {\thesection}%
5201   {1em}%
5202   {}% horizontal separation between label and title body
5203   []% before the title body
5204 \titleformat{\subsection}%
5205   [hang]%
5206   {\normalfont\large\itshape}%
5207   {\thesubsection}%
5208   {1em}%
5209   {}% horizontal separation between label and title body
5210   []% before the title body
5211 \titleformat{\paragraph}%
5212   [runin]%
5213   {\normalfont\itshape}%
5214   {\theparagraph}%
5215   {1em}%
5216   {}% horizontal separation between label and title body
5217   []% before the title body
5218 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
5219 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
5220 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
5221 }
5222 % Subsubsection and following section headings shouldn't be used.
5223 % See Bringhurst's _The Elements of Typography_, section 4.2.2.

```



```

5224 \renewcommand\subsubsection{%
5225   \bidiuftetocError{\noexpand\subsubsection is undefined by this class.%}
5226   \MessageBreak See Robert Bringhurst's _The Elements of
5227   \MessageBreak Typographic Style, section 4.2.2.
5228   \MessageBreak \noexpand\subsubsection was used}
5229   {From Bringhurst's _The Elements of Typographic Style, section 4.2.2: Use as
5230   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the ma
5231   \MessageBreak related threads on Ask E.T. at http://www.edwardbidiuftetoc.com/.}
5232 }
5233 \renewcommand\subparagraph{%
5234   \bidiuftetocError{\noexpand\subparagraph is undefined by this class.%}
5235   \MessageBreak See Robert Bringhurst's _The Elements of
5236   \MessageBreak Typographic Style, section 4.2.2.
5237   \MessageBreak \noexpand\subparagraph was used}
5238   {From Bringhurst's _The Elements of Typographic Style, section 4.2.2: Use as
5239   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the ma
5240   \MessageBreak related threads on Ask E.T. at http://www.edwardbidiuftetoc.com/.}
5241 }
5242 % Formatting for main TOC (printed in front matter)
5243 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
5244 \ifthenelse{\boolean{\bidiuftetoc@toc}}{%
5245   \bidi@patch@AfterPackage{bidi}{%
5246     \titlecontents{part}%
5247       [0em] % distance from left margin
5248       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatt
5249       {\contentslabel{2em}} % before w/label (label = ``II'')
5250       {} % before w/o label
5251       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5252       [\end{fullwidth}] % after
5253     \titlecontents{chapter}%
5254       [0em] % distance from left margin
5255       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatt
5256       {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
5257       {\hspace*{0em}} % before w/o label
5258       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5259       [\end{fullwidth}] % after
5260     \titlecontents{section}%
5261       [0em] % distance from left margin
5262       {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatt
5263       {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
5264       {\hspace*{2em}} % before w/o label
5265       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5266       [\end{fullwidth}] % after
5267     \titlecontents{subsection}%
5268       [0em] % distance from left margin
5269       {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatt
5270       {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
5271       {\hspace*{4em}} % before w/o label
5272       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5273       [\end{fullwidth}] % after

```



```

5274 \titlecontents{paragraph}%
5275   [0em] % distance from left margin
5276   {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global for
5277   {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
5278   {\hspace*{6em}} % before w/o label
5279   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
5280   [\end{fullwidth}] % after
5281 }%
5282 }{}%
5283 %%%
5284 % Format lists of figures/tables
5285 \renewcommand{\listoffigures}{%
5286   \@ifundefined{chapter}{%
5287     {\section*{\listfigurename}}%
5288     {\chapter*{\listfigurename}}%
5289   }% \begin{fullwidth}%
5290   \starttoc{lof}%
5291 }% \end{fullwidth}%
5292 }%
5293 \renewcommand{\listoftables}{%
5294   \@ifundefined{chapter}{%
5295     {\section*{\listtablename}}%
5296     {\chapter*{\listtablename}}%
5297   }% \begin{fullwidth}%
5298   \starttoc{lot}%
5299 }% \end{fullwidth}%
5300 }%
5301 \newcommand{\@bidituftetoc@lof@line}[2]{%
5302   % #1 is the figure/table number and its caption text
5303   % #2 is the page number on which the figure/table appears
5304   \leftskip 0.0em
5305   \rightskip 0em
5306   \parfillskip 0em plus 1fil
5307   \parindent 0.0em
5308   \afterindenttrue
5309   \interlinepenalty\@M
5310   \leavevmode
5311   \tempdima 2.0em
5312   \if@RTL\advance\rightskip\tempdima\else\advance\leftskip\tempdima\fi
5313   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
5314   {#1}\nobreak\qquad\nobreak#2%
5315   \par%
5316 }%
5317 \renewcommand*\l@figure{\@bidituftetoc@lof@line}%
5318 \let\l@table\l@figure

```

7.24 bidituftegeneralstructure.sty

```

5319 \NeedsTeXFormat{LaTeX2e}
5320 \ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1]

```



```

5321 bidi implementation of tufte general structure]
5322 \renewcommand\small{%
5323   \@setfontsize\small\@ixpt{12}%
5324   \abovedisplayskip 8.5\p@ \oplus3\p@ \ominus4\p@
5325   \abovedisplayshortskip \z@ \oplus2\p@
5326   \belowdisplayshortskip 4\p@ \oplus2\p@ \ominus2\p@
5327   \def\@listi{\leftmargin\leftmargini
5328     \topsep 4\p@ \oplus2\p@ \ominus2\p@
5329     \parsep 2\p@ \oplus\p@ \ominus\p@
5330     \itemsep \parsep}%
5331   \belowdisplayskip \abovedisplayskip
5332 }
5333 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viiipt\@viiipt}
5334 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vpt}
5335 \renewcommand\large{\@setfontsize\large\@xiipt{15}}
5336 \renewcommand\Large{\@setfontsize\Large\@xiiipt{16}}
5337 \renewcommand\LARGE{\@setfontsize\LARGE\@xivipt{18}}
5338 \renewcommand\huge{\@setfontsize\huge\@xxipt{30}}
5339 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
5340 \setlength\leftmargini {1pc}
5341 \setlength\leftmarginii {1pc}
5342 \setlength\leftmarginiii {1pc}
5343 \setlength\leftmarginiv {1pc}
5344 \setlength\leftmarginv {1pc}
5345 \setlength\leftmarginvi {1pc}
5346 \setlength\labelsep {.5pc}
5347 \setlength\labelwidth {\leftmargini}
5348 \addtolength\labelwidth{-\labelsep}
5349 \setlength\parindent{1.0pc}%
5350 \setlength\parskip{0pt}%
5351 \RequirePackage{ragged2e}
5352 \setlength\RaggedRightRightskip{\z@ plus 0.08\hspace}
5353 % Paragraph indentation and separation for normal text
5354 \newcommand{\@bidituftegeneralstructure@reset@par}{%
5355   \setlength\RaggedRightParindent{1.0pc}%
5356   \setlength\JustifyingParindent{1.0pc}%
5357   \setlength\parindent{1pc}%
5358   \setlength\parskip{0pt}%
5359 }
5360 \@bidituftegeneralstructure@reset@par
5361 % Require paralist package for tighter lists
5362 \RequirePackage{paralist}
5363 % Add rightmargin to compactenum
5364 \def\@compactenum{%
5365   \expandafter\list\csname label\@enumctr\endcsname{%
5366     \usecounter{\@enumctr}%
5367     \rightmargin=2em% added this
5368     \parsep\plparsep
5369     \itemsep\plitemsep
5370     \topsep\pltopsep

```



```

5371      \partopsep\plpartopsep
5372      \def\makelabel##1{\hss\llap{##1}}}
5373 %%
5374 % An environment for paragraph-style section
5375 \providecommand\newthought[1]{%
5376     \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
5377     \noindent\textrm{#1}%
5378 }
5379 %%
5380 % Redefine the display environments (quote, quotation, etc.)
5381 \renewenvironment{verse}
5382     {\let\\@centercr
5383      \list{}{\itemsep      \z@%
5384                  \itemindent -1pc%
5385                  \listparindent\itemindent
5386                  \rightmargin \leftmargin
5387                  \advance\leftmargin 1pc}%
5388                  \small%
5389                  \item\relax}
5390     {\endlist}
5391 \renewenvironment{quotation}
5392     {\list{}{\listparindent 1pc%
5393                 \itemindent      \listparindent
5394                 \rightmargin \leftmargin
5395                 \parsep          \z@ \oplus \p@}%
5396                 \small%
5397                 \item\relax\noindent\ignorespaces}
5398     {\endlist}
5399 \renewenvironment{quote}
5400     {\list{}{\rightmargin\leftmargin}%
5401                 \small%
5402                 \item\relax}
5403     {\endlist}
5404 % Italicize description run-in headings (instead of the default bold)
5405 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
5406 %%
5407 % Redefine \bibsection to not mark the running heads.
5408 % (Code modified from natbib.sty.)
5409 \@ifundefined{chapter}%
5410   {\renewcommand\bibsection{\section*\{\refname\}}}
5411   {\@ifundefined{NAT@sectionbib}%
5412     {\renewcommand\bibsection{\chapter{\bibname}}}
5413     {\renewcommand\bibsection{\section*\{\bibname\}}}}
5414 \RequirePackage{multicol}
5415 \renewenvironment{theindex}%
5416 \@ifundefined{chapter}%
5417   {\section*\{\indexname\}}%
5418   {\chapter{\indexname}}%
5419 \begin{fullwidth}%
5420 \small%

```



```

5421  \parskip0pt%
5422  \parindent0pt%
5423  \let\item\@idxitem%
5424  \begin{multicols}{3}%
5425 }{%
5426  \end{multicols}%
5427  \end{fullwidth}%
5428 }
5429 \AtBeginDocument{%
5430 \renewcommand{\idxitem}{\par\hangindent \if@RTL-\fi2em}%
5431 \renewcommand{\subitem}{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
5432 \renewcommand{\subsubitem}{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}}
5433 \renewcommand{\indexspace}{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
5434 \newcommand{\lettergroup}[1]{% swallow the letter heading in the index

```

7.25 bidituftehyperref.sty

```

5435 \NeedsTeXFormat{LaTeX2e}
5436 \ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
5437 bidi implementation of tufte hyperref]
5438 %%
5439 % Color
5440 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
5441 \newboolean{@bidituftehyperref@loadhyper}
5442 \setboolean{@bidituftehyperref@loadhyper}{true}
5443 \DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
5444 \DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
5445 \ProcessOptions
5446 %% Loads the hyperref package and sets some default options.
5447 \newcommand{\bidituftehyperrefLoadHyperref}{%
5448 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
5449  \hypersetup{%
5450    bookmarksdepth = section,
5451    citecolor = DarkGreen,
5452    linkcolor = DarkBlue,
5453    % pagecolor = DarkBlue,
5454    urlcolor = DarkGreen,
5455  }%
5456 }
5457 \ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
5458  \bidituftehyperrefLoadHyperref%
5459 }{%
5460  \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
5461 }

```

7.26 bidituftetitle.sty

```

5462 \NeedsTeXFormat{LaTeX2e}
5463 \ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
5464 bidi implementation of tufte title]
5465 \RequirePackage{biditools}

```



```

5466 %%
5467 % `titlepage' option -- creates a full title page with \maketitle
5468 \newboolean{@bidituftetitle@titlepage}
5469 \DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
5470 \DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
5471 % Default `book' and `handout' options
5472 \@ifclassloaded{book}{%
5473 \ExecuteOptions{titlepage}{%
5474 \@ifclassloaded{article}{%
5475 \ExecuteOptions{notitlepage}{%
5476 {}
5477 \ProcessOptions
5478 %%
5479 % Modified \title, \author, and \date commands. These store the
5480 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
5481 \newcommand{\plaintitle}{}% plain-text-only title
5482 \newcommand{\plainauthor}{}% plain-text-only author
5483 \newcommand{\plainpublisher}{}% plain-text-only publisher
5484 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
5485 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
5486 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
5487 \newcommand{\@publisher}{}% full publisher with \thanks{}
5488 \newcommand{\thedate}{\today}
5489 \bidi@patch@AfterPackage{bidi}{%
5490 \renewcommand{\thanks}[1]{\footnote{\#1}}
5491 \renewcommand{\LTrthanks}[1]{\LTrfootnote{\#1}}
5492 \renewcommand{\RTLthanks}[1]{\RTLfootnote{\#1}}
5493 }
5494 \renewcommand{\title}[2][]{%
5495   \gdef\@title{\#2}%
5496   \begingroup%
5497     % TODO store contents of \thanks command
5498     \renewcommand{\thanks}[1]{}% swallow \thanks contents
5499     \renewcommand{\LTrthanks}[1]{}% swallow \LTrthanks contents
5500     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5501     \protected@xdef\thanklesstitle{\#2}%
5502   \endgroup%
5503   \ifthenelse{\isempty{\#1}}{%
5504     \renewcommand{\plaintitle}{\thanklesstitle}% use thankless title
5505     \renewcommand{\plaintitle}{\#1}% use provided plain-text title
5506   \@ifundefined{hypersetup}{%
5507     {}% hyperref is not loaded; do nothing
5508     \hypersetup{pdftitle={\plaintitle}}% set the PDF metadata title
5509   }%
5510   \let\@author\empty% suppress default latex.ltx ``no author'' warning
5511   \renewcommand{\author}[2][]{%
5512     \ifthenelse{\isempty{\#2}}{\gdef\@author{\#2}}{%
5513       \begingroup%
5514         % TODO store contents of \thanks command
5515         \renewcommand{\thanks}[1]{}% swallow \thanks contents

```



```

5516   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
5517   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
5518   \protected@xdef\thanklessauthor{\#2}%
5519 \endgroup%
5520 \ifthenelse{\isempty{#1}}%
5521   {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
5522   {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
5523 \@ifundefined{hypersetup}%
5524   {}% hyperref is not loaded; do nothing
5525   {\hypersetup{pdfauthor=\plainauthor}}% set the PDF metadata author
5526 }
5527 \renewcommand{\date}[1]{%
5528   \gdef@\date{#1}%
5529 \begingroup%
5530   % TODO store contents of \thanks command
5531   \renewcommand{\thanks}[1]{\% swallow \thanks contents
5532   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
5533   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
5534   \protected@xdef\thedate{\#1}%
5535 \endgroup%
5536 }
5537 %%%
5538 % Provides a \publisher command to set the publisher
5539 \newcommand{\publisher}[2][]{%
5540   \gdef@\publisher{#2}%
5541 \begingroup%
5542   \renewcommand{\thanks}[1]{\% swallow \thanks contents
5543   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
5544   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
5545   \protected@xdef\thanklesspublisher{\#2}%
5546 \endgroup%
5547 \ifthenelse{\isempty{#1}}%
5548   {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
5549   {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
5550 }
5551 %%%
5552 % Produces a full title page
5553 \newcommand{\maketitlepage}[0]{%
5554   \cleardoublepage%
5555   \begin{%
5556     \bfseries%
5557     \begin{fullwidth}%
5558       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
5559       \vspace{11.5pc}%
5560       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
5561       \vfill%
5562       \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
5563     \end{fullwidth}%
5564   }%
5565   \thispagestyle{empty}%

```



```

5566  \clearpage%
5567 }
5568 %%
5569 % Title block
5570 \bidi@AfterEndPreamble{%
5571 \renewcommand{\maketitle}{%
5572   \newpage%
5573   \global\@topnum\z@% prevent floats from being placed at the top of the page
5574   \begingroup%
5575     \setlength{\parindent}{0pt}%
5576     \setlength{\parskip}{4pt}%
5577     \let\@@title\empty%
5578     \let\@@author\empty%
5579     \let\@@date\empty%
5580     \gdef\@@title{\LARGE\itshape\@title\par}%
5581     \gdef\@@author{\Large\itshape\@author\par}%
5582     \gdef\@@date{\Large\itshape\@date\par}%
5583     \@@title%
5584     \@@author%
5585     \@@date%
5586   \endgroup%
5587   \thispagestyle{plain}% suppress the running head
5588 }%
5589 }
5590 %%
5591 % Title page (if the `titlepage' option was passed to the biditufte-handout
5592 % class.)
5593 \bidi@AfterEndPreamble{%
5594 \ifthenelse{\boolean{biditufte@titlepage}}%
5595   {\renewcommand{\maketitle}{\maketitlepage}}
5596   {}
5597 }
5598 %%
5599 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
5600 % without headers and footers
5601 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
5602   \hbox{}%
5603   \%vspace*\{\fill\}%
5604   \%begin{center}%
5605   % This page intentionally contains only this sentence.
5606   \%end{center}%
5607   \%vspace{\fill}%
5608   \thispagestyle{empty}%
5609   \newpage%
5610   \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

7.27 biditufte-handout.cls

```

5611 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5612 \ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]

```



```

5613 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
5614 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
5615 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
5616 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
5617 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
5618 \ProcessOptions\relax
5619 \LoadClass{article}
5620 \RequirePackage{bidituftefloat}
5621 \RequirePackage{bidituftesidenote}
5622 \RequirePackage{bidituftetoc}
5623 \RequirePackage{bidituftegeneralstructure}
5624 \RequirePackage{bidituftehyperref}
5625 \RequirePackage{bidituftetitle}
5626 \renewenvironment{abstract}
5627   {\begin{quotation}}
5628   {\end{quotation}}
5629 \AtBeginDocument{%
5630 \IfFileExists{biditufte-handout.cfg}%
5631   {\input{biditufte-handout.cfg}%
5632     \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \gobble}%
5633   }%
5634 }

```

7.28 biditufte-book.cls

```

5635 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5636 \ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
5637 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
5638 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
5639 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
5640 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
5641 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
5642 \ProcessOptions\relax
5643 \LoadClass{book}
5644 \RequirePackage{bidituftefloat}
5645 \RequirePackage{bidituftesidenote}
5646 \RequirePackage{bidituftetoc}
5647 \RequirePackage{bidituftegeneralstructure}
5648 \RequirePackage{bidituftehyperref}
5649 \RequirePackage{bidituftetitle}
5650 %%
5651 % Set up any book-specific stuff now
5652 %%
5653 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
5654 % to the opening page of Chapter 1. The running heads, when they appear,
5655 % contain only the (arabic) page number in the outside corner.
5656 %\newif\if@mainmatter \mainmattertrue
5657 \renewcommand\frontmatter{%
5658   \cleardoublepage%
5659   \mainmatterfalse%

```



```

5660 \pagenumbering{arabic}%
5661 \%pagestyle{plain}%
5662 \fancyhf{}%
5663 \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
5664 {\fancyhead[LE,RO]{\thepage}}%
5665 {\fancyhead[RE,RO]{\thepage}}%
5666 }%
5667 %%%
5668 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
5669 % numbering---it continues where it left off in the front matter.
5670 \renewcommand\mainmatter{%
5671 \cleardoublepage%
5672 \@mainmattertrue%
5673 \fancyhf{}%
5674 \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
5675 {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
5676 \fancyhead[LE]{\thepage\quad\smallcaps{\newlineinspace{\plaintitle}}}}% book title
5677 \fancyhead[RO]{\smallcaps{\newlineinspace{\leftmark}}\quad\thepage}}% chapter title
5678 {\fancyhead[RE,RO]{\smallcaps{\newlineinspace{\plaintitle}}\quad\thepage}}% book title
5679 }%
5680 %%%
5681 % The back matter contains appendices, indices, glossaries, endnotes,
5682 % bibliographies, list of contributors, illustration credits, etc.
5683 \renewcommand\backmatter{%
5684 \if@openright%
5685 \cleardoublepage%
5686 \else%
5687 \clearpage%
5688 \fi%
5689 \@mainmatterfalse%
5690 }%
5691 %%%
5692 % Only show the chapter titles in the table of contents
5693 \setcounter{tocdepth}{0}
5694 \AtBeginDocument{%
5695 \IfFileExists{biditufte-book.cfg}{%
5696 {\input{biditufte-book.cfg}}%
5697 \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \gobble}}%
5698 {}%
5699 }

```

7.29 bidipoem.sty

```

5700 \NeedsTeXFormat{LaTeX2e}
5701 \ProvidesPackage{bidipoem}%
5702 [2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]
5703
5704 % Usage:
5705 %
5706 % \Setversedim #1#2 % define the layout (within a group):

```



```

5707 % #1 = length of both half-verses
5708 % #2 = separation distance = length of a connection, if present
5709 % Variant:
5710 % \Setversedim #1[#2]#3 % for half-verses of unequal length
5711 % #1 = length of first (=right) half-verse
5712 % #2 = length of second (=left) half-verse
5713 % #3 = separation distance = length of a connection, if present
5714 %
5715 % \traditionalhalfverses #1#2 % typeset two separated half-verses
5716 % #1 = text of first (=right) half-verse
5717 % #2 = text of second (=left) half-verse
5718 % Variant:
5719 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
5720 % #1 = text of first (=right) half-verse
5721 % #2 = text of connection
5722 % #3 = text of second (=left) half-verse
5723 %
5724 % Alternative (if preferred):
5725 %
5726 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
5727
5728
5729 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
5730
5731 % define the layout, verses will be centered
5732
5733 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
5734 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
5735
5736 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
5737 \bidipoem@hvind \textwidth
5738 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
5739 \ifx [#2]\def \bidipoem@next {\bidipoem@set@verseI []}\else
5740 \bidipoem@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@verse [#2]}\fi \bidipoem@hvlen
5741
5742 \def \bidipoem@set@verseI [#1]{% optional parameter
5743 \bidipoem@hvlen #1\relax \bidipoem@set@verse }
5744
5745 \newcommand*{\bidipoem@set@verse}[1]{% separation
5746 \advance \bidipoem@hvind -\bidipoem@hvlen \bidipoem@hvsep #1\relax
5747 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
5748
5749 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
5750 \ifdim Opt > \bidipoem@hvind %
5751 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\\hfill % first block
5752 \else
5753 \noindent \hspace{-\bidipoem@hvind} \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
5754 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
5755 \bidipoem@spreadbox \bidipoem@hvlen {#3}% second block
5756 \par }

```



```

5757
5758 % macro for two half verses
5759 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
5760   \ifx [#2]\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]%
5761   \else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
5762   \bidipoem@half@verses@next}
5763
5764 \def \bidipoem@half@verses #1[#2]{% first[mid] second
5765   \traditionalconnverses {#1}{#2}{#3}}
5766
5767
5768 {\catcode`^\^M=\active % these lines must end with %
5769   \gdef\traditionalpoem@obeylines{\catcode`^\^M\active \let^\^M\traditionalpoem@par}%
5770   \global\let^\^M\traditionalpoem@par} % this is in case ^^M appears in a \write
5771 {\catcode`^\^M=\active % these lines must end with %
5772   \gdef\modernpoem@obeylines{\catcode`^\^M\active \let^\^M\modernpoem@par}%
5773   \global\let^\^M\modernpoem@par} % this is in case ^^M appears in a \write
5774 \def\poemcolsep{.1\versewidth plus .1\versewidth minus .05\versewidth}
5775 \def\poemmargin{1em plus 1fil minus 1em}
5776 \def\poemextrabaseline{0\baselineskip}
5777 \def\poemskip{\medskip}
5778 \newcommand{\bidipoem@openbox}{\leavevmode
5779   \hbox to.77778em{%
5780   \hfil\vrule
5781   \vbox to.675em{\hrule width.6em\vfil\hrule}%
5782   \vrule\hfil}}
5783 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
5784 \newdimen\versewidth
5785 \newtoks\bidipoem@p@ftn
5786 \def\poem@verse#1{%
5787 \ifdim\wd#1>\new@poem@width
5788 \xdef\new@poem@width{\the\wd#1}%
5789 \ifdim\new@poem@width>\poem@width
5790 \xdef\poem@width{\new@poem@width}%
5791 \global\let\poem@needrun\relax
5792 \fi
5793 \fi
5794 \hbox to\poem@width{\unhbox#1}%
5795 \global\bidipoem@p@ftn\expandafter{\expandafter\the\bidipoem@p@ftn}%
5796 }
5797 \def\poem@linebegin{\vadjust{}\hspace{\flushglue}\hspace{\poemmargin}\relax}
5798 \def\poem@lineend{\nobreak\hspace{\poemmargin}\hspace{\flushglue}\vadjust{}}
5799 \def\poem@lineversesep{%
5800 \nobreak
5801 \hspace{z@\plus 1filll}%
5802 \penalty600%
5803 \hspace{\poemcolsep}%
5804 \hspace{z@\plus -2filll}%
5805 \vadjust{}%
5806 \nobreak

```



```

5807 \hskip\z@ plus 1filll%
5808 }
5809 \def\poem@lineparsebegin{%
5810 \halign\bgroup
5811 \global\setbox\verse@i=\hbox{%
5812 \let\@footnotetext\bidipoem@p@ftntext%
5813 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5814 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5815 \let\xfootnotenext\bidipoem@p\xftntext%
5816 \let\xfootnote\bidipoem@p\xfootnote%
5817 \let\xLTRfootnotenext\bidipoem@p\xLTRftntext%
5818 \let\xLTRfootnote\bidipoem@p\xLTRfootnote%
5819 \let\xRTLfootnotenext\bidipoem@p\xRTLftntext%
5820 \let\xRTLfootnote\bidipoem@p\xRTLfootnote%
5821 \ignorespaces##\unskip}@@
5822 \global\setbox\verse@ii=\hbox{%
5823 \let\@footnotetext\bidipoem@p@ftntext%
5824 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5825 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5826 \let\xfootnotenext\bidipoem@p\xftntext%
5827 \let\xfootnote\bidipoem@p\xfootnote%
5828 \let\xLTRfootnotenext\bidipoem@p\xLTRftntext%
5829 \let\xLTRfootnote\bidipoem@p\xLTRfootnote%
5830 \let\xRTLfootnotenext\bidipoem@p\xRTLftntext%
5831 \let\xRTLfootnote\bidipoem@p\xRTLfootnote%
5832 \ignorespaces##\unskip}
5833 \cr
5834 }
5835 \def\poem@lineparseend{%
5836 \crcr\egroup
5837 \vskip-\baselineskip
5838 }
5839 \def\traditionalpoem@cr{%
5840   \cr\poem@line
5841 }
5842 \newbox\verse@i
5843 \newbox\verse@ii
5844 \newif\ifpoem@started
5845
5846 \def\poem@line{%
5847 \poem@lineparseend
5848 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
5849 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
5850 \ifpoem@started
5851   \ifdim\wd\verse@ii>\z@\else
5852     \nopagebreak[3]
5853   \fi
5854   \leavevmode
5855   \poem@linebegin
5856   \poem@verse\verse@i

```



```

5857 \ifdim\wd\verse@ii>\z@
5858 \poem@lineversesep
5859 \poem@verse\verse@ii
5860 \fi
5861 \poem@lineend
5862 % \nopagebreak
5863 \par
5864 \vskip\poemextrabaselineskip
5865 \fi
5866 \poem@lineparsebegin
5867 }
5868 \def\@traditionalpoem{%
5869 \stepcounter{poem@no}
5870 \ifnum\max@poem@no<\number\c@poem@no%
5871 \xdef\poem@width{\z@}%
5872 \else
5873 \xdef\poem@width{\poem@prop{poem@width}}%
5874 \fi
5875 \xdef\new@poem@width{\z@}%
5876 \global\versewidth=\poem@width
5877 \poemskip\par
5878 \begingroup
5879 \tabskip=\z@
5880 \parskip=\z@
5881 \parindent=\z@
5882 \parfillskip=\z@
5883 \rightskip=\z@
5884 \leftskip=\z@
5885 \widowpenalty=10000% No break between verses of the same line.
5886 \clubpenalty=10000% Same as above. Not really needed.
5887 \def\newblock{\hfil\poemblocksep\hfil\null}%
5888 \def\@traditionalpoem@par{\@traditionalpoem@cr}%
Redefine \par for possible \obeylines
5889 \def\\{\global\poem@startedtrue\@traditionalpoem@cr}%
5890 \global\poem@startedfalse
5891 \csname poem@obeylines\endcsname
5892 \let\poem@obeylines\relax
5893 \poem@lineparsebegin
5894 }
5895 \def\@endtraditionalpoem{%
5896 \cr
5897 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
5898 \noalign{%
5899 \skip0=\poemextrabaselineskip
5900 \vskip-\skip0
5901 \vskip-\baselineskip
5902 }%
5903 \fi\fi
5904 \poem@lineparseend
5905 \endgroup

```



```

5906 \par
5907 \vskip\baselineskip
5908 \poemskip
5909 \if@nopalst \else
5910   \ifdim\lastskip >\z@
5911     \tempskipa\lastskip \vskip -\lastskip
5912     \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
5913     \vskip\tempskipa
5914   \fi
5915 \endparenv
5916 \fi
5917 \ifdim\new@poem@width<\poem@width
5918 \global\let\poem@needrun\relax
5919 \fi
5920   \poem@write@aux{poem@width@romannumeral{c@poem@no}{\new@poem@width}}%
5921 \ifx\AtEndDocument\undefined\poem@finish\fi
5922 }
5923
5924
5925 \long\def\bidi poem@p@ftntext#1{%
5926   \edef@\tempx{\the\bidi poem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
5927   \global\bidi poem@p@ftn\expandafter{\@tempx{#1}}%
5928 \long\def\bidi poem@p@LTRftntext#1{%
5929   \edef@\tempxi{\the\bidi poem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
5930   \global\bidi poem@p@ftn\expandafter{\@tempxi{#1}}%
5931 \long\def\bidi poem@p@RTLftntext#1{%
5932   \edef@\tempxii{\the\bidi poem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
5933   \global\bidi poem@p@ftn\expandafter{\@tempxii{#1}}%
5934
5935 \long\def\bidi poem@p@xftntext[#1]#2{%
5936   \global\bidi poem@p@ftn\expandafter{\the\bidi poem@p@ftn\footnotetext[#1]{#2}}}
5937
5938 \long\def\bidi poem@p@xLTRftntext[#1]#2{%
5939   \global\bidi poem@p@ftn\expandafter{\the\bidi poem@p@ftn\LTRfootnotetext[#1]{#2}}}
5940
5941 \long\def\bidi poem@p@xRTLftntext[#1]#2{%
5942   \global\bidi poem@p@ftn\expandafter{\the\bidi poem@p@ftn\RTLfootnotetext[#1]{#2}}}
5943
5944 \def\bidi poem@p@xfootnote[#1]{%
5945   \begingroup
5946     \csname c@\@mpfn\endcsname #1\relax
5947     \unrestored@protected@xdef\@thefnmark{\thempfn}%
5948   \endgroup
5949   \footnotemark\bidi poem@p@xftntext[#1]}
5950
5951 \def\bidi poem@p@xLTRfootnote[#1]{%
5952   \begingroup
5953     \csname c@\@mpfn\endcsname #1\relax
5954     \unrestored@protected@xdef\@thefnmark{\thempfn}%
5955   \endgroup

```



```

5956     \@footnotemark\bidipoem@p@xLTRftntext[#1]}
5957
5958 \def\bidoem@p@xRTLfootnote[#1]{%
5959     \begingroup
5960         \csname c@\@mpfn\endcsname #1\relax
5961         \unrestored@protected@xdef\@thefnmark{\thempfn}%
5962     \endgroup
5963     \@footnotemark\bidipoem@p@xRTLftntext[#1]}
5964
5965
5966
5967 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
5968 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyl
5969 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
5970 \def\poem@finish{%
5971 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
5972 \ifx\poem@needrun\relax
5973 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
5974 \global\let\poem@needrun\undefined
5975 \fi
5976 }
5977 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
5978 \newcounter{poem@no}\setcounter{poem@no}{\z@}
5979 \ifx\max@poem@no\undefined
5980     \def\max@poem@no{0}%
5981 \fi
5982 \newcommand{\poem@prop}[1]{\nameuse{#1@\romannumeral\c@poem@no}}
5983 \newcommand{\poem@write@aux}[2]{%
5984     \def\x{\immediate\write\auxout{\global\noexpand\@namedef{#1}{#2}}}\%
5985     \x
5986 }
5987 \def\@modernpoem{%
5988 \par
5989 \begingroup
5990 \parskip=\z@
5991 \parindent=\z@
5992 \def[\{@settab\@tabplus\ignorespaces}%
5993 \def] {@tabminus\ignorespaces}%
5994 \def\newblock{\poemblocksep}%
5995 \let\newpoem@tabcr\@tabcr
5996 \def\modernpoem@par{%
5997     Redefine \par for possible \obeylines
5998     \ifpoem@started\else
5999         \ifdim\wd@\curline>\z@\global\poem@startedtrue\else
6000             \stopfield
6001             \ifdim\wd@\curfield>\z@\global\poem@startedtrue\fi
6002             \contfield
6003     \fi
6004     \ifpoem@started\newpoem@tabcr\fi}%
6005 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%

```



```

6006 \global\poem@startedfalse
6007 \csname poem@obeylines\endcsname
6008 \let\poem@obeylines\relax
6009 \begin{tabbing}%
6010 }
6011 \def\@endmodernpoem{%
6012 \global\poem@startedfalse
6013 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
6014   \stopfield
6015 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
6016   \contfield
6017 \fi
6018 \ifpoem@started\else\let\stopline\stopfield\fi
6019 \end{tabbing}%
6020 \endgroup
6021 \par
6022 \if@nopallist \else
6023   \ifdim\lastskip >\z@
6024     \tempskipa\lastskip \vskip -\lastskip
6025     \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
6026     \vskip\tempskipa
6027   \fi
6028 \endparenv
6029 \fi
6030 }
6031 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
6032 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem@startfield\@modernpoem*\@endmodernpoem}
6033 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
6034 \gdef\@startfield{%
6035 \global\setbox\@curfield\hbox\bgroup%
6036 \let\footnotetext\bidipoem@p@ftntext%
6037 \let\@LRFootnotetext\bidipoem@p@LRFtnText%
6038 \let\@RTLFootnotetext\bidipoem@p@RTLftntext%
6039 \let\xfootnotenext\bidipoem@p\xftntext%
6040 \let\xfootnote\bidipoem@p\xfootnote%
6041 \let\xLTRfootnotenext\bidipoem@p\xLRFtnText%
6042 \let\xLTRfootnote\bidipoem@p\xLTRfootnote%
6043 \let\xRTLfootnotenext\bidipoem@p\xRTLftntext%
6044 \let\xRTLfootnote\bidipoem@p\xRTLfootnote%
6045 \color@begingroup}
6046 \gdef\@stopfield{%
6047   \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
6048 \gdef\@contfield{%
6049 \global\setbox\@curfield\hbox\bgroup%
6050 \let\footnotetext\bidipoem@p@ftntext%
6051 \let\@LRFootnotetext\bidipoem@p@LRFtnText%
6052 \let\@RTLFootnotetext\bidipoem@p@RTLftntext%
6053 \let\xfootnotenext\bidipoem@p\xftntext%
6054 \let\xfootnote\bidipoem@p\xfootnote%
6055 \let\xLTRfootnotenext\bidipoem@p\xLRFtnText%

```



```

6056 \let\xLTRfootnote\bidipoem@p\xLTRfootnote%
6057 \let\xRTLfootnotenext\bidipoem@p\xRTLftntext%
6058 \let\xRTLfootnote\bidipoem@p\xRTLfootnote%
6059 \color@begingroup\unhbox\@curfield}

```

7.3o boek3-xetex-bidi.def

```

6060 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeTe
6061 \renewenvironment{theindex}{%
6062   \if@twocolumn
6063     \restonecolfalse
6064   \else
6065     \restonecoltrue
6066   \fi
6067   \columnseprule \z@
6068   \columnsep 35\p@
6069   \twocolumn[\makeschapterhead{\indexname}]%
6070   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
6071   \thispagestyle{plain}\parindent\z@
6072   \parskip\z@ \plus .3\p@\relax
6073   \let\item\@idxitem
6074 }{%
6075   \if@restonecol\onecolumn\else\clearpage\fi}
6076 \renewcommand*\head@style{%
6077   \interlinepenalty \OM
6078   \hyphenpenalty=\OM \exhyphenpenalty=\OM
6079   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hspace\relax}
6080 \renewcommand*\@regtocline[3]{%
6081   \ifnum #1>\c@tocdepth
6082   \else
6083     \vskip\z@\plus.2\p@
6084     \hangindent\z@ \if@afterindenttrue \interlinepenalty\OM
6085       \if@RTL\rightskip\else\leftskip\fi\unitindent
6086       \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil
6087       \parfillskip\z@
6088       \tempdima\unitindent
6089       \parindent\z@
6090       \leavevmode
6091       \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak
6092       \hspace 1em \nobreak\slshape\#3\par
6093     }%
6094   \fi}
6095 \if@oldtoc
6096 \renewcommand*\l@part[2]{%
6097   \ifnum \c@tocdepth >-2\relax
6098     \addpenalty{-\highpenalty}%
6099     \addvspace{2.25em \plus\p@}%
6100     \begin{group}
6101       \setlength\tempdima{3em}%
6102       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth

```



```

6103     \parfillskip -\@pnumwidth
6104     {\leavevmode
6105         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}\par
6106         \nobreak
6107         \global\@nobreaktrue
6108         \everypar{\global\@nobreakfalse\everypar{}}
6109     \endgroup
6110 }fi}
6111 \else
6112     \renewcommand*\l@part{%
6113         \ifnum \c@tocdepth >-2\relax
6114             \addpenalty{-\@highpenalty}%
6115             \addvspace{2.25em \@plus \p@}%
6116             \regtocline{0}%
6117         }fi}
6118 }fi
6119 \if@oldtoc
6120 \renewcommand*\l@chapter[2]{%
6121     \addpenalty{-\@highpenalty}%
6122     \vskip 1.0em \@plus\p@
6123     \setlength\tempdima{1.5em}%
6124     \begin{group}
6125         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6126         \parfillskip -\@pnumwidth
6127         \leavevmode \bfseries
6128         \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
6129         \hskip -\if@RTL\rightskip\else\leftskip\fi
6130         #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6131         \penalty\@highpenalty
6132     \endgroup
6133 }else
6134     \renewcommand*\l@chapter{\regtocline{0}}
6135 }fi
6136 \renewenvironment{abstract}{%
6137     \titlepage
6138     \null\vfil
6139     \section*{\SectFont \abstractname}
6140     \noindent\ignorespaces
6141     \par\vfil\null\endtitlepage
6142 \renewenvironment{thebibliography}[1]
6143     \chapter*{\bibname}%
6144     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6145     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6146     \bidi@@thebibliography@font@hook%
6147     \list{\@biblabel{\@arabic\c@enumiv}}%
6148         {\settowidth\labelwidth{\@biblabel{\#1}}%
6149         \leftmargin\labelwidth
6150         \advance\leftmargin\labelsep
6151         \openbib@code
6152         \usecounter{enumiv}}%

```



```

6153           \let\p@enumiv\@empty
6154           \renewcommand*\theenumiv{\@arabic\c@enumiv}%
6155           \sloppy\clubpenalty4000\widowpenalty4000%
6156           \sfcode`.\.0m}
6157           {\def\@noitemerr
6158             {\@latex@warning{Empty `thebibliography' environment}}%
6159           \endlist}
6160 \renewcommand*\left@footnoterule{%
6161   \kern-3\p@
6162   \kern.5\baselineskip
6163   \hrule\@width\unitindent
6164   \kern.4\baselineskip
6165 }
6166 \renewcommand*\right@footnoterule{%
6167   \kern-3\p@
6168   \kern.5\baselineskip
6169   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
6170   \kern.4\baselineskip
6171 \renewcommand*\thesection{\thechapter \@SepMark \@arabic\c@section}
6172 \renewcommand*\thesubsection{\thesection \@SepMark \@arabic\c@subsection}
6173 \renewcommand*\thesubsubsection{\thesubsection \@SepMark \@arabic\c@subsubsection}
6174 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \@arabic\c@paragraph}
6175 \renewcommand*\thesubparagraph{\theparagraph \@SepMark \@arabic\c@subparagraph}
6176 \renewcommand*\theequation{%
6177   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@equation}
6178 \renewcommand*\thefigure{%
6179   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@figure}
6180 \renewcommand*\thetable{%
6181   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@table}
6182 \renewcommand*\maketitle{%
6183   \begin{titlepage}%
6184     \let\footnotesize\small
6185     \let\right@footnoterule\relax
6186     \let\left@footnoterule\relax
6187     \let\textwidth@footnoterule\relax
6188     \let \footnote \thanks
6189     \long\def\@makefntext##1{\par\indent\z@
6190       \def\labelitemi{\textendash}\@revlabeltrue
6191       \leavevmode@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6192     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
6193     \if@compatibility\setcounter{page}{0}\fi
6194     \null\vfil
6195     \vskip 60\p@
6196     \begin{center}%
6197       \TitleFont
6198       {\LARGE \def\\{\penalty -\OM}}
6199       \if@allcaps
6200         \expandafter\uc@nothanks\@title\thanks\relax
6201       \else
6202         \@title

```



```

6203      \fi\par}%
6204      \vskip 3em%
6205      {\large
6206          \lineskip .75em \parindent\z@
6207          \begin{tabular}[t]{c}%
6208              \if@allcaps
6209                  \expandafter\uc@authornothanks\@author\and\relax
6210              \else
6211                  \@author
6212              \fi
6213          \end{tabular}\par}%
6214          \vskip 1.5em%
6215          {\large
6216              \if@allcaps
6217                  \uppercase\expandafter{\@date}%
6218              \else
6219                  \@date
6220              \fi\par}%
6221          \end{center}\par
6222          \@thanks
6223          \vfil\null
6224      \end{titlepage}%
6225      \setcounter{footnote}{0}%
6226      \global\let\thanks\relax
6227      \global\let\maketitle\relax
6228      \global\let\@thanks\@empty
6229      \global\let\@author\@empty
6230      \global\let\@title\@empty
6231      \global\let\@date\@empty
6232      \global\let\title\relax
6233      \global\let\author\relax
6234      \global\let\date\relax
6235      \global\let\and\relax
6236 }

```

7.31 boek-xetex-bidi.def

```

6237 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX]
6238 \renewenvironment{theindex}{%
6239     \if@twocolumn
6240         \restonecolfalse
6241     \else
6242         \restonecoltrue
6243     \fi
6244     \columnseprule \z@
6245     \columnsep 35\p@
6246     \twocolumn[\@makeschapterhead{\indexname}]%
6247     \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
6248     \thispagestyle{plain}\parindent\z@
6249     \parskip\z@ \oplus .3\p@\relax

```



```

6250 \let\item\@idxitem
6251 }{%
6252 \if@restonecol\onecolumn\else\clearpage\fi}
6253 \renewcommand*\head@style{%
6254 \interlinepenalty \OM
6255 \hyphenpenalty=\OM \exhyphenpenalty=\OM
6256 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
6257 \renewcommand*\@regtocline[3]{%
6258 \ifnum #1>\c@tocdepth
6259 \else
6260 \vskip\z@\@plus.2\p@
6261 \hangindent\z@\ @afterindenttrue \interlinepenalty\OM
6262 \if@RTL\rightskip\else\leftskip\fi\unitindent
6263 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
6264 \parfillskip\z@
6265 \tempdima\unitindent
6266 \parindent\z@
6267 \leavevmode
6268 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
6269 \hskip 1em \nobreak\slshape #3\par
6270 }%
6271 \fi}
6272 \if@oldtoc
6273 \renewcommand*\l@part[2]{%
6274 \ifnum \c@tocdepth >-2\relax
6275 \addpenalty{-\highpenalty}%
6276 \addvspace{2.25em \@plus\p@}%
6277 \begingroup
6278 \setlength\tempdima{3em}%
6279 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6280 \parfillskip -\pnumwidth
6281 \leavevmode
6282 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6283 \nobreak
6284 \global\@nobreaktrue
6285 \everypar{\global\@nobreakfalse\everypar{} }%
6286 \endgroup
6287 \fi}
6288 \else
6289 \renewcommand*\l@part{%
6290 \ifnum \c@tocdepth >-2\relax
6291 \addpenalty{-\highpenalty}%
6292 \addvspace{2.25em \@plus \p@}%
6293 \@regtocline{0}%
6294 \fi}
6295 \fi
6296 \if@oldtoc
6297 \renewcommand*\l@chapter[2]{%
6298 \addpenalty{-\highpenalty}%
6299 \vskip 1.0em \@plus\p@
```



```

6300   \settowidth{\tempdima}{1.5em}%
6301   \begingroup
6302   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
6303   \parfillskip -\c@pnumwidth
6304   \leavevmode \bfseries
6305   \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
6306   \hskip -\if@RTL\rightskip\else\leftskip\fi
6307   #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
6308   \penalty\@highpenalty
6309   \endgroup}
6310 \else
6311   \renewcommand*\l@chapter{\@regtocline{0}}
6312 \fi
6313 \renewcommand*\left@footnoterule{%
6314   \kern-3\p@
6315   \kern.5\baselineskip
6316   \hrule\@width\unitindent
6317   \kern.4\baselineskip
6318 }
6319 \renewcommand*\right@footnoterule{%
6320   \kern-3\p@
6321   \kern.5\baselineskip
6322   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
6323   \kern.4\baselineskip}
6324 \ renewenvironment{abstract}{%
6325   \titlepage
6326   \null\vfil
6327   \section*{\SectFont \abstractname}
6328   \noindent\ignorespaces
6329   {\par\vfil\null\endtitlepage}
6330 \ renewenvironment{thebibliography}[1]
6331   {\chapter*{\bibname}{%
6332     \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
6333     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6334     \bidi@thebibliography@font@hook\%
6335     \list{\@biblabel{\arabic{enumiv}}{%
6336       \settowidth\labelwidth{\@biblabel{#1}}%
6337       \leftmargin\labelwidth
6338       \advance\leftmargin\labelsep
6339       \openbib@code
6340       \usecounter{enumiv}}%
6341       \let\p@enumiv\empty
6342       \renewcommand*\theenumiv{\arabic{enumiv}}%
6343       \sloppy\clubpenalty4000\widowpenalty4000%
6344       \sfcode`.\@m}%
6345     {\def\@noitemerr
6346       {\@latex@warning{Empty `thebibliography' environment}}%
6347     \endlist}
6348 \renewcommand*\thesection{\thechapter\c@SepMark\arabic{c@section}}
6349 \renewcommand*\thesubsection{\thesection\c@SepMark\arabic{c@subsection}}

```



```

6350 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
6351 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
6352 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
6353 \renewcommand*\theequation{%
6354   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
6355 \renewcommand*\thefigure{%
6356   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
6357 \renewcommand*\thetable{%
6358   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
6359 \renewcommand*\maketitle{%
6360   \begin{titlepage}%
6361     \let\footnotesize\small
6362     \let\right@footnoterule\relax
6363     \let\left@footnoterule\relax
6364     \let\textwidth@footnoterule\relax
6365     \let \footnote \thanks
6366     \long\def\@makefntext{\par\indent\z@
6367       \def\labelitemi{\textendash}\@revlabeltrue
6368       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6369     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
6370     \if@compatibility\setcounter{page}{0}\fi
6371     \null\vfil
6372     \vskip 60\p@
6373     \begin{center}%
6374       \TitleFont
6375       {\LARGE \def\\{\penalty -\@M}
6376        \if@allcaps
6377          \expandafter\uc@nothanks\@title\thanks\relax
6378        \else
6379          \@title
6380        \fi\par}%
6381     \vskip 3em%
6382     {\large
6383       \lineskip .75em \par\indent\z@
6384     \begin{tabular}[t]{c}%
6385       \if@allcaps
6386         \expandafter\uc@author\nothanks\@author\and\relax
6387       \else
6388         \@author
6389       \fi
6390     \end{tabular}\par}%
6391     \vskip 1.5em%
6392     {\large
6393       \if@allcaps
6394         \uppercase\expandafter{\@date}%
6395       \else
6396         \@date
6397       \fi\par}%
6398     \end{center}\par
6399     \nothanks

```



```

6400   \vfil\null
6401   \end{titlepage}%
6402   \setcounter{footnote}{0}%
6403   \global\let\thanks\relax
6404   \global\let\maketitle\relax
6405   \global\let\@thanks\empty
6406   \global\let\@author\empty
6407   \global\let\@title\empty
6408   \global\let\@date\empty
6409   \global\let\title\relax
6410   \global\let\author\relax
6411   \global\let\date\relax
6412   \global\let\and\relax
6413 }

```

7.32 bookest-xetex-bidi.def

```

6414 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for ]
6415 \def\@makechapterhead#1{%
6416   \vspace*{20\p@}
6417   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6418     \ifnum \c@secnumdepth >\m@ne
6419       \if@mainmatter
6420         {\colorA\huge\scshape \chapapp\space \thechapter}
6421         \par\nobreak
6422         \vskip 10\p@
6423       \fi
6424     \fi
6425     \interlinepenalty\OM
6426     {\colorB\hrule}
6427     \vskip 15\p@
6428     \if@RTL\begin{flushleft}\else\begin{flushright}\fi
6429       {\colorA\Huge \bfseries #1}\par\nobreak
6430     \if@RTL\end{flushleft}\else\end{flushright}\fi
6431     \vskip 5\p@
6432     {\colorB\hrule}
6433     \vskip 30\p@
6434   }%
6435 \def\@makeschapterhead#1{%
6436   \vspace*{20\p@}
6437   {\parindent \z@ \raggedright \normalfont
6438     {\colorB\hrule}
6439     \vskip 15\p@
6440     \begin{center}
6441       {\colorA\Huge \bfseries #1}\par\nobreak
6442     \end{center}
6443     \vskip 5\p@
6444     {\colorB\hrule}
6445     \vskip 30\p@
6446   }%

```



7.33 book-xetex-bidi.def

```
6447 \ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class f
6448 \renewenvironment{theindex}
6449     {\if@twocolumn
6450         \@restonecolfalse
6451     \else
6452         \@restonecoltrue
6453     \fi
6454     \columnseprule \z@
6455     \columnsep 35\p@
6456     \twocolumn[\@makeschapterhead{\indexname}]%
6457     \mkboth{\MakeUppercase\indexname}%
6458         {\MakeUppercase\indexname}%
6459     \thispagestyle{plain}\parindent\z@
6460     \parskip\z@ \relax .3\p@\relax
6461     \let\item\@idxitem
6462     {\if@restonecol\onecolumn\else\clearpage\fi}
6463 \ifclassloaded{bookest}{}{%
6464     \if@titlepage
6465     \renewcommand{\maketitle}{\begin{titlepage}%
6466     \let\footnotesize\small
6467     \let\right@footnoterule\relax
6468     \let\left@footnoterule\relax
6469     \let\textwidth@footnoterule\relax
6470     \let\footnote\thanks
6471     \let\LTRfootnote\LTRthanks
6472     \let\RTLfootnote\RTLthanks
6473     \null\vfil
6474     \vskip 60\p@
6475     \begin{center}%
6476         {\LARGE \title \par}%
6477         \vskip 3em%
6478         \large
6479         \lineskip .75em%
6480         \begin{tabular}[t]{c}%
6481             \author
6482         \end{tabular}\par}%
6483         \vskip 1.5em%
6484         {\large \date \par} % Set date in \large size.
6485     \end{center}\par
6486     \thanks
6487     \vfil\null
6488     \end{titlepage}%
6489     \setcounter{footnote}{0}%
6490     \global\let\thanks\relax
6491     \global\let\LTRthanks\relax
6492     \global\let\RTLthanks\relax
6493     \global\let\maketitle\relax
6494     \global\let\@thanks\empty
```



```

6495 \global\let\@author\@empty
6496 \global\let\@date\@empty
6497 \global\let\@title\@empty
6498 \global\let\title\relax
6499 \global\let\author\relax
6500 \global\let\date\relax
6501 \global\let\and\relax
6502 }
6503 \else
6504 \renewcommand\maketitle{\par
6505 \begingroup
6506 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6507 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6508 \long\def\@makefntext{\par\indent 1em\noindent
6509 \hb@xt@1.8em{%
6510 \hss\@textsuperscript{\normalfont\@thefnmark}\#1}%
6511 \if@twocolumn
6512 \ifnum \col@number=\@ne
6513 \maketitle
6514 \else
6515 \twocolumn[\maketitle]%
6516 \fi
6517 \else
6518 \newpage
6519 \global\@topnum\z@ % Prevents figures from going at top of page.
6520 \maketitle
6521 \fi
6522 \thispagestyle{plain}\@thanks
6523 \endgroup
6524 \setcounter{footnote}{0}%
6525 \global\let\thanks\relax
6526 \global\let\LTRthanks\relax
6527 \global\let\RTLthanks\relax
6528 \global\let\maketitle\relax
6529 \global\let\@maketitle\relax
6530 \global\let\@thanks\@empty
6531 \global\let\@author\@empty
6532 \global\let\@date\@empty
6533 \global\let\@title\@empty
6534 \global\let\title\relax
6535 \global\let\author\relax
6536 \global\let\date\relax
6537 \global\let\and\relax
6538 }
6539 \def\@maketitle{%
6540 \newpage
6541 \null
6542 \vskip 2em%
6543 \begin{center}%
6544 \let \footnote \thanks

```



```

6545 \let \LTRfootnote \LTRthanks
6546 \let \RTLfootnote \RTLthanks
6547 {\LARGE \@title \par}%
6548 \vskip 1.5em%
6549 {\large
6550 \lineskip .5em%
6551 \begin{tabular}[t]{c}%
6552 \author
6553 \end{tabular}\par}%
6554 \vskip 1em%
6555 {\large \@date}%
6556 \end{center}%
6557 \par
6558 \vskip 1.5em}
6559 \fi}
6560 \renewcommand*\l@part[2]{%
6561 \ifnum \c@tocdepth >-2\relax
6562 \addpenalty{-\@highpenalty}%
6563 \addvspace{2.25em \oplus \p@}%
6564 \setlength{\tempdima}{3em}%
6565 \begingroup
6566 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6567 \parfillskip -\pnumwidth
6568 \leavevmode
6569 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
6570 \nobreak
6571 \global\nobreaktrue
6572 \everypar{\global\nobreakfalse\everypar{}}
6573 \endgroup
6574 \fi}
6575 \renewcommand*\l@chapter[2]{%
6576 \ifnum \c@tocdepth >\m@ne
6577 \addpenalty{-\@highpenalty}%
6578 \vskip 1.0em \oplus \p@
6579 \setlength{\tempdima}{1.5em}%
6580 \begingroup
6581 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
6582 \parfillskip -\pnumwidth
6583 \leavevmode \bfseries
6584 \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
6585 \hskip -\if@RTL\rightskip\else\leftskip\fi
6586 #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
6587 \penalty\@highpenalty
6588 \endgroup
6589 \fi}
6590 \renewcommand{\left@footnoterule}{%
6591 \kern-3\p@
6592 \hrule\width.4\columnwidth
6593 \kern2.6\p@}
6594 \renewcommand{\right@footnoterule}{%

```



```

6595  \kern-3\p@
6596  \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }
6597  \kern2.6\p@}
6598 \renewcommand{\theequation}
6599  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
6600 \renewcommand{\thefigure}
6601  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
6602 \renewcommand{\thetable}
6603  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
6604 \renewcommand{\thechapter}{\@arabic\c@chapter}
6605 \renewcommand{\thesection}{\thechapter\@SepMark\@arabic\c@section}
6606 \renewcommand{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
6607 \renewcommand{\thesubsubsection}{\thesubsection\@SepMark\@arabic\c@subsubsection}
6608 \renewcommand{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
6609 \renewcommand{\thesubparagraph}{\theparagraph\@SepMark\@arabic\c@subparagraph}
6610 \def\@makechapterhead#1{%
6611  \vspace*{50\p@}%
6612  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6613   \ifnum \c@secnumdepth >\m@ne
6614     \if@mainmatter
6615       \huge\bfseries \chapapp\space \thechapter
6616       \par\nobreak
6617       \vskip 20\p@
6618     \fi
6619   \fi
6620   \interlinepenalty\@M
6621   \Huge\bfseries #1\par\nobreak
6622   \vskip 40\p@
6623 }
6624 \def\@makeschapterhead#1{%
6625  \vspace*{50\p@}%
6626  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6627    \normalfont
6628    \interlinepenalty\@M
6629    \Huge\bfseries #1\par\nobreak
6630    \vskip 40\p@
6631 }
6632 \renewcommand{\backmatter}{%
6633  \if@openright
6634    \cleardoublepage
6635  \else
6636    \clearpage
6637  \fi
6638  \mainmatterfalse}
6639 \renewenvironment{\bibliography}[1]
6640  {\chapter*{\bibname}%
6641   \omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6642   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi\fi
6643   \bidi@@thebibliography@font@hook%
6644   \list{\@biblabel{\@arabic\c@enumiv}}%}

```



```

6645      {\settowidth\labelwidth{\@biblabel{#1}}%
6646          \leftmargin\labelwidth
6647          \advance\leftmargin\labelsep
6648          \openbib@code
6649          \usecounter{enumiv}%
6650          \let\p@enumiv\empty
6651          \renewcommand\theenumiv{\@arabic\c@enumiv}%
6652      \sloppy
6653      \clubpenalty4000
6654      \clubpenalty \clubpenalty
6655      \widowpenalty4000%
6656      \sfcode`.\@m}
6657      {\def\@itemerr
6658          {\@latex@warning{Empty `thebibliography' environment}}%
6659      \endlist}

```

7.34 breqn-xetex-bidi.def

```

6660 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for Xe
6661 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
6662   \everydisplay\expandafter{\the\everydisplay \display@setup}%
6663   \if@noskipsec \leavevmode \fi
6664   \if@inlabel \leavevmode \global\@inlabelfalse \fi
6665   \if\eq@group\else\eq@prelim\fi
6666   \setkeys{breqn}{#1}%
6667   \the\eqstyle
6668   \eq@setnumber
6669   \begin{group}
6670   \eq@setup@a
6671   \eq@startup
6672 }
6673 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
6674   \let\eq@group@True \global\let\eq@GRP@first@dmath@True
6675   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
6676   \global\let\GRP@label\empty
6677   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
6678   \global\grp@linewidth\z@\global\grp@wdNum\z@
6679   \global\let\grp@eqs@numbered\@False
6680   \global\let\grp@aligned\@True
6681   \global\let\grp@shiftnumber\@False
6682   \eq@prelim
6683   \setkeys{breqn}{#1}%
6684   \if\grp@hasNumber \grp@setnumber \fi
6685 }
6686 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
6687   \let\display@setup\dseries@display@setup
6688   % Question: should this be the default for dseries???
6689   \global\eq@wdCond\z@
6690   \dmath[layout={M},#1]%
6691   \mathsurround\z@\math \penalty\@Mi

```



```

6692 \let\endmath\ends@math
6693 \def\premath{%
6694   \ifdim\lastskip<.3em \unskip
6695   \else\ifnum\lastpenalty<\@M \dquad\fi\fi
6696 }%
6697 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \cignoretrue}%
6698 \ignorespaces
6699 }
6700 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@italiccorr)\if@nonlatin\endR\fi}
6701 \renewenvironment{dsuspend}{%
6702   \global\setbox\@Q@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \parboxrestore
6703   \parshape 1 \displayindent \displaywidth\relax
6704   \hsize=\columnwidth \noindent\ignorespaces
6705 }%
6706 \par\egroup
6707 \global\setbox\@P@box\vbox{%
6708   \hbox{\copy\@Q@box\vtop{\unvbox\@Q@box}}%
6709   \unvbox\@P@box
6710 }%
6711 \global\@queue\exp{\the\@queue
6712 \elt{\let\eq@isIntertext\@True}%
6713 }%
6714 }

```

7.35 cals-xetex-bidi.def

```

6715 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTe
6716 \renewcommand\cals@setup@alignment[1]{%
6717 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
6718 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
6719 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
6720 }
6721 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
6722 \renewenvironment{calstable}[1][\cals@table@alignment]{%
6723 \if@RTLtab\cals@activate@rtl\fi
6724 \let\cals@thead@tokens=\relax
6725 \let\cals@tfoot@tokens=\relax
6726 \let\cals@tbreak@tokens=\relax
6727 \cals@tfoot@height=0pt \relax
6728 \let\cals@last@context=n%
6729 \let\cals@current@context=b%
6730 \parindent=0pt \relax%
6731 \cals@setup@alignment{#1}%
6732 \cals@setpadding{A}\cals@setcellprevdepth{A}\cals@set@tohsize%
6733 %% Alignment inside is independent on center/flushright outside
6734 \parfillskip=0pt plus1fil\relax
6735 \let\cals@borderL=\relax
6736 \let\cals@borderR=\relax
6737 \let\cals@borderT=\relax
6738 \let\cals@borderB=\relax

```



```

6739 \setbox\cals@backup@row=\box\voldb@x\relax
6740 \cals@AtBeginTable
6741 }{%
6742 }% End of the table
6743 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
6744 \renewcommand\alignL{%
6745   \cals@vfullAdd\cals@paddingL
6746 }%
6747   \cals@vfullDrop\cals@paddingL
6748 }%
6749 \cals@vfullDrop\cals@paddingR}
6750 \renewcommand\alignR{%
6751 \if@RTLtab
6752   \cals@vfullDrop\cals@paddingL
6753 }%
6754   \cals@vfullAdd\cals@paddingL
6755 }%
6756 \cals@vfullDrop\cals@paddingR}

```

7.36 caption-xetex-bidi.def

```

6757 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for ...
6758 \let\@makecaption\caption\@makecaption

```

7.37 caption3-xetex-bidi.def

```

6759 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package ...
6760 \renewcommand*\caption@par{%
6761   \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

7.38 colortbl-xetex-bidi.def

```

6762 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package ...
6763 \def\CT@setup{%
6764   \tempdimb\col@sep
6765   \tempdimc\col@sep
6766   \def\CT@color{%
6767     \global\let\CT@do@color\CT@@do@color
6768     \bidicolor}}
6769 \def@classz{\@classx
6770   \tempcnta\count@
6771   \prepnext@tok
6772 \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
6773   \addtopreamble{\if@RTLtab\beginL\fi%
6774   \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
6775     \ifcase\@chnum
6776       \hskip\stretch{.5}\kern\z@
6777       \d@llarbegin
6778       \insert@column
6779       \d@llarend\hskip\stretch{.5}\or
6780       \d@llarbegin\insert@column\d@llarend\hfill\or
6781       \hfill\kern\z@\d@llarbegin\insert@column\d@llarend\or

```



```

6782   $\\vcenter
6783   \\@startpbox{\\@nextchar}\\insert@column \\endpbox $\\or
6784   \\vtop \\@startpbox{\\@nextchar}\\insert@column \\endpbox \\or
6785   \\vbox \\@startpbox{\\@nextchar}\\insert@column \\endpbox
6786   \\fi
6787 \\if@RTLtab\\endR\\fi\\egroup\\egroup
6788 \\begingroup
6789   \\CT@setup
6790   \\CT@column@color
6791   \\CT@row@color
6792   \\CT@cell@color
6793   \\CT@do@color
6794 \\endgroup
6795   \\@tempdima\\ht\\z@
6796   \\advance\\@tempdima\\minrowclearance
6797   \\vrule\\height\\@tempdima\\@width\\z@
6798   \\unhbox\\z@\\if@RTLtab\\endL\\fi}%
6799 \\prepnext@tok}

```

7.39 color-xetex-bidi.def

```

6800 \\ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for Xe
6801 \\long\\def\\color@b@x#1#2#3{%
6802   \\leavevmode\\ifmmode\\else\\if@RTL\\beginL\\fi\\fi
6803   \\setbox\\z@\\hbox{\\kern\\fboxsep\\set@color\\if@RTL\\beginR\\fi#3\\if@RTL\\endR\\fi}\\kern\\fboxsep}%
6804   \\dimen@\\ht\\z@\\advance\\dimen@\\fboxsep\\ht\\z@\\dimen@
6805   \\dimen@\\dp\\z@\\advance\\dimen@\\fboxsep\\dp\\z@\\dimen@
6806   {\\#1{\\#2\\color@block{\\wd\\z@}{\\ht\\z@}{\\dp\\z@}}%
6807     \\box\\z@}}\\ifmmode\\else\\if@RTL\\endL\\fi\\fi}
6808 \\def\\normalcolor{\\let\\current@color\\default@color\\ifhmode\\if@RTL\\beginL\\aftergroup\\endR\\fi\\fi\\fi}
6809 \\DeclareRobustCommand\\color{%
6810   \\ifhmode\\if@RTL\\beginL\\aftergroup\\endR\\fi\\fi\\fi\\@ifnextchar[\\@undeclaredcolor\\@declaredcolor}{%
6811   \\def\\@declaredcolor#1{%
6812     \\@ifundefined{\\string\\color \\#1}{%
6813       {\\c@lor@error{`\\#1'}}%
6814       {\\expandafter\\let\\expandafter\\current@color
6815         \\csname\\string\\color \\#1\\endcsname
6816         \\set@color}}%
6817     \\ifhmode\\if@RTL\\beginR\\aftergroup\\endL\\fi\\fi\\ignorespaces}%
6818   \\def\\@undeclaredcolor[#1]#2{%
6819     \\@ifundefined{color\\#1}{%
6820       {\\c@lor@error{model `\\#1'}}%
6821       {\\csname color\\#1\\endcsname\\current@color\\#2}%
6822       \\set@color}}%
6823     \\ifhmode\\if@RTL\\beginR\\aftergroup\\endL\\fi\\fi\\ignorespaces}%
6824 \\DeclareRobustCommand\\bidicolor{%
6825   \\@ifnextchar[\\@bidiundeclaredcolor\\@bidideclaredcolor}{%
6826   \\def\\@bidiundeclaredcolor[#1]#2{%
6827     \\@ifundefined{color\\#1}{%
6828       {\\c@lor@error{model `\\#1'}}%}

```



```

6829      {\csname color@\#1\endcsname\current@color{\#2}%
6830          \set@color}%
6831      \ignorespaces}
6832 \def\bidideclaredcolor#1{%
6833     \ifundefined{\string\color @#1}%
6834         {\color@error{\`#1}{}%}
6835         {\expandafter\let\expandafter\current@color
6836             \csname\string\color @#1\endcsname
6837             \set@color}%
6838     \ignorespaces}
6839 \def\color@box#1#2{\color@b@x\relax{\bidi@color{#2}}}
6840 \def\color@fbox#1#2#3{%
6841     \color@b@x{\fboxsep\z@\bidi@color{#2}\fbox}{\bidi@color{#3}}}
6842 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.40 combine-xetex-bidi.def

```

6843 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for XeTeX]
6844 \renewcommand{\c@ll@chapsecii}[2]{%
6845     \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
6846     \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
6847     #1\nobreak\hfil \nobreak\hb@xt@0\pnumwidth{\hss #2}\par
6848 }
6849 \renewcommand{\c@ll@chapseci}{%
6850     \setlength\@tempdima{0em}%
6851     \begingroup
6852         \parindent \z@\if@RTL\leftskip\else\rightskip\fi \pnumwidth
6853         \parfillskip -\pnumwidth
6854         \leavevmode
6855 }
6856 \renewenvironment{tocindent}[1]{%
6857     \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}%

```

7.41 crop-xetex-bidi.def

```

6858 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX]
6859 \renewcommand*\CROP@{\ulc{%
6860     \if@RTLmain%
6861         \begin{picture}(0,0)
6862             \unitlength\p@\thinlines
6863             \put(-40,0){\circle{10}}
6864             \put(-30,-5){\line(0,1){10}}
6865             \put(-35,0){\line(1,0){30}}
6866             \put(-10,30){\circle{10}}
6867             \put(-5,30){\line(1,0){10}}
6868             \put(0,35){\line(0,-1){30}}
6869     \end{picture}%
6870 \else%
6871     \begin{picture}(0,0)
6872         \unitlength\p@\thinlines
6873         \put(-30,0){\circle{10}}%

```



```

6874      \put(-30,-5){\line(0,1){10}}
6875      \put(-35,0){\line(1,0){30}}
6876      \put(0,30){\circle{10}}
6877      \put(-5,30){\line(1,0){10}}
6878      \put(0,35){\line(0,-1){30}}
6879  \end{picture}%
6880  \fi%
6881 }
6882 \renewcommand*\CROP@@urc{%
6883   \if@RTLmain%
6884     \begin{picture}(0,0)
6885       \unitlength\p@\thinline
6886       \put(20,0){\circle{10}}
6887       \put(30,-5){\line(0,1){10}}
6888       \put(35,0){\line(-1,0){30}}
6889       \put(-10,30){\circle{10}}
6890       \put(-5,30){\line(1,0){10}}
6891       \put(0,35){\line(0,-1){30}}
6892   \end{picture}%
6893 \else%
6894   \begin{picture}(0,0)
6895     \unitlength\p@\thinline
6896     \put(30,0){\circle{10}}
6897     \put(30,-5){\line(0,1){10}}
6898     \put(35,0){\line(-1,0){30}}
6899     \put(0,30){\circle{10}}
6900     \put(-5,30){\line(1,0){10}}
6901     \put(0,35){\line(0,-1){30}}
6902   \end{picture}%
6903 \fi%
6904 }
6905 \renewcommand*\CROP@@llc{%
6906   \if@RTLmain%
6907     \begin{picture}(0,0)
6908       \unitlength\p@\thinline
6909       \put(-40,0){\circle{10}}
6910       \put(-30,-5){\line(0,1){10}}
6911       \put(-35,0){\line(1,0){30}}
6912       \put(-10,-30){\circle{10}}
6913       \put(-5,-30){\line(1,0){10}}
6914       \put(0,-35){\line(0,1){30}}
6915   \end{picture}%
6916 \else%
6917   \begin{picture}(0,0)
6918     \unitlength\p@\thinline
6919     \put(-30,0){\circle{10}}
6920     \put(-30,-5){\line(0,1){10}}
6921     \put(-35,0){\line(1,0){30}}
6922     \put(0,-30){\circle{10}}
6923     \put(-5,-30){\line(1,0){10}}

```



```

6924      \put(0,-35){\line(0,1){30}}
6925  \end{picture}%
6926  \fi%
6927 }
6928 \renewcommand*\CROP@@lrc{%
6929   \if@RTLmain%
6930     \begin{picture}(0,0)
6931       \unitlength\p@\thinlines
6932       \put(20,0){\circle{10}}
6933       \put(30,-5){\line(0,1){10}}
6934       \put(35,0){\line(-1,0){30}}
6935       \put(-10,-30){\circle{10}}
6936       \put(-5,-30){\line(1,0){10}}
6937       \put(0,-35){\line(0,1){30}}
6938   \end{picture}%
6939   \else%
6940     \begin{picture}(0,0)
6941       \unitlength\p@\thinlines
6942       \put(30,0){\circle{10}}
6943       \put(30,-5){\line(0,1){10}}
6944       \put(35,0){\line(-1,0){30}}
6945       \put(0,-30){\circle{10}}
6946       \put(-5,-30){\line(1,0){10}}
6947       \put(0,-35){\line(0,1){30}}
6948   \end{picture}%
6949   \fi%
6950 }
6951 \@ifpackagewith{crop}{cam}{%
6952 \CROP@execpt{cam}%
6953 }{}
```

7.42 cutwin-xetex-bidi.def

```

6954 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for ]
6955 \renewcommand*{\c@twcompctr}[2]{%
6956   \def\c@twfirst{1}
6957   \loop\advance\c@twinlines\m@ne
6958   \setbox\c@twslicea=\vsplit#1 to\baselineskip
6959   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
6960   \c@twprune{\c@twslicea}{\c@twlftside}%
6961   \c@twprune{\c@twsliceb}{\c@twrtside}%
6962   \ifnum\c@twfirst=\@ne
6963     \setbox#2=\vbox{\unvbox#2\hbox
6964       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
6965   \else
6966     \setbox#2=\vbox{\unvbox#2\hbox
6967       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
6968   \fi
6969   \def\c@twfirst{2}
6970   \ifnum\c@twinlines>\z@\repeat}
```



```

6971 \renewcommand*\c@twcompodctr}[2]{%
6972   \def\c@twrounds{1}
6973   \def\c@twfirst{1}
6974   \for\c@twlspec:=\c@twb\do{%
6975     \ifnum\c@twrounds=1
6976       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
6977       \c@twprune{\c@twslicea}{\c@twlspec}%
6978       \def\c@twrounds{2}
6979     \else
6980       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
6981       \c@twprune{\c@twsliceb}{\c@twlspec}%
6982       \ifnum\c@twfirst=1
6983         \setbox#2=\vbox{\unvbox#2\hbox
6984           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
6985         \def\c@twfirst{2}
6986       \else
6987         \setbox#2=\vbox{\unvbox#2\hbox
6988           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
6989         \fi
6990       \def\c@twrounds{1}
6991     \fi}

```

7.43 cuted-xetex-bidi.def

```

6992 \ProvidesFile{cuted-xetex-bidi.def}[2017/05/06 v0.6 bidi adaptations for cuted package for Xe%
6993
6994 \def\@outputdblcol{%
6995   \if@firstcolumn
6996     \global\@firstcolumnfalse
6997     \global\setbox\@leftcolumn\copy\@outputbox
6998     \splitmaxdepth\maxdimen
6999     \vbadness\maxdimen
7000     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7001     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7002     \toks@\expandafter{\topmark}%
7003     \xdef\@firstcoltopmark{\the\toks@}%
7004     \toks@\expandafter{\splitfirstmark}%
7005     \xdef\@firstcolfirstmark{\the\toks@}%
7006     \ifx\@firstcolfirstmark\empty
7007       \global\let\@setmarks\relax
7008     \else
7009       \gdef\@setmarks{%
7010         \let\firstmark\@firstcolfirstmark
7011         \let\topmark\@firstcoltopmark}%
7012       \fi
7013     \else
7014       \global\@firstcolumntrue
7015       \setbox\@outputbox\vbox{%
7016         \hb@xt@\textwidth{%
7017           \hskip\columnwidth

```



```

7018     \hfil
7019     {\normalcolor\vrule \width\columnseprule}%
7020     \hfil
7021     \hb@xt@\columnwidth{%
7022       \bidi@firstcolumn@status@write%
7023       \box@\leftcolumn \hss}%
7024     \hskip -\textwidth
7025     \hb@xt@\columnwidth{%
7026       \bidi@lastcolumn@status@write%
7027       \box@\outputbox \hss}%
7028     \hskip \columnsep
7029     \hskip \columnwidth }}%
7030   \ifvoid\hold@viper
7031   \else
7032     \setbox\outputbox \vbox to\textheight{%
7033       \box\hold@viper
7034       \box@\outputbox
7035       \vss
7036     }%
7037   \fi
7038   \combinedblfloats
7039   \setmarks
7040   \outputpage
7041   \begin{group}
7042     \dblfloatplacement
7043     \startdblcolumn
7044     \whilesw\if@fcolmade \fi{\outputpage
7045     \startdblcolumn}%
7046     \ifvoid\@viper
7047     \else
7048       \global\setbox\@viper\vbox{%
7049         \vskip-\stripsep
7050         \unvbox\@viper
7051       }%
7052       \viperoutput
7053     \fi
7054   \end{group}
7055 \fi}%
7056
7057 \def\LTR@outputdblcol{%
7058   \if@firstcolumn
7059     \global\@firstcolumnfalse
7060     \global\setbox\leftcolumn\copy\outputbox
7061     \splitmaxdepth\maxdimen
7062     \vbadness\maxdimen
7063     \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
7064     \setbox\outputbox\vsplit\outputbox to\maxdimen
7065     \toks@\expandafter{\topmark}%
7066     \xdef\@firstcoltopmark{\the\toks@}%
7067     \toks@\expandafter{\splitfirstmark}%

```



```

7068      \xdef\@firstcolfirstmark{\the\toks@}%
7069      \ifx\@firstcolfirstmark\@empty
7070          \global\let\@setmarks\relax
7071      \else
7072          \gdef\@setmarks{%
7073              \let\firstmark\@firstcolfirstmark
7074              \let\topmark\@firstcoltopmark}%
7075      \fi
7076  \else
7077      \global\@firstcolumntrue
7078      \setbox\@outputbox\vbox{%
7079          \hb@xt@\textwidth{%
7080              \hb@xt@\columnwidth{%
7081                  \bidi@firstcolumn@status@write%
7082                  \box\@leftcolumn \hss}%
7083                  \hfil
7084                  {\normalcolor\vrule \@width\columnseprule}%
7085                  \hfil
7086                  \hb@xt@\columnwidth{%
7087                      \bidi@lastcolumn@status@write%
7088                      \box\@outputbox \hss}}}}%
7089  \ifvoid\hold@viper
7090  \else
7091      \setbox\@outputbox \vbox to\textheight{%
7092          \box\hold@viper
7093          \box\@outputbox
7094          \vss
7095      }%
7096  \fi
7097  \@combinedblfloats
7098  \@setmarks
7099  \@outputpage
7100  \begingroup
7101      \@dblfloatplacement
7102      \@startdblcolumn
7103      \@whilesw\if@fcolmade \fi{\@outputpage
7104      \@startdblcolumn}%
7105      \ifvoid\@viper
7106      \else
7107          \global\setbox\@viper\vbox{%
7108              \vskip-\stripsep
7109              \unvbox\@viper
7110          }%
7111          \@viperoutput
7112      \fi
7113  \endgroup
7114 \fi}%
7115
7116
7117 \def \@addviper {%

```



```

7118   \if@firstcolumn
7119     \oinsertfalse
7120     \oreqcolroom .5\oageht
7121     \ht@\viper\oreqcolroom
7122     \advance \oreqcolroom \ht@\viper
7123     \advance \oreqcolroom \stripsep
7124     \ifvoid\hold@\viper\oempdima=\z@\else\oempdima\ht\hold@\viper\fi
7125   %%%
7126   \oempdimb \ht@\viper
7127   \loop
7128   \setbox\v@aaa\copy\holdpg
7129   \setbox\v@ccc\vbox to\oempdimb{%
7130     \vsplit\v@aaa to\oempdimb\vss\vsplit\v@aaa to\oempdimb}%
7131   \wlog{Extra height:\the\ht\v@aaa\space when \the\oempdimb}%
7132   \ifvoid\v@aaa \else \advance\oempdimb 1pt \repeat
7133   \loop
7134   \setbox\v@aaa\copy\holdpg
7135   \setbox\v@ccc\vbox to\oempdimb{%
7136     \vsplit\v@aaa to\oempdimb\vss}%
7137   \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\oempdimb}%
7138   \ifdim \ht\v@ccc<\ht\v@aaa \oempdimb \the\ht\v@aaa \repeat
7139   \wlog{- LAST -^JLeft:\the\ht\v@ccc^JRight:\the\ht\v@aaa^JOutput:\the\oempdimb}%
7140   \setbox\v@ccc\vbox to\oempdimb{%
7141     \vsplit\holdpg to\oempdimb\vss}%
7142   %%%
7143   \setbox\oempboxa \vbox {%
7144     \hb@xt@\textwidth {%
7145       \if@RTLmain%
7146         \hskip \columnwidth
7147         \hfil \vrule width\columnseprule \hfil
7148         \hb@xt@\columnwidth {%
7149           \vbox to\ht@\viper{\box\v@ccc\vss} \hss}%
7150         \hskip -\textwidth
7151         \hb@xt@\columnwidth {%
7152           \vbox to\ht@\viper{\box\holdpg\vss} \hss}%
7153         \hskip \columnsep
7154         \hskip \columnwidth
7155         \else%
7156           \hb@xt@\columnwidth {%
7157             \vbox to\ht@\viper{\box\v@ccc\vss} \hss}%
7158             \hfil
7159             \vrule \owidth\columnseprule
7160             \hfil
7161             \hb@xt@\columnwidth {%
7162               \vbox to\ht@\viper{\box\holdpg\vss} \hss}%
7163             \fi}%
7164           }%
7165   \ifvoid\hold@\viper
7166     \global\setbox\hold@\viper \vbox {%
7167       \unvbox\oempboxa

```



```

7168          \penalty\interlinepenalty
7169          \vskip\stripsep
7170          \ifnum\outputpenalty <-@\Mii \vskip -\parskip\fi
7171          \outputpenalty \z@
7172          }%
7173      \else
7174          \global\setbox\hold@viper \vbox {%
7175              \unvbox\hold@viper
7176              \unvbox\@tempboxa
7177              \penalty\interlinepenalty
7178              \vskip\stripsep
7179              \ifnum\outputpenalty <-@\Mii \vskip -\parskip\fi
7180              \outputpenalty \z@
7181          }%
7182      \fi
7183      \ifdim \@colroom>@\reqcolroom
7184          \global\setbox\hold@viper \vbox {%
7185              \unvbox\hold@viper
7186              \box\@viper
7187              \penalty\interlinepenalty
7188              \vskip\stripsep
7189              \ifnum\outputpenalty <-@\Mii \vskip -\parskip\fi
7190              \outputpenalty \z@
7191          }%
7192      \ifinserttrue
7193          \advance@\tempdima by-\ht\hold@viper
7194          \global \advance \colht \tempdima
7195          \ifdim \colht<2.5\baselineskip
7196              \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
7197                  too tall on page \thepage (1 stulpelis)}%
7198          \emptycol
7199          \if@firstcolumn
7200          \else
7201              \emptycol
7202          \fi
7203          \global@lastvipertrue
7204      \else
7205          \global \vsize \colht
7206          \global \colroom \colht
7207          \check@floats
7208          \ifdim@\tempdima>\z@
7209              \global\advance\colroom by-\tempdima
7210          \fi
7211          \ifdim\colroom<\z@
7212              \global\colroom 1pt
7213              \ifdim@\tempdima>\colht
7214                  \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
7215                      netelpa lape \thepage (1 stulpelis)}%
7216          \fi
7217          \emptycol

```



```

7218          \if@firstcolumn
7219          \else
7220              \emptycol
7221          \fi
7222          \global\@lastviperttrue
7223      \fi
7224  \fi
7225 \fi
7226 \else
7227     \cinsertfalse
7228     \reqcolroom\@colht
7229     \advance\reqcolroom \pageht
7230     \ht@\viper.5\reqcolroom
7231     \reqcolroom\ht@\viper
7232     \advance \reqcolroom \ht@\viper
7233     \advance \reqcolroom \stripsep
7234     \if@flushend@auto@baselineskip
7235         \setbox@\tempboxa\vbox{\unvcopy\leftcolumn
7236             \global\lastskip@d\lastskip
7237             \global\lastskip@b\lastskip
7238             \loop
7239                 \global\lastskip@a\lastskip@b
7240                 \unskip\unpenalty
7241                 \global\lastskip@b\lastskip
7242                 \global\advance\lastskip@d by\lastskip
7243                 \ifdim\lastskip@b=-\lastskip@a
7244                     \global\advance\lastskip@d by-\lastskip
7245                 \else
7246                 \repeat
7247                 \ifdim\lastskip@b=-\lastskip@a
7248                     \ifdim\lastskip@b=\z@
7249                         \setbox\lastbox@a\lastbox
7250                         \global\advance\lastskip@d by\ht\lastbox@a
7251                         \global\advance\lastskip@d by\lastskip
7252                         \unskip\unpenalty
7253                         \setbox\lastbox@a\lastbox
7254                         \global\advance\lastskip@d by\dp\lastbox@a
7255                     \else
7256                         \global\lastskip@d\lastskip
7257                         \global\advance\lastskip@d by\topskip
7258                     \fi
7259                 \fi
7260                 \global\advance\lastskip@d by-\topskip
7261             }%
7262             \ifdim\ht@\holdpg>\@colht
7263                 \global\setbox\holdpg\vbox{\unvbox\leftcolumn\unskip\unpenalty
7264                     \par\eject
7265                     \vbox to \@colht{\unvbox\holdpg\unskip}%
7266             }%
7267         \else

```



```

7268     \global\setbox\@holdpg\vbox{%
7269         \unvbox\@leftcolumn\unskip\unpenalty
7270         \vskip\lastskip@d
7271         \the\At@ViperColsBreak
7272         \unvbox\@holdpg
7273         \unskip
7274     }%
7275     \fi
7276 \else
7277     \global\setbox\@holdpg\vbox{%
7278         \unvbox\@leftcolumn
7279         \setbox\@tempboxa\lastbox
7280         \on@stripcols@break
7281         \the\At@ViperColsBreak
7282         \unvbox\@holdpg
7283     }%
7284     \fi
7285 \global\At@ViperColsBreak{}%
7286 \ht@\viper .5\ht\@holdpg
7287 \ifdim \ht@\viper>\@colht
7288     \ht@\viper \@colht
7289 \fi
7290 \ifvoid\hold@\viper\@tempdima=\z@\else\@tempdima\ht\hold@\viper\fi
7291 %%%
7292 \@tempdimb \ht@\viper
7293 \loop
7294     \setbox\v@aaa\copy\@holdpg
7295     \setbox\v@ccc\vbox to\@tempdimb{%
7296         \vsplit\v@aaa to\@tempdimb
7297         \vss
7298         \vsplit\v@aaa to\@tempdimb
7299     }%
7300     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
7301 \ifvoid\v@aaa
7302 \else
7303     \advance\@tempdimb 1\p@
7304 \repeat
7305 \loop
7306     \setbox\v@aaa\copy\@holdpg
7307     \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
7308     \wlog{(2)Left:\the\ht\v@ccc\space
7309             Right:\the\ht\v@aaa\space
7310             Output:\the\@tempdimb
7311     }%
7312 \ifdim\ht\v@ccc<\ht\v@aaa
7313     \@tempdimb \the\ht\v@aaa
7314 \repeat
7315 \wlog{- LAST -^\JLeft:\the\ht\v@ccc
7316             ^^\JRight:\the\ht\v@aaa
7317             ^^\JOutput:\the\@tempdimb

```



```

7318      }%
7319      \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
7320      \setbox\@tempboxa\vbox{%
7321          \hb@xt@\textwidth{%
7322              \if@RTLmain%
7323                  \hskip \columnwidth
7324                  \hfil \vrule width\columnseprule \hfil
7325                  \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7326                  \hskip -\textwidth
7327                  \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7328                  \hskip \columnsep
7329                  \hskip \columnwidth
7330              \else
7331                  \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7332                  \hfil
7333                  \vrule \@width\columnseprule
7334                  \hfil
7335                  \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7336              \fi%
7337          }%
7338      }%
7339      \ifvoid\hold@viper
7340          \global\setbox\hold@viper \vbox {%
7341              \unvbox\@tempboxa
7342              \penalty\interlinepenalty
7343              \vskip\stripsep
7344              \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7345              \outputpenalty \z@
7346          }%
7347      \else
7348          \global\setbox\hold@viper \vbox {%
7349              \unvbox\hold@viper
7350              \unvbox\@tempboxa
7351              \penalty\interlinepenalty
7352              \vskip\stripsep
7353              \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7354              \outputpenalty \z@
7355          }%
7356      \fi
7357      \ifdim \@colht>\@reqcolroom
7358          \global\setbox\hold@viper \vbox {%
7359              \unvbox\hold@viper
7360              \box\@viper
7361              \penalty\interlinepenalty
7362              \vskip\stripsep
7363              \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7364              \outputpenalty \z@
7365          }%
7366      \@inserttrue
7367      \global\@firstcolumntrue

```



```

7368   \advance\@tempdima by-\ht\hold@viper
7369   \global \advance \@colht \@tempdima
7370   \ifdim \@colht<2.5\baselineskip
7371       \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
7372                               too tall on page \thepage (2 stulpelis)}%
7373           \emptycol
7374           \if@firstcolumn
7375           \else
7376               \emptycol
7377           \fi
7378           \global\@lastvipertrue
7379   \else
7380       \global \vsize \@colht
7381       \global \colroom \@colht
7382       \check@floats
7383       \ifdim\@tempdima>\z@
7384           \global\advance\@colroom by-\@tempdima
7385       \fi
7386       \ifdim\@colroom<\z@
7387           \global\@colroom \ipt
7388           \ifdim\@tempdima>\@colht
7389           \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
7390                               netelpa lape \thepage (2 stulpelis)}%
7391           \fi
7392           \emptycol
7393           \if@firstcolumn
7394           \else
7395               \emptycol
7396           \fi
7397           \global\@lastvipertrue
7398       \fi
7399   \fi
7400   \fi
7401 \fi
7402 \if@insert
7403 \else
7404     \advance\@tempdima by-\ht\hold@viper
7405     \global \advance \@colht \@tempdima
7406     \global\setbox\hold@viper \vbox {%
7407         \unvbox\hold@viper
7408         \csname viper@top@hook\endcsname
7409         \vsplit@\viper to \@colht
7410         \vss
7411     }%
7412     \vbox{}%
7413     \global\@firstcolumnfalse
7414     \newpage
7415   \fi
7416 }

```



7.44 cvthemedibicasual.sty

```
7417 \NeedsTeXFormat{LaTeX2e}
7418 \ProvidesPackage{cvthemedibicasual}
7419 \DeclareOption{blue}{}
7420 \newif\if@colourorange\@colourorangefalse
7421 \DeclareOption{orange}{\@colourorangetrue}
7422 \newif\if@colourgreen\@colourgreenfalse
7423 \DeclareOption{green}{\@colourgreentrue}
7424 \newif\if@colourred\@colourredfalse
7425 \DeclareOption{red}{\@colourredtrue}
7426 \newif\if@colourgrey\@colourgreyfalse
7427 \DeclareOption{grey}{\@colourgreytrue}
7428 \DeclareOption*{
7429   \PackageWarning{cvthemedibicasual}{Unknown option '\CurrentOption'}}
7430 \ExecuteOptions{colour}
7431 \ProcessOptions\relax
7432 \renewcommand*\listitemsymbol{\textbullet}
7433 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
7434 \familynamecolour{808080}
7435 \firstnamecolour{A9A9A9}
7436 \quotecolour{696969}
7437 \addresscolour{696969}
7438 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
7439 \sectiontitlecolour{1E90FF}
7440 \subsectioncolour{4682B4}
7441 \definecolor{rulecolour}{gray}{0.6}
7442 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
7443 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
7444 \if@colourorange
7445   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7446   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7447   \sectiontitlecolour{FF8C00}
7448   \subsectioncolour{FF8C00}
7449   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
7450   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
7451 \if@colourgreen
7452   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7453   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7454   \sectiontitlecolour{008000}
7455   \subsectioncolour{008000}
7456   \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
7457   \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
7458 \if@colourred
7459   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7460   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7461   \sectiontitlecolour{FF0000}
7462   \subsectioncolour{FF0000}
7463   \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
7464   \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
```



```

7465 \if@colouргrey
7466   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7467   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7468   \sectiontitlecolour{808080}
7469   \subsectioncolour{808080}
7470   \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
7471   \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
7472 \renewcommand*\ttdefault{pcr}
7473 \renewcommand*\firstnamefont{\fontsize{38}{40}\mdseries\upshape}
7474 \renewcommand*\familynamefont{\firstnamefont}
7475 \renewcommand*\addressfont{\normalsize\mdseries\slshape}
7476 \renewcommand*\quotefont{\large\slshape}
7477 \renewcommand*\sectionfont{\Large\mdseries\upshape}
7478 \renewcommand*\subsectionfont{\large\mdseries\upshape}
7479 \renewcommand*\maketitle{%
7480   {%
7481     \ifthenelse{\isundefined{\@photo}}{%
7482       {}%
7483       {{\color{firstnamecolor}\framebox{\includegraphics[width=\photowidth]{\@photo}}}}%
7484       \hfill%
7485       \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}\hphantom{.35em}}%
7486       {\color{firstnamecolor}\rule{\textwidth}{.25ex}\hphantom{[2.5em]}}%
7487     \ifthenelse{\isundefined{\@quote}}{%
7488       {}%
7489       {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\hphantom{[2.5em]}%
7490     }%
7491   \newif\if@firstfooterelement\@firstfooterelementtrue
7492 \providecommand*\footersymbol{}%
7493 \renewcommand*\footersymbol{%
7494   \if@firstfooterelement%
7495   \else%
7496     {~\color{footersymbolcolor}\textbullet~~~}\fi}
7497 \providecommand*\makefooter{}%
7498 \renewcommand*\makefooter{%
7499   \fancypagestyle{plain}{%
7500     \fancyfoot[c]{%
7501       \parbox{0.8\textwidth}{%
7502         \centering%
7503         \addressfont\@addresscolour%
7504         \ifthenelse{\isundefined{\@address}}{}{%
7505           \addresssymbol~\@address\hphantom{.35em}%
7506           \if@firstfooterelementfalse\%%
7507           \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\if@firstfooterelementfalse\%%
7508           \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\if@firstfooterelementfalse\%%
7509           \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\if@firstfooterelementfalse\%%
7510           \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emaillink{\@email}\if@firstfooterelementfalse\%%
7511           \ifthenelse{\isundefined{\extrainfo}}{}{\footersymbol\extrainfo~\extralink{\extrainfo}\if@firstfooterelementfalse\%%
7512         }%
7513         \pagestyle{plain}}%
7514 \AtBeginDocument{\makefooter}

```



7.45 cvthemedibidiclassic.sty

```
7515 \NeedsTeXFormat{LaTeX2e}
7516 \ProvidesPackage{cvthemedibidiclassic}
7517 \DeclareOption{blue}{}
7518 \newif\if@colourorange\@colourorangefalse
7519 \DeclareOption{orange}{\@colourorangetrue}
7520 \newif\if@colourgreen\@colourgreenfalse
7521 \DeclareOption{green}{\@colourgreentrue}
7522 \newif\if@colourred\@colourredfalse
7523 \DeclareOption{red}{\@colourredtrue}
7524 \newif\if@colourgrey\@colourgreyfalse
7525 \DeclareOption{grey}{\@colourgreytrue}
7526 \DeclareOption*{
7527   \PackageWarning{cvthemedibidiclassic}{Unknown option `\\CurrentOption'}
7528 \ExecuteOptions{colour}
7529 \ProcessOptions\relax
7530 \renewcommand*\listitemsymbol{\textbullet}
7531 \firstnamecolour{}
7532 \familynamecolour{}
7533 \titlecolour{808080}
7534 \quotecolour{696969}
7535 \addresscolour{696969}
7536 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
7537 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
7538 \sectiontitlecolour{1E90FF}
7539 \subsectioncolour{4682B4}
7540 \if@colourorange
7541   \addresscolour{FF8C00}
7542   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
7543   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
7544   \sectiontitlecolour{FF8C00}
7545   \subsectioncolour{FF8C00}\fi
7546 \if@colourgreen
7547   \addresscolour{008000}
7548   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7549   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7550   \sectiontitlecolour{008000}
7551   \subsectioncolour{008000}\fi
7552 \if@colourred
7553   \addresscolour{FF0000}
7554   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7555   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7556   \sectiontitlecolour{FF0000}
7557   \subsectioncolour{FF0000}\fi
7558 \if@colourgrey
7559   \addresscolour{808080}
7560   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7561   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7562   \sectiontitlecolour{808080}
```



```

7563 \subsectioncolour{808080}\fi
7564 \renewcommand*\ttdefault{pcr}
7565 \renewcommand*\firstnamefont{\fontsize{34}{36}\mdseries\upshape}
7566 \renewcommand*\titlefont{\LARGE\mdseries\slshape}
7567 \renewcommand*\addressfont{\normalsize\mdseries\slshape}
7568 \renewcommand*\familynamefont{\firstnamefont}
7569 \renewcommand*\quotefont{\large\slshape}
7570 \renewcommand*\sectionfont{\Large\mdseries\upshape}
7571 \renewcommand*\subsectionfont{\large\mdseries\upshape}
7572 \newlength{\maketitlenamemaxwidth}
7573 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
7574 \newlength{\maketitlenamefullwidth}
7575 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{@firstname~}\familynamestyle{@familyname}}
7576 \newlength{\maketitlenamewidth}
7577 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
7578 \newlength{\maketitlepicturewidth}
7579 \setlength{\maketitlepicturewidth}{@photowidth}
7580 \newlength{\maketitledetailswidth}
7581 \renewcommand*\recomputethemelengths{%
7582   \setlength{\maketitledetailswidth}{\textwidth}%
7583   \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
7584   \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
7585   \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}%
7586 \recomputethemelengths
7587 \newif\if@firstdetailselement@\firstdetailselementtrue
7588 \newcommand*\maketitledetailsnewline{%
7589   \if@firstdetailselement%
7590     \@firstdetailselementfalse%
7591   \else%
7592     \\[.2em]\fi
7593 \renewcommand*\maketitle{%
7594   % name and title
7595   \begin{minipage}[b]{\maketitlenamewidth}%
7596     \firstnamestyle{@firstname~}\familynamestyle{@familyname}%
7597     \ifthenelse{\equal{@title}{}{}}{\\\[1.25em]\titlestyle{@title}}%
7598   \end{minipage}%
7599   % optional data
7600   \begin{minipage}[b]{\maketitledetailswidth}%
7601     \bidi@raggedleft\addressfont\addresscolour%
7602     \ifthenelse{\isundefined{@address}}{}{%
7603       \maketitledetailsnewline%
7604       \addresssymbol~\\@address}%
7605     \ifthenelse{\isundefined{@mobile}}{}{\maketitledetailsnewline\mobilesymbol~@mobile}%
7606     \ifthenelse{\isundefined{@phone}}{}{\maketitledetailsnewline\phonesymbol~@phone}%
7607     \ifthenelse{\isundefined{@fax}}{}{\maketitledetailsnewline\faxsymbol~@fax}%
7608     \ifthenelse{\isundefined{@email}}{}{\maketitledetailsnewline\emailsymbol~emaillink{@email}}%
7609     \ifthenelse{\isundefined{@extrainfo}}{}{\maketitledetailsnewline@extrainfo}%
7610   \end{minipage}%
7611   % optional photo
7612   \ifthenelse{\isundefined{@photo}}{}%

```



```

7613      {}%
7614      {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\m
7615  % optional quote
7616 \ifthenelse{\isundefined{\@quote}}{%
7617  {}%
7618  {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}}\\\
7619 }

```

7.46 dblfnote-xetex-bidi.def

```

7620 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
7621 \let\autofootnoterule\relax
7622 \let\rightfootnoterule\relax
7623 \let\leftfootnoterule\relax
7624 \let\textwidthfootnoterule\relax
7625 \let\LRfootnoterule\relax
7626 \def\footnoterule{\kern-3\p@
7627  \hrule \width \DFNcolumnwidth \kern 2.6\p@}%
7628 \AtBeginDocument{\let\dfn@latex@footnotetext\footnotetext
7629 \let@\footnotetext\dfn@footnotetext}
7630 \long\def\dfn@LTRfootnotetext#1{\setbox\dfn@boxa\vbox{
7631  \let\insert\dfn@gobble
7632  \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7633  \def\@makefnmark{\smash{\dfn@makefnmark}}
7634  \dfn@latex@LTRfootnotetext{\#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7635  \dfn@dima@ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7636  \ifdim\dfn@dima>\z@\else
7637   \dfn@dima1sp\relax
7638   \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7639  \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7640  \ifvoid\dfn@ins\else
7641   \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7642   \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7643  \setbox\dfn@boxa\copy\dfn@ins
7644  \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7645  \advance\tempdima\tempdimb \tempdimb\tempdima
7646  \advance\tempdima-\dfn@fnht \global\dfn@fnht\tempdima
7647  \insert\footins{\floatingpenalty\@MM \vbox to\tempdima{}}
7648  \xdef\dfn@list{\dfn@list\elt{\number\dfn@dima}{\number\tempdima}}}
7649 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext@LTRfootnotetext
7650 \let@\LTRfootnotetext\dfn@LTRfootnotetext}
7651 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
7652  \let\insert\dfn@gobble
7653  \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7654  \def\@makefnmark{\smash{\dfn@makefnmark}}
7655  \dfn@latex@RTLfootnotetext{\#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7656  \dfn@dima@ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7657  \ifdim\dfn@dima>\z@\else
7658   \dfn@dima1sp\relax
7659   \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi

```



```

7660 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7661     \ifvoid\dfn@ins\else
7662         \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7663     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7664 \setbox\dfn@boxa\copy\dfn@ins
7665 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7666 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7667 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
7668 \insert\footins{\floatingpenalty@MM \vbox to\@tempdima{}}
7669 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
7670 \AtBeginDocument{\let\dfn@list\@latex@RTLfootnotetext\@RTLfootnotetext
7671 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
7672 \def\dfn@RTLmakecol{\ifvoid\footins\else
7673     \dfn@dima\ht\footins
7674     \atempcnta\z@\dfn@countins
7675     \atempdima\z@\let\@elt\dfn@elt@getht
7676     \dfn@list\@nil
7677     \ifdim\atempdima=\z@\else
7678     \dfn@split\atempdima\dfn@ins\dfn@boxa\z@\z@
7679     \global\setbox\dfn@ins\box\dfn@ins
7680     \atempswatrue
7681     \ifdfn@trysingle
7682         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\atempdima\@colroom
7683         \advance\atempdima-\ht\dfn@boxb \advance\atempdima-\dp\dfn@boxb
7684         \advance\atempdima-\skip\footins
7685         \advance\atempdima-\ht\dfn@boxa
7686         \ifdim\atempdima<\z@\else \atempswafalse
7687             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7688                 \footnoterule \unvbox\dfn@boxa}\fi\fi
7689     \if@tempswa
7690     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7691     \global\setbox\footins\vbox{\hbox{%
7692         \hskip\DFNcolumnwidth
7693         \hskip\DFNcolumnsep
7694         \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
7695             \unvbox\dfn@boxb\vss}\hss}
7696         \hskip-\textwidth
7697         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7698             \vbox to\@tempdima{%
7699                 \setbox\@tempboxa\vbox{\footnoterule}
7700                 \ifdfn@ruleboth \unvbox\@tempboxa
7701                     \else \atempdima\ht\@tempboxa
7702                         \advance\atempdima\dp\@tempboxa
7703                         \vskip\atempdima
7704                         \prevdepth\dp\@tempboxa \fi
7705                     \unvbox\dfn@boxa\vss}\fi\hss}
7706                     \hskip\DFNcolumnsep
7707                     \hskip\DFNcolumnwidth}}}\fi\fi
7708     \global\dfn@fnht\z@
7709     \ifx\dfn@list\empty\else

```



```

7710   \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7711   \dfn@list \global\advance\dfn@fnht\dfn@dimb
7712   \let\@elt\relax
7713   \ifdim\dfn@dimb>\z@
7714     \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7715     \insert\footins{\floatingpenalty\@MM
7716       \vbox to\dfn@dimb{} }\fi
7717   \ifdim\dfn@fnht\@tempdima
7718     \atempdimb\@tempdima \advance\atempdimb-\dfn@fnht
7719     \global\dfn@fnht\atempdima
7720     \xdef\dfn@list{\dfn@list\@elt{0}{\number\atempdimb}}%
7721     \xdef\dfn@afteroutput{\insert\footins{
7722       \floatingpenalty\@MM
7723       \vbox to\number\atempdimb sp{} }%
7724       \global\let\noexpand\dfn@afteroutput\relax}%
7725     \fi\fi
7726   \fi}%
7727   \let\footnoterule\relax \dfn@latec@makecol
7728   \let\footnoterule\dfn@footnoterule}
7729 \def\dfn@LTRmakecol{\ifvoid\footins\else
7730   \dfn@dima\ht\footins
7731   \atempcnta\z@ \dfn@countins
7732   \atempdima\z@ \let\@elt\dfn@elt@getht
7733   \dfn@list\@nil
7734   \ifdim\atempdima=\z@\else
7735   \dfn@split\atempdima\dfn@ins\dfn@boxa\z@\z@
7736   \global\setbox\dfn@ins\box\dfn@ins
7737   \atempswatru
7738   \ifdfn@trysingle
7739     \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\atempdima\@colroom
7740     \advance\atempdima-\ht\dfn@boxb \advance\atempdima-\dp\dfn@boxb
7741     \advance\atempdima-\skip\footins
7742     \advance\atempdima-\ht\dfn@boxa
7743     \ifdim\atempdima<\z@\else \atempswafalse
7744       \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7745         \footnoterule \unvbox\dfn@boxa}\fi\fi
7746   \if@tempswa
7747   \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7748   \global\setbox\footins\vbox{\hbox{%
7749     \hbox to\DFNcolumnwidth{\vbox to\atempdima{\footnoterule
7750       \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
7751     \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7752       \vbox to\atempdima{
7753         \setbox\atempboxa\vbox{\footnoterule}
7754         \ifdfn@ruleboth \unvbox\atempboxa
7755         \else \atempdima\ht\atempboxa
7756           \advance\atempdima\dp\atempboxa
7757           \vskip\atempdima
7758           \prevdepth\dp\atempboxa \fi
7759         \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi

```



```

7760   \global\dfn@fnht\z@
7761   \ifx\dfn@list\@empty\else
7762     \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7763     \dfn@list \global\advance\dfn@fnht\dfn@dimb
7764     \let\@elt\relax
7765     \ifdim\dfn@dimb>\z@
7766       \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7767       \insert\footins{\floatingpenalty\@MM
7768         \vbox to\dfn@dimb{} }\fi
7769     \ifdim\dfn@fnht>\@tempdima
7770       \atempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7771       \global\dfn@fnht\@tempdima
7772       \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7773       \xdef\dfn@afteroutput{\insert\footins{
7774         \floatingpenalty\@MM
7775         \vbox to\number\@tempdimb sp{}}%
7776         \global\let\noexpand\dfn@afteroutput\relax}%
7777       \fi\fi
7778     \fi}%
7779   \let\footnoterule\relax \dfn@latex@makecol
7780   \let\footnoterule\dfn@footnoterule}
7781 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
7782 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
7783 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
7784 \DFNalwaysdouble

```

7.47 draftwatermark-xetex-bidi.def

```

7785 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwaterm
7786 \renewcommand\SetWatermarkText[1]{%
7787   \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

7.48 eso-pic-xetex-bidi.def

```

7788 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package fo
7789 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
7790   \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}
7791
7792 \ESO@isMEMOIR{%
7793   \renewcommand\AtTextUpperLeft[1]{%
7794     \begingroup
7795       \ifodd\c@page
7796         \atempdima=\spinemargin
7797       \else
7798         \atempdima=\paperwidth
7799         \advance\atempdima-\textwidth
7800         \advance\atempdima-\spinemargin
7801       \fi
7802       \atempdimb=-\uppermargin
7803       \AtPageUpperLeft{%
7804         \put(\LenToUnit{\if@RTLmain-\fi\atempdima},\LenToUnit{\atempdimb}){#1}}%

```



```

7805      }%
7806      \endgroup
7807  }
7808 }{%
7809 \renewcommand\AtTextUpperLeft[1]{%
7810     \begingroup
7811         \tempdima=1in\relax
7812         \ifodd\c@page
7813             \advance\tempdima\oddsidemargin
7814         \else
7815             \advance\tempdima\evensidemargin
7816         \fi
7817         \tempdimb=-1in\relax
7818         \advance\tempdimb-\topmargin
7819         \advance\tempdimb-\headheight
7820         \advance\tempdimb-\headsep
7821         \AtPageUpperLeft{%
7822             \put(\LenToUnit{\if@RTLmain-\fi\tempdima},\LenToUnit{\tempdimb}){#1}%
7823         }%
7824     \endgroup
7825 }
7826 }

```

7.49 empheq-xetex-bidi.def

```

7827 \ProvidesFile{empheq-xetex-bidi.def}[2011/09/07 v0.1 bidi adaptations for empheq package for %
7828 \MHInternalSyntaxOn
7829 \def\EQ_tag_plus_endmark:{%
7830     \iftagsleft@
7831         \gdef\maketag@@@##1{%
7832             \hfuzz\displaywidth
7833             \if@RTL\makebox[\widthof{##1}][r]{%
7834                 \hbox to \displaywidth{\m@th\normalfont##1\hss
7835                     \raisebox{-\dp\EQ_mathdisplay_box}{%
7836                         -\depthof{\EQ_outerbox:[]}}}
7837                     {\PotEndMark{\hss}}}}
7838             \else\makebox[\widthof{##1}][l]{%
7839                 \hbox to \displaywidth{\m@th\normalfont##1\hss
7840                     \raisebox{-\dp\EQ_mathdisplay_box}{%
7841                         -\depthof{\EQ_outerbox:[]}}}
7842                     {\PotEndMark{\hss}}}\fi}%
7843     \else:
7844         \gdef\maketag@@@##1{%
7845             \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
7846                 \settoheight{\tempdima}{\nameuse{InTheoType Symbol}}}}%
7847                 \MH_addtolength:dn \tempdima
7848                 {\g_EQ_bottomtag_depth_dim+\mintagvsep}
7849                 \setlength{\tempdima}{%
7850                     {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:[]}
7851                         +\depthof{\EQ_innerbox:[]}}}

```



```

7852     \if_dim:w \@tempdima>\@tempdimb
7853         \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
7854             -\@tempdima+\g_EQ_bottomrow_depth_dim}
7855         \addtolength{\@tempdima}{\depthof{\EQ_innerbox:[]}}%
7856         \def\EQ_next:{\raisebox{\@tempdima}{}}
7857     \else:
7858         \def\EQ_next:{\raisebox{-\dp\EQ_mathdisplay_box
7859             -\depthof{\EQ_outerbox:[]}}{}}
7860     \fi:\EQ_next:}}}}%
7861
7862 \fi:}
7863 \def\EQ_post_process:f%
7864 \EQ_initialize:
7865 \EQ_begin_equation:
7866 \MH_if_boolean:nT {outer_mult} {
7867     \setkeys{MT_options_name:}{%
7868         firstline-afterskip=0pt,
7869         lastline-preskip=0pt,
7870         multlined-width=0pt,
7871     }
7872     \ifodd \l_EQ_alignmentmode_int
7873         \setkeys{MT_options_name:}{multlined-pos=b}
7874     \else:
7875         \setkeys{MT_options_name:}{multlined-pos=t}
7876     \fi:
7877     \g@addto@macro\EQ_complete_mathdisplay:{\begin{MTmultlined}\relax}
7878     \begin{MTmultlined}\relax}
7879 }
7880 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
7881 \MH_if_boolean:nT {outer_mult} {
7882     \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
7883 }
7884 \EQ_end_equation:
7885 \edef\EQ_hyperef_link_fint{\number\Hy@linkcounter}
7886 \savecounters@
7887 \EQ_typeset_tags:
7888 \edef\l_EQ_equation_fint{\number\c@equation}
7889 \restorecounters@
7890 \Hy@linkcounter=\EQ_hyperef_link_fint
7891 \settowidth\l_EQ_totalwidth_dim{%
7892     \$\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
7893 \MH_if_boolean:nTF {outer_mult}
7894     { \def\EQ_next:{_mult} }
7895     { \def\EQ_next:{} }
7896 \nameuse{EQ_modify_linewidth_
7897             \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
7898 \EQ_typeset_display:
7899 \nameuse{find_displaywidth_
7900             \romannumeral\l_EQ_equationtype_int\EQ_next: :}
7901 \MH_addtolength:dn

```



```

7902   \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
7903   \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim] [c]{%
7904     $EQ_left_side:
7905     \EQ_innerbox:{%
7906       \if_case:w \l_EQ_alignmentmode_int\or:
7907         \makebox[\l_EQ_displaywidth_dim] [c]
7908           {\usebox{\EQ_mathdisplay_box}}{%
7909         \or:
7910           \makebox[\l_EQ_displaywidth_dim] [c]
7911             {\usebox{\EQ_mathdisplay_box}}{%
7912           \or:
7913             \if@RTL\makebox[\l_EQ_displaywidth_dim] [r]{%
7914               \if_num:w \l_EQ_equationtype_int=5 \else:
7915                 \if_num:w \l_EQ_equationtype_int=6 \else:
7916                   \kern-\@mathmargin
7917                   \fi:
7918                   \fi:
7919                     \usebox{\EQ_mathdisplay_box}}{%
7920           \else\makebox[\l_EQ_displaywidth_dim] [1]{%
7921             \if_num:w \l_EQ_equationtype_int=5 \else:
7922               \if_num:w \l_EQ_equationtype_int=6 \else:
7923                 \kern-\@mathmargin
7924                 \fi:
7925                 \fi:
7926                   \usebox{\EQ_mathdisplay_box}}\fi%
7927           \or:
7928             \if@RTL\makebox[\l_EQ_displaywidth_dim] [r]{%
7929               \if_num:w \l_EQ_equationtype_int=5 \else:
7930                 \if_num:w \l_EQ_equationtype_int=6 \else:
7931                   \kern-\@mathmargin
7932                   \fi:
7933                   \fi:
7934                     \usebox{\EQ_mathdisplay_box}}
7935           \else\makebox[\l_EQ_displaywidth_dim] [1]{%
7936             \if_num:w \l_EQ_equationtype_int=5 \else:
7937               \if_num:w \l_EQ_equationtype_int=6 \else:
7938                 \kern-\@mathmargin
7939                 \fi:
7940                 \fi:
7941                   \usebox{\EQ_mathdisplay_box}}\fi%
7942           \fi:}%
7943           \EQ_right_side:$}%
7944           \begin{AmSequation*}
7945             \nameuse{EQ_place_display_%
7946               \romannumeral\l_EQ_equationtype_int\l_EQ_next: :}
7947             \if_dim:w \g_EQ_widesttag_dim>\z@
7948               \MH_set_boolean_T:n {show_manual_tags}
7949                 \if_case:w \l_EQ_alignmentmode_int
7950                   \or: \if@RTL\EQ_place_tag:N 1\else\EQ_place_tag:N r\fi %#1
7951                   \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2

```



```

7952   \or: \if@RTL\EQ_place_tag:N 1\else\EQ_place_tag:N r\fi %#3
7953   \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
7954   \fi:
7955   \fi:
7956 \end{AmSequation*}
7957 \global\c@equation=\l_EQ_equation_fint\relax
7958 }
7959 \AtBeginDocument{%
7960   \@ifpackageloaded{fancybox}{%
7961     \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}{%
7962       \renewcommand*\textcolor[2]{\normalcolor[#2]}{%
7963         \renewcommand*\shadowbox{%
7964           \@ifstar{\MH_set_boolean_T:n {shadowbox_star}}{%
7965             \VerbBox\EQ_shadowbox:n}%
7966             {\MH_set_boolean_F:n {shadowbox_star}}{%
7967               \VerbBox\EQ_shadowbox:n}}%
7968         \def\EQ_shadowbox:n #1{%
7969           \sbox{\z@\fbox{#1}}{%
7970             \MH_if_boolean:nTF {shadowbox_star}{%
7971               \MH_setlength:dn \tempdima{\z@}{%
7972                 }{%
7973                   \MH_setlength:dn \tempdima{\dp\z@+\shadowsize}{%
7974                 }{%
7975                   \raisebox{\tempdima}{%
7976                     \if@RTL\makebox[\z@][r]{%
7977                       \kern\shadowsize \textcolor{shadowcolor}{%
7978                         \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}{%
7979                           }{%
7980                             \else\makebox[\z@][l]{%
7981                               \kern\shadowsize \textcolor{shadowcolor}{%
7982                                 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}{%
7983                               }{%
7984                                 \usebox\z@\textcolor{shadowcolor}{%
7985                                   \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}{%
7986                           }{%
7987                         }{%
7988 \MHInternalSyntaxOff

```

7.5o extarticle-xetex-bidi.def

```

7989 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class]
7990 \renewcommand*\l@section[2]{%
7991   \ifnum \c@tocdepth >\z@
7992     \addpenalty\@secpenalty
7993     \addvspace{1.0em \oplus\p@}{%
7994       \setlength\tempdima{1.5em}{%
7995       \begingroup
7996         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
7997         \parfillskip -\pnumwidth
7998         \leavevmode \bfseries

```



```

7999   \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
8000   \hskip -\if@RTL\righskip\else\leftskip\fi
8001   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
8002   \endgroup
8003 \fi}
8004 \renewcommand*\l@part[2]{%
8005 \ifnum \c@tocdepth >-2\relax
8006   \addpenalty\@secpenalty
8007   \addvspace{2.25em \@plus\p@}%
8008   \begin{group}
8009     \setlength\@tempdima{3em}%
8010     \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
8011     \parfillskip -\@pnumwidth
8012     {\leavevmode
8013       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}\par
8014       \nobreak
8015     }\endgroup
8016 \fi}
8017 \def\@part[#1]#2{%
8018   \ifnum \c@secnumdepth >\m@ne
8019     \refstepcounter{part}%
8020     \addcontentsline{toc}{part}{\the\part\hspace{1em}#1}%
8021   \else
8022     \addcontentsline{toc}{part}{#1}%
8023   \fi
8024   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8025   \interlinepenalty \OM
8026   \normalfont
8027   \ifnum \c@secnumdepth >\m@ne
8028     \Large\bfseries \partname~\the\part
8029     \par\nobreak
8030   \fi
8031   \huge \bfseries #2%
8032   \markboth{}{}%
8033   \nobreak
8034   \vskip 3ex
8035   \afterheading
8036 \def\@spart#1{%
8037   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8038   \interlinepenalty \OM
8039   \normalfont
8040   \huge \bfseries #1\par}%
8041   \nobreak
8042   \vskip 3ex
8043   \afterheading
8044 \renewenvironment{thebibliography}[1]
8045   {\section*{\refname}
8046     \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
8047     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
8048     \bidi@@thebibliography@font@hook%

```



```

8o49      \list{\@biblabel{\@arabic\c@enumiv}}%
8o50          {\settowidth\labelwidth{\@biblabel{#1}}}%
8o51              \leftmargin\labelwidth
8o52                  \advance\leftmargin\labelsep
8o53                      \openbib@code
8o54                          \usecounter{enumiv}%
8o55                              \let\p@enumiv\empty
8o56                                  \renewcommand\theenumiv{\@arabic\c@enumiv}%
8o57          \sloppy\clubpenalty4000\widowpenalty4000%
8o58          \sfcode`\.\@m}
8o59      \def\@noitemerr
8o60          {\@latex@warning{Empty `thebibliography' environment}}%
8o61      \endlist}
8o62 \renewcommand\left@footnoterule{%
8o63     \kern-3\p@
8o64     \hrule\@width.4\columnwidth
8o65     \kern2.6\p@}
8o66 \renewcommand\right@footnoterule{%
8o67     \kern-3\p@
8o68     \hbox to \columnwidth{\hspace{.6\columnwidth}\hrulefill }
8o69     \kern2.6\p@}
8o70     \if@titlepage
8o71         \renewcommand\maketitle{\begin{titlepage}%
8o72             \let\footnotesize\small
8o73             \let\right@footnoterule\relax
8o74             \let\left@footnoterule\relax
8o75             \let\textwidth@footnoterule\relax
8o76             \let\footnote\thanks
8o77             \null\vfil
8o78             \vskip 60\p@
8o79             \begin{center}%
8o80                 \LARGE \@title \par}%
8o81                 \vskip 3em%
8o82                 \large
8o83                     \lineskip .75em%
8o84                     \begin{tabular}[t]{c}%
8o85                         \author
8o86                         \end{tabular}\par}%
8o87                     \vskip 1.5em%
8o88                     \large \@date \par}        % Set date in \large size.
8o89             \end{center}\par
8o90             \thanks
8o91             \vfil\null
8o92             \end{titlepage}%
8o93             \setcounter{footnote}{0}%
8o94             \global\let\thanks\relax
8o95             \global\let\maketitle\relax
8o96             \global\let\@thanks\empty
8o97             \global\let\@author\empty
8o98             \global\let\@date\empty

```



```

8099 \global\let\@title\@empty
8100 \global\let\title\relax
8101 \global\let\author\relax
8102 \global\let\date\relax
8103 \global\let\and\relax
8104 }
8105 \else
8106 \renewcommand\maketitle{\par
8107 \begingroup
8108 \renewcommand\thefootnote{\@fnssymbol\c@footnote}%
8109 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8110 \long\def\@makefntext{\#1\par\indent 1em\noindent
8111 \hb@xt@1.8em{%
8112 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
8113 \if@twocolumn
8114 \ifnum \col@number=\@ne
8115 \maketitle
8116 \else
8117 \twocolumn[\maketitle]%
8118 \fi
8119 \else
8120 \newpage
8121 \global\@topnum\z@ % Prevents figures from going at top of page.
8122 \maketitle
8123 \fi
8124 \thispagestyle{plain}\@thanks
8125 \endgroup
8126 \setcounter{footnote}{0}%
8127 \global\let\thanks\relax
8128 \global\let\maketitle\relax
8129 \global\let\@maketitle\relax
8130 \global\let\@thanks\@empty
8131 \global\let\@author\@empty
8132 \global\let\@date\@empty
8133 \global\let\@title\@empty
8134 \global\let\title\relax
8135 \global\let\author\relax
8136 \global\let\date\relax
8137 \global\let\and\relax
8138 }
8139 \def\@maketitle{%
8140 \newpage
8141 \null
8142 \vskip 2em%
8143 \begin{center}%
8144 \let \footnote \thanks
8145 {\LARGE \title \par}%
8146 \vskip 1.5em%
8147 \large
8148 \lineskip .5em%

```



```

8149      \begin{tabular}[t]{c}%
8150          \@author
8151      \end{tabular}\par}%
8152      \vskip 1em%
8153      {\large \@date}%
8154  \end{center}%
8155  \par
8156  \vskip 1.5em}
8157 \fi
8158 \renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
8159 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
8160 \renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
8161 \renewcommand\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}%

```

7.51 extbook-xetex-bidi.def

```

8162 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for ...
8163  \if@titlepage
8164  \renewcommand\maketitle{\begin{titlepage}%
8165  \let\footnotesize\small
8166  \let\right@footnoterule\relax
8167  \let\left@footnoterule\relax
8168  \let\textwidth@footnoterule\relax
8169  \let \footnote \thanks
8170  \let \LTrfootnote \LTrthanks
8171  \let \RTLfootnote \RTLthanks
8172  \null\vfil
8173  \vskip 60\p@
8174  \begin{center}%
8175      {\LARGE \@title \par}%
8176      \vskip 3em%
8177      \large
8178      \lineskip .75em%
8179      \begin{tabular}[t]{c}%
8180          \@author
8181      \end{tabular}\par}%
8182      \vskip 1.5em%
8183      {\large \@date \par}      % Set date in \large size.
8184  \end{center}\par
8185  \thanks
8186  \vfил\null
8187  \end{titlepage}%
8188  \setcounter{footnote}{0}%
8189  \global\let\thanks\relax
8190  \global\let\LTrthanks\relax
8191  \global\let\RTLthanks\relax
8192  \global\let\maketitle\relax
8193  \global\let@\thanks\@empty
8194  \global\let@\author\@empty
8195  \global\let@\date\@empty

```



```

8196  \global\let\@title\@empty
8197  \global\let\title\relax
8198  \global\let\author\relax
8199  \global\let\date\relax
8200  \global\let\and\relax
8201 }
8202 \else
8203 \renewcommand{\maketitle}{\par
8204   \begingroup
8205     \renewcommand{\thefootnote}{\@fnnsymbol{c}\footnote}%
8206     \def{\@makefnmark}{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
8207     \long\def{\@makefntext}{\#1{\parindent 1em\noindent
8208       \hb@xt@1.8em{%
8209         \hss\textsuperscript{\normalfont\@thefnmark}}\#1}%
8210     \if@twocolumn
8211       \ifnum \col@number=\@ne
8212         \maketitle
8213       \else
8214         \twocolumn[\maketitle]%
8215       \fi
8216     \else
8217       \newpage
8218       \global\@topnum\z@ % Prevents figures from going at top of page.
8219       \maketitle
8220     \fi
8221     \thispagestyle{plain}\@thanks
8222   \endgroup
8223   \setcounter{footnote}{0}%
8224   \global\let\thanks\relax
8225   \global\let\LTRthanks\relax
8226   \global\let\RTLthanks\relax
8227   \global\let\maketitle\relax
8228   \global\let\@maketitle\relax
8229   \global\let\@thanks\@empty
8230   \global\let\@author\@empty
8231   \global\let\@date\@empty
8232   \global\let\@title\@empty
8233   \global\let\title\relax
8234   \global\let\author\relax
8235   \global\let\date\relax
8236   \global\let\and\relax
8237 }
8238 \def{\@maketitle}{%
8239   \newpage
8240   \null
8241   \vskip 2em%
8242   \begin{center}%
8243     \let \footnote \thanks
8244     \let \LTRfootnote \LTRthanks
8245     \let \RTLfootnote \RTLthanks

```



```

8246      {\LARGE \@title \par}%
8247      \vskip 1.5em%
8248      {\large
8249          \lineskip .5em%
8250          \begin{tabular}[t]{c}%
8251              \author
8252          \end{tabular}\par}%
8253      \vskip 1em%
8254      {\large \@date}%
8255  \end{center}%
8256  \par
8257  \vskip 1.5em}
8258 \fi
8259 \renewcommand*\l@part[2]{%
8260   \ifnum \c@tocdepth >-2\relax
8261     \addpenalty{-\highpenalty}%
8262     \addvspace{2.25em \oplus \p@}%
8263     \begingroup
8264       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
8265       \parfillskip -\pnumwidth
8266       {\leavevmode
8267         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
8268         \nobreak
8269         \global\nobreaktrue
8270         \everypar{\global\nobreakfalse\everypar{}}}%
8271     \endgroup
8272   \fi}
8273 \renewcommand\theequation
8274   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
8275 \renewcommand \thefigure
8276   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
8277 \renewcommand \thetable
8278   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
8279 \renewcommand \thechapter {\arabic\c@chapter}
8280 \renewcommand \thesection {\thechapter\SepMark\arabic\c@section}
8281 \renewcommand \thesubsection {\thesection\SepMark\arabic\c@subsection}
8282 \renewcommand \thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
8283 \renewcommand \theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
8284 \renewcommand \thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}
8285 \def\makechapterhead#1{%
8286   \vspace*{50\p@}%
8287   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8288     \ifnum \c@seccnumdepth >\m@ne
8289       \if@mainmatter
8290         \huge\bfseries \chapapp\space \thechapter
8291         \par\nobreak
8292         \vskip 20\p@
8293       \fi
8294     \fi
8295   \interlinepenalty\OM

```



```

8296      \Huge \bfseries #1\par\nobreak
8297      \vskip 40\p@
8298  }
8299
8300 \def\@makeschapterhead#1{%
8301   \vspace*{50\p@}%
8302   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
8303     \normalfont
8304     \interlinepenalty\@M
8305     \Huge \bfseries #1\par\nobreak
8306     \vskip 40\p@
8307   }%
8308 \renewcommand\backmatter{%
8309   \if@openright
8310     \cleardoublepage
8311   \else
8312     \clearpage
8313   \fi
8314   \@mainmatterfalse
8315 \renewenvironment{thebibliography}[1]
8316   {\chapter*{\bibname
8317     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
8318     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi\fi
8319     \bidi@thebibliography@font@hook%
8320     \list{\@biblabel{\@arabic\c@enumiv}}%
8321       {\settowidth\labelwidth{\@biblabel{#1}}%
8322         \leftmargin\labelwidth
8323         \advance\leftmargin\labelsep
8324         \openbib@code
8325         \usecounter{enumiv}%
8326         \let\p@enumiv\empty
8327           \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8328         \sloppy
8329         \clubpenalty4000
8330         \clubpenalty \clubpenalty
8331         \widowpenalty4000%
8332         \sfcode`\. \@m}
8333       {\def\@noitemerr
8334         {\@latex@warning{Empty `thebibliography' environment}}%
8335       \endlist}

```

7.52 extletter-xetex-bidi.def

```

8336 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class]
8337 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
8338   \thispagestyle{firstpage}%
8339   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
8340 \else % home address
8341   \thispagestyle{empty}%
8342   {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignorespaces

```



```

8343     \fromaddress \\*[2\parskip]%
8344     @date \end{tabular}\par}%
8345 \fi
8346 \vspace{2\parskip}%
8347 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
8348 \vspace{2\parskip}%
8349 #1\par\nobreak}
8350 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
8351 \stopbreaks
8352 \noindent
8353 \ifx\empty\fromaddress\else
8354 \hspace*{\longindentation}\fi
8355 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
8356 \ignorespaces #1\\[6\medskipamount]%
8357 \ifx\empty\fromsig
8358 \fromname
8359 \else \fromsig \fi\strut}%
8360 \par}
8361 \renewcommand{\left@footnoterule}{%
8362 \kern-\p@%
8363 \hrule \width .4\columnwidth
8364 \kern .6\p@}
8365 \renewcommand{\right@footnoterule}{%
8366 \kern-\p@%
8367 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
8368 \kern .6\p@}

```

7.53 extrafootnotefeatures-xetex-bidi.def

```

8369 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2017/05/19 v1.1 bidi extra footnote featu
8370 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
8371 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
8372 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
8373 \ifHy@hyperfootnotes
8374 \let\@@H@footnotetext\footnotetext
8375 \let\@@HLTR@LTRfootnotetext\LTRfootnotetext
8376 \let\@@HRTL@RTLfootnotetext\RTLfootnotetext
8377 \let\@@H@mpfootnotetext\mpfootnotetext
8378 \let\@@HLTR@mpLTRfootnotetext\mpLTRfootnotetext
8379 \let\@@HRTL@mpRTLfootnotetext\mpRTLfootnotetext
8380 \fi
8381 }%
8382 }%
8383 }
8384 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
8385 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
8386 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
8387 \ifHy@hyperfootnotes
8388 \let\H@footnotetext\footnotetext
8389 \let\@footnotetext\@@H@footnotetext

```



```

8390 \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
8391 \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
8392 \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
8393 \let\@RTLfootnotetext\@@HRTL@@RTLfootnotetext
8394 \let\H@@mpfootnotetext\@mpfootnotetext
8395 \let\@mpfootnotetext\@@H@@mpfootnotetext
8396 \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
8397 \let\@mpLTRfootnotetext\@@HLTR@@mpLTRfootnotetext
8398 \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
8399 \let\@mpRTLfootnotetext\@@HRTL@@mpRTLfootnotetext
8400 \fi
8401 }%
8402 }%
8403 }
8404 \let\autofootnoterule\relax
8405 \let\rightfootnoterule\relax
8406 \let\leftfootnoterule\relax
8407 \let\textwidthfootnoterule\relax
8408 \let\LRfootnoterule\relax
8409 \def\footnoterule{\kern-3\p@
8410 \hrule \width \columnwidth \kern 2.6\p@}
8411 \bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
8412 \bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
8413 \renewcommand{\@footnotetext}[1]{%
8414   \insert\footins{%
8415     \if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi%
8416     \def\baselinestretch{\m@m@footnote@spacing}%
8417     \reset@font
8418     \foottextfont
8419     \preamfntext
8420     \hsize\columnwidth
8421     \protected@edef\@currentlabel{%
8422       \csname p@footnote\endcsname\@thefnmark}%
8423     \color@begingroup
8424     \makefntext{%
8425       \rule{z@\footnotesep}{\ignorespaces\foottextfont #1}%
8426       \finalstrut\strutbox}%
8427     \color@endgroup}%
8428     \m@mmf@prepare}
8429 \renewcommand{\@RTLfootnotetext}[1]{%
8430   \insert\footins{%
8431     \RTLtrue%
8432     \def\baselinestretch{\m@m@footnote@spacing}%
8433     \reset@font
8434     \RTLfoottextfont
8435     \preamfntext
8436     \hsize\columnwidth
8437     \protected@edef\@currentlabel{%
8438       \csname p@footnote\endcsname\@thefnmark}%
8439     \color@begingroup

```



```

8440     \@makefntext{%
8441         \rule{z@footnotesep}{ignorespaces{\RTLfoottextfont #1}}%
8442         \@finalstrut\strutbox}%
8443     \color@endgroup}%
8444     \m@mmp@prepare}
8445 \renewcommand{\@LTRfootnotetext}[1]{%
8446     \insert\footins{%
8447         \ifRTLfalse{%
8448             \def\baselinestretch{\m@m@footnote@spacing}%
8449             \reset@font
8450             \LTRfoottextfont
8451             \preamfntext
8452             \hsize\columnwidth
8453             \protected@edef{\currentlabel}{%
8454                 \csname p@footnote\endcsname\@thefnmark}%
8455             \color@begingroup
8456             \@makefntext{%
8457                 \rule{z@footnotesep}{ignorespaces{\LTRfoottextfont #1}}%
8458                 \@finalstrut\strutbox}%
8459             \color@endgroup}%
8460             \m@mmp@prepare}
8461 \renewcommand{\@mpfootnotetext}[1]{%
8462     \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8463         \unvbox\@mpfootins
8464         \def\baselinestretch{\m@m@footnote@spacing}%
8465         \foottextfont \hsize\columnwidth \parboxrestore
8466         \protected@edef{\currentlabel}{%
8467             \csname p@mpfootnote\endcsname\@thefnmark}%
8468         \color@begingroup
8469         \reset@font%
8470         \@makefntext{%
8471             \rule{z@footnotesep}{ignorespaces{\foottextfont #1}}%
8472             \@finalstrut\strutbox}%
8473         \color@endgroup}%
8474 \renewcommand{\@mpLTRfootnotetext}[1]{%
8475     \global\setbox\@mpfootins\vbox{\@RTLfalse%
8476         \unvbox\@mpfootins
8477         \def\baselinestretch{\m@m@footnote@spacing}%
8478         \LTRfoottextfont \hsize\columnwidth \parboxrestore
8479         \protected@edef{\currentlabel}{%
8480             \csname p@mpfootnote\endcsname\@thefnmark}%
8481         \color@begingroup
8482         \reset@font%
8483         \@makefntext{%
8484             \rule{z@footnotesep}{ignorespaces{\LTRfoottextfont #1}}%
8485             \@finalstrut\strutbox}%
8486         \color@endgroup}%
8487 \renewcommand{\@mpRTLfootnotetext}[1]{%
8488     \global\setbox\@mpfootins\vbox{\@RTLtrue%
8489         \unvbox\@mpfootins

```



```

8490      \def\baselinestretch{\m@m@footnote@spacing}%
8491      \RTLfoottextfont \hsize\columnwidth \parboxrestore
8492      \protected@edef\@currentlabel{%
8493          \csname p@mpfootnote\endcsname\@thefnmark}%
8494      \color@begingroup
8495      \reset@font%
8496      \makefntext{%
8497          \rule{z@\footnotesep}{\ignorespaces{\RTLfoottextfont #1}}%
8498          \finalstrut\strutbox}%
8499      \color@endgroup}
8500 \let\m@mold@footnotetext\footnotetext
8501 \let\m@mold@LTRfootnotetext\LTRfootnotetext
8502 \let\m@mold@RTLfootnotetext\RTLfootnotetext
8503 \let\m@mold@mpfootnotetext\mpfootnotetext
8504 \let\m@mold@mpLTRfootnotetext\mpLTRfootnotetext
8505 \let\m@mold@mpRTLfootnotetext\mpRTLfootnotetext
8506 \bidi@ensure@newcommand{\normalfootnotes}{%
8507     \bidi@before@Hy@hyperfootnotes
8508     \let\@footnotetext\m@mold@footnotetext
8509     \let\@LTRfootnotetext\m@mold@LTRfootnotetext
8510     \let\@RTLfootnotetext\m@mold@RTLfootnotetext
8511     \let\@mpfootnotetext\m@mold@mpfootnotetext
8512     \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
8513     \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
8514     \bidi@after@Hy@hyperfootnotes}
8515 \ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
8516 \bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\RTLcolumnfootnotestrue}
8517 \bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\RTLcolumnfootnotesfalse}
8518 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
8519     \def\m@m@singlespace{#1}%
8520     \def\m@m@footnote@spacing{#1}%
8521     \def\m@m@float@spacing{#1} %
8522 }
8523 \setSingleSpace{1}
8524 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
8525 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
8526     \kern-\multiplefootnotemarker
8527     \kern\multiplefootnotemarker\relax}
8528 \bidi@ensure@newlength{\footmarkwidth}
8529 \bidi@ensure@newlength{\footmarksep}
8530 \bidi@ensure@newlength{\footparindent}
8531 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
8532 \bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
8533 \bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
8534 \bidi@ensure@newcommand{\footfootmark}{%
8535     \ifdim\footmarkwidth < \z@
8536         \llap{\hb@xt@ -\footmarkwidth{%
8537             \hss\normalfont\footscript{\@thefnmark}}%
8538             \hspace*{-\footmarkwidth}}}%
8539 \else

```



```

8540     \ifdim\footmarkwidth = \z@%
8541         {\normalfont\footscript{\@thefnmark}}%
8542     \else%
8543         \hb@xt@{\footmarkwidth}{\hss\normalfont\footscript{\@thefnmark}}%
8544     \fi%
8545 \fi}%
8546 \bidi@ensure@newcommand{\LTRfootfootmark}{%
8547     \ifdim\footmarkwidth < \z@%
8548         \llap{\hb@xt@ -\footmarkwidth{%
8549             \hss\normalfont\LTRfootscript{\@thefnmark}}%%
8550             \hspace*{-\footmarkwidth}}}}%
8551 \else%
8552     \ifdim\footmarkwidth = \z@%
8553         {\normalfont\LTRfootscript{\@thefnmark}}%
8554     \else%
8555         \hb@xt@{\footmarkwidth}{\hss\normalfont\LTRfootscript{\@thefnmark}}%
8556     \fi%
8557 \fi}%
8558 \bidi@ensure@newcommand{\RTLfootfootmark}{%
8559     \ifdim\footmarkwidth < \z@%
8560         \llap{\hb@xt@ -\footmarkwidth{%
8561             \hss\normalfont\RTLfootscript{\@thefnmark}}%%
8562             \hspace*{-\footmarkwidth}}}}%
8563 \else%
8564     \ifdim\footmarkwidth = \z@%
8565         {\normalfont\RTLfootscript{\@thefnmark}}%
8566     \else%
8567         \hb@xt@{\footmarkwidth}{\hss\normalfont\RTLfootscript{\@thefnmark}}%
8568     \fi%
8569 \fi}%
8570 \footmarkstyle{\textsuperscript{\#1}}%
8571 \LTRfootmarkstyle{\textsuperscript{\#1}}%
8572 \RTLfootmarkstyle{\textsuperscript{\#1}}%
8573 \setlength{\footmarkwidth}{1em plus .4em minus .4em}%
8574 \setlength{\footparindent}{1em}%
8575 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}%
8576 \bidi@ensure@newcommand*\{\extrafeetins\}{%
8577     \setbox\@outputbox \vbox{%
8578         \boxmaxdepth \Q\maxdepth
8579         \unvbox\@outputbox
8580         \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
8581         \extrafeetinshook}%
8582 \bidi@ensure@newcommand{\extrafeetinshook}{}
8583 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}%
8584 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}%
8585 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}%
8586 \bidi@ensure@newlength{\footinsdim}%
8587     \setlength{\footinsdim}{8in} % standard for \dimen\footins
8588 \bidi@ensure@newcommand{\@preamfntext}{%
8589     \interlinepenalty\interfootnotelinepenalty

```



```

8590 \floatingpenalty \@MM
8591 \splittopskip=\footnotesep
8592 \splitmaxdepth=\dp\strutbox
8593 \parboxrestore}
8594 \bidi@ensure@newcommand{\m@ndoextrafeetmini}{%
8595 \extrafeetminihook}
8596 \bidi@ensure@newcommand{\extrafeetendmini}{%
8597 \ifvoid\@mpfootinsv@r\else
8598 \vskip\skip\@mpfootins
8599 \normalcolor\footnoterule\mp@footgroupv@r
8600 \fi
8601 \extrafeetendminihook}
8602 \bidi@ensure@newcommand{\extrafeetendminihook}{}}
8603 \bidi@ensure@newcommand{\m@ndoextrafeetendmini}{\extrafeetendmini}
8604 \def\endminipage{%
8605 \par
8606 \unskip
8607 \ifvoid\@mpfootins\else
8608 \vskip\skip\@mpfootins
8609 \normalcolor
8610 \footnoterule
8611 \unvbox\@mpfootins
8612 \fi
8613 \m@ndoextrafeetendmini
8614 \minipagefalse
8615 \color@endgroup
8616 \egroup
8617 \expandafter\iiiparbox\mpargs{\unvbox\tempboxa}}
8618 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
8619 \namedef{\footstart}{%
8620 \bidi@mopfn@bottom
8621 \vskip\bigskipamount
8622 \leftskip=\z@
8623 \rightskip=\z@
8624 \footnoterule}}
8625 \newinsert\footinsv@r
8626 \skip\footinsv@r\bigskipamount
8627 \count\footinsv@r=1000 % no magnification
8628 \dimen\footinsv@r=\footinsdim
8629 \m@make@footstart{v@r}
8630 \bidi@ensure@newcommand{\footgroupv@r}{}}
8631 \newinsert\@mpfootinsv@r
8632 \bidi@ensure@newcommand{\mp@footgroupv@r}{}}
8633 \newcount\m@mk \newdimen\m@mh
8634 \ifpackageloaded{multicol}{%
8635 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@mk=#2 \m@mh=#3
8636 \hsize\textwidth
8637 @@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@mh \vbadness=\@M \hfilneg
8638 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}}
8639 }%

```



```

8640 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
8641   \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\OM \hfilneg
8642   \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}}
8643 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
8644   \global\advance\m@m@k-1\cr\m@mdosplits\fi}
8645 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
8646   \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
8647   \setbox2 \vsplit0 to \dimen0
8648   \unvbox2 }
8649 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
8650   \namedef{foottextfontv@r}{\foottextfont}%
8651   \bidi@before@Hy@hyperfootnotes
8652   \let\footnotetext\@twocolfootnotetext
8653   \let\@LTRfootnotetext\@twocollTRfootnotetext
8654   \let\@RTLfootnotetext\@twocolRTLfootnotetext
8655   \dimen\footinsv@r=2\footinsdim
8656   \count\footinsv@r=500\relax
8657   \makeatwocol@footgroup{v@r}%
8658   \let\@footgroupv@r\@twocol@footgroupv@r
8659   \let\@mpfootnotetext\@mptwocolfootnotetext
8660   \let\@mpLTRfootnotetext\@mptwocollTRfootnotetext
8661   \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
8662   \bidi@aft@Hy@hyperfootnotes
8663   \makeatmp@twocol@footgroup{v@r}%
8664   \let\mp@footgroupv@r\@mp@twocol@footgroupv@r
8665 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
8666   \def\baselinestretch{\m@m@footnote@spacing}%
8667   \reset@font\foottextfont
8668   \preamfntext
8669   \protected@edef\@currentlabel{%
8670     \csname p@footnote\endcsname\@thefnmark}%
8671   \color@begingroup
8672     \@twocolfootfmt{#1}%
8673   \color@endgroup}%
8674   \m@mmf@prepare}
8675 \bidi@ensure@newcommand{\@twocollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
8676   \def\baselinestretch{\m@m@footnote@spacing}%
8677   \reset@font\LTRfoottextfont
8678   \preamfntext
8679   \protected@edef\@currentlabel{%
8680     \csname p@footnote\endcsname\@thefnmark}%
8681   \color@begingroup
8682     \@twocollTRfootfmt{#1}%
8683   \color@endgroup}%
8684   \m@mmf@prepare}
8685 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8686   \def\baselinestretch{\m@m@footnote@spacing}%
8687   \reset@font\RTLfoottextfont
8688   \preamfntext
8689   \protected@edef\@currentlabel{%

```



```

8690      \csname p@footnote\endcsname\@thefnmark}%
8691  \color@begingroup
8692    \two@colRTLfootfmt{\#1}%
8693  \color@endgroup}%
8694  \m@mmp@prepare}
8695 \bidi@ensure@newcommand{\@preamtwofmt}{%
8696  \hsize .45\hsize
8697  \parindent=\z@
8698  \tolerance=5000\relax
8699  \leavevmode}
8700 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
8701  \preamtwofmt
8702  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8703 \bidi@ensure@newcommand{\@twocollTRfootfmt}[1]{%
8704  \preamtwofmt
8705  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8706 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
8707  \preamtwofmt
8708  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8709 \bidi@ensure@newcommand{\@mp@twocolfootnotetext}[1]{%
8710  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8711    \unvbox\@mpfootinsv@r
8712    \def\baselinestretch{\m@m@footnote@spacing}%
8713    \reset@font\foottextfont
8714    \hsize\columnwidth \parboxrestore
8715    \protected@edef\@currentlabel{%
8716      \csname p@mpfootnote\endcsname\@thefnmark}%
8717    \color@begingroup
8718      \two@colfootfmt{\#1}%
8719    \color@endgroup}%
8720  \m@mmp@prepare}
8721 \bidi@ensure@newcommand{\@mp@twocolLTRfootnotetext}[1]{%
8722  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8723    \unvbox\@mpfootinsv@r
8724    \def\baselinestretch{\m@m@footnote@spacing}%
8725    \reset@font\LTRfoottextfont
8726    \hsize\columnwidth \parboxrestore
8727    \if@RTLcolumnfootnotes\beginL\fi
8728    \protected@edef\@currentlabel{%
8729      \csname p@mpfootnote\endcsname\@thefnmark}%
8730    \color@begingroup
8731      \two@colLTRfootfmt{\#1}%
8732    \color@endgroup}%
8733  \m@mmp@prepare}
8734 \bidi@ensure@newcommand{\@mp@twocolRTLfootnotetext}[1]{%
8735  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8736    \unvbox\@mpfootinsv@r
8737    \def\baselinestretch{\m@m@footnote@spacing}%
8738    \reset@font\RTLfoottextfont
8739    \hsize\columnwidth \parboxrestore

```



```

8740     \protected@edef{\currentlabel}{%
8741         \csname p@mpfootnote\endcsname\thefnmark}%
8742     \color@begingroup
8743     \twocolRTLfootfmt{#1}%
8744     \color@endgroup}%
8745     \m@mmf@prepare}
8746 \bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
8747     \m@make@twocolfootnotetext{#1}%
8748     \m@make@mptwocolfootnotetext{#1}%
8749     \m@make@twocolfootfmt{#1}%
8750     \m@make@twocol@footgroup{#1}%
8751     \m@make@mptwocol@footgroup{#1}%
8752     \m@make@footstart{#1}%
8753     \bidi@namelongdef{@footnotetext#1}##1{%
8754         \nameuse{@twocolfootnotetext#1}##1}%
8755     \bidi@namelongdef{@mpfootnotetext#1}##1{%
8756         \nameuse{@mptwocolfootnotetext#1}##1}%
8757     \namedef{@footgroup#1}{\nameuse{@twocol@footgroup#1}}%
8758     \namedef{@mp@footgroup#1}{\nameuse{@mptwocol@footgroup#1}}%
8759     \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8760     \expandafter\count\csname footins#1\endcsname=500\relax}
8761 \bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
8762     \bidi@namelongdef{@twocolfootnotetext#1}##1{%
8763         \insert\nameuse{footins#1}%
8764         \def\baselinestretch{\m@tfootnote@spacing}%
8765         \reset@font\nameuse{foottextfont#1}%
8766         \preamfntext
8767         \protected@edef{\currentlabel}{%
8768             \csname p@footnote#1\endcsname\nameuse{@thefnmark#1}}%
8769         \color@begingroup
8770         \nameuse{@twocolfootfmt#1}##1}%
8771         \color@endgroup}%
8772         \m@mmf@prepare}}
8773 \bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
8774 \bidi@namelongdef{@mptwocolfootnotetext#1}##1{%
8775     \global\setbox\nameuse{@mpfootins#1}\vbox{%
8776         \unvbox\nameuse{@mpfootins#1}%
8777         \def\baselinestretch{\m@tfootnote@spacing}%
8778         \reset@font\nameuse{foottextfont#1}%
8779         \hsize\columnwidth\parboxrestore
8780         \protected@edef{\currentlabel}{%
8781             \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
8782         \color@begingroup
8783         \nameuse{@twocolfootfmt#1}##1}%
8784         \color@endgroup\m@mmf@prepare}}
8785 \bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
8786     \namedef{@twocolfootfmt#1}##1{%
8787         \preamtwofmt
8788         {\nameuse{footfootmark#1}\strut
8789         {\nameuse{foottextfont#1}##1\strut\allowbreak}}}

```



```

8790 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
8791   \cnamedef{@twocol@footgroup#1}{{%
8792     \def\baselinestretch{\m@m@footnote@spacing}%
8793     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8794     \m@mrigidbalance{\nameuse{footins#1}}{\tw@}{\splittopskip}}}%
8795 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
8796 \cnamedef{@mptwocol@footgroup#1}{{%
8797   \def\baselinestretch{\m@m@footnote@spacing}%
8798   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8799   \m@mrigidbalance{\nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}%
8800 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
8801   \cnamedef{foottextfontv@r}{\foottextfont}%
8802   \bidi@before@Hy@hyperfootnotes
8803   \let@\footnotetext@\threecolfootnotetext
8804   \let@\LTrfootnotetext@\threecollTRfootnotetext
8805   \let@\RTLfootnotetext@\threecolRTLfootnotetext
8806   \dimen\footinsv@r=3\footinsdim
8807   \count\footinsv@r=333\relax
8808   \m@make@threecol@footgroup{v@r}%
8809   \let@\footgroupv@r@threecol@footgroupv@r
8810   \let@\mpfootnotetext@\mpthreecolfootnotetext
8811   \let@\mpLTrfootnotetext@\mpthreecollTRfootnotetext
8812   \let@\mpRTLfootnotetext@\mpthreecolRTLfootnotetext
8813   \bidi@after@Hy@hyperfootnotes
8814   \m@make@mpthreecol@footgroup{v@r}%
8815   \let@\mp@footgroupv@r@mpthreecol@footgroupv@r
8816 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr}
8817   \def\baselinestretch{\m@m@footnote@spacing}%
8818   \reset@font\foottextfont
8819   \preamfntext
8820   \protected@edef@\currentlabel{%
8821     \csname p@footnote\endcsname\@thefnmark}%
8822   \color@begingroup
8823     \threecolfootfmt{#1}%
8824   \color@endgroup\m@mmf@prepare}
8825 \bidi@ensure@newcommand{\@threecollTRfootnotetext}[1]{\insert\footinsv@r{\if@RTL.columnfootnotetext\@RTLtrue}
8826   \def\baselinestretch{\m@m@footnote@spacing}%
8827   \reset@font\LTRfoottextfont
8828   \preamfntext
8829   \protected@edef@\currentlabel{%
8830     \csname p@footnote\endcsname\@thefnmark}%
8831   \color@begingroup
8832     \threecollTRfootfmt{#1}%
8833   \color@endgroup\m@mmf@prepare}
8834 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}
8835   \def\baselinestretch{\m@m@footnote@spacing}%
8836   \reset@font\RTLfoottextfont
8837   \preamfntext
8838   \protected@edef@\currentlabel{%
8839     \csname p@footnote\endcsname\@thefnmark}%

```



```

8840 \color@begingroup
8841   \@threecolRTLfootfmt{#1}%
8842 \color@endgroup\m@mmf@prepare}
8843 \bidi@ensure@newcommand{\@preamthreefmt}{%
8844   \hsize .3\hsize
8845   \parindent=\z@
8846   \tolerance=5000\relax
8847   \leavevmode}
8848 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
8849   \vphantom{\footfootmark}\strut {\foottextfont #1}\strut\par}\allowbreak}
8850 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8851 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
8852   \vphantom{\LTRfootfootmark}\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8853 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8854 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
8855   \vphantom{\RTLfootfootmark}\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8856 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8857 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
8858   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8859     \unvbox\@mpfootinsv@r
8860     \def\baselinestretch{\m@m@footnote@spacing}%
8861     \reset@font\foottextfont
8862     \hsize\columnwidth \parboxrestore
8863     \protected@edef\@currentlabel{%
8864       \csname p@mpfootnote\endcsname\@thefnmark}%
8865   \color@begingroup
8866   \vphantom{\footfootmark}\strut{#1}%
8867 \color@endgroup\m@mmf@prepare}
8868 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
8869   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8870     \unvbox\@mpfootinsv@r
8871     \def\baselinestretch{\m@m@footnote@spacing}%
8872     \reset@font\LTRfoottextfont
8873     \hsize\columnwidth \parboxrestore
8874     \if@RTLcolumnfootnotes\beginL\fi
8875     \protected@edef\@currentlabel{%
8876       \csname p@mpfootnote\endcsname\@thefnmark}%
8877   \color@begingroup
8878   \vphantom{\footfootmark}\strut{#1}%
8879 \color@endgroup\m@mmf@prepare}
8880 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
8881   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8882     \unvbox\@mpfootinsv@r
8883     \def\baselinestretch{\m@m@footnote@spacing}%
8884     \reset@font\RTLfoottextfont
8885     \hsize\columnwidth \parboxrestore
8886     \protected@edef\@currentlabel{%
8887       \csname p@mpfootnote\endcsname\@thefnmark}%
8888   \color@begingroup
8889   \vphantom{\footfootmark}\strut{#1}%

```



```

8890 \color@endgroup}\m@mmf@prepare}
8891 \bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
8892 \m@make@threecolfootnotetext{#1}%
8893 \m@make@mpthreecolfootnotetext{#1}%
8894 \m@make@threecolfootfmt{#1}%
8895 \m@make@threecol@footgroup{#1}%
8896 \m@make@mpthreecol@footgroup{#1}%
8897 \m@make@footstart{#1}%
8898 \bidi@namelongdef{@footnotetext{#1}##1{%
8899 \nameuse{@threecolfootnotetext{#1}{##1}}%
8900 \bidi@namelongdef{@mpfootnotetext{#1}##1{%
8901 \nameuse{@mpthreecolfootnotetext{#1}{##1}}%
8902 \namedef{@footgroup{#1}}{\nameuse{@threecol@footgroup{#1}}}%
8903 \namedef{@mp@footgroup{#1}}{\nameuse{@mpthreecol@footgroup{#1}}}%
8904 \expandafter\dimen\csname footins{#1}\endcsname=3\footinsdim
8905 \expandafter\count\csname footins{#1}\endcsname=333\relax}
8906 \bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
8907 \bidi@namelongdef{@threecolfootnotetext{#1}##1{%
8908 \insert\nameuse{footins{#1}}%
8909 \def\baselinestretch{\m@m@footnote@spacing}%
8910 \reset@font\nameuse{foottextfont{#1}}%
8911 \preamfntext
8912 \protected@edef@\currentlabel{%
8913 \csname p@footnote{#1}\endcsname \nameuse{@thefnmark{#1}}}%
8914 \color@begingroup
8915 \nameuse{@threecolfootfmt{#1}##1}%
8916 \color@endgroup}\m@mmf@prepare}}
8917 \bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
8918 \bidi@namelongdef{@mpthreecolfootnotetext{#1}##1{%
8919 \global\setbox\nameuse{@mpfootins{#1}}\vbox{%
8920 \unvbox\nameuse{@mpfootins{#1}}%
8921 \def\baselinestretch{\m@m@footnote@spacing}%
8922 \reset@font\nameuse{foottextfont{#1}}%
8923 \hsize\columnwidth \parboxrestore
8924 \protected@edef@\currentlabel{%
8925 \csname p@mpfootnote{#1}\endcsname\nameuse{@thefnmark{#1}}}%
8926 \color@begingroup
8927 \nameuse{@threecolfootfmt{#1}##1}%
8928 \color@endgroup}\m@mmf@prepare}}
8929 \bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
8930 \bidi@namelongdef{@threecolfootfmt{#1}##1{%
8931 \preamthreelfmt
8932 {\nameuse{footfootmark{#1}}\strut
8933 {\nameuse{foottextfont{#1}##1}\strut\par}\allowbreak}}
8934 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
8935 \namedef{@threecol@footgroup{#1}}{%
8936 \def\baselinestretch{\m@m@footnote@spacing}%
8937 \nameuse{foottextfont{#1}} \splittopskip=\ht\strutbox
8938 \m@mrigidbalance{\nameuse{footins{#1}}{\thr@@{\splittopskip}}}}}
8939 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%

```



```

8940 \@namedef{@mpthreecol@footgroup#1}{%
8941   \def\baselinestretch{\m@m@footnote@spacing}%
8942   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8943   \m@mrigidbalance{\nameuse{@mpfootins#1}{\thr@@}{\splittopskip}}}}
8944 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
8945   \namedef{foottextfontv@r}{\foottextfont}{} % [RS]
8946   \bidi@before@Hy@hyperfootnotes
8947   \let\footnotetext\fourcolfootnotetext
8948   \let\@LTRfootnotetext\fourcolLTRfootnotetext
8949   \let\@RTLfootnotetext\fourcolRTLfootnotetext
8950   \dimen\footinsv@r=4\footinsdim
8951   \count\footinsv@r=250\relax
8952   \m@make@fourcol@footgroup{v@r}%
8953   \let\footgroupv@r\fourcol@footgroupv@r
8954   \let\@mpfootnotetext\mpfourcolfootnotetext
8955   \let\@mpLTRfootnotetext\mpfourcolLTRfootnotetext
8956   \let\@mpRTLfootnotetext\mpfourcolRTLfootnotetext
8957   \bidi@after@Hy@hyperfootnotes
8958   \m@make@mpfourcol@footgroup{v@r}%
8959   \let\mp@footgroupv@r\mpfourcol@footgroupv@r
8960 \bidi@ensure@newcommand{\fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue%
8961   \def\baselinestretch{\m@m@footnote@spacing}%
8962   \reset@font\foottextfont
8963   \preamfntext
8964   \protected@edef\currentlabel{%
8965     \csname p@footnote\endcsname\@thefnmark}%
8966   \color@begingroup
8967     \fourcolfootfmt{#1}%
8968   \color@endgroup}%
8969   \m@mmf@prepare}
8970 \bidi@ensure@newcommand{\fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote%
8971   \def\baselinestretch{\m@m@footnote@spacing}%
8972   \reset@font\LTRfoottextfont
8973   \preamfntext
8974   \protected@edef\currentlabel{%
8975     \csname p@footnote\endcsname\@thefnmark}%
8976   \color@begingroup
8977     \fourcolLTRfootfmt{#1}%
8978   \color@endgroup}%
8979   \m@mmf@prepare}
8980 \bidi@ensure@newcommand{\fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\if@RTLtrue%
8981   \def\baselinestretch{\m@m@footnote@spacing}%
8982   \reset@font\RTLfoottextfont
8983   \preamfntext
8984   \protected@edef\currentlabel{%
8985     \csname p@footnote\endcsname\@thefnmark}%
8986   \color@begingroup
8987     \fourcolRTLfootfmt{#1}%
8988   \color@endgroup}%
8989   \m@mmf@prepare}

```



```

8990 \bidi@ensure@newcommand{\@preamfourfmt}{%
8991   \hsize .25\hsize
8992   \parindent=\z@
8993   \tolerance=5000\relax
8994   \leavevmode}
8995 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
8996   \preamfourfmt
8997   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8998 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
8999   \preamfourfmt
9000   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9001 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
9002   \preamfourfmt
9003   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9004 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
9005   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9006     \unvbox\@mpfootinsv@r
9007     \def\baselinestretch{\m@m@footnote@spacing}%
9008     \reset@font\foottextfont
9009     \hsize\columnwidth \parboxrestore
9010     \protected@edef\@currentlabel{%
9011       \csname p@mpfootnote\endcsname\@thefnmark}%
9012     \color@begingroup
9013       \@fourcolfootfmt{#1}%
9014     \color@endgroup}%
9015     \m@mmf@prepare}
9016 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
9017   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9018     \unvbox\@mpfootinsv@r
9019     \def\baselinestretch{\m@m@footnote@spacing}%
9020     \reset@font\LTRfoottextfont
9021     \hsize\columnwidth \parboxrestore
9022     \if@RTLcolumnfootnotes\beginL\fi
9023     \protected@edef\@currentlabel{%
9024       \csname p@mpfootnote\endcsname\@thefnmark}%
9025     \color@begingroup
9026       \@fourcolLTRfootfmt{#1}%
9027     \color@endgroup}%
9028     \m@mmf@prepare}
9029 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
9030   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9031     \unvbox\@mpfootinsv@r
9032     \def\baselinestretch{\m@m@footnote@spacing}%
9033     \reset@font\RTLfoottextfont
9034     \hsize\columnwidth \parboxrestore
9035     \protected@edef\@currentlabel{%
9036       \csname p@mpfootnote\endcsname\@thefnmark}%
9037     \color@begingroup
9038       \@fourcolRTLfootfmt{#1}%
9039     \color@endgroup}%

```



```

9040 \m@mmf@prepare}
9041 \bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
9042 \m@make@fourcolfootnotetext{#1}%
9043 \m@make@mpfourcolfootnotetext{#1}%
9044 \m@make@fourcolfootfmt{#1}%
9045 \m@make@fourcol@footgroup{#1}%
9046 \m@make@mpfourcol@footgroup{#1}%
9047 \m@make@footstart{#1}%
9048 \bidi@namelongdef{@footnotetext#1}##1{%
9049     \nameuse{@fourcolfootnotetext#1}{##1}}%
9050 \bidi@namelongdef{@mpfootnotetext#1}##1{%
9051     \nameuse{@mpfourcolfootnotetext#1}{##1}}%
9052 \namedef{@footgroup#1}{\nameuse{@fourcol@footgroup#1}}%
9053 \namedef{mp@footgroup#1}{\nameuse{@mpfourcol@footgroup#1}}%
9054 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9055 \expandafter\count\csname footins#1\endcsname=500\relax}
9056 \bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
9057 \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
9058     \insert\nameuse{footins#1}{%
9059         \def\baselinestretch{\m@m@footnote@spacing}%
9060         \reset@font\nameuse{foottextfont#1}%
9061         \preamfntext
9062         \protected@edef@\currentlabel{%
9063             \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9064         \color@begingroup
9065             \nameuse{@fourcolfootfmt#1}{##1}%
9066         \color@endgroup}%
9067         \m@mmf@prepare}}}
9068 \bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
9069 \bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
9070 \global\setbox\nameuse{mpfootins#1}\vbox{%
9071     \unvbox\nameuse{mpfootins#1}
9072     \def\baselinestretch{\m@m@footnote@spacing}%
9073     \reset@font\nameuse{foottextfont#1}%
9074     \hsize\columnwidth \parboxrestore
9075     \protected@edef@\currentlabel{%
9076         \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9077     \color@begingroup
9078         \nameuse{@fourcolfootfmt#1}{##1}%
9079     \color@endgroup\m@mmf@prepare}}}
9080 \bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
9081 \namedef{@fourcolfootfmt#1}##1{%
9082     \preamfourfmt
9083     {\nameuse{footfootmark#1}\strut
9084         {\nameuse{foottextfont#1}{##1}\strut\par\allowbreak}}
9085 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
9086     \namedef{@fourcol@footgroup#1}{%
9087         \def\baselinestretch{\m@m@footnote@spacing}%
9088         \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9089         \m@mrigidbalance{\nameuse{footins#1}{4}\{\splittopskip\}}}}}
```



```

9090 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
9091   \cnamedef{@mpfourcol@footgroup#1}{{%
9092     \def\baselinestretch{\m@m@footnote@spacing}%
9093     \cnameuse{foottextfont#1} \splittopskip=\ht\strutbox
9094     \m@mrigidbalance{\cnameuse{@mpfootins#1}{4}{\splittopskip}}}%
9095   \bidi@ensure@newcommand{\fivecolumnfootnotes}{}%
9096   \cnamedef{foottextfontv@r}{\foottextfont}%
9097   \cnameuse{@bidi@before@Hy@hyperfootnotes}%
9098   \let\@footnotetext\@fivecolfootnotetext
9099   \let\@LTRfootnotetext\@fivecolLTRfootnotetext
9100   \let\@RTLfootnotetext\@fivecolRTLfootnotetext
9101   \dimen\footinsv@r=5\footinsdim
9102   \count\footinsv@r=200\relax
9103   \m@make@fivecol@footgroup{v@r}%
9104   \let\@footgroupv@r\@fivecol@footgroupv@r
9105   \let\@mpfootnotetext\@mpfivecolfootnotetext
9106   \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
9107   \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
9108   \cnameuse{@bidi@aft@Hy@hyperfootnotes}%
9109   \m@make@mpfivecol@footgroup{v@r}%
9110   \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
9111 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue%
9112   \def\baselinestretch{\m@m@footnote@spacing}%
9113   \reset@font\foottextfont
9114   \preamfntext
9115   \protected@edef\@currentlabel{%
9116     \csname p@footnote\endcsname\@thefnmark}%
9117   \color@begingroup
9118     \@fivecolfootfmt{#1}%
9119   \color@endgroup}%
9120   \m@mmf@prepare}
9121 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote%
9122   \def\baselinestretch{\m@m@footnote@spacing}%
9123   \reset@font\LTRfoottextfont
9124   \preamfntext
9125   \protected@edef\@currentlabel{%
9126     \csname p@footnote\endcsname\@thefnmark}%
9127   \color@begingroup
9128     \@fivecolLTRfootfmt{#1}%
9129   \color@endgroup}%
9130   \m@mmf@prepare}
9131 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9132   \def\baselinestretch{\m@m@footnote@spacing}%
9133   \reset@font\RTLfoottextfont
9134   \preamfntext
9135   \protected@edef\@currentlabel{%
9136     \csname p@footnote\endcsname\@thefnmark}%
9137   \color@begingroup
9138     \@fivecolRTLfootfmt{#1}%
9139   \color@endgroup}%

```



```

9140 \m@mmf@prepare}
9141 \bidi@ensure@newcommand{\@preamfivefmt}{%
9142 \hsize .2\hsize
9143 \parindent=\z@
9144 \tolerance=5000\relax
9145 \leavevmode}
9146 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
9147 \preamfivefmt
9148 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9149 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
9150 \preamfivefmt
9151 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9152 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
9153 \preamfivefmt
9154 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9155 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
9156 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9157 \unvbox\@mpfootinsv@r
9158 \def\baselinestretch{\m@m@footnote@spacing}%
9159 \reset@font\foottextfont
9160 \hsize\columnwidth \parboxrestore
9161 \protected@edef\@currentlabel{%
9162 \csname p@\mpfootnote\endcsname\@thefnmark}%
9163 \color@begingroup
9164 \@fivecolfootfmt{#1}%
9165 \color@endgroup}%
9166 \m@mmf@prepare}
9167 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
9168 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9169 \unvbox\@mpfootinsv@r
9170 \def\baselinestretch{\m@m@footnote@spacing}%
9171 \reset@font\LTRfoottextfont
9172 \hsize\columnwidth \parboxrestore
9173 \if@RTLcolumnfootnotes\beginL\fi
9174 \protected@edef\@currentlabel{%
9175 \csname p@\mpfootnote\endcsname\@thefnmark}%
9176 \color@begingroup
9177 \@fivecolLTRfootfmt{#1}%
9178 \color@endgroup}%
9179 \m@mmf@prepare}
9180 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
9181 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9182 \unvbox\@mpfootinsv@r
9183 \def\baselinestretch{\m@m@footnote@spacing}%
9184 \reset@font\RTLfoottextfont
9185 \hsize\columnwidth \parboxrestore
9186 \protected@edef\@currentlabel{%
9187 \csname p@\mpfootnote\endcsname\@thefnmark}%
9188 \color@begingroup
9189 \@fivecolRTLfootfmt{#1}%

```



```

9190  \color@endgroup}%
9191  \m@mmf@prepare}%
9192 \bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
9193  \m@make@fivecolfootnotetext{\#1}%
9194  \m@make@mpfivecolfootnotetext{\#1}%
9195  \m@make@fivecolfootfmt{\#1}%
9196  \m@make@fivecol@footgroup{\#1}%
9197  \m@make@mpfivecol@footgroup{\#1}%
9198  \m@make@footstart{\#1}%
9199  \bidi@namelongdef{@footnotetext{\#1}##1{%
9200    \nameuse{@fivecolfootnotetext{\#1}{##1}}{%
9201  \bidi@namelongdef{@mpfootnotetext{\#1}##1{%
9202    \nameuse{@mpfivecolfootnotetext{\#1}{##1}}{%
9203    \namedef{@footgroup{\#1}}{\nameuse{@fivecol@footgroup{\#1}}}{%
9204    \namedef{mp@footgroup{\#1}}{\nameuse{@mpfivecol@footgroup{\#1}}}{%
9205    \expandafter\dimen\csname footins{\#1}\endcsname=2\footinsdim
9206    \expandafter\count\csname footins{\#1}\endcsname=500\relax}%
9207 \bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
9208  \bidi@namelongdef{@fivecolfootnotetext{\#1}##1{%
9209    \insert\nameuse{footins{\#1}}{%
9210    \def\baselinestretch{\m@m@footnote@spacing}{%
9211    \reset@font\nameuse{foottextfont{\#1}}{%
9212    \preamfntext
9213    \protected@edef\@currentlabel{%
9214      \csname p@footnote{\#1}\endcsname \nameuse{@thefnmark{\#1}}}{%
9215    \color@begingroup
9216      \nameuse{@fivecolfootfmt{\#1}{##1}}{%
9217    \color@endgroup}%
9218    \m@mmf@prepare}}}
9219 \bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
9220 \bidi@namelongdef{@mpfivecolfootnotetext{\#1}##1{%
9221  \global\setbox\nameuse{@mpfootins{\#1}}\vbox{%
9222    \unvbox\nameuse{@mpfootins{\#1}}
9223    \def\baselinestretch{\m@m@footnote@spacing}{%
9224    \reset@font\nameuse{foottextfont{\#1}}{%
9225    \hsize\columnwidth \parboxrestore
9226    \protected@edef\@currentlabel{%
9227      \csname p@mpfootnote{\#1}\endcsname\nameuse{@thefnmark{\#1}}}{%
9228    \color@begingroup
9229      \nameuse{@fivecolfootfmt{\#1}{##1}}{%
9230    \color@endgroup\m@mmf@prepare}}}
9231 \bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
9232  \namedef{@fivecolfootfmt{\#1}##1{%
9233    \preamfivefmt
9234    {\nameuse{footfootmark{\#1}}\strut
9235      {\nameuse{foottextfont{\#1}##1}\strut\par\allowbreak}}}
9236 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
9237  \namedef{@fivecol@footgroup{\#1}}{%
9238  \def\baselinestretch{\m@m@footnote@spacing}{%
9239    \nameuse{foottextfont{\#1}} \splittopskip=\ht\strutbox

```



```

9240      \m@mrigidbalance{\@nameuse{footins#1}{5}{\splittopskip}}}}
9241 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
9242 \@namedef{@mpfivecol@footgroup#1}{{%
9243 \def\baselinestretch{\m@m@footnote@spacing}%
9244 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9245 \m@mrigidbalance{\@nameuse{@mpfootins#1}{5}{\splittopskip}}}%
9246 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
9247 \@namedef{foottextfontv@r}{\foottextfont}%
9248 % [RS]
9249 \@bidi@before@Hy@hyperfootnotes
9250 \let\@footnotetext\@sixcolfootnotetext
9251 \let\@LTrfootnotetext\@sixcolLTrfootnotetext
9252 \let\@RTLfootnotetext\@sixcolRTLfootnotetext
9253 \dimen\footinsv@r=6\footinsdim
9254 \count\footinsv@r=166\relax
9255 \m@make@sixcol@footgroup{v@r}%
9256 \let\@footgroupv@r\@sixcol@footgroupv@r
9257 \let\@mpfootnotetext\@mpsixcolfootnotetext
9258 \let\@mpLTrfootnotetext\@mpsixcolLTrfootnotetext
9259 \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
9260 \@bidi@aft@Hy@hyperfootnotes
9261 \m@make@mpsixcol@footgroup{v@r}%
9262 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
9263 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue{%
9264 \def\baselinestretch{\m@m@footnote@spacing}%
9265 \reset@font\foottextfont
9266 \preamfntext
9267 \protected@edef\@currentlabel{%
9268 \csname p@footnote\endcsname\@thefnmark}%
9269 \color@begingroup
9270 \@sixcolfootfmt{#1}%
9271 \color@endgroup}%
9272 \m@mmf@prepare}
9273 \bidi@ensure@newcommand{\@sixcolLTrfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes{%
9274 \def\baselinestretch{\m@m@footnote@spacing}%
9275 \reset@font\LTRfoottextfont
9276 \preamfntext
9277 \protected@edef\@currentlabel{%
9278 \csname p@footnote\endcsname\@thefnmark}%
9279 \color@begingroup
9280 \@sixcolLTrfootfmt{#1}%
9281 \color@endgroup}%
9282 \m@mmf@prepare}
9283 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\if@RTLtrue{%
9284 \def\baselinestretch{\m@m@footnote@spacing}%
9285 \reset@font\RTLfoottextfont
9286 \preamfntext
9287 \protected@edef\@currentlabel{%
9288 \csname p@footnote\endcsname\@thefnmark}%
9289 \color@begingroup
9290 \@sixcolRTLfootfmt{#1}%

```



```

9290  \color@endgroup}%
9291  \m@mmf@prepare}
9292 \bidi@ensure@newcommand{\@preamsixfmt}{%
9293  \hsize .16\hsize
9294  \parindent=\z@
9295  \tolerance=5000\relax
9296  \leavevmode}
9297 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
9298  \v@preamsixfmt
9299  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9300 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
9301  \v@preamsixfmt
9302  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9303 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
9304  \v@preamsixfmt
9305  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9306 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\f
9307  \global\setbox\@mpfootinsv@r\vbox{%
9308  \unvbox\@mpfootinsv@r
9309  \def\baselinestretch{\m@m@footnote@spacing}%
9310  \reset@font\foottextfont
9311  \hsize\columnwidth \parboxrestore
9312  \protected@edef\@currentlabel{%
9313    \csname p@mpfootnote\endcsname\@thefnmark}%
9314  \color@begingroup
9315  \@sixcolfootfmt{#1}%
9316  \color@endgroup}%
9317  \m@mmf@prepare}
9318 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
9319  \global\setbox\@mpfootinsv@r\vbox{%
9320  \unvbox\@mpfootinsv@r
9321  \def\baselinestretch{\m@m@footnote@spacing}%
9322  \reset@font\LTRfoottextfont
9323  \hsize\columnwidth \parboxrestore
9324  \if@RTLcolumnfootnotes\beginL\fi
9325  \protected@edef\@currentlabel{%
9326    \csname p@mpfootnote\endcsname\@thefnmark}%
9327  \color@begingroup
9328  \@sixcolLTRfootfmt{#1}%
9329  \color@endgroup}%
9330  \m@mmf@prepare}
9331 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
9332  \global\setbox\@mpfootinsv@r\vbox{%
9333  \unvbox\@mpfootinsv@r
9334  \def\baselinestretch{\m@m@footnote@spacing}%
9335  \reset@font\RTLfoottextfont
9336  \hsize\columnwidth \parboxrestore
9337  \protected@edef\@currentlabel{%
9338    \csname p@mpfootnote\endcsname\@thefnmark}%
9339  \color@begingroup

```



```

9340      \@sixcolRTLfootfmt{\#1}%
9341  \color@endgroup}%
9342  \m@mmf@prepare}%
9343 \bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
9344  \m@make@sixcolfootnotetext{\#1}%
9345  \m@make@mpsixcolfootnotetext{\#1}%
9346  \m@make@sixcolfootfmt{\#1}%
9347  \m@make@sixcol@footgroup{\#1}%
9348  \m@make@mpsixcol@footgroup{\#1}%
9349  \m@make@footstart{\#1}%
9350  \bidi@namelongdef{@footnotetext{\#1}##1{%
9351    \nameuse{@sixcolfootnotetext{\#1}{##1}}%
9352  \bidi@namelongdef{@mpfootnotetext{\#1}##1{%
9353    \nameuse{@mpsixcolfootnotetext{\#1}{##1}}%
9354  \namedef{@footgroup{\#1}{\nameuse{@sixcol@footgroup{\#1}}}}%
9355  \namedef{mp@footgroup{\#1}{\nameuse{@mpsixcol@footgroup{\#1}}}}%
9356  \expandafter\dimen\csname footins{\#1}\endcsname=2\footinsdim
9357  \expandafter\count\csname footins{\#1}\endcsname=500\relax}%
9358 \bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
9359  \bidi@namelongdef{@sixcolfootnotetext{\#1}##1{%
9360    \insert\nameuse{footins{\#1}}{%
9361    \def\baselinestretch{\m@m@footnote@spacing}%
9362    \reset@font\nameuse{foottextfont{\#1}}{%
9363      \preamfntext
9364      \protected@edef@\currentlabel{%
9365        \csname p@footnote{\#1}\endcsname \nameuse{@thefnmark{\#1}}}}%
9366      \color@begingroup
9367      \nameuse{@sixcolfootfmt{\#1}{##1}}%
9368    \color@endgroup}%
9369    \m@mmf@prepare}}}
9370 \bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
9371 \bidi@namelongdef{@mpsixcolfootnotetext{\#1}##1{%
9372  \global\setbox\nameuse{@mpfootins{\#1}}\vbox{%
9373    \unvbox\nameuse{@mpfootins{\#1}}
9374    \def\baselinestretch{\m@m@footnote@spacing}%
9375    \reset@font\nameuse{foottextfont{\#1}}{%
9376      \hsize\columnwidth \parboxrestore
9377      \protected@edef@\currentlabel{%
9378        \csname p@mpfootnote{\#1}\endcsname\nameuse{@thefnmark{\#1}}}}%
9379      \color@begingroup
9380      \nameuse{@sixcolfootfmt{\#1}{##1}}%
9381    \color@endgroup\m@mmf@prepare}}}
9382 \bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
9383  \namedef{@sixcolfootfmt{\#1}##1{%
9384    \preamsixfmt
9385    {\nameuse{footfootmark{\#1}}\strut
9386      {\nameuse{foottextfont{\#1}{##1}}\strut\par\allowbreak}}}
9387 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
9388  \namedef{@sixcol@footgroup{\#1}{%
9389    \def\baselinestretch{\m@m@footnote@spacing}}}

```



```

9390      \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9391      \m@mrigidbalance{\nameuse{footins#1}{6}{\splittopskip}}}
9392 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
9393 \namedef{@mpsixcol@footgroup#1}{{%
9394 \def\baselinestretch{\m@m@footnote@spacing}%
9395 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9396 \m@mrigidbalance{\nameuse{@mpfootins#1}{6}{\splittopskip}}}%
9397 \bidi@ensure@newcommand{\sevencolumnfootnotes}{%
9398 \namedef{foottextfontv@r}{\foottextfont}%
9399 % [RS]
9400 \bidi@before@Hy@hyperfootnotes
9401 \let\footnotetext\sevencolfootnotetext
9402 \let\@LTRfootnotetext\sevencolLTRfootnotetext
9403 \let\@RTLfootnotetext\sevencolRTLfootnotetext
9404 \dimen\footinsv@r=7\footinsdim
9405 \count\footinsv@r=142\relax
9406 \m@make@sevencol@footgroup{v@r}%
9407 \let\footgroupv@r\sevencol@footgroupv@r
9408 \let\@mpfootnotetext\mpsevencolfootnotetext
9409 \let\@mpLTRfootnotetext\mpsevencollTRfootnotetext
9410 \let\@mpRTLfootnotetext\mpsevencolRTLfootnotetext
9411 \bidi@after@Hy@hyperfootnotes
9412 \m@make@mpsevencol@footgroup{v@r}%
9413 \let\mp@footgroupv@r\mpsevencol@footgroupv@r
9414 \bidi@ensure@newcommand{\sevencolfootnotetext}[1]{\insert\footinsv@r{%
9415 \if@RTL@footnote\@RTLtrue%
9416 \def\baselinestretch{\m@m@footnote@spacing}%
9417 \reset@font\foottextfont
9418 \preamfntext
9419 \protected@edef\currentlabel{%
9420 \csname p@footnote\endcsname\@thefnmark}%
9421 \color@begingroup
9422 \color@endgroup}%
9423 \m@mmf@prepare}
9424 \bidi@ensure@newcommand{\sevencollTRfootnotetext}[1]{\insert\footinsv@r{%
9425 \if@RTLcolumnfootnote\@RTLtrue%
9426 \def\baselinestretch{\m@m@footnote@spacing}%
9427 \reset@font\LTRfoottextfont
9428 \preamfntext
9429 \protected@edef\currentlabel{%
9430 \csname p@footnote\endcsname\@thefnmark}%
9431 \color@begingroup
9432 \color@endgroup}%
9433 \m@mmf@prepare}
9434 \bidi@ensure@newcommand{\sevencolRTLfootnotetext}[1]{\insert\footinsv@r{%
9435 \if@RTLtrue%
9436 \def\baselinestretch{\m@m@footnote@spacing}%
9437 \reset@font\RTLfoottextfont
9438 \preamfntext
9439 \protected@edef\currentlabel{%
9440 \csname p@footnote\endcsname\@thefnmark}%
9441 \color@begingroup

```



```

9440      \@sevencolRTLfootfmt{#1}%
9441  \color@endgroup}%
9442  \m@mmpf@prepare}%
9443 \bidi@ensure@newcommand{\@preamsevenfmt}{%
9444  \hsize .142\hsize
9445  \parindent=\z@
9446  \tolerance=5000\relax
9447  \leavevmode}%
9448 \bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
9449  \@preamsevenfmt
9450  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9451 \bidi@ensure@newcommand{\@sevencolLTRfootfmt}[1]{%
9452  \@preamsevenfmt
9453  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9454 \bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
9455  \@preamsevenfmt
9456  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9457 \bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse%
9458  \global\setbox\@mpfootinsv@r\vbox{%
9459    \unvbox\@mpfootinsv@r
9460    \def\baselinestretch{\m@m@footnote@spacing}%
9461    \reset@font\foottextfont
9462    \hsize\columnwidth \parboxrestore
9463    \protected@edef\@currentlabel{%
9464      \csname p@mpfootnote\endcsname\@thefnmark}%
9465    \color@begingroup
9466    \@sevencolfootfmt{#1}%
9467    \color@endgroup}%
9468  \m@mmpf@prepare}%
9469 \bidi@ensure@newcommand{\@mpsevencollTRfootnotetext}[1]{\@RTLfalse%
9470  \global\setbox\@mpfootinsv@r\vbox{%
9471    \unvbox\@mpfootinsv@r
9472    \def\baselinestretch{\m@m@footnote@spacing}%
9473    \reset@font\LTRfoottextfont
9474    \hsize\columnwidth \parboxrestore
9475    \if@RTLcolumnfootnotes\beginL\fi
9476    \protected@edef\@currentlabel{%
9477      \csname p@mpfootnote\endcsname\@thefnmark}%
9478    \color@begingroup
9479    \@sevencollTRfootfmt{#1}%
9480    \color@endgroup}%
9481  \m@mmpf@prepare}%
9482 \bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
9483  \global\setbox\@mpfootinsv@r\vbox{%
9484    \unvbox\@mpfootinsv@r
9485    \def\baselinestretch{\m@m@footnote@spacing}%
9486    \reset@font\RTLfoottextfont
9487    \hsize\columnwidth \parboxrestore
9488    \protected@edef\@currentlabel{%
9489      \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

9490 \color@begingroup
9491   \sevencolRTLfootfmt{#1}%
9492 \color@endgroup}%
9493 \m@mmf@prepare}
9494 \bidi@ensure@newcommand{\sevencolumnfootstyle}[1]{%
9495   \m@make@sevencolfootnotetext{#1}%
9496   \m@make@mpsevencolfootnotetext{#1}%
9497   \m@make@sevencolfootfmt{#1}%
9498   \m@make@sevencol@footgroup{#1}%
9499   \m@make@mpsevencol@footgroup{#1}%
9500   \m@make@footstart{#1}%
9501   \bidi@namelongdef{@footnotetext#1}##1{%
9502     \nameuse{@sevencolfootnotetext#1}{##1}}%
9503   \bidi@namelongdef{@mpfootnotetext#1}##1{%
9504     \nameuse{@mpsevencolfootnotetext#1}{##1}}%
9505   \namedef{@footgroup#1}{\nameuse{@sevencol@footgroup#1}}%
9506   \namedef{@mp@footgroup#1}{\nameuse{@mpsevencol@footgroup#1}}%
9507   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9508   \expandafter\count\csname footins#1\endcsname=500\relax}
9509 \bidi@ensure@newcommand{\m@make@sevencolfootnotetext}[1]{%
9510   \bidi@namelongdef{@sevencolfootnotetext#1}##1{%
9511     \insert\nameuse{footins#1}{%
9512       \def\baselinestretch{\m@m@footnote@spacing}%
9513       \reset@font\nameuse{foottextfont#1}{%
9514         \preamfntext
9515         \protected@edef@\currentlabel{%
9516           \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9517         \color@begingroup
9518           \nameuse{@sevencolfootfmt#1}{##1}}%
9519         \color@endgroup}%
9520         \m@mmf@prepare}}}
9521 \bidi@ensure@newcommand{\m@make@mpsevencolfootnotetext}[1]{%
9522 \bidi@namelongdef{@mpsevencolfootnotetext#1}##1{%
9523   \global\setbox\nameuse{@mpfootins#1}\vbox{%
9524     \unvbox\nameuse{@mpfootins#1}
9525     \def\baselinestretch{\m@m@footnote@spacing}%
9526     \reset@font\nameuse{foottextfont#1}{%
9527       \hsize\columnwidth \parboxrestore
9528       \protected@edef@\currentlabel{%
9529         \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9530       \color@begingroup
9531         \nameuse{@sevencolfootfmt#1}{##1}}%
9532       \color@endgroup\m@mmf@prepare}}}
9533 \bidi@ensure@newcommand{\m@make@sevencolfootfmt}[1]{%
9534   \namedef{@sevencolfootfmt#1}##1{%
9535     \preamsevenfmt
9536     {\nameuse{footfootmark#1}\strut
9537       {\nameuse{foottextfont#1}##1\strut\par\allowbreak}}}
9538 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
9539   \namedef{@sevencol@footgroup#1}{%

```



```

9540   \def\baselinestretch{\m@m@footnote@spacing}%
9541     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9542     \m@mrigidbalance{\@nameuse{footins#1}{7}{\splittopskip}}}}
9543 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
9544 \namedef{\mpsevencol@footgroup#1}{%
9545   \def\baselinestretch{\m@m@footnote@spacing}%
9546   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9547   \m@mrigidbalance{\@nameuse{@mpfootins#1}{7}{\splittopskip}}}}
9548 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
9549   \namedef{foottextfontv@r}{\foottextfont}%
9550   % [RS]
9551   \bidi@before@Hy@hyperfootnotes
9552   \let\@footnotetext\@eightcolfootnotetext
9553   \let\@LTRfootnotetext\@eightcolLTRfootnotetext
9554   \let\@RTLfootnotetext\@eightcolRTLfootnotetext
9555   \dimen\footinsv@r=8\footinsdim
9556   \count\footinsv@r=125\relax
9557   \m@make@eightcol@footgroup{v@r}%
9558   \let\@footgroupv@r\@eightcol@footgroupv@r
9559   \let\@mpfootnotetext\@mpheightcolfootnotetext
9560   \let\@mpLTRfootnotetext\@mpheightcolLTRfootnotetext
9561   \let\@mpRTLfootnotetext\@mpheightcolRTLfootnotetext
9562   \bidi@after@Hy@hyperfootnotes
9563   \m@make@mpheightcol@footgroup{v@r}%
9564 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr}
9565   \def\baselinestretch{\m@m@footnote@spacing}%
9566   \reset@font\foottextfont
9567   \preamfntext
9568   \protected@edef@\currentlabel{%
9569     \csname p@footnote\endcsname\@thefnmark}%
9570   \color@begingroup
9571     \@eightcolfootfmt{#1}%
9572   \color@endgroup}%
9573   \m@mmf@prepare}
9574 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote\@RTLtrue}%
9575   \def\baselinestretch{\m@m@footnote@spacing}%
9576   \reset@font\LTRfoottextfont
9577   \preamfntext
9578   \protected@edef@\currentlabel{%
9579     \csname p@footnote\endcsname\@thefnmark}%
9580   \color@begingroup
9581     \@eightcolLTRfootfmt{#1}%
9582   \color@endgroup}%
9583   \m@mmf@prepare}
9584 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
9585   \def\baselinestretch{\m@m@footnote@spacing}%
9586   \reset@font\RTLfoottextfont
9587   \preamfntext
9588   \protected@edef@\currentlabel{%
9589     \csname p@footnote\endcsname\@thefnmark}%

```



```

9590 \color@begingroup
9591   \eightcolRTLfootfmt{#1}%
9592 \color@endgroup}%
9593 \m@mmf@prepare}%
9594 \bidi@ensure@newcommand{\preameightfmt}{%
9595   \hsize .125\hsize
9596 \parindent=\z@
9597 \tolerance=5000\relax
9598 \leavevmode}%
9599 \bidi@ensure@newcommand{\eightcolfootfmt}[1]{%
9600   \preameightfmt
9601   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9602 \bidi@ensure@newcommand{\eightcolLTRfootfmt}[1]{%
9603   \preameightfmt
9604   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9605 \bidi@ensure@newcommand{\eightcolRTLfootfmt}[1]{%
9606   \preameightfmt
9607   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9608 \bidi@ensure@newcommand{\mpeightcolfootnotetext}[1]{%
9609   \global\setbox\mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
9610   \unvbox\mpfootinsv@r
9611   \def\baselinestretch{\m@m@footnote@spacing}%
9612   \reset@font\foottextfont
9613   \hsize\columnwidth \parboxrestore
9614   \protected@edef\@currentlabel{%
9615     \csname p\mpfootnote\endcsname\@thefnmark}%
9616 \color@begingroup
9617   \eightcolfootfmt{#1}%
9618 \color@endgroup}%
9619 \m@mmf@prepare}%
9620 \bidi@ensure@newcommand{\mpeightcolLTRfootnotetext}[1]{%
9621   \global\setbox\mpfootinsv@r\vbox{\@RTLfalse}%
9622   \unvbox\mpfootinsv@r
9623   \def\baselinestretch{\m@m@footnote@spacing}%
9624   \reset@font\LTRfoottextfont
9625   \hsize\columnwidth \parboxrestore
9626   \if@RTLcolumnfootnotes\beginL\fi
9627   \protected@edef\@currentlabel{%
9628     \csname p\mpfootnote\endcsname\@thefnmark}%
9629 \color@begingroup
9630   \eightcolLTRfootfmt{#1}%
9631 \color@endgroup}%
9632 \m@mmf@prepare}%
9633 \bidi@ensure@newcommand{\mpeightcolRTLfootnotetext}[1]{%
9634   \global\setbox\mpfootinsv@r\vbox{\@RTLtrue}%
9635   \unvbox\mpfootinsv@r
9636   \def\baselinestretch{\m@m@footnote@spacing}%
9637   \reset@font\RTLfoottextfont
9638   \hsize\columnwidth \parboxrestore
9639   \protected@edef\@currentlabel{%

```



```

9640      \csname p@mpfootnote\endcsname{@thefnmark}%
9641  \color@begingroup
9642    @eightcolRTLfootfmt{#1}%
9643 \color@endgroup}%
9644 \m@mmf@prepare}
9645 \bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
9646  \m@make@eightcolfootnotetext{#1}%
9647  \m@make@mpeightcolfootnotetext{#1}%
9648  \m@make@eightcolfootfmt{#1}%
9649  \m@make@eightcol@footgroup{#1}%
9650  \m@make@mpeightcol@footgroup{#1}%
9651  \m@make@footstart{#1}%
9652  \bidi@namelongdef{@footnotetext#1}##1{%
9653    @nameuse{@eightcolfootnotetext#1}{##1}}%
9654  \bidi@namelongdef{@mpfootnotetext#1}##1{%
9655    @nameuse{@mpeightcolfootnotetext#1}{##1}}%
9656  \namedef{@footgroup#1}{\nameuse{@eightcol@footgroup#1}}%
9657  \namedef{@mp@footgroup#1}{\nameuse{@mpeightcol@footgroup#1}}%
9658  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9659  \expandafter\count\csname footins#1\endcsname=500\relax}
9660 \bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
9661  \bidi@namelongdef{@eightcolfootnotetext#1}##1{%
9662    \insert@nameuse{footins#1}{%
9663      \def\baselinestretch{\m@tfootnote@spacing}%
9664      \reset@font\nameuse{foottextfont#1}%
9665      @preamfntext
9666      \protected@edef@\currentlabel{%
9667        \csname p@footnote#1\endcsname \nameuse{@thefnmark#1}}%
9668      \color@begingroup
9669        @nameuse{@eightcolfootfmt#1}##1}%
9670      \color@endgroup}%
9671      \m@mmf@prepare}}
9672 \bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
9673 \bidi@namelongdef{@mpeightcolfootnotetext#1}##1{%
9674  \global\setbox\nameuse{@mpfootins#1}\vbox{%
9675    \unvbox\nameuse{@mpfootins#1}
9676    \def\baselinestretch{\m@tfootnote@spacing}%
9677    \reset@font\nameuse{foottextfont#1}%
9678    \hsize\columnwidth \parboxrestore
9679    \protected@edef@\currentlabel{%
9680      \csname p@mpfootnote#1\endcsname\nameuse{@thefnmark#1}}%
9681    \color@begingroup
9682      @nameuse{@eightcolfootfmt#1}##1}%
9683    \color@endgroup\m@mmf@prepare}}
9684 \bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
9685  \namedef{@eightcolfootfmt#1}##1{%
9686    @preameightfmt
9687    {\nameuse{footfootmark#1}\strut
9688      {\nameuse{foottextfont#1}##1}\strut\par\allowbreak}}
9689 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%

```



```

9690  \@namedef{@eightcol@footgroup#1}{%
9691   \def\baselinestretch{\m@m@footnote@spacing}%
9692   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9693   \m@mrigidbalance{\@nameuse{footins#1}{8}{\splittopskip}}}}
9694 \bidi@ensure@newcommand{\m@make@mpheightcol@footgroup}[1]{%
9695 \@namedef{@mpheightcol@footgroup#1}{%
9696 \def\baselinestretch{\m@m@footnote@spacing}%
9697 \m@mrigidbalance{\@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9698 \m@mrigidbalance{\@nameuse{@mpfootins#1}{8}{\splittopskip}}}}
9699 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
9700 \@namedef{foottextfontv@r}{\foottextfont}%
9701 % [RS]
9702 \bidi@before@Hy@hyperfootnotes
9703 \let@\footnotetext@\ninecolfootnotetext
9704 \let@\LTRfootnotetext@\ninecolLTRfootnotetext
9705 \let@\RTLfootnotetext@\ninecolRTLfootnotetext
9706 \dimen\footinsv@r=9\footinsdim
9707 \count\footinsv@r=111\relax
9708 \m@make@ninecol@footgroup{v@r}%
9709 \let@\footgroupv@r@\ninecol@footgroupv@r
9710 \let@\mpfootnotetext@\mpninecolfootnotetext
9711 \let@\mpLTRfootnotetext@\mpninecolLTRfootnotetext
9712 \let@\mpRTLfootnotetext@\mpninecolRTLfootnotetext
9713 \bidi@aft@Hy@hyperfootnotes
9714 \m@make@mpninecol@footgroup{v@r}%
9715 \bidi@ensure@newcommand{\ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote@\RTLtrue%
9716 \def\baselinestretch{\m@m@footnote@spacing}%
9717 \reset@font\foottextfont
9718 \preamfntext
9719 \protected@edef@\currentlabel{%
9720   \csname p@footnote\endcsname\@thefnmark}%
9721 \color@begingroup
9722   \ninecolfootfmt{#1}%
9723 \color@endgroup}%
9724 \m@mmf@prepare}
9725 \bidi@ensure@newcommand{\ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote%
9726 \def\baselinestretch{\m@m@footnote@spacing}%
9727 \reset@font\LTRfoottextfont
9728 \preamfntext
9729 \protected@edef@\currentlabel{%
9730   \csname p@footnote\endcsname\@thefnmark}%
9731 \color@begingroup
9732   \ninecolLTRfootfmt{#1}%
9733 \color@endgroup}%
9734 \m@mmf@prepare}
9735 \bidi@ensure@newcommand{\ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\if@RTLtrue%
9736 \def\baselinestretch{\m@m@footnote@spacing}%
9737 \reset@font\RTLfoottextfont
9738 \preamfntext
9739 \protected@edef@\currentlabel{%

```



```

9740      \csname p@footnote\endcsname\@thefnmark}%
9741  \color@begingroup
9742    \ninecolRTLfootfmt{#1}%
9743  \color@endgroup}%
9744  \m@mmf@prepare}
9745 \bidi@ensure@newcommand{\preambleNineFmt}{%
9746   \hsize .1\hsize
9747   \parindent=\z@
9748   \tolerance=5000\relax
9749   \leavevmode}
9750 \bidi@ensure@newcommand{\ninecolFootFmt}[1]{%
9751   \preambleNineFmt
9752   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9753 \bidi@ensure@newcommand{\ninecolLTRFootFmt}[1]{%
9754   \preambleNineFmt
9755   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9756 \bidi@ensure@newcommand{\ninecolRTLFootFmt}[1]{%
9757   \preambleNineFmt
9758   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9759 \bidi@ensure@newcommand{\mpNineColFootNoteText}[1]{%
9760   \global\setbox\mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9761     \unvbox\mpfootinsv@r
9762     \def\baselinestretch{\m@m@footnote@spacing}%
9763     \reset@font\foottextfont
9764     \hsize\columnwidth \parboxrestore
9765     \protected@edef\@currentlabel{%
9766       \csname p@mpfootnote\endcsname\@thefnmark}%
9767     \color@begingroup
9768       \ninecolFootFmt{#1}%
9769     \color@endgroup}%
9770   \m@mmf@prepare}
9771 \bidi@ensure@newcommand{\mpNineColLTRFootNoteText}[1]{%
9772   \global\setbox\mpfootinsv@r\vbox{\@RTLfalse%
9773     \unvbox\mpfootinsv@r
9774     \def\baselinestretch{\m@m@footnote@spacing}%
9775     \reset@font\LTRfoottextfont
9776     \hsize\columnwidth \parboxrestore
9777     \if@RTLcolumnfootnotes\beginL\fi
9778     \protected@edef\@currentlabel{%
9779       \csname p@mpfootnote\endcsname\@thefnmark}%
9780     \color@begingroup
9781       \ninecolLTRFootFmt{#1}%
9782     \color@endgroup}%
9783   \m@mmf@prepare}
9784 \bidi@ensure@newcommand{\mpNineColRTLFootNoteText}[1]{%
9785   \global\setbox\mpfootinsv@r\vbox{\@RTLtrue%
9786     \unvbox\mpfootinsv@r
9787     \def\baselinestretch{\m@m@footnote@spacing}%
9788     \reset@font\RTLfoottextfont
9789     \hsize\columnwidth \parboxrestore

```



```

9790     \protected@edef{\currentlabel}{%
9791         \csname p@mpfootnote\endcsname\thefnmark}%
9792     \color@begingroup
9793     \nineloftfootfmt{#1}%
9794     \color@endgroup}%
9795     \m@mmf@prepare}
9796 \bidi@ensure@newcommand{\ninemcolumnfootstyle}[1]{%
9797     \m@make@nineloftfootnotetext{#1}%
9798     \m@make@mpnineloftfootnotetext{#1}%
9799     \m@make@nineloftfootfmt{#1}%
9800     \m@make@nineloftfootgroup{#1}%
9801     \m@make@mpnineloftfootgroup{#1}%
9802     \m@make@footstart{#1}%
9803     \bidi@namelongdef{@footnotetext#1}##1{%
9804         \nameuse{\nineloftfootnotetext#1}##1}%
9805     \bidi@namelongdef{@mpfootnotetext#1}##1{%
9806         \nameuse{\mpnineloftfootnotetext#1}##1}%
9807     \namedef{@footgroup#1}{\nameuse{\nineloftfootgroup#1}}%
9808     \namedef{@mp@footgroup#1}{\nameuse{\mpnineloftfootgroup#1}}%
9809     \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9810     \expandafter\count\csname footins#1\endcsname=500\relax}
9811 \bidi@ensure@newcommand{\m@make@nineloftfoottext}[1]{%
9812     \bidi@namelongdef{@nineloftfootnotetext#1}##1{%
9813         \insert\nameuse{footins#1}%
9814         \def\baselinestretch{\m@footnote@spacing}%
9815         \reset@font\nameuse{foottextfont#1}%
9816         \preamfntext
9817         \protected@edef{\currentlabel}{%
9818             \csname p@footnote#1\endcsname\nameuse{\thefnmark}#1}%
9819             \color@begingroup
9820             \nameuse{\nineloftfootfmt#1}##1}%
9821             \color@endgroup}%
9822             \m@mmf@prepare}}
9823 \bidi@ensure@newcommand{\m@make@mpnineloftfootnotetext}[1]{%
9824 \bidi@namelongdef{@mpnineloftfootnotetext#1}##1{%
9825     \global\setbox\nameuse{\mpfootins#1}\vbox{%
9826         \unvbox\nameuse{\mpfootins#1}
9827         \def\baselinestretch{\m@footnote@spacing}%
9828         \reset@font\nameuse{foottextfont#1}%
9829         \hsize\columnwidth\parboxrestore
9830         \protected@edef{\currentlabel}{%
9831             \csname p@mpfootnote#1\endcsname\nameuse{\thefnmark}#1}%
9832             \color@begingroup
9833             \nameuse{\nineloftfootfmt#1}##1}%
9834             \color@endgroup\m@mmf@prepare}}
9835 \bidi@ensure@newcommand{\m@make@nineloftfootfmt}[1]{%
9836     \namedef{@nineloftfootfmt#1}##1{%
9837         \preamnineloftfootfmt
9838         {\nameuse{footfootmark#1}\strut
9839             {\nameuse{foottextfont#1}##1\strut\allowbreak}}}

```



```

9840 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
9841   \@namedef{@ninecol@footgroup#1}{{%
9842     \def\baselinestretch{\m@m@footnote@spacing}%
9843     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9844     \m@mrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}%
9845 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
9846   \@namedef{@mpninecol@footgroup#1}{{%
9847     \def\baselinestretch{\m@m@footnote@spacing}%
9848     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9849     \m@mrigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}%
9850 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
9851   \@namedef{foottextfontv@r}{\foottextfont}%
9852   \bidi@before@Hy@hyperfootnotes
9853   \let@\footnotetext\@tencolfootnotetext
9854   \let@\LTRfootnotetext\@tencolLTRfootnotetext
9855   \let@\RTLfootnotetext\@tencolRTLfootnotetext
9856   \dimen\footinsv@r=10\footinsdim
9857   \count\footinsv@r=100\relax
9858   \m@make@tencol@footgroup{v@r}%
9859   \let@\footgroupv@r\@tencol@footgroupv@r
9860   \let@\mpfootnotetext\@mpcolfootnotetext
9861   \let@\mpLTRfootnotetext\@mpcolLTRfootnotetext
9862   \let@\mpRTLfootnotetext\@mpcolRTLfootnotetext
9863   \bidi@after@Hy@hyperfootnotes
9864   \m@make@mpcol@footgroup{v@r}%
9865   \let\mp@footgroupv@r\@mpcol@footgroupv@r
9866 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{%
9867   \if@RTL@footnote\@RTLtrue%
9868   \def\baselinestretch{\m@m@footnote@spacing}%
9869   \reset@font\foottextfont
9870   \protected@edef\@currentlabel{%
9871     \csname p@footnote\endcsname\@thefnmark}%
9872   \color@begingroup
9873     \tencolfootfmt{#1}%
9874   \color@endgroup}%
9875   \m@mmf@prepare}%
9876 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{%
9877   \if@RTLcolumnfootnotes\@RTLtrue%
9878   \def\baselinestretch{\m@m@footnote@spacing}%
9879   \reset@font\LTRfoottextfont
9880   \protected@edef\@currentlabel{%
9881     \csname p@footnote\endcsname\@thefnmark}%
9882   \color@begingroup
9883     \tencolLTRfootfmt{#1}%
9884   \color@endgroup}%
9885   \m@mmf@prepare}%
9886 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{%
9887   \def\baselinestretch{\m@m@footnote@spacing}%
9888   \reset@font\RTLfoottextfont
9889   \protected@edef\@currentlabel{%

```



```

9890 \protected@edef{@currentlabel{%
9891   \csname p@footnote\endcsname\@thefnmark}%
9892 \color@begingroup
9893   \atencolRTLfootfmt{#1}%
9894 \color@endgroup}%
9895 \m@mmf@prepare}
9896 \bidi@ensure@newcommand{\@preamtenfmt}{%
9897   \hsize .1\hsize
9898 \parindent=\z@
9899 \tolerance=5000\relax
9900 \leavevmode}
9901 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
9902   \@preamtenfmt
9903   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9904 \bidi@ensure@newcommand{\@tencollTRfootfmt}[1]{%
9905   \@preamtenfmt
9906   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9907 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
9908   \@preamtenfmt
9909   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9910 \bidi@ensure@newcommand{\@mptfootnotetext}[1]{%
9911   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9912     \unvbox\@mpfootinsv@r
9913     \def\baselinestretch{\m@m@footnote@spacing}%
9914     \reset@font\foottextfont
9915     \hsize\columnwidth \parboxrestore
9916     \protected@edef{@currentlabel{%
9917       \csname p@mpfootnote\endcsname\@thefnmark}%
9918     \color@begingroup
9919       \atencolfootfmt{#1}%
9920     \color@endgroup}%
9921     \m@mmf@prepare}
9922 \bidi@ensure@newcommand{\@mptfootnotetext}[1]{%
9923   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9924     \unvbox\@mpfootinsv@r
9925     \def\baselinestretch{\m@m@footnote@spacing}%
9926     \reset@font\LTRfoottextfont
9927     \hsize\columnwidth \parboxrestore
9928     \if@RTLcolumnfootnotes\beginL\fi
9929     \protected@edef{@currentlabel{%
9930       \csname p@mpfootnote\endcsname\@thefnmark}%
9931     \color@begingroup
9932       \atencollTRfootfmt{#1}%
9933     \color@endgroup}%
9934     \m@mmf@prepare}
9935 \bidi@ensure@newcommand{\@mptfootnotetext}[1]{%
9936   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9937     \unvbox\@mpfootinsv@r
9938     \def\baselinestretch{\m@m@footnote@spacing}%
9939     \reset@font\RTLfoottextfont

```



```

9940      \hsize\columnwidth \parboxrestore
9941      \protected@edef@\currentlabel{%
9942          \csname p@mpfootnote\endcsname\@thefnmark}%
9943      \color@begingroup
9944          \atencolRTLfootfmt{\#1}%
9945      \color@endgroup}%
9946      \m@mmf@prepare}
9947 \bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
9948     \m@make@tencolfootnotetext{\#1}%
9949     \m@make@mptencolfootnotetext{\#1}%
9950     \m@make@tencolfootfmt{\#1}%
9951     \m@make@tencol@footgroup{\#1}%
9952     \m@make@mptencol@footgroup{\#1}%
9953     \m@make@footstart{\#1}%
9954     \bidi@namelongdef{@footnotetext{\#1}##1}{%
9955         \nameuse{@tencolfootnotetext{\#1}##1}%
9956     \bidi@namelongdef{@mpfootnotetext{\#1}##1}{%
9957         \nameuse{@mptencolfootnotetext{\#1}##1}%
9958     \namedef{@footgroup{\#1}}{\nameuse{@tencol@footgroup{\#1}}}%
9959     \namedef{mp@footgroup{\#1}}{\nameuse{@mptencol@footgroup{\#1}}}%
9960     \expandafter\dimen\csname footins{\#1}\endcsname=2\footinsdim
9961     \expandafter\count\csname footins{\#1}\endcsname=500\relax}
9962 \bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
9963     \bidi@namelongdef{@tencolfootnotetext{\#1}##1}{%
9964         \insert\nameuse{footins{\#1}}{%
9965             \def\baselinestretch{\m@m@footnote@spacing}%
9966             \reset@font\nameuse{foottextfont{\#1}}{%
9967                 \preamfntext
9968                 \protected@edef@\currentlabel{%
9969                     \csname p@footnote{\#1}\endcsname \nameuse{@thefnmark{\#1}}{%
9970                     \color@begingroup
9971                         \nameuse{@tencolfootfmt{\#1}##1}%
9972                     \color@endgroup}%
9973                     \m@mmf@prepare}}
9974 \bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
9975 \bidi@namelongdef{@mptencolfootnotetext{\#1}##1}{%
9976     \global\setbox\nameuse{@mpfootins{\#1}}\vbox{%
9977         \unvbox\nameuse{@mpfootins{\#1}}
9978         \def\baselinestretch{\m@m@footnote@spacing}%
9979         \reset@font\nameuse{foottextfont{\#1}}{%
9980             \hsize\columnwidth \parboxrestore
9981             \protected@edef@\currentlabel{%
9982                 \csname p@mpfootnote{\#1}\endcsname\nameuse{@thefnmark{\#1}}{%
9983                 \color@begingroup
9984                     \nameuse{@tencolfootfmt{\#1}##1}%
9985                 \color@endgroup}\m@mmf@prepare}}
9986 \bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
9987     \namedef{@tencolfootfmt{\#1}##1}{%
9988         \preamtenfmt
9989         {\nameuse{footfootmark{\#1}}\strut

```



```

9990      {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9991 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
9992   \@namedef{@tencol@footgroup#1}{{%
9993     \def\baselinestretch{\m@m@footnote@spacing}%
9994     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9995     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}
9996 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
9997   \@namedef{@mptencol@footgroup#1}{{%
9998     \def\baselinestretch{\m@m@footnote@spacing}%
9999     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10000    \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}
10001 \bidi@ensure@newcommand{\m@munvxh}[1]{%
10002   \setbox0=\vbox{\unvbox#1}%
10003   \global\setbox1=\lastbox}%
10004   \unhbox1
10005   \unskip
10006   \unskip
10007   \unpenalty
10008   \hskip\m@mipn@skip
10009 \bidi@ensure@newcommand{\m@mungebox}{}%
10010   \setbox0=\hbox{\m@munvxh0}%
10011   \dp0=\z@
10012   \ht0=\footfudgefactor\wd0
10013   \box0
10014   \penalty0
10015 \newskip\m@mipn@skip
10016 \bidi@ensure@newcommand*\{\m@minterparanote glue}[1]{%
10017   {\foottextfont\global\m@mipn@skip=#1\relax}}
10018 \m@minterparanote glue{1em plus .4em minus .4em}
10019 \@ifpackage loaded{multicol}{}%
10020 \bidi@ensure@newcommand*\{\m@mmakehboxofhboxes}{}%
10021 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
10022 \hsize\textwidth%
10023 \setbox0=\hbox{}%
10024 \loop
10025   \unpenalty
10026   \setbox2=\lastbox
10027 \ifhbox2
10028   \setbox0=\hbox{\box2\unhbox0}
10029   \repeat}
10030 }{}%
10031 \bidi@ensure@newcommand*\{\m@mmakehboxofhboxes}{}%
10032 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
10033 \setbox0=\hbox{}%
10034 \loop
10035   \unpenalty
10036   \setbox2=\lastbox
10037 \ifhbox2
10038   \setbox0=\hbox{\box2\unhbox0}
10039   \repeat}}

```



```

10040 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
10041   \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
10042 \bidi@ensure@newcommand*{\footfudgefiddle}{64}
10043 \bidi@ensure@newcommand{\paragraphfootnotes}{%
10044   \cnamedef{foottextfontv@r}{\foottextfont}%
10045   \cnamedef{foottextfont}{\foottextfont}%
10046   \cnamedef{footnotetext}{\parafootnotetext}%
10047   \cnamedef{LTRfootnotetext}{\paraLTRfootnotetext}%
10048   \cnamedef{RTLfootnotetext}{\paraRTLfootnotetext}%
10049   \dimen\footinsv@r=\footinsdim
10050   \count\footinsv@r=1000\relax
10051   \m@make@para@footgroup{v@r}%
10052   \let\@footgroupv@r\@para@footgroupv@r
10053   \let\@mpfootnotetext\@mparafootnotetext
10054   \let\@mpLTRfootnotetext\@mparaLTRfootnotetext
10055   \let\@mpRTLfootnotetext\@mparaRTLfootnotetext
10056   \cnamedef{bidi@after@Hy}{\hyperfootnotes}%
10057   \m@make@mppara@footgroup{v@r}%
10058   \let\mp@footgroupv@r\@mpara@footgroupv@r
10059   \begingroup
10060   \def\baselinestretch{\m@m@footnote@spacing}%
10061   \foottextfont
10062   \tempdima\normalbaselineskip
10063   \multiply \tempdima \ccclvi
10064   \tempdimb \columnwidth
10065   \divide \tempdimb \ccclvi
10066   \divide \tempdima \tempdimb
10067   \xdef\footfudgefactor{\strip@pt\tempdima}%
10068   \endgroup
10069 }
10070 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{%
10071   \let\bidi@RTL@everypar\empty%
10072   \def\baselinestretch{\m@m@footnote@spacing}%
10073   \reset@font\foottextfont
10074   \preamfntext
10075   \protected@edef\@currentlabel{%
10076     \csname p@footnote\endcsname\@thefnmark}%
10077   \setbox0=\vbox{\hsize=\maxdimen
10078     \color\begin{group}
10079       \noindent \parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\endL}%
10080     \color\endgroup
10081   \m@mungebox}\m@mmpf@prepare}
10082 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{%
10083   \let\bidi@RTL@everypar\empty%
10084   \def\baselinestretch{\m@m@footnote@spacing}%
10085   \reset@font\LTRfoottextfont
10086   \preamfntext
10087   \protected@edef\@currentlabel{%
10088     \csname p@footnote\endcsname\@thefnmark}%
10089   \setbox0=\vbox{\hsize=\maxdimen

```



```

10090   \color@begingroup
10091     \noindent \paraRTLfootfmt{\beginL#1\endL}%
10092   \color@endgroup}%
10093 \m@mungebox}\m@mmpf@prepare}
10094 \bidi@ensure@newcommand{\paraRTLfootnotetext}[1]{\insert\footinsv@r{%
10095   \let\bidi@RTL@everypar\empty%
10096   \def\baselinestretch{\m@m@footnote@spacing}%
10097   \reset@font\RTLfoottextfont
10098   \preamfntext
10099   \protected@edef\@currentlabel{%
10100     \csname p@footnote\endcsname\@thefnmark}%
10101   \setbox0=\vbox{\hsize=\maxdimen
10102     \color@begingroup
10103       \noindent \paraRTLfootfmt{\beginR#1\endR}%
10104     \color@endgroup}%
10105 \m@mungebox}\m@mmpf@prepare}
10106 \bidi@ensure@newcommand{\parafootfmt}[1]{%
10107   \parindent=\z@
10108   \parfillskip=0pt \oplus 1fil
10109   {\footfootmark\strut {\foottextfont #1}\penalty-10}}
10110 \bidi@ensure@newcommand{\paraRTLfootfmt}[1]{%
10111   \parindent=\z@
10112   \parfillskip=0pt \oplus 1fil
10113   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
10114 \bidi@ensure@newcommand{\paraRTLfootfmt}[1]{%
10115   \parindent=\z@
10116   \parfillskip=0pt \oplus 1fil
10117   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
10118 \bidi@ensure@newcommand{\mpparafootnotetext}[1]{%
10119   \global\setbox\mpfootinsv@r\vbox{%
10120     \let\bidi@RTL@everypar\empty%
10121     \def\baselinestretch{\m@m@footnote@spacing}%
10122     \unvbox\mpfootinsv@r
10123     \reset@font\foottextfont
10124     \hsize\columnwidth \parboxrestore
10125     \protected@edef\@currentlabel{%
10126       \csname p@mpfootnote\endcsname\@thefnmark}%
10127     \setbox0=\vbox{\hsize=\maxdimen
10128       \color@begingroup
10129         \noindent \parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else\endL}%
10130       \color@endgroup}%
10131 \m@mungebox}\m@mmpf@prepare}
10132 \bidi@ensure@newcommand{\mpparaRTLfootnotetext}[1]{%
10133   \global\setbox\mpfootinsv@r\vbox{%
10134     \let\bidi@RTL@everypar\empty%
10135     \def\baselinestretch{\m@m@footnote@spacing}%
10136     \unvbox\mpfootinsv@r
10137     \reset@font\LTRfoottextfont
10138     \hsize\columnwidth \parboxrestore
10139     \protected@edef\@currentlabel{%

```



```

10140      \csname p@mpfootnote\endcsname\@thefnmark}%
10141      \setbox0=\vbox{\hsize=\maxdimen
10142          \color@begingroup
10143          \noindent \@paraLTRfootfmt{\beginL#1\endL}%
10144          \color@endgroup}%
10145      \m@mungebox}\m@mmpf@prepare}
10146 \bidi@ensure@newcommand{\@mparaRTLfootnotetext}[1]{%
10147     \global\setbox\@mpfootinsv@r\vbox{%
10148         \let\bidi@RTL@everypar\empty%
10149         \def\baselinestretch{\m@m@footnote@spacing}%
10150         \unvbox\@mpfootinsv@r
10151         \reset@font\RTLfoottextfont
10152         \hsize\columnwidth \parboxrestore
10153         \protected@edef\@currentlabel{%
10154             \csname p@mpfootnote\endcsname\@thefnmark}%
10155         \setbox0=\vbox{\hsize=\maxdimen
10156             \color@begingroup
10157             \noindent \@paraRTLfootfmt{\beginR#1\endR}%
10158             \color@endgroup}%
10159             \m@mungebox}\m@mmpf@prepare}
10160 \bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
10161     \m@make@parafootnotetext{#1}%
10162     \m@make@mpparafootnotetext{#1}%
10163     \m@make@parafootfmt{#1}%
10164     \m@make@para@footgroup{#1}%
10165     \m@make@mppara@footgroup{#1}%
10166     \m@make@para@footstart{#1}%
10167     \bidi@namelongdef{@footnotetext#1}##1{%
10168         \nameuse{@parafootnotetext#1}##1}%
10169     \bidi@namelongdef{@mpfootnotetext#1}##1{%
10170         \nameuse{@mpparafootnotetext#1}##1}%
10171     \namedef{@footgroup#1}{\nameuse{@para@footgroup#1}}%
10172     \namedef{mp@footgroup#1}{\nameuse{@mpara@footgroup#1}}%
10173     \namedef{@footstart#1}{\nameuse{@para@footstart#1}}%
10174     \expandafter\dimen\csname footins#1\endcsname=\footinsdim
10175     \expandafter\count\csname footins#1\endcsname=1000\relax
10176     \begin{group}
10177     \def\baselinestretch{\m@m@footnote@spacing}%
10178     \nameuse{foottextfont#1}%
10179     \tempdima\normalbaselineskip
10180     \multiply \tempdima \cclvi
10181     \tempdimb \columnwidth
10182     \divide \tempdimb \cclvi
10183     \divide \tempdima \tempdimb
10184     \xdef\footfudgefactor{\strip@pt\tempdima}%
10185     \endgroup
10186   }
10187 \bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
10188 \bidi@namelongdef{@parafootnotetext#1}##1{%
10189   \insert\nameuse{footins#1}{
```



```

10190 \def\baselinestretch{\m@m@footnote@spacing}%
10191 \reset@font\@nameuse{foottextfont#1}%
10192 \@preamfntext
10193 \protected@edef\@currentlabel{%
10194   \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}%
10195 \setbox0=\vbox{\hsize=\maxdimen
10196   \color@begingroup
10197     \noindent \@nameuse{@parafootfmt#1}{##1}%
10198   \color@endgroup}%
10199 \m@mungebox}\m@mmpf@prepare}%
10200 \bidi@ensure@newcommand{\m@m@make@mpparafootnotetext}[1]{%
10201 \bidi@namelongdef{@mpparafootnotetext#1}##1{%
10202   \global\setbox\@nameuse{@mpfootins#1}\vbox{%
10203     \unvbox\@nameuse{@mpfootins#1}%
10204   \def\baselinestretch{\m@m@footnote@spacing}%
10205   \reset@font\@nameuse{foottextfont#1}%
10206   \hsize\columnwidth \parboxrestore
10207   \protected@edef\@currentlabel{%
10208     \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}%
10209   \setbox0=\vbox{\hsize=\maxdimen
10210     \color@begingroup
10211       \noindent \@nameuse{@parafootfmt#1}{##1}%
10212     \color@endgroup}%
10213   \m@mungebox}\m@mmpf@prepare}%
10214 \bidi@ensure@newcommand{\m@m@make@parafootfmt}[1]{%
10215 \bidi@namelongdef{@parafootfmt#1}##1{%
10216   \parindent=\z@
10217   \parfillskip=0pt \oplus 1fil
10218   {\@nameuse{footfootmark#1}\strut
10219     {\@nameuse{foottextfont#1}{##1}\penalty-10}}}
10220 \bidi@ensure@newcommand{\m@m@make@para@footgroup}[1]{%
10221 \@namedef{@para@footgroup#1}{%
10222   \unvbox\@nameuse{footins#1}
10223   \m@mmakehboxofhboxes
10224   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10225   \parboxrestore%
10226   \def\baselinestretch{\m@m@footnote@spacing}%
10227   \nameuse{foottextfont#1}%
10228   \noindent\unhbox0\par}}
10229 \bidi@ensure@newcommand{\m@m@make@mppara@footgroup}[1]{%
10230 \@namedef{@mppara@footgroup#1}{%
10231   \unvbox\@nameuse{@mpfootins#1}
10232   \m@mmakehboxofhboxes
10233   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10234   \def\baselinestretch{\m@m@footnote@spacing}%
10235   \nameuse{foottextfont#1}%
10236   \noindent\unhbox0\par}}
10237 \bidi@ensure@newcommand{\m@m@make@para@footstart}[1]{%
10238 \@namedef{@para@footstart#1}{%
10239   \vskip\bigskipamount

```



```

10240   \leftskip=\z@
10241   \rightskip=\z@
10242   \parindent=\z@
10243   \vskip\skip\nameuse{footins#1}%
10244   \footnoterule}%
10245 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
10246   \xdef\@freelist{\@freelist\@midlist}%
10247   \global\let\@midlist\@empty
10248   \@combinefloats}
10249 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
10250   \ifvbox\@kludgeins
10251     \@makespecialcolbox
10252   \else
10253     \setbox\@outputbox \vbox to\@colht{%
10254       \atexttop
10255       \dimen@\dp\@outputbox
10256       \unvbox \atexttop
10257       \vskip -\dimen@
10258       \atextbottom}%
10259   \fi}
10260 \bidi@ensure@newcommand*{\m@m@makecolintro}{}
10261 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
10262   \boxmaxdepth\maxdepth
10263   \tempdima\dp\@cclv
10264   \unvbox\@cclv
10265   \vskip-\tempdima
10266   \bidi@mopfn@bottom
10267   \vskip \skip\footins
10268   \color@begingroup
10269     \normalcolor
10270     \footnoterule
10271     \unvbox \footins
10272   \color@endgroup}}
10273 \newcommand*{\bidi@mopfootnotebf}{%
10274   \setbox\@outputbox \vbox{%
10275   \boxmaxdepth\maxdepth
10276   \unvbox\@outputbox
10277   \bidi@mopfn@bottom
10278   \vskip\skip\footins
10279   \color@begingroup
10280     \normalcolor
10281     \footnoterule
10282     \unvbox \footins
10283   \color@endgroup}}
10284 \gdef\mem@makecol{%
10285   \m@m@makecolintro
10286   \ifvoid\footins
10287     \setbox\@outputbox \box\@cclv
10288   \else
10289     \m@mopfootnote

```



```

10290   \fi
10291   \m@ndoextrafeet
10292   \m@m@makecolfloats
10293   \m@m@makecoltext
10294   \global \maxdepth \cmaxdepth}
10295 \gdef\bidi@makecolbf{%
10296   \m@m@makecolintro
10297   \setbox\@outputbox \box\@ccly
10298   \m@m@makecolfloats
10299   \ifvoid\footins
10300   \else
10301     \bidi@mopfootnotebf
10302   \fi
10303   \m@ndoextrafeet
10304   \m@m@makecoltext
10305   \global \maxdepth \cmaxdepth}
10306 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
10307 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
10308 \newcommand{\FeetAtBottom}{\def\bidi@mopfn@bottom{\vfill\relax}}
10309 \newcommand{\FeetBelowRagged}{\let\bidi@mopfn@bottom\relax}
10310 \FeetAboveFloat
10311 \FeetBelowRagged

```

7.54 extreport-xetex-bidi.def

```

10312 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class]
10313 \renewcommand*\l@part[2]{%
10314   \ifnum \c@tocdepth >-2\relax
10315     \addpenalty{-\highpenalty}%
10316     \addvspace{2.25em \cplus\p@}%
10317     \begingroup
10318       \setlength\tempdima{3em}%
10319       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \cnumwidth
10320       \parfillskip -\cnumwidth
10321       {\leavevmode
10322         \large \bfseries #1\hfil \hb@xt\cnumwidth{\hss #2}}\par
10323       \nobreak
10324         \global\nobreaktrue
10325         \everypar{\global\nobreakfalse\everypar{} }%
10326       \endgroup
10327     \fi}
10328 \renewcommand*\l@chapter[2]{%
10329   \ifnum \c@tocdepth >\m@ne
10330     \addpenalty{-\highpenalty}%
10331     \vskip 1.0em \cplus\p@
10332     \setlength\tempdima{1.5em}%
10333     \begingroup
10334       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \cnumwidth
10335       \parfillskip -\cnumwidth
10336       \leavevmode \bfseries

```



```

10337     \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
10338     \hskip -\if@RTL\righskip\else\leftskip\fi
10339     #1\nobreak\hfil \nobreak\hb@xt@{\pnumwidth{\hss #2}}\par
10340     \penalty\@highpenalty
10341     \endgroup
10342   \fi}
10343 \def\@makechapterhead#1{%
10344   \vspace*{50\p@}%
10345   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi \normalfont
10346     \ifnum \c@secnumdepth >\m@ne
10347       \huge\bfseries \chapapp\space \thechapter
10348     \par\nobreak
10349     \vskip 20\p@
10350   \fi
10351   \interlinepenalty\@M
10352   \Huge\bfseries #1\par\nobreak
10353   \vskip 40\p@
10354 }
10355 \def\@makeschapterhead#1{%
10356   \vspace*{50\p@}%
10357   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
10358     \normalfont
10359     \interlinepenalty\@M
10360     \Huge\bfseries #1\par\nobreak
10361     \vskip 40\p@
10362 }
10363 \renewcommand\left@footnoterule{%
10364   \kern-3\p@
10365   \hrule\@width.4\columnwidth
10366   \kern2.6\p@}
10367 \renewcommand\right@footnoterule{%
10368   \kern-3\p@
10369   \hbox to \columnwidth{\hspace{.6\columnwidth}\hrulefill }
10370   \kern2.6\p@}
10371 \renewenvironment{thebibliography}[1]
10372   {\chapter*{\bibname
10373     \OMkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
10374     \if@RTL\if@LTrbitems@\RTLfalse\else\fi\else\if@RTLbitems@\RTLtrue\else\fi\fi
10375     \bidi@thebibliography@font@hook%
10376     \list{\@biblabel{\arabic\c@enumiv}}%
10377       {\settowidth\labelwidth{\@biblabel{\#1}}%
10378         \leftmargin\labelwidth
10379         \advance\leftmargin\labelsep
10380         \openbib@code
10381         \usecounter{enumiv}%
10382         \let\p@enumiv\empty
10383         \renewcommand\theenumiv{\arabic\c@enumiv}%
10384         \sloppy\clubpenalty4000\widowpenalty4000%
10385         \sfcode`\.\@m}%
10386   \def\@noitemerr

```



```

10387      {\@latex@warning{Empty `thebibliography' environment}}%
10388      \endlist}
10389  \if@titlepage
10390  \renewcommand\maketitle{\begin{titlepage}%
10391  \let\footnotesize\small
10392  \let\right@footnoterule\relax
10393  \let\left@footnoterule\relax
10394  \let\textwidth@footnoterule\relax
10395  \let \footnote \thanks
10396  \null\vfil
10397  \vskip 60\p@
10398  \begin{center}%
10399      {\LARGE \@title \par}%
10400      \vskip 3em%
10401      {\large
10402          \lineskip .75em%
10403          \begin{tabular}[t]{c}%
10404              \author
10405              \end{tabular}\par}%
10406      \vskip 1.5em%
10407      {\large \@date \par}%
10408      % Set date in \large size.
10409  \end{center}\par
10410  \thanks
10411  \vfil\null
10412  \end{titlepage}%
10413  \setcounter{footnote}{0}%
10414  \global\let\thanks\relax
10415  \global\let\maketitle\relax
10416  \global\let\@thanks\@empty
10417  \global\let\@author\@empty
10418  \global\let\@date\@empty
10419  \global\let\@title\@empty
10420  \global\let\title\relax
10421  \global\let\author\relax
10422  \global\let\date\relax
10423  \global\let\and\relax
10424 }
10425 \else
10426 \renewcommand\maketitle{\par
10427     \begingroup
10428         \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
10429         \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
10430         \long\def\@makefntext{\#1{\parindent 1em\noindent
10431             \hb@xt@1.8em{%
10432                 \hss\@textsuperscript{\normalfont\@thefnmark}\#1}}%
10433         \if@twocolumn
10434             \ifnum \col@number=\@ne
10435                 \maketitle
10436             \else
10437                 \twocolumn[\maketitle]%

```



```

10437     \fi
10438     \else
10439         \newpage
10440         \global\@topnum\z@    % Prevents figures from going at top of page.
10441         \@maketitle
10442     \fi
10443     \thispagestyle{plain}\@thanks
10444 \endgroup
10445 \setcounter{footnote}{0}%
10446 \global\let\thanks\relax
10447 \global\let\maketitle\relax
10448 \global\let\@maketitle\relax
10449 \global\let\@thanks\@empty
10450 \global\let\@author\@empty
10451 \global\let\@date\@empty
10452 \global\let\@title\@empty
10453 \global\let\title\relax
10454 \global\let\author\relax
10455 \global\let\date\relax
10456 \global\let\and\relax
10457 }
10458 \def\@maketitle{%
10459     \newpage
10460     \null
10461     \vskip 2em%
10462     \begin{center}%
10463         \let \footnote \thanks
10464         {\LARGE \title \par}%
10465         \vskip 1.5em%
10466         {\large
10467             \lineskip .5em%
10468             \begin{tabular}[t]{c}%
10469                 \author
10470             \end{tabular}\par}%
10471         \vskip 1em%
10472         {\large \date}%
10473     \end{center}%
10474     \par
10475     \vskip 1.5em}
10476 \fi
10477 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
10478 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
10479 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
10480 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
10481 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
10482 \renewcommand\theequation{%
10483     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
10484 \renewcommand\thefigure{%
10485     \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
10486 \renewcommand\thetable{%

```



```
10487 \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
```

7.55 fancybox-xetex-bidi.def

```
10488 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
10489 \def\fancy@oval#1#2#3{%
10490   \boxmaxdepth \maxdimen
10491   \Ovttrue \Ovbtrue \Ovltrue \Ovrtrue
10492   \Otf@{\tempa :=#3\def\csname \Ov@{\tempa false}\endcsname}%
10493   \Ovx#1\relax
10494   \advance\Ovxx-\@wholewidth
10495   \Ovy#2\relax
10496   \advance\Ovy-\@wholewidth
10497   \Otempdimb \ifdim \Ovy >\Ovxx \Ovxx\else \Ovy \fi
10498   \advance\Otempdimb-2\p@
10499   \ifdim\Otempdimb>\the\cornersize\relax
10500     \Otempdimb=\the\cornersize
10501   \fi
10502   \getcirc\Otempdimb
10503   \Ovro\ht\Otempboxa \Ovri\dp\Otempboxa
10504   \Ovdx\Ovxx \advance\Ovdx-\Otempdima \divide\Ovdx \tw@
10505   \Ovdy\Ovy \advance\Ovdy-\Otempdima \divide\Ovdy \tw@
10506   \circlefont
10507   \setbox\Otempboxa\hbox{\beginL%
10508     \if@ovr \Ovvert32\kern -\Otempdima \fi
10509     \if@ovl \kern \Ovxx \Ovvert01\kern -\Otempdima \kern -\Ovxx \fi
10510     \if@ovt \Ovhorz \kern -\Ovxx \fi
10511     \if@ovb \raise \Ovy \Ovhorz \fi\endL%
10512   \advance\Ovdx\Ovro
10513   \advance\Ovdy\Ovro
10514   \advance\Ovxx\@wholewidth
10515   \wd\Otempboxa=\Ovxx
10516   \dp\Otempboxa=\z@}
```

7.56 fancyhdr-xetex-bidi.def

```
10517 \ProvidesFile{fancyhdr-xetex-bidi.def}[2016/11/30 v0.6 bidi adaptations for fancyhdr package]
10518
10519 \let\fnc@everypar\everypar%
10520
10521 \def\fancyhead#1#2#3#4#5{#1\hbox to\headwidth{\fancy@reset
10522   \fancyvbox\headheight{\hbox
10523     {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
10524     \parbox[b]{\headwidth}{\centering#3}\hfill
10525     \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}\headrule}}#5}
10526
10527 \def\fancyfoot#1#2#3#4#5{#1\hbox to\headwidth{\fancy@reset
10528   \fancyvbox\footskip{\footrule
10529     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
10530     \parbox[t]{\headwidth}{\centering#3}\hfill
10531     \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}\footrule}}#5}
```



10532

7.57 fix2col-xetex-bidi.def

```
10533 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package for
10534 \def\RTL@outputdblcol{%
10535   \if@firstcolumn
10536     \global\@firstcolumnfalse
10537     \global\setbox\@leftcolumn\copy\@outputbox
10538     \splitmaxdepth\maxdimen
10539     \vbadness\maxdimen
10540     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10541     \toks@\expandafter{\topmark}%
10542     \xdef\@firstcoltopmark{\the\toks@}%
10543     \toks@\expandafter{\splitfirstmark}%
10544     \xdef\@firstcolfirstmark{\the\toks@}%
10545     \ifx\@firstcolfirstmark\empty
10546       \global\let\@setmarks\relax
10547     \else
10548       \gdef\@setmarks{%
10549         \let\firstmark\@firstcolfirstmark
10550         \let\topmark\@firstcoltopmark}%
10551     \fi
10552   \else
10553     \global\@firstcolumntrue
10554     \setbox\@outputbox \vbox {\hbox to\textwidth {%
10554 \hspace\columnwidth
10555 \hfil \vrule width\columnseprule \hfil
10556 \hbox to\columnwidth {%
10557 \bidi@firstcolumn@status@write}%
10558 \box\@leftcolumn \hss}%
10559 \hspace-\textwidth
10560 \hbox to\columnwidth{%
10561 \bidi@lastcolumn@status@write}%
10562 \box\@outputbox \hss}%
10563 \hspace\columnsep
10564 \hspace\columnwidth }}%
10565 \combinedblfloats \@setmarks \outputpage
10566 \begingroup \dblfloataction \startdblcolumn
10567 \whilesw\if@fcolmade \fi
10568 {\outputpage \startdblcolumn }\endgroup
10569 \fi}
10570 \def\LTR@outputdblcol{%
10571   \if@firstcolumn
10572     \global\@firstcolumnfalse
10573     \global\setbox\@leftcolumn\copy\@outputbox
10574     \splitmaxdepth\maxdimen
10575     \vbadness\maxdimen
10576     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10577     \toks@\expandafter{\topmark}%
10578     \xdef\@firstcoltopmark{\the\toks@}%
10579 }
```



```

10579 \toks@{\expandafter{\splitfirstmark}%
10580 \xdef\@firstcolfirstmark{\the\toks@}%
10581 \ifx\@firstcolfirstmark\empty
10582   \global\let\@setmarks\relax
10583 \else
10584   \gdef\@setmarks{%
10585     \let\firstmark\@firstcolfirstmark
10586     \let\topmark\@firstcoltopmark}%
10587   \fi
10588 \else
10589   \global\@firstcolumntrue
10590   \setbox\@outputbox\vbox{%
10591     \hb@xt@\textwidth{%
10592       \hb@xt@\columnwidth{%
10593         \bidi@firstcolumn@status@write%
10594         \box\@leftcolumn \hss}%
10595         \hfil
10596         \vrule \@width\columnseprule
10597         \hfil
10598       \hb@xt@\columnwidth{%
10599         \bidi@lastcolumn@status@write%
10600         \box\@outputbox \hss}}}}%
10601 \combinedblfloats
10602   \@setmarks
10603   \outputpage
10604   \begin{group}
10605     \dblfloatplacement
10606     \startdblcolumn
10607     \whilesw@if@fcolmade \fi{(\outputpage\startdblcolumn)}%
10608   \endgroup
10609 \fi}

```

7.58 fleqn-xetex-bidi.def

```

10610 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX]
10611 \renewcommand\[\relax
10612   \ifmmode\@badmath
10613   \else
10614     \begin{trivlist}%
10615       \begin{parpenalty}\predisplaypenalty
10616       \end{parpenalty}\postdisplaypenalty
10617       \item[]\leavevmode
10618       \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$%
10619       \hskip\mathindent\bgroup
10620     \fi}
10621 \renewcommand\]\relax
10622   \ifmmode
10623     \egroup $\hfil% $
10624     \endL\egroup
10625   \end{trivlist}%

```



```

10626           \else \@badmath
10627           \fi}
10628 \renewenvironment{equation}%
10629   {\@beginparpenalty\predisplaypenalty
10630   \@endparpenalty\postdisplaypenalty
10631   \refstepcounter{equation}%
10632   \trivlist \item[]\leavevmode
10633     \hb@xt@\linewidth\bgroup\beginL $ \m@th% $
10634     \displaystyle
10635     \hskip\mathindent}%
10636   {$\hfil % $
10637   \displaywidth\linewidth\hbox{\@eqnnum}%
10638   \endL\egroup
10639   \endtrivlist}

```

7.59 float-xetex-bidi.def

```

10640 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for Xe
10641 \renewcommand\floatc@plain[2]{\setbox@tempboxa\hbox{\@fs@cfont #1:} #2}%
10642   \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
10643   \else\hbox to\hsize{\if@RTL\beginR\f@hfil\box\@tempboxa\hfil\if@RTL\endR\f@i}\f@i}
10644 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
10645   \expandafter\edef\csname the#1\endcsname{%
10646     \expandafter\noexpand\csname
10647       the#2\endcsname\@SepMark\noexpand\arabic{#1}}}{%
10648   {\PackageWarning{float}{Can't redefine counter variable for #1.}}}}

```

7.60 floatrow-xetex-bidi.def

```

10649 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package :%
10650 \renewcommand\f@lnew@within[1]{\@addtoreset{\FB@capttype}{#1}%
10651   \expandafter\edef\csname the\FB@capttype\endcsname{%
10652     \expandafter\noexpand\csname
10653       the#1\endcsname\@SepMark\noexpand\arabic{\FB@capttype}}}%

```

7.61 flowfram-xetex-bidi.def

```

10654 \ProvidesFile{flowfram-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for flowfram package :%
10655 \def\@outputdblcol{%
10656   \c@nextcol=\c@thisframe
10657   \c@curpg=\c@page
10658   \g@t@nextcol{\c@nextcol}%
10659   \if@ff@nwpg % next flow frame starts on new page
10660     \global\@firstcolumntrue
10661     \setcolbox{\c@thisframe}
10662     \if@specialpage
10663       \global\@specialpagefalse
10664       \nameuse{ps@\@specialstyle}\relax
10665     \fi
10666     \if@twoside
10667       \ifodd\count\z@
10668         \let\@thehead\@oddhead

```



```

10669      \let\@thefoot\@oddfoot
10670      \else
10671          \let\@thehead\@evenhead
10672          \let\@thefoot\@evenfoot
10673      \fi
10674  \else
10675      \let\@thehead\@oddhead
10676      \let\@thefoot\@oddfoot
10677  \fi
10678  \begindvi
10679  \dodynamicthehead\dodynamicthefoot
10680  \vbadness=\@M
10681  \setbox\outputbox\vbox{\hbox to \textwidth{\offdo@allframes}}%
10682  \combinedblfloats
10683  \outputpage
10684 \advance\c@curpg by -\c@page\relax
10685  \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
10686  \setbox\outputbox\vbox{\hbox to \textwidth{\offdo@allframes}}%
10687 \outputpage}
10688  \begin{group}
10689      \dblfloatplacement
10690      \startdblcolumn
10691      \whilesw \if@fcolmade \fi
10692          {\outputpage \startdblcolumn }\endgroup
10693  \resetst@tics
10694  \resetdyn@mics
10695 \else % still on same page, save contents of box255
10696  \global\firstcolumnfalse
10697  \setcolbox\c@thisframe
10698 \fi
10699 \global\c@thisframe=\c@ntcol
10700 \setcol{\c@thisframe}\relax
10701 \global\colht\vsiz
10702 }
10703 \def\outputpage{%
10704 \begin{group}
10705  \let\protect\noexpand
10706  \resetactivechars
10707  \global\let\@if@newlist\if@newlist
10708  \global\@newlistfalse\parboxrestore
10709  \shipout\vbox{\set@typeset@protect
10710      \aftergroup
10711      \endgroup
10712      \aftergroup
10713      \set@typeset@protect
10714      \reset@font\normalsize\normalsfcodes
10715      \let\label@gobble
10716      \let\index@gobble
10717      \let\glossary@gobble
10718      \baselineskip\z@skip

```



```

10719      \lineskip\z@skip
10720      \lineskiplimit\z@
10721      \vskip\topmargin\moveright\@themargin
10722      \vbox{%
10723          \vskip\headheight
10724          \vskip\headsep
10725          \box\@outputbox
10726      }%
10727  \global\let\if@newlist\@c@if@newlist
10728  \stepcounter{page}%
10729  \setcounter{displayedframe}{0}%
10730  \let\firstmark\botmark
10731
10732
10733 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
10734 \expandafter\bidi@color\ff@txtcol}}
10735
10736 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
10737 {\hb@xt@ #1{\hss\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}
10738
10739
10740 \renewcommand*{\@docolbox}[1]{%
10741 \edef\ff@frametype{%
10742 \csname @ff@frametype@\romannumeral#1\endcsname}%
10743 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
10744 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
10745 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
10746 \ff@setoffset{\#1}%
10747 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
10748 \ifthenelse{\boolean{columnframe}\romannumeral#1}{%
10749 \ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
10750 {\csname colheight\romannumeral#1\endcsname}{%
10751 \expandafter\box\csname column\romannumeral#1\endcsname}{%
10752 \csname\ff@frametype\endcsname}{%
10753 }}{%
10754 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
10755 {\csname colheight\romannumeral#1\endcsname}{%
10756 \expandafter\box\csname column\romannumeral#1\endcsname}{%
10757 }}}}
10758 \@ifclassloaded{book}{%
10759 \renewcommand\theequation
10760 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
10761 \renewcommand\thefigure
10762 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
10763 \renewcommand\thetable
10764 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
10765 \renewcommand\thechapter {\arabic\c@chapter}
10766 \renewcommand\thesection {\thechapter\SepMark\arabic\c@section}
10767 \renewcommand\thesubsection {\thesection\SepMark\arabic\c@subsection}
10768 \renewcommand\thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}

```



```

10769 \renewcommand\theparagraph {\thesubsubsection@\SepMark@arabic@c@paragraph}
10770 \renewcommand\thesubparagraph {\theparagraph@\SepMark@arabic@c@subparagraph}{}}
10771 @ifclassloaded{report}{%
10772 \renewcommand\theequation
10773 {\ifnum \c@chapter>\z@ \thechapter@\SepMark\fi \arabic{c@equation}}
10774 \renewcommand \thefigure
10775 {\ifnum \c@chapter>\z@ \thechapter@\SepMark\fi \arabic{c@figure}}
10776 \renewcommand \thetable
10777 {\ifnum \c@chapter>\z@ \thechapter@\SepMark\fi \arabic{c@table}}
10778 \renewcommand \thechapter {\arabic{c@chapter}}
10779 \renewcommand \thesection {\thechapter@\SepMark@arabic@c@section}
10780 \renewcommand\thesubsection {\thesection@\SepMark@arabic@c@subsection}
10781 \renewcommand\thesubsubsection{\thesubsection \SepMark@arabic@c@subsubsection}
10782 \renewcommand\theparagraph {\thesubsubsection@\SepMark@arabic@c@paragraph}
10783 \renewcommand\thesubparagraph {\theparagraph@\SepMark@arabic@c@subparagraph}{}}
10784 \renewcommand{\rotateframe}[2]{\if@tb@rotate
10785 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}}%
10786 \else
10787 #2\relax
10788 \fi}

```

7.62 footnote-xetex-bidi.def

```

10789 \ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]
10790 \if@RTLmain@\RTL@footnotetrue\else@\RTL@footnotefalse\fi
10791 \newif\ifbidi@autofootnoterule
10792 \def\bidi@mpfootnoterule{\footnoterule}
10793 \newcounter{footdir@label}
10794 \renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
10795 \newcommand*{\footdir@write}{%
10796   \stepcounter{footdir@label}%
10797   \zref@labelbyprops{\thefootdir@label}{abspage}%
10798 }
10799 \newif\iffootdir@debug
10800 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
10801 \newtoks\footdir@toks
10802 \newcommand*{\footdir@debug}[1]{%
10803   \iffootdir@debug
10804     \typeout{[footdir] #1}%
10805   \fi
10806 }
10807 %\@ifpackagelater{zref-abspage}{2012/10/27}{%
10808 %  \newcommand*{\footdir@LeftRightElse}{%
10809 %    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
10810 %      \footdir@debug{abspage \the\value{zabspage}: else}}%
10811 %      \ltx@thirdofthree
10812 %    }{%
10813 %      \if\csname footdir@\the\value{zabspage}\endcsname L%
10814 %        \footdir@debug{abspage \the\value{zabspage}: left}}%
10815 %      \expandafter\ltx@firstofthree

```



```

10816 \%      \else
10817 \%          \footdir@debug{abspage} \the\value{zabspage}: right}%
10818 \%          \expandafter\ltx@secondofthree
10819 \%      \fi
10820 \%  }%
10821 \% }%
10822 \%}{%
10823   \providecommand*\c@zabspage{\c@abspage}%
10824   \newcommand*\footdir@LeftRightElse}{%
10825     \footdir@write
10826     \zifrefundefined{\thefootdir@label}{%
10827       \footdir@debug{abspage ??: else}%
10828       \ltx@thirdofthree
10829   }{%
10830     \edef\footdir@abspage{%
10831       \zref@extractdefault{\thefootdir@label}{abspage}{0}%
10832   }%
10833   \ltx@ifundefined{footdir@\footdir@abspage}{%
10834     \footdir@debug{\footdir@abspage: else}%
10835     \ltx@thirdofthree
10836   }{%
10837     \if\csname footdir@\footdir@abspage\endcsname L%
10838       \footdir@debug{\footdir@abspage: left}%
10839       \expandafter\ltx@firstofthree
10840     \else
10841       \footdir@debug{\footdir@abspage: right}%
10842       \expandafter\ltx@secondofthree
10843     \fi
10844   }%
10845 }%
10846 }%
10847 }%
10848 \newcommand*\footdir@fntext}[1]{%
10849   \zifrefundefined{\thefootdir@label}{%
10850   }{%
10851     \edef\footdir@name{%
10852       footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
10853     }%
10854     \@ifundefined{\footdir@name}{%
10855       \expandafter\gdef\csname\footdir@name\endcsname{\#1}%
10856     }{}%
10857   }%
10858 }
10859 \newcommand*\footdir@temp}[3]{%
10860   \Qifdefinable{\#1}{%
10861     \let\#1\#2%
10862     \renewcommand{\#2}[1]{%
10863       \footdir@write
10864       \footdir@fntext{\#3}%

```



```

10866      \stepcounter{footdir@label}%
10867      \footdir@fntext{\#3}%
10868      \footdir@toks{\##1}%
10869      \footdir@toks\expandafter{%
10870          \the\expandafter\footdir@toks
10871          \expandafter
10872          \zref@labelbyprops\expandafter{\the\footdir@label}{abspage}%
10873      }%
10874      \expandafter#1\expandafter{\the\footdir@toks}%
10875  }%
10876 }%
10877 }%
10878
10879 \def\right@footnoterule{%
10880   \kern-3\p@
10881   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
10882   \kern2.6\p@}
10883 \def\left@footnoterule{\kern-3\p@
10884   \hrule \@width .4\columnwidth \kern 2.6\p@}
10885 \def\textwidth@footnoterule{\kern-3\p@
10886   \hrule \@width \columnwidth \kern 2.6\p@}
10887 \def\leftfootnoterule{%
10888 \bidi@autofootnoterulefalse%
10889 \def\footnoterule{\left@footnoterule}%
10890 \let\LRfootnoterule=\leftfootnoterule
10891 \def\rightfootnoterule{%
10892 \bidi@autofootnoterulefalse%
10893 \def\footnoterule{\right@footnoterule}%
10894 \def\textwidthfootnoterule{%
10895 \bidi@autofootnoterulefalse%
10896 \def\footnoterule{\textwidth@footnoterule}%
10897
10898
10899
10900 \def\auto@footnoterule{%
10901 \footdir@LeftRightElse%
10902 \left@footnoterule%
10903 \right@footnoterule%
10904 \left@footnoterule%
10905 }%
10906
10907
10908
10909 \def\autofootnoterule{%
10910 \bidi@autofootnoteruletrue%
10911 \def\footnoterule{\auto@footnoterule}%
10912 }%
10913
10914 \newcommand*{\SplitFootnoteRule}{%
10915   \gdef\split@prev{0}

```



```

10916 \let\pagefootnoterule\footnoterule
10917 \let\mpfootnoterule\footnoterule
10918 \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
10919 \def\footnoterule{\relax
10920   \ifx \@listdepth\@mplistdepth
10921     \mpfootnoterule
10922   \else
10923     \ifnum\split@prev=\z@
10924       \pagefootnoterule
10925     \else
10926       \splitfootnoterule
10927     \fi
10928     \xdef\split@prev{\the\insertpenalties}%
10929   \fi
10930 }%
10931 }
10932
10933
10934
10935
10936 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
10937   \protected@xdef\@thefnmark{\thempfn}%
10938   \footnotemark\@RTLfootnotetext}}
10939 \def\@xRTLfootnote[#1]{%
10940   \begingroup
10941     \csname c@\@mpfn\endcsname #1\relax
10942     \unrestored\protected@xdef\@thefnmark{\thempfn}%
10943   \endgroup
10944   \footnotemark\@RTLfootnotetext}
10945 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
10946   \protected@xdef\@thefnmark{\thempfn}%
10947   \footnotemark\@LTRfootnotetext}}
10948 \def\@xLTRfootnote[#1]{%
10949   \begingroup
10950     \csname c@\@mpfn\endcsname #1\relax
10951     \unrestored\protected@xdef\@thefnmark{\thempfn}%
10952   \endgroup
10953   \footnotemark\@LTRfootnotetext}
10954
10955
10956 \def\setfootnoteRL{\@RTL@footnotetrue}
10957 \def\unsetfootnoteRL{\@RTL@footnotefalse}
10958 \def\setfootnoteLR{\unsetfootnoteRL}
10959
10960 \newcommand*{\bidi@@footnotetext@font}{\footnotesize}
10961 \newcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize}
10962 \newcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize}
10963
10964 \long\def\footnotetext#1{\insert\footins{%
10965   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%

```



```

10966 \reset@font%
10967 \bidi@@footnotetext@font% \reset@font\footnotesize
10968 \interlinepenalty\interfootnotelinepenalty
10969 \splittopskip\footnotesep
10970 \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
10971 \hsize\columnwidth \parboxrestore
10972 \protected@edef\@currentlabel{%
10973   \csname p@footnote\endcsname\@thefnmark
10974 }%
10975 \color@begingroup
10976   \makefntext{%
10977     \rule{z}{\footnotesep}\ignorespaces#1\finalstrut\strutbox}%
10978 \color@endgroup}%
10979
10980
10981 \long\def\@RTLfootnotetext#1{\insert\footins{%
10982   \@RTLtrue%
10983   \reset@font%
10984   \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
10985   \interlinepenalty\interfootnotelinepenalty
10986   \splittopskip\footnotesep
10987   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
10988   \hsize\columnwidth \parboxrestore
10989   \protected@edef\@currentlabel{%
10990     \csname p@footnote\endcsname\@thefnmark
10991 }%
10992 \color@begingroup
10993   \makefntext{%
10994     \rule{z}{\footnotesep}\ignorespaces#1\finalstrut\strutbox}%
10995 \color@endgroup}%
10996
10997 \long\def\@LTRfootnotetext#1{\insert\footins{%
10998   \@RTLfalse%
10999   \reset@font%
11000   \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
11001   \interlinepenalty\interfootnotelinepenalty
11002   \splittopskip\footnotesep
11003   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
11004   \hsize\columnwidth \parboxrestore
11005   \protected@edef\@currentlabel{%
11006     \csname p@footnote\endcsname\@thefnmark
11007 }%
11008 \color@begingroup
11009   \makefntext{%
11010     \rule{z}{\footnotesep}\ignorespaces#1\finalstrut\strutbox}%
11011 \color@endgroup}%
11012
11013 \AtBeginDocument{%
11014 \if@RTL@footnote
11015   \newcommand*\bidi@footdir@footnote}{R}

```



```

11016 \else
11017   \newcommand*{\bidi@footdir@footnote}{\L}
11018 \fi%
11019 }
11020
11021 \footdir@temp\footdir@ORG@\bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
11022 \footdir@temp\footdir@ORG@\bidi@RTLfootnotetext\@RTLfootnotetext{R}%
11023 \footdir@temp\footdir@ORG@\bidi@LTRfootnotetext\@LTRfootnotetext{L}%
11024
11025 \long\def\@mpRTLfootnotetext#1{%
11026   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footn%
11027   \global\setbox\@mpfootins\vbox{\@RTLtrue%
11028     \unvbox\@mpfootins
11029     \reset@font%
11030     \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
11031     \hsize\columnwidth
11032     \parboxrestore
11033     \protected@edef\@currentlabel
11034       {\csname p@mpfootnote\endcsname\@thefnmark}%
11035     \color@begingroup
11036       \color@makefntext{%
11037         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11038       \color@endgroup}
11039 \long\def\@mpLTRfootnotetext#1{%
11040   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footn%
11041   \global\setbox\@mpfootins\vbox{\@RTLfalse%
11042     \unvbox\@mpfootins
11043     \reset@font%
11044     \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
11045     \hsize\columnwidth
11046     \parboxrestore
11047     \protected@edef\@currentlabel
11048       {\csname p@mpfootnote\endcsname\@thefnmark}%
11049     \color@begingroup
11050       \color@makefntext{%
11051         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11052       \color@endgroup}}
11053 \long\def\@mpfootnotetext#1{%
11054   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoter%
11055   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11056     \unvbox\@mpfootins
11057     \reset@font%
11058     \bidi@@footnotetext@font% \reset@font\footnotesize
11059     \hsize\columnwidth
11060     \parboxrestore
11061     \protected@edef\@currentlabel
11062       {\csname p@mpfootnote\endcsname\@thefnmark}%
11063     \color@begingroup
11064       \color@makefntext{%
11065         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%

```



```

11066      \color@endgroup}}
11067 \def\@iiminipage#1#2[#3]{%
11068   \leavevmode
11069   \c@pboxswfalse
11070   \if@hboxRconstruct\c@bidi@list@minipage@parbox@not@nobtrue\fi
11071   \if@RTL\if#1\c@bidi@list@minipage@parboxtrue\else\if#1b\c@bidi@list@minipage@parboxtrue\fi\fi
11072   \setlength\c@tempdima{#4}%
11073   \def\c@mpargs{{#1}{#2}[#3]{#4}}%
11074   \setbox\c@tempboxa\vbox\bgroup
11075     \color@begingroup
11076     \hsize\c@tempdima
11077     \textwidth\hsize \columnwidth\hsize
11078     \c@parboxrestore
11079     \def\c@mpfn{\mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@\c@mpfn
11080     \let\c@footnotetext\c@mpfootnotetext
11081     \let\c@LTRfootnotetext\c@mpLTRfootnotetext
11082     \let\c@RTLfootnotetext\c@mpRTLfootnotetext
11083     \let\c@listdepth\c@mplistdepth \c@mplistdepth\z@\c@listdepth
11084     \c@minipagerestore
11085     \c@setminipage}
11086 \def\endminipage{%
11087   \par
11088   \unskip
11089   \ifvoid\c@mpfootins\else
11090     \vskip\skip\c@mpfootins
11091     \normalcolor
11092     \bidi\c@mpfootnoterule
11093     \unvbox\c@mpfootins
11094   \fi
11095   \c@minipagefalse %% added 24 May 89
11096   \color@endgroup
11097   \egroup
11098   \expandafter\c@iiparbox\c@mpargs{\unvbox\c@tempboxa}}
11099 \def\LTRthanks#1{\footnotemark
11100   \protected\c@xdef\c@thanks{\c@thanks
11101     \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
11102 }
11103 \def\LTRfootnotetext{%
11104   \c@ifnextchar [\c@xLTRfootnotenext
11105     {\protected\c@xdef\c@thefnmark{\thempfn}}%
11106     \c@LTRfootnotetext}}
11107 \def\c@xLTRfootnotenext[#1]{%
11108   \begin{group}
11109     \cscname c@\c@mpfn\endcsname #1\relax
11110     \unrestored\protected\c@xdef\c@thefnmark{\thempfn}}%
11111   \end{group}
11112   \c@LTRfootnotetext}
11113 \def\RTLthanks#1{\footnotemark
11114   \protected\c@xdef\c@thanks{\c@thanks
11115     \protect\RTLfootnotetext[\the\c@footnote]{#1}}%

```



```

11116 }
11117 \let\@thanks\@empty
11118 \def\RTLfootnotetext{%
11119     \@ifnextchar [ \@xRTLfootnotenext
11120         {\protected@xdef\@thefnmark{\thempfn}%
11121         \@RTLfootnotetext}}
11122 \def\@xRTLfootnotenext[#1]{%
11123     \begingroup
11124         \csname c@\@mpfn\endcsname #1\relax
11125         \unrestored@protected@xdef\@thefnmark{\thempfn}%
11126     \endgroup
11127     \@RTLfootnotetext}
11128 \leftfootnoterule

```

7.63 framed-xetex-bidi.def

```

11129 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for ]
11130 \renewcommand\TitleBarFrame[3] []{\begingroup
11131   \ifx\delimiter#1\delimiter
11132     \let\TF@conlab\@empty
11133   \else
11134     \def\TF@conlab{\% continuation label
11135       \nointerlineskip
11136       \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}\%
11137   \fi
11138 \% \let\TF@savecolor\current@color
11139 \textcolor{TFFrameColor}{%
11140 \CustomFBox
11141   {\TF@Title{#2}\{\TF@conlab}\%
11142   \fboxrule\fboxrule\fboxrule\fboxrule
11143   \% \let\current@color\TF@savecolor\set@color #3}\%
11144   \normalcolor #3}\%
11145 }\endgroup
11146 }
11147 \renewenvironment{titled-frame}[1]{%
11148   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
11149     \TitleBarFrame{\textbf{\#1}}\%
11150   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
11151     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]\{\textbf{\#1}}\%
11152   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
11153     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]\{\textbf{\#1}\ (cont)\}}\%
11154   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
11155     \TitleBarFrame{\textbf{\#1}\ (cont)}}\%
11156   \MakeFramed{\advance\hsize-20pt \FrameRestore}\%
11157 \% note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
11158 \% could interfere with the width measurement.
11159   \endMakeFramed}
11160 \chardef\FrameRestore=\catcode`\| % for debug
11161 \catcode`\|= \catcode`\% % (debug: insert space after backslash)
11162 \def\fb@put@frame#1#2{\relax

```



```

11163 \ifdim\pagegoal=\maxdimen \pagegoal\vspace \fi
11164 |   \message{===== Entering putframe =====^J
11165 |     \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
11166 \ifinner
11167   \fb@putboxa#1%
11168   \fb@afterframe
11169 \else
11170   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
11171   \ifdim\dimen@<2\baselineskip % Too little room on page
11172 |   \message{Page has only \the\dimen@space room left; eject. }%
11173   \eject \fb@adjheight \fb@put@frame#1#2%
11174 \else % there's appreciable room left on the page
11175   \fb@sizeofframe#1%
11176   \message{\string\pagetotal=\the\pagetotal,
11177   \string\pagegoal=\the\pagegoal,
11178   \string\pagestretch=\the\pagestretch,
11179   \string\pageshrink=\the\pageshrink,
11180   \string\fb@frh=\the\fb@frh. \space}
11181   \message{^^JBox of size \the\ht\@tempboxa\space}%
11182   \begingroup % temporarily set \dimen@ to be...
11183   \advance\dimen@.8\pageshrink % maximum space available on page
11184   \advance\dimen@-\fb@frh\relax % max space available for frame's contents
11185 %% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
11186   \expandafter\endgroup
11187   % expand \ifdim, then restore \dimen@ to real room left on page
11188   \ifdim\dimen@>\ht\@tempboxa % whole box does fit
11189 |   \message{fits in \the\dimen@. }%
11190   % ToDo: Change this to use vsplit anyway to capture the marks
11191   % MERGE THIS WITH THE else CLAUSE!!!
11192   \fb@putboxa#1%
11193   \fb@afterframe
11194 \else % box must be split
11195 |   \message{must be split to fit in \the\dimen@. }%
11196   % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
11197   \fb@sizeofframe#2%
11198   \setbox\@tempboxa\vbox{\% simulate frame and flexibility of the page:
11199     \vskip \fb@frh \oplus\pagestretch \ominus.8\pageshrink
11200     \kern137sp\kern-137sp\penalty-30
11201     \unvbox\@tempboxa\%}
11202   \edef\fb@resto{\set{\boxmaxdepth\the\boxmaxdepth
11203     \splittopskip\the\splittopskip}\%
11204     \boxmaxdepth\z@ \splittopskip\z@}
11205 |   \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
11206   % Split box here
11207   \setbox\tw@\vsplit\@tempboxa to\dimen@
11208 |   \toks99\expandafter{\splitfirstmark}%
11209 |   \toks98\expandafter{\splitbotmark}%
11210 |   \message{Marks are: \the\toks99, \the\toks98. }%
11211   \setbox\tw@\vbox{\unvbox\tw@\% natural-sized
11212   \message{Natural height of split box is \the\ht\tw@, leaving

```



```

11213 |           \the\ht\@tempboxa\space remainder. }%
11214 | % If the split-to size > (\vsize-\topskip), then set box to full size.
11215 | \begingroup
11216 | \advance\dimen@\topskip
11217 | \expandafter\endgroup
11218 | \ifdim\dimen@>\pagegoal
11219 |     \message{Frame is big -- Use up the full column. }%
11220 |     \dimen@ii\pagegoal
11221 |     \advance\dimen@ii -\topskip
11222 |     \advance\dimen@ii \FrameHeightAdjust\relax
11223 | \else % suspect this is implemented incorrectly:
11224 |     % If the split-to size > feasible room_on_page, rebox it smaller.
11225 |     \advance\dimen@.8\pageminus
11226 |     \ifdim\ht\@tw@>\dimen@
11227 |         \message{Box too tall; rebox it to \the\dimen@. }%
11228 |         \dimen@ii\dimen@
11229 |     \else % use natural size
11230 |         \dimen@ii\ht\@tw@
11231 |     \fi
11232 | \fi
11233 | % Re-box contents to desired size \dimen@ii
11234 | \advance\dimen@ii -\fb@frh
11235 | \setbox\@tw@\vbox to\dimen@ii \bgroup
11236 | % remove simulated frame and page flexibility:
11237 | \vskip -\fb@frh \oplus -\pageminus \ominus .8\pageminus
11238 | \unvbox\@tw@ \unpenalty\unpenalty
11239 | \ifdim\lastkern=-137sp % whole box went to next page
11240 |     \message{box split at beginning! }%
11241 |     % need work here???
11242 |     \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
11243 |     \fb@adjheight
11244 |     \fb@put@frame#1#2% INSERTED ???
11245 | \else % Got material split off at the head
11246 |     \egroup \fb@resto@set
11247 |     \ifvoid\@tempboxa % it all fit after all
11248 |         \message{box split at end! }%
11249 |         \setbox\@tempboxa\box\@tw@
11250 |         \fb@putboxa#1%
11251 |         \fb@afterframe
11252 |     \else % it really did split
11253 |         \message{box split as expected. Its reboxed height is \the\ht\@tw@. }%
11254 |         \ifdim\wd\@tw@>\z@
11255 |             \wd\@tw@\wd\@tempboxa
11256 |             \centerline{\#2{\hboxL{\box\@tw@}}}% ??? \centerline bad idea
11257 |         \else
11258 |             \message{Zero width means likely blank. Don't frame it (guess)}%
11259 |             \box\@tw@
11260 |         \fi
11261 |         \hrule \height\z@ \width\hsize
11262 |         \eject

```



```

11263           \fb@adjheight
11264           \fb@put@frame\LastFrameCommand\MidFrameCommand
11265   \fi\fi\fi\fi\fi
11266 }
11267 \def\fb@putboxa#1{%
11268   \ifvoid\@tempboxa
11269     \PackageWarning{framed}{Boxa is void -- discard it. }%
11270   \else
11271   |  \message{Frame and place boxa. }%
11272   |  \%(\showoutput\showbox\@tempboxa)%
11273   |  \centerline{\hboxL{\box\@tempboxa}}}%
11274   \fi
11275 }
11276 \catcode`\|=\\FrameRestore
11277 \def\FrameRestore{%
11278   \let\ifnobreak\iffalse
11279   \let\ifnoskipsec\iffalse
11280   \let\-\dischyp
11281   \let'@\accii\let`@\accii\let=\@accii
11282   % \message{FrameRestore:
11283   %   \totalleftmargin=\the\totalleftmargin,
11284   %   \rightmargin=\the\rightmargin,
11285   %   \listdepth=\the\listdepth. }%
11286   % Test if we are in a list (or list-like paragraph)
11287   \ifnum\ifdim\totalleftmargin>z@ 1\fi
11288     \ifdim\rightmargin>z@ 1\fi
11289     \ifnum\listdepth>z@ 1\fi 0>z@
11290     % \message{In a list: \linewidth=\the\linewidth, \totalleftmargin=\the\totalleftmargin
11291     %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
11292     %   \labelwidth=\the\labelwidth. }%
11293     \setminipage % snug fit around the item
11294     % Now try to propagate changes of width from \hsize to list parameters.
11295     % This is deficient, but a more advanced way to indicate modification to text
11296     % dimensions is not (yet) provided; in particular, no separate left/right
11297     % adjustment.
11298     \advance\linewidth-\columnwidth \advance\linewidth\hsize
11299     \parshape\one\totalleftmargin\linewidth
11300   \else % Not in list
11301     \linewidth=\hsize
11302     %\message{No list, set \string\linewidth=\the\hsize. }%
11303   \fi
11304   \sloppy
11305 }

```

7.64 ftnright-xetex-bidi.def

```

11306 \ProvidesFile{ftnright-xetex-bidi.def}[2017/05/06 v0.5 bidi adaptations for ftnright package]
11307
11308 \def\LTR@outputdblcol{%
11309   \if@firstcolumn

```



```

11310 \global\@firstcolumnfalse
11311 \global\setbox\@leftcolumn\copy\@outputbox
11312 \global\count\footins\@m
11313 \global\skip\footins\rcol@footinsskip
11314 \splitmaxdepth\maxdimen
11315 \vbadness\maxdimen
11316 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11317 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11318 \toks@\expandafter{\topmark}%
11319 \xdef\@firstcoltopmark{\the\toks@}%
11320 \toks@\expandafter{\splitfirstmark}%
11321 \xdef\@firstcolfirstmark{\the\toks@}%
11322 \ifx\@firstcolfirstmark\@empty
11323   \global\let\@setmarks\relax
11324 \else
11325   \gdef\@setmarks{%
11326     \let\firstmark\@firstcolfirstmark
11327     \let\topmark\@firstcoltopmark}%
11328 \fi
11329 \else
11330   \preparefootins
11331   \global\@firstcolumntrue
11332   \setbox\@outputbox\vbox{%
11333     \hb@xt@\textwidth{%
11334       \hb@xt@\columnwidth{%
11335         \bidi@firstcolumn@status@write}%
11336         \box\@leftcolumn \hss}}%
11337         \hfil
11338         {\normalcolor\vrule \@width\columnseprule}%
11339         \hfil
11340     \hb@xt@\columnwidth{%
11341       \bidi@lastcolumn@status@write}%
11342       \box\@outputbox \hss}}}%
11343 \@combinedblfloats
11344   \@setmarks
11345   \@outputpage
11346   \begingroup
11347     \dblfloatplacement
11348     \startdblcolumn
11349     \whilesw\if@fcolmade \fi{\@outputpage
11350       \startdblcolumn}%
11351     \endgroup
11352   \fi}%
11353
11354
11355
11356 \def\RTL@outputdblcol{%
11357   \if@firstcolumn
11358     \global\@firstcolumnfalse
11359     \global\setbox\@leftcolumn\copy\@outputbox

```



```

11360   \global\count\footins\@m
11361   \global\skip\footins\rcol@footinsskip
11362   \splitmaxdepth\maxdimen
11363   \vbadness\maxdimen
11364   \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11365   \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11366   \toks@\expandafter{\topmark}%
11367   \xdef\@firstcoltopmark{\the\toks@}%
11368   \toks@\expandafter{\splitfirstmark}%
11369   \xdef\@firstcolfirstmark{\the\toks@}%
11370   \ifx\@firstcolfirstmark\@empty
11371     \global\let\@setmarks\relax
11372   \else
11373     \gdef\@setmarks{%
11374       \let\firstmark\@firstcolfirstmark
11375       \let\topmark\@firstcoltopmark}%
11376     \fi
11377   \else
11378     \preparefootins
11379     \global\@firstcolumntrue
11380     \setbox\@outputbox\vbox{%
11381       \hb@xt@{\textwidth}{%
11382         \hskip \columnwidth
11383         \hfil
11384         {\normalcolor\vrule \width\columnseprule}%
11385         \hfil
11386         \hb@xt@\columnwidth{%
11387           \bidi@firstcolumn@status@write}%
11388           \box\@leftcolumn \hss}%
11389           \hskip -\textwidth
11390           \hb@xt@\columnwidth{%
11391             \bidi@lastcolumn@status@write}%
11392             \box\@outputbox \hss}%
11393             \hskip \columnsep
11394             \hskip \columnwidth }}%
11395   \@combinedblfloats
11396     \@setmarks
11397     \@outputpage
11398     \begingroup
11399       \@dblfloatplacement
11400       \@startdblcolumn
11401       \@whilesw\if@fcolmade \fi{\@outputpage
11402         \@startdblcolumn}%
11403       \endgroup
11404     \fi}%
11405
11406
11407
11408 \let\leftfootnoterule\@empty
11409 \let\rightfootnoterule\@empty

```



```

11410 \let\textwidthfootnoterule\@empty
11411 \let\autofootnoterule\@empty
11412 \let\footnoterule\@empty
11413 \long\def\@makefntext#1{\parindent 1em
11414   \noindent\hbox to 2em{}}%
11415   \llap{\@thefnmark\hbox{.}\,\,}#1}

```

7.65 graphicx-xetex-bidi.def

```

11416 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
11417 \def\Grot@box@std{\ifmmode\else\if@RTL\beginL\fi\fi%
11418   \Grot@setangle{#1}%
11419   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi\fi}%
11420   \Grot@x\z@
11421   \Grot@y\z@
11422   \Grot@box@ifmmode\else\if@RTL\endL\fi\fi}%
11423 \long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi}%
11424   \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi\fi}%
11425   \Grot@x\width \divide\Grot@x\tw@
11426   \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
11427   \setkeys{Grot}{#1}%
11428   \setbox\z@\box\@tempboxa
11429   \Grot@setangle{#2}%
11430   \Grot@box@ifmmode\else\if@RTL\endL\fi\fi
11431   \end@tempboxa}%
11432 \long\def\Gscale@box[#1][#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi}%
11433   \leavevmode
11434   \def\Gscale@x{#1}\def\Gscale@y{#2}%
11435   \setbox\z@\hbox{\if#3\relax\else\Gscale@start\rlap{\copy\z@\Gscale@end}\fi}%
11436   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}}%
11437   \ifdim#2\p@<\z@
11438     \ht\tw@-#2\dp\z@
11439     \dp\tw@-#2\ht\z@
11440   \else
11441     \ht\tw@#2\ht\z@
11442     \dp\tw@#2\dp\z@
11443   \fi
11444   \ifdim#1\p@<\z@
11445     \hb@xt@-#1\wd\z@\kern-#1\wd\z@\box\tw@\hss}%
11446   \else
11447     \wd\tw@#1\wd\z@
11448     \box\tw@
11449   \fi\ifmmode\else\if@RTL\endL\fi\fi}%
11450 \def\Gin@iii[#1,#2][#3,#4]#5{%
11451   \begingroup
11452   \ifmmode\else\if@RTL\beginL\fi\fi
11453   \Gin@bboxtrue
11454   \Gin@defaultbp\Gin@llx{#1}%
11455   \Gin@defaultbp\Gin@lly{#2}%
11456   \Gin@defaultbp\Gin@urx{#3}%

```



```

11457 \Gin@defaultbp\Gin@ury{#4}%
11458 \Ginclude@graphics{#5}%
11459 \ifmmode\else\if@RTL\endL\fi\fi
11460 \endgroup
11461 \def\Gin@ii[#1]#2{%
11462   \def\@tempa{} \def\@tempb{#2}%
11463   \ifx\@tempa\@tempb
11464     \def\@tempa{\Gin@iii[#1] }%
11465     \expandafter\@tempa
11466   \else
11467     \begingroup
11468       \ifmmode\else\if@RTL\beginL\fi\fi
11469       \@tempswafalse
11470       \toks@{\Ginclude@graphics{#2}}%
11471       \setkeys{Gin}{#1}%
11472       \Gin@esetsize
11473       \the\toks@
11474       \ifmmode\else\if@RTL\endL\fi\fi
11475     \endgroup
11476   \fi}
11477 \def\reflectbox{\bidiGscale@box-1[1]}
11478 \long\def\bidiGscale@box#1[#2]{\ifmmode\else\if@RTL\beginL\fi\fi%
11479   \leavevmode
11480   \def\Gscale@x[#1]\def\Gscale@y[#2]%
11481   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL\endR\fi\fi%
11482   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
11483   \ifdim#2\p@<\z@
11484     \ht\tw@-\#2\dp\z@
11485     \dp\tw@-\#2\ht\z@
11486   \else
11487     \ht\tw@#2\ht\z@
11488     \dp\tw@#2\dp\z@
11489   \fi
11490   \ifdim#1\p@<\z@
11491     \hb@xt@#1\wd\z@\kern-#1\wd\z@\box\tw@\hss}%
11492   \else
11493     \wd\tw@#1\wd\z@
11494     \box\tw@
11495   \fi\ifmmode\else\if@RTL\endL\fi\fi}
11496 \def\scalebox#1{%
11497   \ifnextchar[\bidiGscale@box{#1}]{\bidiGscale@box{#1}[#1]}%
11498 \def\resizebox{%
11499   \leavevmode
11500   \ifstar{\bidiGscale@box\totalheight}{\bidiGscale@box\height}%
11501 \def\bidiGscale@box#1#2#3{%
11502   \let\@tempa\Gin@exclamation
11503   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
11504   \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
11505   \ifx\@tempb\@tempa
11506     \ifx\@tempc\@tempa

```



```

11507     \toks@{\mbox}%
11508     \else
11509         \toks@{\bidiGscale@box@dd{#3}{#1}}%
11510     \fi
11511 \else
11512     \ifx\@tempc\@tempa
11513         \toks@{\bidiGscale@box@dd{#2}\width}%
11514     \else
11515         \toks@{\bidiGscale@box@dddd{#2}\width{#3}{#1}}%
11516     \fi
11517 \fi
11518 \the\toks@}
11519 \long\def\bidiGscale@box@dd#1#2#3{%
11520     \begin{tempboxa}\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\beginR\fi\if@RTL\beginR\fi\endR\fi\setlength\@tempdima{#1}%
11521         \setlength\@tempdimb{#2}%
11522         \Gscale@div\@tempa\@tempdima\@tempdimb
11523         \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
11524     \endtempboxa}%
11525 \long\def\bidiGscale@box@ddd#1#2#3#4#5{%
11526     \begin{tempboxa}\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\beginR\fi\if@RTL\beginR\fi\endR\fi\else\if@RTL\beginR\fi\if@RTL\beginR\fi\if@RTL\beginR\fi\endR\fi\setlength\@tempdima{#1}%
11527         \setlength\@tempdimb{#2}%
11528         \Gscale@div\@tempa\@tempdima\@tempdimb
11529         \setlength\@tempdima{#3}%
11530         \setlength\@tempdimb{#4}%
11531         \Gscale@div\@tempb\@tempdima\@tempdimb
11532         \ifGin@iso
11533             \ifdim\@tempa\p@>\@tempb\p@
11534                 \let\@tempa\@tempb
11535             \else
11536                 \let\@tempb\@tempa
11537             \fi
11538         \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
11539     \endtempboxa}%
11540 \long\def\bidiGscale@box@dd#1#2#3{%
11541     \begin{tempboxa}\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\beginR\fi\endR\fi\else\if@RTL\beginR\fi\if@RTL\beginR\fi\endR\fi\setlength\@tempdima{#1}%
11542     \endtempboxa}%

```

7.66 geometry-xetex-bidi.def

```

11543 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
11544 \renewcommand*{\Gm@vrule}{\hskip-\marginparwidth\hskip-\marginparsep
11545 \if@RTLmain%
11546     \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11547     \llap{\Gm@vrule}\ignorespaces
11548     \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11549     \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
11550 \else%
11551     \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
11552     \hskip \textwidth\Gm@vrule\hskip \marginparsep
11553     \llap{\Gm@vrule}\hfil\Gm@vrule\fi}%

```



```

11554 \renewcommand*\Gm@vrule{\mpii}{%
11555 \if@RTLmain{%
11556   \hb@xt@0\tempdima{\llap{\Gm@vrule}\ignorespaces
11557   \hskip \textwidth\Gm@vrule\hskip \marginparsep
11558   \llap{\Gm@vrule}\hfil\Gm@vrule}%
11559 }%
11560 \hb@xt@0\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11561 \llap{\Gm@vrule}\ignorespaces
11562 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11563 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
11564 \bidi@patchcmd{\Gm@pageframes}{%
11565   \ifodd\count\z@{%
11566     \let\@themargin\oddsidemargin
11567   }%
11568   \let\@themargin\evensidemargin
11569 }%
11570 }%
11571 \ifodd\count\z@{%
11572   \if@RTLmain{%
11573     \let\@themargin\evensidemargin
11574   }%
11575   \let\@themargin\oddsidemargin
11576 }%
11577 \else{%
11578   \if@RTLmain{%
11579     \let\@themargin\oddsidemargin
11580   }%
11581   \let\@themargin\evensidemargin
11582 }%
11583 }%
11584 }%

```

7.67 hvfloat-xetex-bidi.def

```

11585 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for
11586 \def\do@@hvFloat[#1]#2#3{%
11587 \def\hv@shortCap{#1}
11588 \def\hv@longCap{#2}
11589 \def\hv@label{#3}
11590 \%newcommand*\hvFloat[5][]{%
11591 \% [#1]: keyvalues
11592 \% #2: type figure | table | ...
11593 \% #3: float contents
11594 \% [#4]: short caption
11595 \% #5: caption
11596 \% #6: label
11597 \% \setDefaults%
11598 \% \def\@tempa{#1}%
11599 \% \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
11600 \def\@tempa{90}%

```



```

11601 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
11602 \else \setlength{\hvMaxCapWidth}{\ linewidth}
11603 \fi
11604 %
11605 % First we save the object in \hvObjectBox
11606 %
11607 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
11608 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
11609 \else
11610 \savebox{\hvObjectBox}%
11611 \rotatebox{\hvSet@objectAngle}%
11612 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
11613 \fi
11614 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
11615 %
11616 % Now we save the caption with its defined \hvCapWidth
11617 %
11618 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
11619 \else
11620 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
11621 \else
11622 \setlength{\hvCapWidth}{\hvObjectWidth}
11623 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
11624 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
11625 \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
11626 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
11627 \else
11628 \setlength{\hvCapWidth}{\hvMaxCapWidth}
11629 \fi
11630 \fi
11631 \fi
11632 %
11633 % now we have the object and the caption with the right
11634 % rotated angles saved in boxes
11635 %
11636 \def\fps@figure{\hvSet@floatPos}
11637 \ifhv@nonFloat\begingroup% Start the nonfloat part
11638 \else \begin{\hv@floatType}% Start the floating environment
11639 \fi%
11640 \saveCaptionSkip% we put this space ourselves
11641 \ifx\hvSet@capAngle\hv@Width % need rotation?
11642 \sbox{\hvCaptionBox}%
11643 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
11644 \ifhv@nonFloat%
11645 \ifhv@onlyText#2%
11646 \else%
11647 \ifx\hv@floatType\hv@figure
11648 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
11649 \else
11650 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%

```



```

11651     \fi
11652   \fi
11653 \else\ifx\relax\hv@shortCap\relax\caption{\#2}\else\caption[#1]{\#2}\fi%
11654 \fi%
11655 \label{#3}%
11656   \end{minipage}%
11657 }%
11658 \else%
11659   \sbox{\hvCaptionBox}{%
11660     \rotatebox{\hvSet@capAngle}{%
11661       \begin{minipage}[b]{\hvCapWidth}\% minipage, to get hyphenation
11662 \ifhv@nonFloat%
11663   \ifhv@onlyText#2%
11664   \else%
11665     \ifx\hv@floatType\hv@figure
11666       \ifx\relax#1\relax \figcaption{\#2}\else\figcaption[#1]{\#2}\fi
11667     \else
11668       \ifx\relax#1\relax \tabcaption{\#2}\else\tabcaption[#1]{\#2}\fi
11669     \fi
11670   \fi
11671 \else\ifx\relax\hv@shortCap\relax\caption{\#2}\else\caption[#1]{\#2}\fi%
11672   \fi%
11673   \label{#3}%
11674   \end{minipage}%
11675 }%
11676 }%
11677 \fi%
11678 %%%
11679 \restoreCaptionSkip% save old values
11680 \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
11681 \else%
11682   \ifx\hvSet@objectPos\hv@Center
11683     \ifhv@nonFloat\hspace*\{\fill\}\else\centering\fi%
11684   \fi%
11685 \fi%
11686 %
11687 % to rotate object and caption together, we save all in another box
11688 % the caption comes first, if its on the left or the top
11689 %
11690 \savebox{\@tempboxa}{%
11691 \ifx\hvSet@capPos\hv@Left % caption on left side
11692 \if@RTL%
11693 \ifx\hvSet@capVPos\hv@Center%
11694 \ifhv@fbox
11695 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
11696 \else
11697 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
11698 \fi%
11699 \hspace{\hvSet@floatCapSep pt}%
11700 \ifhv@fbox

```



```

11701 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
11702 \else
11703 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
11704 \fi%
11705 \else%
11706 \ifx\hvSet@capVPos\hv@Top
11707 \ifhv@fbox
11708 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
11709 \else
11710 \raisebox{-\height}{\usebox{\hvObjectBox}}%
11711 \fi%
11712 \hskip{\hvSet@floatCapSep pt}%
11713 \ifhv@fbox
11714 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
11715 \else
11716 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
11717 \fi
11718 \else
11719 \ifhv@fbox
11720 \fbox{\usebox{\hvObjectBox}}%
11721 \else
11722 \usebox{\hvObjectBox}}%
11723 \fi
11724 \hskip{\hvSet@floatCapSep pt}%
11725 \ifhv@fbox
11726 \fbox{\usebox{\hvCaptionBox}}%
11727 \else
11728 \usebox{\hvCaptionBox}}%
11729 \fi%
11730 \fi%
11731 \fi%
11732 \else% not RTL
11733   \ifx\hvSet@capVPos\hv@Center%
11734     \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
11735     \else    \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
11736     \fi%
11737     \hskip{\hvSet@floatCapSep pt}%
11738     \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
11739     \else    \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
11740     \fi%
11741 \else%
11742   \ifx\hvSet@capVPos\hv@Top % caption at top
11743     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
11744     \else    \raisebox{-\height}{\usebox{\hvCaptionBox}}%
11745     \fi
11746     \hskip{\hvSet@floatCapSep pt}%
11747     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
11748     \else    \raisebox{-\height}{\usebox{\hvObjectBox}}%
11749     \fi%
11750 \else% caption on bottom

```



```

11751     \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
11752             \else\usebox{\hvCaptionBox}
11753         \fi%
11754         \hskip{\hvSet@floatCapSep pt}%
11755         \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
11756         \else     \usebox{\hvObjectBox}
11757         \fi%
11758     \fi%
11759 \fi% end of RTL
11760 \fi%
11761 \else
11762 \ifx\hvSet@capPos\hv@Top
11763 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
11764 \begin{minipage}{\wd\hvCaptionBox}
11765 \else
11766 \begin{minipage}{\wd\hvObjectBox}
11767 \fi
11768 \centering
11769 \ifhv@fbox
11770 \fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
11771 \fbox{\usebox{\hvObjectBox}}
11772 \else
11773 \usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
11774 \usebox{\hvObjectBox}
11775 \fi%
11776 \end{minipage}
11777 \else
11778 \ifx\hvSet@capPos\hv@Bottom
11779 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
11780 \begin{minipage}{\wd\hvCaptionBox}
11781 \else
11782 \begin{minipage}{\wd\hvObjectBox}
11783 \fi
11784 \centering
11785 \ifhv@fbox
11786 \fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
11787 \fbox{\usebox{\hvCaptionBox}}
11788 \else
11789 \usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
11790 \usebox{\hvCaptionBox}
11791 \fi%
11792 \end{minipage}
11793 \else% the last option: put the caption on the right
11794 \if@RTL%
11795     \ifx\hvSet@capVPos\hv@Center%
11796         \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
11797         \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
11798         \fi%
11799         \hskip{\hvSet@floatCapSep pt}%
11800         \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%

```



```

11801      \else      \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
11802      \fi%
11803  \else%
11804      \ifx\hvSet@capVPos\hv@Top % caption at top
11805          \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
11806          \else      \raisebox{-\height}{\usebox{\hvCaptionBox}}%
11807          \fi
11808          \hspace{\hvSet@floatCapSep pt}%
11809          \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
11810          \else      \raisebox{-\height}{\usebox{\hvObjectBox}}%
11811          \fi%
11812  \else% caption on bottom
11813      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
11814          \else\usebox{\hvCaptionBox}
11815          \fi%
11816          \hspace{\hvSet@floatCapSep pt}%
11817          \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
11818          \else      \usebox{\hvObjectBox}
11819          \fi%
11820          \fi%
11821      \fi%
11822 \else% not RTL
11823 \ifx\hvSet@capVPos\hv@Center%
11824 \ifhv@fbox
11825 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
11826 \else
11827 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
11828 \fi%
11829 \hspace{\hvSet@floatCapSep pt}%
11830 \ifhv@fbox
11831 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
11832 \else
11833 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
11834 \fi%
11835 \else%
11836 \ifx\hvSet@capVPos\hv@Top
11837 \ifhv@fbox
11838 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
11839 \else
11840 \raisebox{-\height}{\usebox{\hvObjectBox}}%
11841 \fi%
11842 \hspace{\hvSet@floatCapSep pt}%
11843 \ifhv@fbox
11844 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
11845 \else
11846 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
11847 \fi
11848 \else
11849 \ifhv@fbox
11850 \fbox{\usebox{\hvObjectBox}}%

```



```

11851 \else
11852 \usebox{\hvObjectBox}%
11853 \fi
11854 \hspace{\hvSet@floatCapSep pt}%
11855 \ifhv@fbox
11856 \fbox{\usebox{\hvCaptionBox}}%
11857 \else
11858 \usebox{\hvCaptionBox}%
11859 \fi%
11860 \fi%
11861 \fi
11862 \fi% end of RTL
11863 \fi
11864 \fi
11865 \fi
11866 }% End savebox Object and caption
11867 %
11868 % now we rotate the object and caption, if needed
11869 %
11870 \ifx\hvSet@rotAngle\hv@Zero
11871 \usebox{@tempboxa}
11872 \else
11873 \rotatebox{\hvSet@rotAngle}{\usebox{@tempboxa}}
11874 \fi
11875 \ifhv@nonFloat
11876 \ifx\hvSet@objectPos\hv@Center
11877 \ifhv@nonFloat
11878 \hspace{\fill}
11879 \fi
11880 \fi
11881 \endgroup% End the nonfloat part
11882 \else
11883 \end{\hv@floatType}% End the floating environment
11884 \fi
11885 }

```

7.68 hyperref-xetex-bidi.def

```

11886 \ProvidesFile{hyperref-xetex-bidi.def}[2017/08/09 v1.0 bidi adaptations for hyperref package]
11887 \AtBeginDocument{%
11888 \def\contentsline#1#2#3#4{%
11889   \ifx\\#4\\%
11890     \csname l@#1\endcsname{#2}{#3}%
11891   \else
11892     \ifcase\Hy@linktoc % none
11893       \csname l@#1\endcsname{#2}{#3}%
11894     \or % section
11895       \csname l@#1\endcsname{%
11896         \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
11897       }{#3}%

```



```

11898     \or % page
11899         \csname l@#1\endcsname{#2}{%
11900             \hyper@linkstart{link}{#4}{#3}\hyper@linkend
11901         }%
11902     \else % all
11903         \csname l@#1\endcsname{%
11904             \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi\#2\if@RTL\endR\fi}\hyper@linkend
11905         }%
11906             \hyper@linkstart{link}{#4}{#3}\hyper@linkend
11907         }%
11908     \fi
11909 \fi
11910 }
11911 \ifHy@hyperfootnotes
11912     \let\H@@footnotetext\@footnotetext
11913     \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
11914     \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
11915     \def\@xfootnotenext[#1]{%
11916         \begingroup
11917             \csname c@\@mpfn\endcsname #1\relax
11918                 \unrestored@protected@xdef\@thefnmark{\thempfn}%
11919         \endgroup
11920         \ifx\@footnotetext\@mpfootnotetext
11921             \expandafter\H@@mpfootnotetext
11922         \else
11923             \expandafter\H@@footnotetext
11924         \fi
11925     }%
11926     \def\@xRTLfootnotenext[#1]{%
11927         \begingroup
11928             \csname c@\@mpfn\endcsname #1\relax
11929                 \unrestored@protected@xdef\@thefnmark{\thempfn}%
11930         \endgroup
11931         \ifx\@RTLfootnotetext\@mpRTLfootnotetext
11932             \expandafter\HRTL@@mpRTLfootnotetext
11933         \else
11934             \expandafter\HRTL@@RTLfootnotetext
11935         \fi
11936     }%
11937     \def\@xLTRfootnotenext[#1]{%
11938         \begingroup
11939             \csname c@\@mpfn\endcsname #1\relax
11940                 \unrestored@protected@xdef\@thefnmark{\thempfn}%
11941         \endgroup
11942         \ifx\@LTRfootnotetext\@mpLTRfootnotetext
11943             \expandafter\HLTR@@mpLTRfootnotetext
11944         \else
11945             \expandafter\HLTR@@LTRfootnotetext
11946         \fi
11947     }%

```



```

11948 \def\@xfootnotemark[#1]{%
11949   \begingroup
11950     \c@footnote #1\relax
11951     \unrestored@protected@xdef\@thefnmark{\thefootnote}%
11952   \endgroup
11953   \H@@footnotemark
11954 }%
11955 \let\H@@mpfootnotetext\@mpfootnotetext
11956 \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
11957 \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
11958   \long\def\@mpfootnotetext#1{%
11959     \H@@mpfootnotetext{%
11960       \ifHy@nesting
11961         \hyper@anchor{\Hy@footnote@currentHref}{#1}%
11962       \else
11963         \Hy@raisedlink{%
11964           \hyper@anchor{\Hy@footnote@currentHref}{\relax}%
11965         }#1%
11966       \fi
11967     }%
11968   }%
11969   \long\def\@mpRTLfootnotetext#1{%
11970     \HRTL@@mpRTLfootnotetext{%
11971       \ifHy@nesting
11972         \hyper@anchor{\Hy@footnote@currentHref}{#1}%
11973       \else
11974         \Hy@raisedlink{%
11975           \hyper@anchor{\Hy@footnote@currentHref}{\relax}%
11976         }#1%
11977       \fi
11978     }%
11979   }%
11980   \long\def\@mpLTRfootnotetext#1{%
11981     \HLTR@@mpLTRfootnotetext{%
11982       \ifHy@nesting
11983         \hyper@anchor{\Hy@footnote@currentHref}{#1}%
11984       \else
11985         \Hy@raisedlink{%
11986           \hyper@anchor{\Hy@footnote@currentHref}{\relax}%
11987         }#1%
11988       \fi
11989     }%
11990   }%
11991   \long\def\@footnotetext#1{%
11992     \H@@footnotetext{%
11993       \ifHy@nesting
11994         \hyper@anchor{\Hy@footnote@currentHref}{#1}%
11995       \else
11996         \Hy@raisedlink{%
11997           \hyper@anchor{\Hy@footnote@currentHref}{\relax}%

```



```

11998      }%
11999      \let\@currentHlabel\Hy@footnote@currentHlabel
12000      \let\@currentHref\Hy@footnote@currentHref
12001      \let\@currentlabelname\@empty
12002      #1%
12003      \fi
12004  }%
12005 }%
12006 \long\def\@RTLfootnotetext#1{%
12007 \HRTL@@RTLfootnotetext{%
12008   \ifHy@nesting
12009     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12010   \else
12011     \Hy@raisedlink{%
12012       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12013     }%
12014     \let\@currentHlabel\Hy@footnote@currentHlabel
12015     \let\@currentHref\Hy@footnote@currentHref
12016     \let\@currentlabelname\@empty
12017     #1%
12018   \fi
12019 }%
12020 }%
12021 \long\def\@LTRfootnotetext#1{%
12022 \HLTR@@LTRfootnotetext{%
12023   \ifHy@nesting
12024     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12025   \else
12026     \Hy@raisedlink{%
12027       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12028     }%
12029     \let\@currentHlabel\Hy@footnote@currentHlabel
12030     \let\@currentHref\Hy@footnote@currentHref
12031     \let\@currentlabelname\@empty
12032     #1%
12033   \fi
12034 }%
12035 }%
12036 \@ifpackageloaded{tabularx}{%
12037   \let\HyOrg@TX@endtabularx\TX@endtabularx
12038   \def\Hy@tabularx@hook{%
12039     \let\@footnotetext\H@@footnotetext
12040     \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
12041     \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
12042     \let\@footnotemark\H@@footnotemark
12043     \let\@mpfootnotetext\H@@mpfootnotetext
12044     \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
12045     \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
12046   }%
12047   \begingroup

```



```

12048      \toks@{\expandafter{\TX@endtabularx}%
12049      \xdef\Hy@gtemp{%
12050          \noexpand\Hy@tabularx@hook
12051          \the\toks@
12052      }%
12053      \endgroup
12054      \let\TX@endtabularx\Hy@gtemp
12055  }{%
12056      \@ifpackageloaded{longtable}{%
12057          \CheckCommand*{\LT@p@LTRftntext}[1]{%
12058              \edef\@tempa{%
12059                  \the\LT@p@ftn
12060                  \noexpand\LTRfootnotetext[\the\c@footnote]%
12061              }%
12062              \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12063          }%
12064          \long\def\LT@p@LTRftntext#1{%
12065              \edef\@tempa{%
12066                  \the\LT@p@ftn
12067                  \begingroup
12068                      \noexpand\c@footnote=\the\c@footnote\relax
12069                      \noexpand\protected@xdef\noexpand\@thefnmark{%
12070                          \noexpand\thempfn
12071                      }%
12072                      \noexpand\Hy@LT@LTRfootnotetext{%
12073                          \Hy@footnote@currentHref
12074                      }%
12075                  }%
12076                  \global\LT@p@ftn\expandafter{%
12077                      \@tempa{#1}%
12078                  }%
12079              }%
12080          }%
12081          \long\def\Hy@LT@LTRfootnotetext#1#2{%
12082              \HLTR@@LTRfootnotetext{%
12083                  \ifHy@nesting
12084                      \hyper@anchor{#1}{#2}%
12085                  \else
12086                      \Hy@raisedlink{%
12087                          \hyper@anchor{#1}{\relax}%
12088                      }%
12089                      \def\@currentHref{#1}%
12090                      \let\@currentlabelname\empty
12091                      #2%
12092                  \fi
12093              }%
12094          }%
12095          \CheckCommand*{\LT@p@RTLftntext}[1]{%
12096              \edef\@tempa{%
12097                  \the\LT@p@ftn

```



```

12098     \noexpand\RTLfootnotetext[\the\c@footnote]%
12099   }%
12100   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12101 }%
12102 \long\def\LT@p@RTLftntext#1{%
12103   \edef\@tempa{%
12104     \the\LT@p@ftn
12105     \begingroup
12106       \noexpand\c@footnote=\the\c@footnote\relax
12107       \noexpand\protected@xdef\noexpand\@thefnmark{%
12108         \noexpand\thempfn
12109       }%
12110       \noexpand\Hy@LT@RTLfootnotetext{%
12111         \Hy@footnote@currentHref
12112       }%
12113     }%
12114   \global\LT@p@ftn\expandafter{%
12115     \@tempa{#1}%
12116     \endgroup
12117   }%
12118 }%
12119 \long\def\Hy@LT@RTLfootnotetext#1#2{%
12120   \HRTL@RTLfootnotetext{%
12121     \ifHy@nesting
12122       \hyper@@anchor{#1}{#2}%
12123     \else
12124       \Hy@raisedlink{%
12125         \hyper@@anchor{#1}{\relax}%
12126       }%
12127       \def\@currentHref{#1}%
12128       \let\@currentlabelname\empty
12129         #2%
12130       \fi
12131     }%
12132   }%
12133 }{}%
12134 \@ifpackageloaded[bidipoem]{%
12135   \long\def\bidipoem@p@ftntext#1{%
12136     \edef\@tempx{%
12137       \the\bidipoem@p@ftn
12138       \begingroup
12139         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12140         \noexpand\protected@xdef\noexpand\@thefnmark{%
12141           \noexpand\thempfn
12142         }%
12143         \noexpand\Hy@bidipoem@footnotetext{%
12144           \Hy@footnote@currentHref
12145         }%
12146       \global\bidipoem@p@ftn\expandafter{%
12147

```



```

12148      \@tempx{\#1}%
12149      \endgroup
12150  }%
12151 }%
12152 \long\def\Hy@bidipoem@footnotetext#1#2{%
12153   \H@footnotetext{%
12154     \ifHy@nesting
12155       \hyper@@anchor{\#1}{\#2}%
12156     \else
12157       \Hy@raisedlink{%
12158         \hyper@@anchor{\#1}{\relax}%
12159       }%
12160       \def\@currentHref{\#1}%
12161       \let\@currentlabelname\empty
12162       \#2%
12163     \fi
12164   }%
12165 }%
12166   \long\def\bidipoem@p@LTRftntext#1{%
12167     \edef\@tempxi{%
12168       \the\bidipoem@p@ftn
12169       \begingroup
12170         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12171         \noexpand\protected@xdef\noexpand\@thefnmark{%
12172           \noexpand\thempfn
12173         }%
12174         \noexpand\Hy@bidipoem@LTRfootnotetext{%
12175           \Hy@footnote@currentHref
12176         }%
12177       }%
12178     \global\bidipoem@p@ftn\expandafter{%
12179       \@tempxi{\#1}%
12180     \endgroup
12181   }%
12182 }%
12183 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
12184   \HLTR@LTRfootnotetext{%
12185     \ifHy@nesting
12186       \hyper@@anchor{\#1}{\#2}%
12187     \else
12188       \Hy@raisedlink{%
12189         \hyper@@anchor{\#1}{\relax}%
12190       }%
12191       \def\@currentHref{\#1}%
12192       \let\@currentlabelname\empty
12193       \#2%
12194     \fi
12195   }%
12196 }%
12197 \long\def\bidipoem@p@RTLftntext#1{%

```



```

12198 \edef\@tempxii{%
12199   \the\bidiopem@p@ftn
12200   \begingroup
12201     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12202     \noexpand\protected@xdef\noexpand\@thefnmark{%
12203       \noexpand\thempfn
12204     }%
12205     \noexpand\Hy@bidipoem@RTLfootnotetext{%
12206       \Hy@footnote@currentHref
12207     }%
12208   }%
12209   \global\bidiopem@p@ftn\expandafter{%
12210     \@tempxii{\#1}%
12211     \endgroup
12212   }%
12213 }%
12214 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
12215   \HRTL@RTLfootnotetext{%
12216     \ifHy@nesting
12217       \hyper@anchor{\#1}{\#2}%
12218     \else
12219       \Hy@raisedlink{%
12220         \hyper@anchor{\#1}{\relax}%
12221       }%
12222       \def\@currentHref{\#1}%
12223       \let\@currentlabelname\empty
12224       \#2%
12225     \fi
12226   }%
12227 }%
12228 }{%
12229 \let\HyOrg@maketitle\maketitle
12230 \def\maketitle{%
12231   \let\Hy@saved@footnotemark\@footnotemark
12232   \let\Hy@saved@footnotetext\@footnotetext
12233   \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
12234   \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
12235   \let\@footnotemark\H@@footnotemark
12236   \let\@footnotetext\H@@footnotetext
12237   \let\@RTLfootnotetext\HRTL@RTLfootnotetext
12238   \let\@LTRfootnotetext\HLTR@LTRfootnotetext
12239   \@ifnextchar[\Hy@maketitle@optarg{[ ]}
12240     \HyOrg@maketitle
12241     \Hy@maketitle@end
12242   }%
12243 }%
12244 \def\Hy@maketitle@optarg[#1]{%
12245   \HyOrg@maketitle[\#1]%
12246   \Hy@maketitle@end
12247 }%

```



```

12248 \def\Hy@maketitle@end{%
12249   \ifx\@footnotemark\H@@footnotemark
12250     \let\@footnotemark\Hy@saved@footnotemark
12251   \fi
12252   \ifx\@footnotetext\H@@footnotetext
12253     \let\@footnotetext\Hy@saved@footnotetext
12254   \fi
12255   \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
12256     \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
12257   \fi
12258   \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
12259     \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
12260   \fi
12261 }%
12262 \def\realfootnote{%
12263   \@ifnextchar[\@xfootnote{%
12264     \stepcounter{\@mpfn}%
12265     \protected@xdef\@thefnmark{\thempfn}%
12266     \H@@footnotemark\H@@footnotetext
12267   }%
12268 }%
12269 \fi
12270 \def\Hy@BeginAnnot#1{%
12271   \ifmmode\else\beginL\fi%
12272   \global\advance\c@Hy@AnnotLevel\@ne
12273   \ifnum\c@Hy@AnnotLevel=\@ne
12274     #1%
12275   \fi
12276 }
12277 \def\Hy@EndAnnot{%
12278   \ifnum\c@Hy@AnnotLevel=\@ne
12279     \Hy@endcolorlink
12280     \pdfm@mark{eann}%
12281   \fi
12282   \global\advance\c@Hy@AnnotLevel\m@ne
12283   \ifmmode\else\endL\fi%
12284 }
12285 \def\hyper@link#1#2#3{%
12286   \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi\#3\ifmmode\else\if@RTL\endR\fi\fi\%
12287 }
12288 \def\hyper@linkfile#1#2#3{%
12289   \leavevmode
12290   \Hy@BeginAnnot{%
12291     \def\Hy@pstringF{#2}%
12292     \Hy@CleanupFile\Hy@pstringF
12293     \Hy@pstringdef\Hy@pstringF\Hy@pstringF
12294     \Hy@pstringdef\Hy@pstringD{#3}%
12295     \Hy@MakeRemoteAction
12296     \pdfm@mark{%
12297       bann<<%
12298     }%
12299   }%
12300 }
```



```

12298 /Type/Annot%
12299 /Subtype/Link%
12300 \ifHy@pdfa /F 4\fi
12301 \Hy@setpdfborder
12302 \ifx\@filebordercolor\relax
12303 \else
12304   /C[\@filebordercolor]%
12305 \fi
12306 /A<<%
12307   /S/GoToR%
12308   /F(\Hy@pstringF)%
12309   /D%
12310   \ifx\#3\%
12311     [\Hy@href@page\@pdfremotestartview]%
12312   \else
12313     (\Hy@pstringD)%
12314   \fi
12315   \Hy@SetNewWindow
12316   \Hy@href@nextactionraw
12317   >>%
12318   >>%
12319 }%
12320   \Hy@colorlink\@filecolor
12321 }%
12322 \ifmmode\else\if@RTL\beginR\fi\fi\#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12323 \Hy@EndAnnot
12324 }
12325 \def\@hyper@launch run:#1\#2#3{\% filename, anchor text linkname
12326   \leavevmode
12327   \Hy@BeginAnnot{%
12328     \Hy@pstringdef\Hy@pstringF{\#1}%
12329     \Hy@pstringdef\Hy@pstringP{\#3}%
12330     \pdfmark{%
12331       bann<<%
12332         /Type/Annot%
12333         /Subtype/Link%
12334         \ifHy@pdfa /F 4\fi
12335         \Hy@setpdfborder
12336         \ifx\@runbordercolor\relax
12337         \else
12338           /C[\@runbordercolor]%
12339         \fi
12340       /A<<%
12341         /F(\Hy@pstringF)%
12342         /S/Launch%
12343         \Hy@SetNewWindow
12344         \ifx\#3\%
12345         \else
12346           /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
12347         \fi

```



```

12348      \Hy@href@nextactionraw
12349      >>%
12350      >>%
12351      }%
12352      \Hy@colorlink\@runcolor
12353      }%
12354      \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12355      \Hy@EndAnnot
12356 }
12357 \def\hyper@linkurl#1#2{%
12358   \leavevmode
12359   \Hy@BeginAnnot{%
12360     \Hy@pstringdef\Hy@pstringURI{#2}%
12361     \@pdfm@mark{%
12362       bann<<%
12363       /Type/Annot%
12364       /Subtype/Link%
12365       \ifHy@pdfa /F 4\fi
12366       \Hy@setpdfborder
12367       \ifx\@urlbordercolor\relax
12368       \else
12369         /C[\@urlbordercolor]%
12370       \fi
12371       /A<<%
12372         /S/URI%
12373         /URI(\Hy@pstringURI)%
12374         \ifHy@href@ismap
12375           /IsMap true%
12376           \fi
12377           \Hy@href@nextactionraw
12378         >>%
12379       >>%
12380     }%
12381     \Hy@colorlink\@urlcolor
12382   }%
12383   \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12384   \Hy@EndAnnot
12385 }
12386 \def\Acrobatmenu#1#2{%
12387   \Hy@Acrobatmenu{#1}{#2}%
12388   \Hy@BeginAnnot{%
12389     \EdefEscapeName\Hy@temp@menu{#1}%
12390     \@pdfm@mark{%
12391       bann<<%
12392       /Type/Annot%
12393       /Subtype/Link%
12394       \ifHy@pdfa /F 4\fi
12395       \Hy@setpdfborder
12396       \ifx\@menubordercolor\relax
12397       \else

```



```

12398      /C[@menubordercolor]%
12399      \fi
12400      /A<<%
12401          /S/Named%
12402          /N/\Hy@temp@menu
12403          \Hy@href@nextactionraw
12404          >>%
12405          >>%
12406      }%
12407      \Hy@colorlink@\menucolor
12408  }%
12409  \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace\end
12410  \Hy@EndAnnot
12411 }%
12412 }
12413 \def\hyper@natlinkstart#1{%
12414   \Hy@backout{#1}%
12415   \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
12416   \def\hyper@nat@current{#1}%
12417 }
12418 \def\hyper@natlinkend{%
12419   \if@RTL\endR\fi\hyper@linkend
12420 }
12421 \def\hyper@natlinkbreak#1#2{%
12422   \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
12423 }%
12424 }
12425 \pdfstringdefDisableCommands{%
12426 \let\LRE@\firstofone
12427 \let\LR@\firstofone
12428 \let\RLE@\firstofone
12429 \let\RL@\firstofone
12430 \def\xetex{\xetex}
12431 \def\xelatex{\xelatex}
12432 }
12433 @ifpackageloaded{longtable}{%
12434   \begingroup
12435     \def\y{\LT@array}%
12436     @ifundefined{scr@LT@array}{%
12437       @ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
12438     }{\def\y{\scr@LT@array}}%
12439     \long\def\x{\refstepcounter#1#2\sharp#3#4@nil{%
12440       \expandafter\endgroup
12441       \expandafter\def\y[##1]##2{%
12442         \H@refstepcounter{##1}%
12443         \hyper@makecurrent{table}%
12444         \let\Hy@LT@currentHref@\currentHref
12445         #2\sharp####4%
12446       }%
12447     }%

```



```

12448 \expandafter\expandafter\expandafter\x\y[{#1}]{#2}@nil
12449 \begingroup
12450   \def\x#1\ifvoid\LT@foot#2\fi#3@nil{%
12451     \endgroup
12452     \def\LT@start{%
12453       #1%
12454       \ifvoid\LT@foot#2\fi
12455       \let\@currentHref\Hy@LT@currentHref
12456       \Hy@raisedlink{%
12457         \hyper@anchorstart{\@currentHref}\hyper@anchorend
12458       }%
12459       #3%
12460     }%
12461   }%
12462   \expandafter\x\LT@start@nil
12463 }{}}

```

7.69 imsproc-xetex-bidi.def

```

12464 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for ]
12465 \newenvironment{thebibliography}[1]{%
12466   \bibtitlestyle
12467   \normalfont\bibliofont\labelsep .5em\relax
12468   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\empty
12469   \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
12470   \bidi@thebibliography@font@hook
12471   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
12472     \leftmargin\labelwidth \advance\leftmargin\labelsep
12473     \usecounter{enumiv}}%
12474   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
12475   \sfcode`\.=\@m
12476 }{%
12477   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
12478   \endlist
12479 }
12480
12481 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
12482   \columnseprule\z@ \columnsep 35\p@
12483   \indextitlestyle
12484   \thispagestyle{plain}%
12485   \let\item\idxitem
12486   \parindent\z@ \parskip\z@\oplus.3\p@\relax
12487   \if@RTL\raggedleft\else\raggedright\fi
12488   \hyphenpenalty\@M
12489   \footnotesize}
12490 \def\idxitem{\par\hangindent \if@RTL-\fi2em}
12491 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
12492 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
12493
12494 \def\right@footnoterule{%

```



```

12495   \kern-.4\p@           %
12496   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill } %
12497   \kern11\p@\kern-\footnotesep %
12498 \def\left@footnoterule{\kern-.4\p@ %
12499           \hrule\@width 5pc\kern11\p@\kern-\footnotesep} %
12500 \def\@makefnmark{%
12501   \leavevmode %
12502   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
12503 } %
12504 %
12505 \def\part{\@startsection{part}{0}%
12506   \z@\linespacing\@plus\linespacing}{.5\linespacing}%
12507   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}%
12508 \def\@tocline#1#2#3#4#5#6#7{\relax %
12509   \ifnum #1>\c@tocdepth % then omit %
12510   \else %
12511     \par \addpenalty\@secpenalty\addvspace{#2}%
12512     \begingroup \hyphenpenalty\@M %
12513     \@ifempty{#4}{%
12514       \tempdima\csname r@tocindent\endcsname\number#1\endcsname\relax %
12515     }{%
12516       \tempdima#4\relax %
12517     } %
12518     \parindent\z@\if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi %
12519     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth %
12520     \leavevmode\hskip-\tempdima #6\nobreak\relax %
12521     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par %
12522     \nobreak %
12523     \endgroup %
12524   \fi} %
12525 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}} %
12526 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}} %
12527 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}} %
12528 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}} %
12529 \def\maketitle{\par %
12530   \topnum\z@ % this prevents figures from falling at the top of page 1 %
12531   \setcopyright %
12532   \thispagestyle{firstpage} % this sets first page specifications %
12533   \uppercaseonmath\shorttitle %
12534   \ifx\empty\shortauthors \let\shortauthors\shorttitle %
12535   \else \andify\shortauthors %
12536   \fi %
12537   \maketitle@hook %
12538   \begingroup %
12539   \maketitle %
12540   \toks@{\exp{\shortauthors}\temptokena\exp{\shorttitle}} %
12541   \toks4{\def\\{\ignorespaces}} % defend against questionable usage %
12542   \edef\tempa{%
12543     \nx\markboth{\the\toks4} %
12544     \nx\MakeUppercase{\the\toks@}{\the\temptokena}} %

```



```

12545  \@tempa
12546  \endgroup
12547  \c@footnote\z@
12548  \cleartopmattertags
12549 }

```

7.70 leqno-xetex-bidi.def

```

12550 \ProvidesFile{leqno-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for leqno tag for XeTeX]
12551 \renewcommand{\eqnnum}{\hb@xt@.01\p@{}}
12552           \rlap{
12553             \hskip -\displaywidth{\normalfont\normalcolor\if@RTL\beginR\fi(\theeqn

```

7.71 letter-xetex-bidi.def

```

12554 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter class]
12555 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
12556   \thispagestyle{firstpage}%
12557   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
12558 \else % home address
12559   \thispagestyle{empty}%
12560   {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l}%
12561     \fromaddress \\*[2\parskip]%
12562     \@date \end{tabular}\par}%
12563 \fi
12564 \vspace{2\parskip}%
12565 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
12566 \vspace{2\parskip}%
12567 #1\par\nobreak}
12568 \renewcommand{\left@footnoterule}{%
12569   \kern-\p@
12570   \hrule \width .4\columnwidth
12571   \kern .6\p@}
12572 \renewcommand{\right@footnoterule}{%
12573   \kern-\p@
12574   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
12575   \kern .6\p@}

```

7.72 lettrine-xetex-bidi.def

```

12576 \ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package]
12577 \def\@lettrine[#1]#2#3{%
12578   \setcounter{L@lines}{\theDefaultLines}%
12579   \setcounter{L@depth}{\theDefaultDepth}%
12580   \renewcommand*{\L@hang}{\DefaultLhang}%
12581   \renewcommand*{\L@oversize}{\DefaultLoversize}%
12582   \renewcommand*{\L@raise}{\DefaultLraise}%
12583   \renewcommand*{\L@ante}{}%
12584   \setlength{\L@Findent}{\DefaultFindent}%
12585   \setlength{\L@Nindent}{\DefaultNindent}%
12586   \setlength{\L@slope}{\DefaultSlope}%
12587   \setlength{\L@novskip}{\DiscardVskip}%

```



```

12588 \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
12589 \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
12590 \if\DefaultOptionsFile\relax
12591 \else
12592   \begingroup
12593   \InputIfFileExists{\DefaultOptionsFile}%
12594     {}%
12595     {\PackageWarning{lettrine.sty}%
12596       {File \DefaultOptionsFile\space not found}%
12597     }%
12598   \def\color##1{\l@color{##1}}%
12599   \let\l@color\gobbletwo
12600   \def\textcolor##1{\l@textcolor{##1}}%
12601   \def\l@textcolor##1##2##3{##3}%
12602   \expandafter\ifx\csname l@#2-keys\endcsname\relax
12603     \gdef\l@LOKeys{}%
12604   \else
12605     \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
12606   \fi
12607   \endgroup
12608   \def\KV@prefix{KV@L@}%
12609   \let\@tempc\relax
12610   \expandafter\KV@do\l@LOKeys,\relax,
12611   \sbox{\L@lbox}{\LettrineFont #2}%
12612   \setlength{\LettrineWidth}{\wd\l@lbox}%
12613   \def\KV@prefix{KV@L@}%
12614   \let\@tempc\relax
12615   \expandafter\KV@do\l@LOKeys,\relax,
12616   \fi
12617   \setkeys{L}{#1}%
12618   \ifL@image
12619     \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
12620   \else
12621     \sbox{\L@lbox}{\LettrineFont #2}%
12622   \fi
12623   \sbox{\L@tbox}{\LettrineTextFont{#3}}%
12624   \tempdima=\baselineskip
12625   \ifnum\theL@lines=1
12626     \setlength{\L@first}{\ht\l@lbox}%
12627     \addtolength{\L@first}{-\ht\l@tbox}%
12628     \setlength{\L@lraise}{\z@}%
12629   \else
12630     \setlength{\L@first}{-\theL@lines\tempdima}%
12631     \addtolength{\L@first}{\tempdima}%
12632     \sbox{\tempboxa}{\LettrineTextFont x}%
12633     \addtolength{\L@first}{-\ht\tempboxa}%
12634     \setlength{\L@lraise}{-\L@lraise\L@first}%
12635     \addtolength{\L@first}{\L@lraise}%
12636     \addtolength{\L@first}{\ht\l@lbox}%
12637     \addtolength{\L@lraise}{-\theL@lines\tempdima}%

```



```

12638      \addtolength{\L@lraise}{\tempdima}%
12639      \fi
12640      \par
12641      \ifdim\L@first>\L@novskip
12642          \ifL@grid
12643              \tempdima=\baselineskip
12644              \tempdimb=\tempdima
12645              \advance\tempdimb by \L@novskip
12646              \tempcpta=1
12647              \loop\ifdim\L@first>\tempdimb
12648                  \advance\tempcpta by 1
12649                  \advance\L@first by -\tempdima
12650                  \repeat
12651                  \vskip\tempcpta\baselineskip
12652          \else
12653              \vskip\L@first
12654          \fi
12655      \fi
12656      \setlength{\L@Pindent}{\wd\lbox}%
12657      \addtolength{\L@Pindent}{-\L@hang\wd\lbox}%
12658      \settowidth{\L@first}{\L@ante}%
12659      \addtolength{\L@Pindent}{\L@first}%
12660      \addtolength{\L@Pindent}{\L@Findent}%
12661      \setlength{\L@first}{\linewidth}%
12662      \addtolength{\L@first}{-\L@Pindent}%
12663      \addtolength{\L@Nindent}{\L@Pindent}%
12664      \setlength{\L@next}{\linewidth}%
12665      \addtolength{\L@next}{-\L@Nindent}%
12666      \addtolength{\L@Pindent}{\rightmargin}%
12667      \addtolength{\L@Nindent}{\rightmargin}%
12668      \setlength{\LettrineWidth}{\wd\lbox}%
12669      \setlength{\LettrineHeight}{\ht\lbox}%
12670      \setlength{\LettrineDepth}{\dp\lbox}%
12671      \addtocounter{L@lines}{1}%
12672      \addtocounter{L@lines}{\the\c@L@depth}%
12673      \if@RTL\def\l@parshape{\c@L@lines Opt \the\L@first}\else\def\l@parshape{\c@L@lines \the\L@P%
12674      \tempcpta=\tw@
12675      \whilenum \tempcpta<\c@L@lines\do{%
12676          \if@RTL\edef\l@parshape{\l@parshape Opt \the\L@next}\else\edef\l@parshape{\l@parshape \t%
12677          \addtolength{\L@Nindent}{\L@slope}%
12678          \addtolength{\L@next}{-\L@slope}%
12679          \advance\tempcpta@ne}%
12680      \if@RTL\edef\l@parshape{\l@parshape Opt \the\linewidth}\else\edef\l@parshape{\l@parshape \t%
12681      \noindent
12682      \parshape=\l@parshape\relax
12683      \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}}%
12684          \hskip \the\L@Findent}%
12685      \usebox{\L@tbox}%
12686 }

```



7.73 |listings-xetex-bidi.def

```
12687 \ProvidesFile{listings-xetex-bidi.def}[2017/01/14 v1.4 bidi adaptations for listings package]
12688 \lst@Key{captiondirection}{textdirection}{%
12689   \lstkV@SwitchCases{#1}%
12690   {textdirection&\%%
12691     RTL&\chardef\bidi@lst@caption@direction\@ne\%
12692     LTR&\chardef\bidi@lst@caption@direction\@z\%
12693   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}%
12694 
12695 \lst@Key{captionscript}{textscript}{%
12696   \lstkV@SwitchCases{#1}%
12697   {textscript&\%%
12698     latin&\chardef\bidi@lst@caption@script\@ne\%
12699     nonlatin&\chardef\bidi@lst@caption@script\@z\%
12700   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}%
12701 
12702 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
12703   \ifundefined{bidi@lst@caption@direction}{}{%
12704     \ifnum\bidi@lst@caption@direction=\@z@%
12705       #1%
12706     \else%
12707       \ifnum\bidi@lst@caption@direction=\@ne%
12708         #2%
12709       \fi%
12710     \fi%
12711   }%
12712 
12713 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
12714   \ifundefined{bidi@lst@caption@script}{}{%
12715     \ifnum\bidi@lst@caption@script=\@z@%
12716       #1%
12717     \else%
12718       \ifnum\bidi@lst@caption@script=\@ne%
12719         #2%
12720       \fi%
12721     \fi%
12722   }%
12723 
12724 \long\def\bidi@lst@makecaption#1#2{%
12725   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
12726   \vskip\abovecaptionskip
12727   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
12728   \sbox\@tempboxa{%
12729     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
12730     #1: #2%
12731     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
12732   }%
12733   \ifdim \wd\@tempboxa >\hsize
12734     #1: #2\par
```



```

12735     \else
12736         \global \minipagefalse
12737         \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
12738     \fi
12739     \vskip\belowcaptionskip}%
12740 \def\lst@makecaption{\@bidi@lst@makecaption}
12741 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
12742 \bidi@AtEndPreamble{%
12743 \bidi@patchcmd{\lst@MakeCaption}{%
12744     \ifx #1{%
12745         \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
12746             \expandafter\refstepcounter
12747         \fi {lstlisting}}%
12748 }{%
12749     \ifx #1{%
12750         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
12751         \ifx\lst@@caption\empty\expandafter\lst@HRefStepCounter \else
12752             \expandafter\refstepcounter
12753         \fi {lstlisting}}%
12754         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
12755 }{}{%
12756 \bidi@patchcmd{\lst@MakeCaption}{%
12757     \addcontentsline{lol}{lstlisting}%
12758         \protect\numberline{\the\lstlisting}\lst@@caption}%
12759 }{%
12760 \begingroup%
12761     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
12762     \addcontentsline{lol}{lstlisting}%
12763         \protect\numberline{\the\lstlisting}\lst@@caption}%
12764 \endgroup%
12765 }{}{%
12766 }
12767 \@ifpackageloaded{caption}{%
12768     \AtBeginCaption{%
12769         \bidi@lst@ensure@caption@script{\nonlatintrue}{\nonlatinfalse}%
12770         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
12771 }%
12772     \let\bidi@lst@makecaption\caption@makecaption%
12773     \def\lst@makecaption{\caption@starfalse\bidi@lst@makecaption}%
12774     \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
12775 }{%
12776 \AtBeginDocument{%
12777     \@ifundefined{captionlabelfalse}{}{%
12778         \def\lst@maketitle{\captionlabelfalse\bidi@lst@makecaption\empty}%
12779     \@ifundefined{caption@startrue}{}{%
12780         \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
12781     }%
12782 }%
12783 \AtBeginDocument{%
12784     \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}%

```



```

12785 \lst@ifnumberbychapter
12786     \gdef\thelstlisting%
12787         {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic{c@lstlisting}%
12788 \else
12789     \gdef\thelstlisting{\arabic{c@lstlisting}%
12790 \fi}

```

7.74 loadingorder-xetex-bidi.def

```

12791 \ProvidesFile{loadingorder-xetex-bidi.def}[2015/10/16 v0.96 making sure that bidi is the last
12792 \bidi@isloaded{amsmath}
12793 \bidi@isloaded{amstext}
12794 \bidi@isloaded{amsthm}
12795 \bidi@isloaded{animate}
12796 \bidi@isloaded{breqn}
12797 \bidi@isloaded{cals}
12798 \bidi@isloaded{caption}
12799 \bidi@isloaded{crop}
12800 \bidi@isloaded{cuted}
12801 \bidi@isloaded{cutwin}
12802 \bidi@isloaded{color}
12803 \bidi@isloaded{dblfnote}
12804 \bidi@isloaded{xcolor}
12805 \bidi@isloaded{colortbl}
12806 \bidi@isloaded{float}
12807 \bidi@isloaded{floatrow}
12808 \bidi@isloaded{flowfram}
12809 \bidi@isloaded{framed}
12810 \bidi@isloaded{ftnright}
12811 \bidi@isloaded{xltextra}
12812 \bidi@isloaded{xunicode}
12813 \bidi@isloaded{wrapfig}
12814 \bidi@isloaded{graphicx}
12815 \bidi@isloaded{geometry}
12816 \bidi@isloaded{hffloat}
12817 \bidi@isloaded{mdframed}
12818 \bidi@isloaded{midfloat}
12819 \bidi@isloaded{ntheorem}
12820 \bidi@isloaded{ntheorem-hyper}
12821 \bidi@isloaded{hyperref}
12822 \bidi@isloaded{fancybox}
12823 \bidi@isloaded{fancyhdr}
12824 \bidi@isloaded{fix2col}
12825 \bidi@isloaded{draftwatermark}
12826 \bidi@isloaded{empheq}
12827 \bidi@isloaded{overpic}
12828 \bidi@isloaded{pdfpages}
12829 \bidi@isloaded{listings}
12830 \bidi@isloaded{lettrine}
12831 \bidi@isloaded{media9}

```



```

12832 \bidi@isloaded{pstricks}
12833 \bidi@isloaded{pgf}
12834 \bidi@isloaded{picinpar}
12835 \bidi@isloaded{quotchap}
12836 \bidi@isloaded{tikz}
12837 \bidi@isloaded{titlesec}
12838 \bidi@isloaded{titletoc}
12839 \bidi@isloaded{array}
12840 \bidi@isloaded{soul}
12841 \bidi@isloaded{stabular}
12842 \bidi@isloaded{subfig}
12843 \bidi@isloaded{subfigure}
12844 \bidi@isloaded{supertabular}
12845 \bidi@isloaded{xtab}
12846 \bidi@isloaded{longtable}
12847 \bidi@isloaded{arydshln}
12848 \bidi@isloaded{multicol}
12849 \bidi@isloaded{multienum}
12850 \bidi@isloaded{minitoc}
12851 \bidi@isloaded{natbib}
12852 \bidi@isloaded{newfloat}
12853 \bidi@isloaded{ragged2e}
12854 \bidi@isloaded{rotating}
12855 \bidi@isloaded{tbls}
12856 \bidi@isloaded{tabulary}
12857 \bidi@isloaded{tocbasic}
12858 \bidi@isloaded{tocstyle}
12859 \bidi@isloaded{tocbibind}
12860 \bidi@isloaded{fontspec}
12861 \bidi@isloaded{arabxetex}
12862 \bidi@isloaded{polyglossia}
12863 \bidi@isloaded{fancyvrb}
12864 \AtBeginDocument{
12865   \if@bidi@amsmathloaded@\else
12866     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package}]
12867   \fi%
12868   \if@bidi@amstextloaded@\else
12869     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package}]
12870   \fi%
12871   \if@bidi@amsthmloaded@\else
12872     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package}]
12873   \fi%
12874   \if@bidi@animateloaded@\else
12875     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi package}]
12876   \fi%
12877   \if@bidi@breqnloaded@\else
12878     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package}]
12879   \fi%
12880   \if@bidi@calsloaded@\else
12881     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package}]

```



```

12882 \fi%
12883 \if@bidi@captionloaded@\else
12884   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package}]
12885 \fi%
12886 \if@bidi@croploaded@\else
12887   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package}]
12888 \fi%
12889 \if@bidi@colorloaded@\else
12890 \O@ifpackageloaded{hyperref}{}{%
12891   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package}]
12892 \fi%
12893 \if@bidi@cutwinloaded@\else
12894   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package}]
12895 \fi%
12896   \if@bidi@cutedloaded@\else
12897     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package}]
12898 \fi%
12899 \if@bidi@dblfnoteloaded@\else
12900   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package}]
12901 \fi%
12902 \if@bidi@xcolorloaded@\else
12903   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package}]
12904 \fi%
12905 \if@bidi@colortblloaded@\else
12906   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package}]
12907 \fi%
12908 \if@bidi@floatloaded@\else
12909   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package}]
12910 \fi%
12911   \if@bidi@floatrowloaded@\else
12912     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package}]
12913 \fi%
12914 \if@bidi@flowframloaded@\else
12915   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package}]
12916 \fi%
12917 \if@bidi@framedloaded@\else
12918   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package}]
12919 \fi%
12920   \if@bidi@ftnrightloaded@\else
12921     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package}]
12922 \fi%
12923 \if@bidi@xltxtalloaded@\else
12924   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtal after bidi package}]
12925 \fi%
12926 \if@bidi@xunicodeloaded@\else
12927   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package}]
12928 \fi%
12929 \if@bidi@wrapfigloaded@\else
12930   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package}]
12931 \fi%

```



```

12932 \if@bidi@graphicxloaded@\else
12933   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi packa}
12934 \fi%
12935   \if@bidi@geometryloaded@\else
12936     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi packa}
12937 \fi%
12938 \if@bidi@hvfloatloaded@\else
12939   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi packa}
12940 \fi%
12941   \if@bidi@mdframedloaded@\else
12942     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi packa}
12943 \fi%
12944   \if@bidi@midfloatloaded@\else
12945     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi packa}
12946 \fi%
12947   \if@bidi@ntheoremloaded@\else
12948     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi packa}
12949 \fi%
12950 \if@bidi@hyperrefloaded@\else
12951   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi packa}
12952 \fi%
12953   \if@bidi@fancyboxloaded@\else
12954     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi packa}
12955 \fi%
12956 \if@bidi@fancyhdrloaded@\else
12957   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi packa}
12958 \fi%
12959 \if@bidi@draftwatermarkloaded@\else
12960   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi packa}
12961 \fi%
12962 \if@bidi@empheqloaded@\else
12963   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package}
12964 \fi%
12965   \if@bidi@overpicloaded@\else
12966     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi package}
12967 \fi%
12968 \if@bidi@pdfpagesloaded@\else
12969   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi package}
12970 \fi%
12971 \if@bidi@lettrineloaded@\else
12972   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi package}
12973 \fi%
12974 \if@bidi@listingsloaded@\else
12975   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi package}
12976 \fi%
12977 \csname if@bidi@media9loaded@\endcsname\else
12978   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi package}
12979 \fi%
12980 \if@bidi@pstricksloaded@\else
12981   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi package}

```



```

12982 \fi%
12983 \if@bidi@pgfloaded@\else
12984   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.}]
12985 \fi%
12986 \if@bidi@picinparloaded@\else
12987   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi package.}]
12988 \fi%
12989 \if@bidi@quotchaploaded@\else
12990   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi package.}]
12991 \fi%
12992 \if@bidi@tikzloaded@\else
12993   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.}]
12994 \fi%
12995 \if@bidi@titlesecloaded@\else
12996   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi package.}]
12997 \fi%
12998 \if@bidi@titletocloaded@\else
12999   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi package.}]
13000 \fi%
13001 \if@bidi@arrayloaded@\else
13002   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package.}]
13003 \fi%
13004 \if@bidi@stabularloaded@\else
13005   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi package.}]
13006 \fi%
13007 \if@bidi@soulloaded@\else
13008   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package.}]
13009 \fi%
13010 \if@bidi@subfigloaded@\else
13011   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package.}]
13012 \fi%
13013 \if@bidi@subfigureloaded@\else
13014   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi package.}]
13015 \fi%
13016 \if@bidi@supertabularloaded@\else
13017   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi package.}]
13018 \fi%
13019 \if@bidi@xtabloaded@\else
13020   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.}]
13021 \fi%
13022 \if@bidi@longtableloaded@\else
13023   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi package.}]
13024 \fi%
13025 \if@bidi@arydshlnloaded@\else
13026   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi package.}]
13027 \fi%
13028 \if@bidi@multicolloaded@\else
13029   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi package.}]
13030 \fi%
13031 \if@bidi@multienumloaded@\else

```



```

13032     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pac
13033     \fi%
13034     \if@bidi@minitocloaded@\else
13035         \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packa
13036     \fi%
13037     \if@bidi@natbibloaded@\else
13038         \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi packag
13039     \fi%
13040         \if@bidi@newfloatloaded@\else
13041             \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi pack
13042         \fi%
13043         \csname if@bidi@ragged2eloaded@\endcsname\else
13044             \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi packa
13045         \fi%
13046             \if@bidi@rotatingloaded@\else
13047                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi pack
13048             \fi%
13049             \if@bidi@tablsloaded@\else
13050                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabls after bidi package
13051             \fi%
13052             \if@bidi@tabularyloaded@\else
13053                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi packa
13054             \fi%
13055             \if@bidi@tocbasicloaded@\else
13056                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi packa
13057             \fi%
13058             \if@bidi@tocstyleloaded@\else
13059                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi packa
13060             \fi%
13061             \if@bidi@tocbibindloaded@\else
13062                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pac
13063             \fi%
13064             \if@bidi@fontspecloaded@\else
13065                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pack
13066             \fi%
13067             \if@bidi@arabxetexloaded@\else
13068                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pac
13069             \fi%
13070             \if@bidi@polyglossialoaded@\else
13071                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi p
13072             \fi%
13073             \if@bidi@fancyvrbloaded@\else
13074                 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi pack
13075             \fi%
13076 }

```

7.75 longtable-xetex-bidi.def

```

13077 \ProvidesFile{longtable-xetex-bidi.def}[2016/09/09 v0.4 bidi adaptations for longtable package
13078 \def\LT@array[#1]{%

```



```

13079 \refstepcounter{table}\stepcounter{LT@tables}%
13080 \if l#1%
13081   \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@\LTright\fill\fi
13082 \else\if r#1%
13083   \if@RTLtab\LTleft\z@\LTright\fill\else\LTleft\fill \LTright\z@\fi
13084 \else\if c#1%
13085   \LTleft\fill \LTright\fill
13086 \fi\fi\fi
13087 \let\LT@mcol\multicolumn
13088 \let\LT@@tabarray\@tabarray
13089 \let\LT@@hline\hline
13090 \def\@tabarray{%
13091   \let\hline\LT@@hline
13092   \LT@@tabarray}%
13093 \let\\LT@tabularcr\let\tabularnewline\\%
13094 \def\newpage{\noalign{\break}}%
13095 \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
13096 \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}}%
13097 \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
13098 \tempdima\ht\strutbox
13099 \let\@endpbox\LT@endpbox
13100 \ifx\extrarowheight\undefined
13101   \let\@acol\@tabacol
13102   \let\@classz\@tabclassz \let\@classiv\@tabclassiv
13103   \def\@startpbox{\vtop\LT@startpbox}%
13104   \let\@@startpbox\@startpbox
13105   \let\@@endpbox\@endpbox
13106   \let\LT@LL@FM@cr\@tabularcr
13107 \else
13108   \advance\tempdima\extrarowheight
13109   \col@sep\tabcolsep
13110   \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
13111 \fi
13112 \setbox\@arstrutbox\hbox{\vrule
13113   \height \arraystretch \tempdima
13114   \depth \arraystretch \dp \strutbox
13115   \width \z@}%
13116 \let\csharp##\let\protect\relax
13117 \begingroup
13118   \mkpream{#2}%
13119   \xdef\LT@bchunk{%
13120     \global\advance\c@LT@chunks@ne
13121     \global\LT@rows\z@\setbox\z@\vbox\bgroup
13122     \LT@setprevdepth
13123     \tabskip\LTleft \noexpand\halign to\hsize\bgroup
13124     \tabskip\z@\carstrut \preamble \tabskip\LTright \cr}%
13125   \endgroup
13126   \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
13127   \LT@make@row
13128   \m@th\let\par\empty

```



```

13129 \everycr{}\lineskip\z@\baselineskip\z@
1330 \LT@bchunk}
1331 \def\LT@makecaption#1#2#3{%
1332 \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
1333 \sbox\tempboxa\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
1334 \ifdim\wd\tempboxa>\hsize
1335 #1{#2: }#3%
1336 \else
1337 \hbox to\hsize{\hfil\box\tempboxa\hfil}%
1338 \fi
1339 \endgraf\vskip\baselineskip}%
1340 \hss}}}
1341 @ifpackageloaded{caption}{%
1342 \renewcommand\LT@makecaption[3]{%
1343 \caption@LT@make{%
1344 \caption@settype*\LTcaptype
1345 \ifdim\LTcapwidth=4in \else
1346 \setcaptionwidth\LTcapwidth
1347 \fi
1348 \caption@setoptions{longtable}%
1349 \caption@setoptions{@longtable}%
1350 \caption@LT@setup
1351 \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
1352 \caption@startrue#1\caption@starfalse
1353 \caption@prepare@stepcounter\LTcaptype{LT}%
1354 \caption@begin\LTcaptype
1355 \caption@normalsize
1356 \vskip-\ht\strutbox
1357 \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
1358 \caption@make{#2}{#3}\endgraf
1359 \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
1360 \caption@end}{}%
1361 }{%
1362 \def\LT@startpbox#1{%
1363 \bgroup
1364 \let\@footnotetext\LT@p@ftntext
1365 \let\@LTRfootnotetext\LT@p@LTRftntext
1366 \let\@RTLfootnotetext\LT@p@RTLftntext
1367 \setlength\hsize{#1}%
1368 \arrayparboxrestore
1369 \vrule\height\ht\carstrutbox\width\z@}
1370 \def\LT@p@LTRftntext#1{%
1371 \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
1372 \global\LT@p@ftn\expandafter{\@tempa{#1}}%
1373 \def\LT@p@RTLftntext#1{%
1374 \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
1375 \global\LT@p@ftn\expandafter{\@tempa{#1}}%
1376
1377
1378 \def\LT@output{%

```



```

13179 \ifnum\outputpenalty <-@Mi
13180   \ifnum\outputpenalty > -\LT@end@pen
13181     \LT@err{floats and marginpars not allowed in a longtable}\@ehc
13182   \else
13183     \setbox\z@\vbox{\unvbox\@cclv}%
13184     \ifdim \ht\LT@lastfoot>\ht\LT@foot
13185       \dimen@\pagegoal
13186       \advance\dimen@-\ht\LT@lastfoot
13187       \ifdim\dimen@<\ht\z@
13188         \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
13189         \makecol
13190         \outputpage
13191         \setbox\z@\vbox{\box\LT@head}%
13192       \fi
13193     \fi
13194     \global\@colroom\@colht
13195     \global\vsizet\@colht
13196     \vbox
13197       {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foo
13198     \fi
13199   \else
13200     \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foot
13201     \makecol
13202     \outputpage
13203     \global\vsizet\@colroom
13204     \copy\LT@head\nobreak
13205   \fi}

```

7.76 mdframed-xetex-bidi.def

```

13206 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package]
13207 \newif\if@bidi@mdf@RTL
13208 \def\mdf@lrbbox#1{%
13209   \mdf@patchamsthm%patch amsthm
13210   \if@RTL\@bidi@mdf@RTLtrue\fi%
13211   \if@RTLfalse%
13212   \setbox#1\vbox\bgroup%
13213     \color@begingroup%
13214     \if@bidi@mdf@RTL\@RTLtrue\fi%
13215     \mdf@horizontalmargin@equation%
13216     \columnwidth=\hsize%
13217     \textwidth=\hsize%
13218     \let\if@nobreak\iffalse%
13219     \let\if@noskipsec\iffalse%
13220     \let\par\@par%
13221     \let\-\@dischyp%
13222     \let'\@acci\let`@\accii\let=\@acciii%
13223     \parindent\z@\parskip\z@skip%
13224     \linewidth\hsize%
13225     \totalleftmargin\z@%

```



```

13226      \leftskip\z@skip \rightskip\z@skip \rightskip\z@skip%
13227      \parfillskip\@flushglue \lineskip\normalineskip%
13228      \baselineskip\normalbaselineskip%
13229 %% \sloppy%
13230      \let\\@normalcr%
13231      \mdf@par@local%New feature to restore parskip/parindent local in save box
13232      \ifbool{\mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
13233      \o@afterindentfalse%
13234      \o@afterheading%
13235 }
13236 \renewrobustcmd{\mdfframedtitleenv}[1]{%
13237     \mdf@lrbox{\mdf@frametitlebox}%
13238     \mdf@frametitlealignment%
13239     \leavevmode{\color{\mdf@frametitlefontcolor}%
13240         \normalfont\mdf@frametitlefont{\#1}%
13241         \ifbool{\mdf@ignorelastdescenders}{%
13242             {%
13243                 \par\strut\par
13244                 \unskip\unskip\setbox0=\lastbox
13245                 \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
13246             }{}}%
13247         \par\unskip\ifvmode\nointerlineskip\hrule \o@height\z@ \o@width\hsize\fi%
13248         \endmdf@lrbox\relax%
13249         \mdf@ignorerevbadness%
13250         \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
13251         \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
13252         \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
13253         \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
13254         \mdfframetitleboxtotalheight=\dimexpr
13255             \ht\mdf@frametitlebox
13256             +\dp\mdf@frametitlebox%
13257             +\mdf@frametitleaboveskip@length
13258             +\mdf@frametitlebelowskip@length
13259         \relax%
13260 }
13261
13262 \renewrobustcmd*\mdf@footnoteoutput{%
13263     \ifvoid\@mpfootins\else%
13264         \nobreak%
13265         \vskip\mdf@footnotedistance@length%
13266         \normalcolor%
13267         \bidi@mpfootnoterule%
13268         \unvbox\@mpfootins%
13269     \fi%
13270 }
13271
13272
13273 \renewrobustcmd*\mdf@footnoteinput{%
13274     \def\@mpfn{\mpfootnote}%
13275     \def\thempfn{\thempfootnote}%

```



```

13276   \c@mpfootnote\z@%
13277   \let\@footnotetext\@mpfootnotetext%
13278   \let\@LTRfootnotetext\@mpLTRfootnotetext%
13279   \let\@RTLfootnotetext\@mpRTLfootnotetext%
13280 }

```

7.77 bidi-media9.sty

```

13281 \ProvidesExplPackage{bidi-media9}{2017/08/27}{0.3}
13282 {bidi fixes for media9 package for the XeTeX engine}
13283
13284 \keys_define:nn{media9/mbtn}{
13285   draft .code:n = {},
13286   final .code:n = {},
13287
13288   tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
13289   tooltip .value_required:n = {true},
13290
13291   overface .code:n = {
13292     \sbox{l_mix_poster_box{
13293       \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
13294     \mix_pdfform:n{\l_mix_poster_box}
13295     \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
13296   },
13297   overface .value_required:n = {true},
13298
13299   downface .code:n = {
13300     \sbox{l_mix_poster_box{
13301       \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
13302     \mix_pdfform:n{\l_mix_poster_box}
13303     \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
13304   },
13305   downface .value_required:n = {true},
13306
13307   3Dgotoview .code:n = {
13308     \tl_set:Nx\l_tmpa_tl{#1} %extract ref
13309     \regex_replace_once:nnN{([^\:]+)\:??.*}{\1}\l_tmpa_tl
13310     \tl_trim_spaces:N\l_tmpa_tl
13311     \tl_if_exist:cTF{ann@\l_tmpa_tl} {
13312       \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft} {
13313         \tl_set:Nx\l_tmpb_tl{#1} %extract idx
13314         \regex_replace_once:nnN{[^\:]+:\?}{ }\l_tmpb_tl
13315         \tl_trim_spaces:N\l_tmpb_tl
13316         \tl_if_blank:VF\l_tmpb_tl{
13317           \regex_match:nVTF{^[\DFLNP]$}\l_tmpb_tl{
13318             \tl_set:Nx\l_mix_vidx_tl{/}\l_tmpb_tl}
13319           }{
13320             \regex_match:nVTF{^\d+$}\l_tmpb_tl{
13321               \tl_set:Nx\l_mix_vidx_tl{~}\l_tmpb_tl}
13322           }{

```



```

13323           \regex_replace_once:nnN{^(\s*){}\\l_tmpb_t1
13324           \regex_replace_once:nnN{\s*$}{}\\l_tmpb_t1
13325           \\tl_set:Nx\\l_mix_vidx_t1{~(\\l_tmpb_t1)}
13326       }
13327   }
13328 }
13329 \\mix_pdfobj:nnn{}{dict}{\\
13330     /S/JavaScript/JS~(
13331         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
13332         if(typeof(annotRM['\\l_tmpa_t1'])=='undefined'){
13333             annotRM['\\l_tmpa_t1']=
13334                 this.getAnnotRichMedia(\\tl_use:c{page@\\l_tmpa_t1}, '\\l_tmpa_t1');
13335         }
13336         annotRM['\\l_tmpa_t1'].activated=true;
13337     }
13338     \\tl_if_blank:VF\\l_tmpb_t1{
13339         /Next~<<
13340             /S/GoTo3DView
13341             /TA~\\tl_use:c{ann@\\l_tmpa_t1}
13342             /V\\l_mix_vidx_t1
13343             >>
13344     }
13345 }
13346     \\tl_gput_right:Nx\\g_mix_btnactions_t1{~\\mix_pdflastobj:}
13347 }
13348 }{
13349     \\msg_warning:nnx{media9}{undefined~reference}{\\l_tmpa_t1}
13350     \\cs_if_exist:NF\\g_mix_refundefwarned_t1{
13351         \\tl_new:N\\g_mix_refundefwarned_t1
13352         \\AtEndDocument{\\msg_warning:nn{media9}{undefined~references}}
13353     }
13354 }
13355 },
13356 3Dgotoview .value_required:n = {true},
13357 mediacommand .code:n = {
13358     \\tl_set:Nx\\l_tmpa_t1{#1}
13359     \\regex_replace_once:nnN{([:]+):??.*}{\\1}\\l_tmpa_t1 %extract ref
13360     \\tl_trim_spaces:N\\l_tmpa_t1
13361     \\tl_if_exist:cTF{ann@\\l_tmpa_t1}{%
13362         \\str_if_eq_x:nnF{\\tl_use:c{ann@\\l_tmpa_t1}}{draft}{%
13363             \\tl_set:Nx\\l_tmpb_t1{#1}
13364             \\regex_replace_once:nnN{[:]+:\\?}{}\\l_tmpb_t1
13365             \\tl_trim_spaces:N\\l_tmpb_t1
13366             \\regex_replace_all:nnN{`{|}`}{$}{}\\l_tmpb_t1
13367             \\tl_set:Nx\\l_mix_cmd_t1{
13368                 \\exp_after:wN\\mix_separate_cmd_from_actn:w\\l_tmpb_t1[]\\q_stop}
13369             \\tl_trim_spaces:N\\l_mix_cmd_t1
13370             \\tl_set:Nx\\l_mix_arg_t1{
13371                 \\exp_after:wN\\mix_separate_arg_from_actn:w\\l_tmpb_t1[]\\q_stop}

```



```

13373   \tl_trim_spaces:N\l_mix_arg_tl
13374   \mix_pdfobj:nnn{}{dict}{%
13375     /S/JavaScript/JS~(%
13376       if(typeof(annotRM)=='undefined'){annotRM=new~Array();}%
13377       if(typeof(annotRM['\l_tmpa_t1'])=='undefined'){%
13378         annotRM['\l_tmpa_t1']=%
13379           this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_t1},'\l_tmpa_t1');%
13380       }%
13381       annotRM['\l_tmpa_t1'].activated=true;%
13382     )%
13383     \tl_if_blank:VF\l_mix_cmd_t1{%
13384       /Next~<<%
13385         /S/RichMediaExecute%
13386         /TA~\tl_use:c{ann@\l_tmpa_t1}%
13387         /TI~\tl_use:c{main@\l_tmpa_t1}%
13388         /CMD~<<%
13389           /C~(\l_mix_cmd_t1)%
13390           \tl_if_blank:VF\l_mix_arg_t1{%
13391             /A~[\l_mix_arg_t1]%
13392           }%
13393           >>%
13394           >>%
13395         }%
13396       }%
13397       \tl_gput_right:Nx\g_mix_btnactions_t1{\~\mix_pdflastobj:}%
13398     }%
13399   }{%
13400     \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_t1}%
13401     \cs_if_exist:NF\g_mix_refundefwarned_t1{%
13402       \tl_new:N\g_mix_refundefwarned_t1%
13403       \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}%
13404     }%
13405   }%
13406 },
13407 mediacommand .value_required:n = {true},
13408
13409 jsaction .code:n = {
13410   \tl_set:Nx\l_tmpa_t1{\#1}
13411   \regex_match:nVTF{^[\~{}:]+.*$}\l_tmpa_t1{%
13412     \regex_replace_once:nnN{([\~{}:]+):??.*}{\1}\l_tmpa_t1 %extract ref
13413     \tl_trim_spaces:N\l_tmpa_t1
13414   }{\tl_clear:N\l_tmpa_t1}
13415   \tl_set:Nx\l_tmpb_t1{\#1}
13416   \tl_if_blank:VF\l_tmpa_t1{%
13417     \tl_if_exist:cF{ann@\l_tmpa_t1}{%
13418       \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_t1}%
13419       \cs_if_exist:NF\g_mix_refundefwarned_t1{%
13420         \tl_new:N\g_mix_refundefwarned_t1%
13421         \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}%
13422       }%

```



```

13423     }
13424     \regex_replace_once:nnN{[^:]+\:}{ }\l_tmpb_tl
13425 }
13426 \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
13427 \tl_trim_spaces:N\l_tmpb_tl
13428 \tl_if_blank:VF\l_tmpb_tl{
13429 \mix_pdfobj:nnn{}{dict}{
13430   /S/JavaScript/JS~(
13431     try{\l_tmpb_tl}catch(e){console.show();console.println(e))})
13432 \bool_lazy_and:nnT{
13433   \tl_if_exist_p:c{ann@\l_tmpa_t1}
13434 }
13435   !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_t1}}{draft}
13436 }
13437 \mix_pdfobj:nnn{}{dict}{
13438   /S/JavaScript/JS~(
13439     if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
13440     if(typeof(annotRM['\l_tmpa_t1'])=='undefined'){
13441       annotRM['\l_tmpa_t1']=
13442         this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_t1},'\l_tmpa_t1');
13443     }
13444     annotRM['\l_tmpa_t1'].activated=true;
13445   )
13446   \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
13447 }
13448 \bool_if:nT{
13449   \bool_lazy_and_p:nn{
13450     \tl_if_exist_p:c{ann@\l_tmpa_t1}
13451   }
13452   !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_t1}}{draft}
13453 }
13454 || !\tl_if_blank_p:V\l_tmpb_tl
13455 }
13456 \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
13457 }
13458 },
13459 jsaction .value_required:n = {true},
13460 unknown .code:n = {
13461   \msg_error:nnx{media9}{unknown~option}{\l_keys_key_t1}
13462 }
13463 }
13464 }
13465 }
13466 \RenewDocumentCommand\includemedia{0{}mm}{%#1 options, #2 text/image #3 media file
13467   \mix_uried:
13468   \group_begin:
13469   \mix_beginLTR:
13470   \leavevmode
13471   %empty stream as appearance dummy

```



```

13473 \cs_if_exist:N\g_mix_appearance_tl{
13474     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
13475     \mix_pdfxform:n{\l_mix_poster_box}
13476     \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
13477 }
13478 \mix_reset:
13479 \mix_uribegin: %treat URI characters correctly
13480 \keys_set:nn{media9/user}{#1}
13481 \mix_urriend:
13482 \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
13483 \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
13484 \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
13485 \tl_greplace_all:Nnn\g_mix_flashvars_tl{=-}{=}
13486 \tl_gtrim_spaces:N\g_mix_flashvars_tl
13487 \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
13489 \% \hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
13490 \% \hbox_set:Nn\l_mix_poster_box{#2}
13491 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
13492 \mix_scale:n{\l_mix_poster_box}
13493 \bool_if:nT{
13494     \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim} ||
13495     \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
13496 }
13497 \tl_gset:Nn\g_mix_usrbtn_tl{none}
13498 \bool_if:NTF\g_mix_usrdraft_bool{
13499     \tl_if_empty:N\g_mix_usrlabel_tl{
13500         \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
13501     }
13502     \tl_if_blank:oTF{#2}{
13503         \mix_uribegin: %treat URI characters correctly
13504         \mix_draftbox:n{\tl_to_str:n{#3}}
13505         \mix_urriend:
13506     }
13507 }
13508 \hbox_to_wd:nn{\g_mix_wd_tl}{
13509     \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
13510     \box_use:N\l_mix_poster_box\hss
13511 }
13512 }
13513 }
13514 \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrbtn_tl{none}}{
13515     %attach script that switches off play button overlay upon activation
13516     \mix_pdfobj:nnn{}{stream}{}
13517     {}{
13518         var=ocgs=host.getOCGs(host.pageNum);
13519         for(var=i=0;i<ocgs.length;i++){
13520             if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
13521                 ocgs[i].state=false;

```



```

13523         }
13524     }
13525   }
13526 }
13527 \mix_pdfobj:nnn{}{dict}{
13528   /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
13529 }
13530 \tl_gset:Nx\g_mix_assets_tl{(~\mix_pdflastobj:~}
13531 \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
13532 %enforce plain playbutton overlay for XeTeX
13533   \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
13534 }
13535 %embed main asset
13536 \mix_uribegin:
13537 \mix_embedasset:n{#3}
13538 \bool_if:nTF{
13539   \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
13540 }{
13541   \bool_gset_true:N\g_mix_iid_bool
13542   \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
13543 }
13544   \str_case_x:nnF{\l_mix_base_tl}{
13545     {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13546     {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
13547     {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13548     {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13549     {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
13550   }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
13551 }
13552 \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
13553 \mix_uried:
13554 %secondary assets (added by addresource)
13555 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
13556 \seq_map_inline:Nn\g_mix_script_seq{
13557   \mix_embedasset:n{##1}
13558   \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
13559 }
13560 %attach 3D calculation script
13561 \bool_if:nT{\g_mix_iid_bool && \g_mix_iidcalc_bool} {
13562   \mix_embedasset:n{3Dmenu.js}
13563   \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
13564 }
13565 %create 3D views from file (option 3Dviews)
13566 \bool_if:nT{\g_mix_iid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
13567   \tl_set:Nn\l_mix_level_tl{\c_minus_one}
13568   \int_zero:N\l_mix_viewcnt_int
13569   \int_zero:N\l_mix_lineno_int
13570
13571   \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
13572   \ior_map_inline:Nn\l_mix_vfile_stream{

```



```

13573     \int_incr:N\l_mix_lineno_int
13574     \keys_set:nn{media9/views}{##1} %process input line
13575   }
13576   \ior_close:N\l_mix_vfile_stream
13577 }
13578 \bool_if:nT{ %create default 3D view if required
13579   \g_mix_iid_bool &&
13580   (\g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl)
13581 }{
13582   \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
13583   \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
13584   \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
13585   \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
13586   \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
13587   \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
13588   \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
13589
13590   \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
13591   \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
13592   \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
13593   \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
13594
13595   \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
13596   \bool_set_eq:NN\l_mix_iidortho_bool\g_mix_opt_iidortho_bool
13597   \tl_clear:N\l_mix_naarray_tl
13598
13599   \bool_if:NF\l_mix_ciiw_bool{
13600     \tl_set:Nx\l_mix_args_tlf{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
13601     \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
13602   }
13603
13604   \tl_clear:N\l_mix_naarray_tl
13605   \tl_clear:N\l_mix_saarray_tl
13606   \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
13607
13608   \mix_view:n{Default}
13609   \tl_set:Nx\l_mix_dfltvview_tlf{\mix_pdflastobj:}
13610
13611 }
13612 \mix_pdfobj:nnn{}{dict}{
13613   /Type/RichMediaInstance
13614   /Subtype/\g_mix_mainassetsub_tl
13615   /Asset`\g_mix_mainasset_tl
13616   \bool_if:NF\g_mix_iid_bool{
13617     /Params~<<
13618       /Binding\str_if_eq:VnTF\g_mix_transp_tlf{true}){
13619         /Foreground
13620       }{
13621         /Background
13622       }

```



```

13623          \tl_if_blank:VF\g_mix_flashvars_tl{
13624              /FlashVars~(\g_mix_flashvars_tl)
13625          }
13626      >>
13627      }
13628
13629      \tl_if_empty:NF\g_mix_usrlabel_tl{
13630          \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
13631      }
13632      \mix_pdfobj:nnn{}{dict}{
13633          /Type/RichMediaConfiguration
13634          /Subtype/\g_mix_mainassetsub_tl
13635          /Instances~[\mix_pdflastobj:]
13636      }
13637      \mix_pdfobj:nnn{}{dict}{
13638          /Type/RichMediaContent
13639          /Assets~<</Names~[\g_mix_assets_tl]>>
13640          /Configurations~[\mix_pdflastobj:]
13641          \bool_if:nT{
13642              \g_mix_iid_bool && !(\tl_if_empty_p:V\l_mix_iidviewarray_tl)
13643          }{
13644              /Views~[\l_mix_iidviewarray_tl]
13645          }
13646      }
13647      \tl_set:Nx\l_mix_content_tlf{\mix_pdflastobj:}
13648      \bool_if:nT{
13649          \g_mix_iid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{0scillating}
13650      }{
13651          \tl_gset:Nx\g_mix_playcnt_tlf{\int_eval:n{\g_mix_playcnt_tl*2}}
13652      }
13653      %determine floating window size
13654      \bool_if:NT\g_mix_opt_windowed_bool{
13655          \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
13656      }
13657      \mix_pdfobj:nnn{}{dict}{
13658          /Activation~<<
13659              /Condition\g_mix_act_tl
13660              \bool_if:nT{
13661                  \g_mix_iid_bool &&
13662                  !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
13663              }%seems to work only with 3D content
13664              /Animation~<<
13665                  /Subtype/\g_mix_playtpe_tl
13666                  /PlayCount~\g_mix_playcnt_tl
13667                  /Speed~\g_mix_playspd_tl
13668              >>
13669          }
13670          \bool_if:nT{
13671              \g_mix_iid_bool && (
13672                  \g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl

```



```

13673      )
13674  }{/View~\l_mix_dfltview_t1}
13675  /Presentation~<<
13676      /Transparent~\g_mix_transp_t1
13677      \bool_if:NTF\g_mix_opt_windowed_bool{
13678          /Style/Windowed
13679          /Window~<<
13680              /Width~<</Default~\tl_mix_fltwd>>
13681              /Height~<</Default~\tl_mix_fltht>>
13682              /Position~<<
13683                  /HOffset~0/VOffset~0
13684                  \str_case_x:nnF{\g_mix_winpos_t1}{%
13685                      {tl}{/VAlign/Near/HAlign/Near}
13686                      {cl}{/VAlign/Center/HAlign/Near}
13687                      {bl}{/VAlign/Far/HAlign/Near}
13688                      {bc}{/VAlign/Far/HAlign/Center}
13689                      {br}{/VAlign/Far/HAlign/Far}
13690                      {cr}{/VAlign/Center/HAlign/Far}
13691                      {tr}{/VAlign/Near/HAlign/Far}
13692                      {tc}{/VAlign/Near/HAlign/Center}
13693                      }{/HAlign/Center/VAlign/Center}
13694                  >>
13695                  >>
13696              }{
13697                  /Style/Embedded
13698              }
13699              \bool_if:NTF\g_mix_iid_bool{
13700                  /Toolbar~\g_mix_tools_t1
13701                  /NavigationPane~\g_mix_nav_t1
13702              }{
13703                  /PassContextClick~\g_mix_contextclick_t1
13704              }
13705              >>
13706              \tl_if_blank:VF\l_mix_scripts_t1{/Scripts~[\l_mix_scripts_t1]}
13707          >>
13708          /Deactivation~<</Condition\g_mix_deact_t1>>
13709      }
13710      \tl_set:Nx\l_mix_settings_t1{\mix_pdflastobj:}
13711      \tl_if_empty:NF\g_mix_usrlabel_t1{
13712          \tl_gset_eq:NN\g_mix_label_t1\g_mix_usrlabel_t1
13713      }
13714      % #1:width, #2:height, #3:depth, #4:content (key-value)
13715      \mix_pdfannot:mnnn{\g_mix_wd_t1}{\g_mix_ht_t1}{\g_mix_dp_t1}{%
13716          /Subtype/RichMedia
13717          /F~4
13718          /BS~<</W~0/S/S>>
13719          /Contents~(media~embedded~by~media9~[\g_mix_version_t1~(\g_mix_date_t1)])
13720          /NM~(\g_mix_label_t1)
13721          /AP~<</N~\g_mix_appearance_t1>>
13722          /RichMediaSettings~\l_mix_settings_t1

```



```

13723     /RichMediaContent~\l_mix_content_t1
13724 }
13725 \tl_if_empty:N\g_mix_usrlabel_t1{
13726     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_t1}{\mix_pdflastann:}
13727     \mix_keytoaux_shipout:nn{page@ \g_mix_usrlabel_t1}{
13728         \noexpand\the\g@mix@page@int}
13729 }
13730 \mix_pdfobj:nnn{}{dict}{
13731     /S/JavaScript/JS~(
13732         try{
13733             if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
13734             if(typeof(annotRM['\g_mix_label_t1'])=='undefined'){
13735                 annotRM['\g_mix_label_t1']=
13736                     this.getAnnotRichMedia(this.pageNum,' \g_mix_label_t1');
13737             }
13738             \str_if_eq_x:nnF{\g_mix_usrpbnt_t1}{none}{
13739                 if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
13740                     var~ocgs=this.getOCGs(this.pageNum);
13741                     for(var~i=0;i<ocgs.length;i++){
13742                         if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
13743                             var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
13744                         }
13745                     }
13746                 }
13747                 if(
13748                     !annotRM['\g_mix_label_t1'].activated&&(
13749                         app.viewerType=='Reader'|||
13750                         app.viewerType=='Exchange'|||
13751                         app.viewerType=='Exchange-Pro'
13752                     )&&app.viewerVersion>=9
13753                 ){
13754                     ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
13755                 }
13756             }
13757         }catch(e){}
13758         this.dirty=false;
13759     )
13760 }
13761 \mix_pdfannot:nnnn{Opt}{Opt}{Opt}{
13762     /Subtype/Widget
13763     /FT/Btn/Ff~65537/F~2
13764     /BS~<</W~0>>
13765     /T~(fd@\g_mix_label_t1)
13766     /AA~<</P0~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
13767 }
13768 \mix_appendtofields:n{\mix_pdflastann:}
13769 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
13770 \str_if_eq_x:nnTF{\g_mix_usrpbnt_t1}{none}{
13771     \hbox_to_wd:nn{\g_mix_wd_t1}{
13772         \vrule~width~\c_zero_dim~height~\g_mix_ht_t1~depth~\g_mix_dp_t1\hss

```



```

13773     }
13774 }{\%insert play button overlay
13775     \mix_insert_btnocg: %create OCG
13776     \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
13777     \group_begin:
13778     \cs_if_exist:NT\textdir{\textdir TLT}
13779         \sbox{l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}}
13780         \box_move_down:nn{\g_mix_dp_tl}{%
13781             \hbox_to_wd:nn{\g_mix_wd_tl}{%
13782                 \vbox_to_ht:nn{\g_mix_tt_tl}{%
13783                     \vss
13784                     \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
13785                     \box_use:N\l_mix_pbtn_box
13786                     \ocgbase_oc_emc:
13787                 }
13788             }
13789         }
13790         \group_end:
13791     }
13792     \int_gincr:N\g_mix_rmcnt_int
13793 }
13794 \mix_endLTR:
13795 \group_end:
13796 }
13797 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
13798 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}
13799
13800 \RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
13801     \mix_urriend:
13802     \group_begin:
13803     \mix_beginLTR:
13804     \leavevmode
13805     %reset various variables
13806     \tl_gclear:N\g_mix_overbtn_tl
13807     \tl_gclear:N\g_mix_downbtn_tl
13808     \tl_gclear:N\g_mix_btnactions_tl
13809     \tl_gclear:N\g_mix_tooltip_tl
13810     %process options
13811     \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
13812     \mix_uribegin: %treat URI characters correctly
13813     \keys_set:nn{media9\mbtndraft}{#1} %detect draft/initial on first pass
13814     \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9\mbtn}{#1}}
13815     \mix_urriend:
13816     %normal button appearance
13817     \%hbox_set:Nn\l_mix_poster_box{#2}
13818     \sbox{l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}}
13819     \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
13820     \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
13821     \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
13822     \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{%

```



```

13823 \sbox{l_mix_poster_box{\bool_if:NTF{g_pbs_lscape_bool{\rotatebox{90}{%
13824   \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}}
13825 \mix_pdfform:n{\l_mix_poster_box}
13826 \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
13827 %insert widget annotation
13828 \mix_pdfannot:nnnn{\width}{\height}{\depth}{%
13829   /Subtype/Widget
13830   /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
13831   \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
13832   /FT/Btn/Ff~65536
13833   \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
13834   /AP~<<
13835   /N~\g_mix_normalbtn_tl
13836   \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
13837   \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
13838 >>
13839 /MK~<<
13840   /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
13841   /I~\g_mix_normalbtn_tl
13842   \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
13843   \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
13844 >>
13845 /A~<<
13846   /S/JavaScript/JS~(app.focusRect=false;)
13847   %sequence of actions to perform
13848   \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
13849 >>
13850 }
13851 \mix_appendtofields:n{\mix_pdflastann:}
13852 \hbox_to_wd:nn{\width}{%
13853   \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
13854 }
13855 \int_gincr:N\g_mix_mbtncnt_int
13856 }
13857 \mix_endLTR:
13858 \group_end:
13859 }
13860
13861 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
13862 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
13863
13864

```

7.78 memoir-xetex-bidi.def

```

13865 \ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for Xe
13866 \renewcommand{\keepthetitle}{%
13867   \@bsmtitleempty
13868   \global\let\thanks\relax
13869   \global\let\LTRthanks\relax

```



```

13870 \global\let\RTLthanks\relax
13871 \global\let\and\relax
13872 \global\let\andnext\relax
13873 \global\let@thanks\@empty
13874 \global\let@title\@empty
13875 \global\let@author\@empty
13876 \global\let@date\@empty}
13877 \renewcommand{\maketitle}{\par
13878 \begingroup
13879   \@bsmarkseries
13880   \def\@makefnmark{\@textsuperscript{%
13881     \normalfont\@bsthanksheadpre \tamarck \@bsthanksheadpost}}%
13882   \long\def\@makefntext##1{\makethanksmark ##1}
13883   \if@twocolumn
13884     \ifnum \col@number=\@ne
13885       \@maketitle
13886     \else
13887       \twocolumn[\@maketitle]%
13888     \fi
13889   \else
13890     \ifdim\pagetotal>\z@
13891       \newpage
13892     \fi
13893     \global\@topnum\z@
13894     \@maketitle
13895   \fi
13896   \thispagestyle{title}\@thanks
13897 \endgroup
13898 \@bscontmark % \setcounter{footnote}{0}%
13899 }
13900 \renewcommand*{\memRTLleftskip}{\if@RTL\rightrightskip\else\leftskip\fi}
13901 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightrightskip\fi}
13902 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
13903 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
13904 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
13905 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
13906 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
13907 \renewcommand*{\thesubsection}{%
13908   \thesection\@SepMark\@arabic\c@subsection}
13909 \renewcommand*{\thesubsubsection}{%
13910   \thesubsection\@SepMark\@arabic\c@subsubsection}
13911 \renewcommand*{\theparagraph}{%
13912   \thesubsubsection\@SepMark\@arabic\c@paragraph}
13913 \renewcommand*{\thesubparagraph}{%
13914   \theparagraph\@SepMark\@arabic\c@subparagraph}
13915 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
13916 \renewcommand{\theequation}{%
13917   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
13918 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
13919 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}

```



```

13920 \ifartopt
13921   \chapterstyle{article}
13922   \counterwithout{figure}{chapter}
13923   \counterwithout{table}{chapter}
13924   \counterwithout{footnote}{chapter}
13925   \counterwithout{equation}{chapter}
13926   \renewcommand{\chaptername}{}
13927   \renewcommand{\maketitlehookb}{%
13928     \vskip -1.5\topsep\vskip -1.5\partopsep}
13929   \renewcommand{\maketitlehookc}{%
13930     \vskip -1.5\topsep\vskip -1.5\partopsep}
13931 \fi
13932 \long\def\@makecaption#1#2{\let\@memtempa\relax
13933   \ifdim\prevdepth>-99\p@\vskip\abovecaptionskip
13934   \else \def\@memtempa{\vbox to\topskip{}}\fi
13935   \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
13936   \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
13937   \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
13938   \let\footnote\@contfnote
13939   \let\footnotemark\@contfmark
13940   \ifdim\wd\@tempboxa<\ linewidth \centering \fi
13941 \if@contcw
13942   \centering
13943   \parbox{\@contcwidth}{%
13944     \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
13945   \fi
13946   \ifdim\wd\@tempboxa<\ linewidth
13947     \@contpre
13948     {\@contnfont #1\@contdelim}\@memtempa
13949     {\@contcshortstyle \@conttfont #2\@contfinal\par}
13950 \else
13951   \if@conthang
13952     \sbox\@tempboxa{\@contnfont #1\@contdelim}
13953     \@contpre%
13954     {\@contcstyle\hangindent=\wd\@tempboxa
13955       \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
13956 \else
13957   \if@contindent
13958     \@contpre%
13959     {\@contnfont #1\@contdelim}\@memtempa
13960     {\@contcstyle\hangindent=\@contindw
13961       \hangafter=\@ne\@conttfont #2\@contfinal\par}%- v1.4
13962   \else
13963     \@contpre%
13964     {\@contnfont #1\@contdelim}\@memtempa
13965     {\@contcstyle \@conttfont #2\@contfinal\par}
13966   \fi
13967 \fi
13968 \fi
13969 \@contpost

```



```

13970 \if@contcw
13971   \par
13972 } % end of the \parbox
13973 \fi
13974 \vskip\belowcaptionskip}
13975 \ifpackageloaded{caption}{%
13976 \AtBeginPackage{caption}{%
13977 \ClassWarningNoLine{memoir}{%
13978 You are using the caption package with the memoir \MessageBreak
13979 class. This may cause unexpected or inconsistent \MessageBreak
13980 results if you use any of memoir's captioning facilities}
13981
13982 \long\def\@makecaption##1##2{%
13983   \vskip\abovecaptionskip
13984   \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
13985   \ifdim \wd\@tempboxa >\hsize
13986     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
13987   \else
13988     \global \minipagefalse
13989     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
13990   \fi
13991   \vskip\belowcaptionskip
13992
13993 \def\caption{%
13994   \ifx\@captype\undefined
13995     \@latex@error{\noexpand\caption outside float}\@ehd
13996     \expandafter\gobble
13997   \else
13998     \refstepcounter\@captype
13999     \expandafter\firstofone
14000   \fi
14001   {\@dblarg{\@caption\@captype}}%
14002 }
14003
14004 \long\def\@caption##1[##2]##3{%
14005   \par
14006   \addcontentsline{\csname ext@##1\endcsname}{##1}{%
14007     \protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
14008   \begingroup
14009     \parboxrestore
14010     \ifminipage
14011       \setminipage
14012     \fi
14013     \normalsize
14014     \makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
14015   \endgroup
14016 }{}}
14017 \renewenvironment{thebibliography}[1]{%
14018   \bibsection
14019   \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbbibitems\@RTLtrue\else\fi\fi

```



```

14020  \bidi@@thebibliography@font@hook%
14021  \begin{bibitemlist}{\#1}\end{bibitemlist}\postbibhook
```

7.79 midfloat-xetex-bidi.def

```

14022 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
14023 \def\RTL@outputdblcol{%
14024   \if@firstcolumn
14025     \global \firstcolumnfalse
14026     \global\setbox\leftcolumn\copy\outputbox
14027     \splitmaxdepth\maxdimen
14028     \vbadness\maxdimen
14029     \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
14030     \setbox\outputbox\vsplit\outputbox to\maxdimen
14031     \toks@\expandafter{\topmark}%
14032     \xdef\firstcoltopmark{\the\toks@}%
14033     \toks@\expandafter{\splitfirstmark}%
14034     \xdef\firstcolfirstmark{\the\toks@}%
14035     \ifx\firstcolfirstmark\empty
14036       \global\let\setmarks\relax
14037     \else
14038       \gdef\setmarks{%
14039         \let\firstmark\firstcolfirstmark
14040         \let\topmark\firstcoltopmark}%
14041     \fi
14042     \global\c@colht\colht\global\c@addvipersep\z@
14043     \ifnum\juo@sk>0
14044       \remove@strip\juo@sar
14045       \global\c@colht\the\juo@pr
14046       \ifdim\right@cor>\z@
14047         \global\advance\c@colht by\right@cor
14048       \fi
14049       \global\advance\c@colht by\cor@height
14050       \global\cor@height=0pt
14051     \fi
14052     \global\setbox\rightcolumn\vbox{}%
14053   \else
14054     \ifdim\c@colht>\c@colht
14055       \tempdima\c@colht
14056       \ifdim\c@colht>\z@
14057         \global\setbox\rightcolumn\vbox{%
14058           \unvbox\rightcolumn
14059           \vbox to\tempdima{%
14060             \vskip\c@addvipersep\unvbox\outputbox}%
14061             \vskip\stripsep
14062             \vrule height\the\juo@ht width 0pt depth 0pt
14063             \vskip\stripsep
14064           }%
14065         \global\c@addvipersep\m@addvipersep
14066       \else

```



```

14067      \global\setbox\@rightcolumn \vbox{%
14068          \unvbox\@rightcolumn
14069          \vrule height\the\juo@ht width Opt depth Opt
14070          \vskip\stripsep
14071      }%
14072      \fi
14073      \ifnum\juo@sk>0
14074          \remove@strip\juo@sar
14075          \global\@colht\the\juo@pr
14076          \global\advance\@colht by -\ht\@rightcolumn
14077          \global\advance\@colht by\cor@height
14078          \global\cor@height=opt
14079      \else
14080          \global\advance\c@colht by-\ht\@rightcolumn
14081          \global\@colht\c@colht
14082      \fi
14083  \else
14084  \global\@firstcolumntrue
14085      \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14086          \unvbox\@rightcolumn
14087          \vskip\c@addvipersep
14088          \unvbox\@outputbox
14089      }%
14090      \setbox\@outputbox \vbox {%
14091          \hb@xt@\textwidth {%
14092              \hskip \columnwidth
14093              \hfil
14094              \vrule \width\columnseprule
14095              \hfil
14096              \hb@xt@\columnwidth {%
14097                  \bidi@firstcolumn@status@write%
14098                  \box\@leftcolumn \hss}%
14099                  \hskip-\textwidth
14100                  \hb@xt@\columnwidth {%
14101                      \bidi@lastcolumn@status@write%
14102                      \box\@outputbox \hss}%
14103                      \hskip\columnwidth
14104                      \hskip\columnsep}%
14105                  }%
14106  \combinedblfloats
14107  \setmarks
14108  \outputpage
14109  \begin{group}
14110      \dblfloatplacement
14111      \startdblcolumn
14112      \whilesw@if@fcolmade \fi
14113          {\outputpage
14114          \startdblcolumn}%
14115  \endgroup
14116  \global\juo@sk=0\global\juo@sar={}%

```



```

14117      \global\cor@height\z@\global\c@addvipersep\z@
14118      \fi
14119      \fi
14120 }
14121
14122
14123 \def\LTR@outputdblcol{%
14124   \if@firstcolumn
14125     \global \firstcolumnfalse
14126     \global\setbox\leftcolumn\copy\outputbox
14127     \splitmaxdepth\maxdimen
14128     \vbadness\maxdimen
14129     \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
14130     \setbox\outputbox\vsplit\outputbox to\maxdimen
14131     \toks@\expandafter{\topmark}%
14132     \xdef\firstcoltopmark{\the\toks@}%
14133     \toks@\expandafter{\splitfirstmark}%
14134     \xdef\firstcolfirstmark{\the\toks@}%
14135     \ifx\firstcolfirstmark\empty
14136       \global\let\setmarks\relax
14137     \else
14138       \gdef\setmarks{%
14139         \let\firstmark\firstcolfirstmark
14140         \let\topmark\firstcoltopmark}%
14141     \fi
14142     \global\c@colht\colht\global\c@addvipersep\z@
14143     \ifnum\juo@sk>0
14144       \remove@strip\juo@sar
14145       \global\colht\the\juo@pr
14146       \ifdim\right@cor>\z@
14147         \global\advance\colht by\right@cor
14148       \fi
14149       \global\advance\colht by\cor@height
14150       \global\cor@height=0pt
14151     \fi
14152     \global \setbox\rightcolumn \vbox{}%
14153   \else
14154     \ifdim\c@colht>\colht
14155       \tempdima\colht
14156       \ifdim\colht>\z@
14157         \global\setbox\rightcolumn \vbox{%
14158           \unvbox\rightcolumn
14159           \vbox to\tempdima{%
14160             \vskip\c@addvipersep\unvbox\outputbox}%
14161             \vskip\stripsep
14162             \vrule height\juo@ht width 0pt depth 0pt
14163             \vskip\stripsep
14164           }%
14165         \global\c@addvipersep\m@addvipersep
14166       \else

```



```

14167      \global\setbox\@rightcolumn \vbox{%
14168          \unvbox\@rightcolumn
14169          \vrule height\the\juo@ht width Opt depth Opt
14170          \vskip\stripsep
14171      }%
14172      \fi
14173      \ifnum\juo@sk>0
14174          \remove@strip\juo@sar
14175          \global\@colht\the\juo@pr
14176          \global\advance\@colht by -\ht\@rightcolumn
14177          \global\advance\@colht by\cor@height
14178          \global\cor@height=opt
14179      \else
14180          \global\advance\c@colht by-\ht\@rightcolumn
14181          \global\@colht\c@colht
14182      \fi
14183  \else
14184  \global\@firstcolumntrue
14185      \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14186          \unvbox\@rightcolumn
14187          \vskip\c@addvipersep
14188          \unvbox\@outputbox
14189      }%
14190      \setbox\@outputbox \vbox {%
14191          \hb@xt@\textwidth {%
14192              \hb@xt@\columnwidth {%
14193                  \bidi@firstcolumn@status@write%
14194                  \box\@leftcolumn \hss}%
14195                  \hfil
14196                  \vrule \width\columnseprule
14197                  \hfil
14198                  \hb@xt@\columnwidth {%
14199                      \bidi@lastcolumn@status@write%
14200                      \box\@outputbox \hss}%
14201                  }%
14202          }%
14203  \@combinedblfloats
14204  \@setmarks
14205  \@outputpage
14206  \begingroup
14207      \@dblfloatplacement
14208      \@startdblcolumn
14209      \@whilesw@if@fcolmade \fi
14210      {\@outputpage
14211          \@startdblcolumn}%
14212  \endgroup
14213  \global\juo@sk=0\global\juo@sar={}%
14214  \global\cor@height\z@\global\c@addvipersep\z@
14215  \fi
14216 \fi

```



```

14217 }
14218
14219
14220 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
14221   \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\
14222     \hsize\textwidth
14223     \@parboxrestore
14224     \col@number \@ne
14225     \vrule height\topskip width0pt depth0pt
14226 }
14227
14228 \def\endstrip{%
14229   \egroup\egroup
14230   \if@firstcolumn
14231     \ifdim\pagetotal>\z@
14232       \vskip\stripsep
14233       \global\ht@strip\pagegoal
14234       \global\advance\ht@strip by-\pagetotal
14235       \global\advance\ht@strip by-\stripsep
14236       \global\advance\ht@strip by-\ht\@viper
14237       \global\advance\ht@strip by-\stripsep
14238       \global\juo@ht=\ht\@viper
14239     \else
14240       \global\ht@strip\z@
14241     \fi
14242     \ifdim\ht@strip>\z@
14243       \unvbox\@viper
14244       \vskip\stripsep
14245       \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
14246       \global\advance\juo@sk by1
14247     \else
14248       \@latex@error{Strip needs more place!}\@ehc
14249       \if@vihproof
14250         \framebox[\columnwidth]{??? Strip ???}%
14251       \fi
14252     \fi
14253   \else
14254     \@latex@error{Strip is used only on left column!}\@ehc
14255     \if@vihproof
14256       \framebox[\columnwidth]{??? Strip ???}%
14257     \fi
14258   \fi
14259 }

```

7.8o minitoc-xetex-bidi.def

```

14260 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for
14261 \def\@undottedtocline#1#2#3#4#5{%
14262   \ifnum #1>\c@tocdepth\relax \else
14263     \vskip \z@ plus.2\p@

```



```

14264 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg%
14265 \parindent #2\relax\@afterindenttrue
14266 \interlinepenalty\OM
14267 \leavevmode
14268 \tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \hbox{}%
14269 \hskip -\if@RTL\rightskip\else\leftskip\fi
14270 #4\nobreak\hfill \nobreak
14271 \null\par}%
14272 \fi}
14273 \def\@Undottedtocline#1#2#3#4#5{%
14274 \ifnum #1>\c@tocdepth\relax \else
14275 \vskip \z@ \oplus.2\p@
14276 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg%
14277 \parindent #2\relax\@afterindenttrue
14278 \interlinepenalty\OM
14279 \leavevmode
14280 \tempdima #3\relax
14281 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
14282 {\coffeefont #4}\nobreak \nobreak\null
14283 \par}%
14284 \fi}
14285 \def\@Undottedtoclinep#1#2#3#4#5{%
14286 \ifnum #1>\c@tocdepth\relax \else
14287 \vskip \z@ \oplus.2\p@
14288 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg%
14289 \parindent #2\relax\@afterindenttrue
14290 \interlinepenalty\OM
14291 \leavevmode
14292 \tempdima #3\relax
14293 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
14294 {#4}\nobreak \hfill \nobreak\null
14295 \hbox{\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
14296 \par}%
14297 \fi}

```

7.81 multicol-xetex-bidi.def

```

14298 \ProvidesFile{multicol-xetex-bidi.def}[2016/11/27 v0.8 bidi adaptations for multicol package]
14299 \def\page@sofar{%
14300   \process@cols\mult@rightbox
14301   {\ifvoid\count@%
14302     \setbox\count@\hbox to\hsize{}%
14303   \else
14304     \wd\count@\hsize
14305   \fi}%
14306   \count@\col@number \advance\count@\m@ne
14307   \mult@info\z@
14308   {Column spec: \the\full@width\space = indent
14309    + columns + sep =\MessageBreak
14310    \the\multicol@leftmargin\space

```



```

14311      + \the\col@number\space
14312      x \the\hsize\space
14313      + \the\count@\space
14314      x \the\columnsep
14315      }%
14316 \ifvmode\else\errmessage{Multicol Error}\fi
14317   \nointerlineskip
14318   \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
14319   \moveleft\multicols@leftmargin
14320   \hbox to\full@width{%
14321     \bidi@multicols@align@columns
14322     \rlap{\phantom p}%
14323   }%
14324 \prevdepth\z@
14325 \kern-\dimen\tw@
14326 \ifdim\dimen\tw@ > \mc@gridwarn
14327   \PackageWarning{multicol}{%
14328     Very deep columns!\MessageBreak
14329     Grid alignment might be broken}%
14330 \fi
14331 }
14332 \def\LTR@column@boxes{%
14333   \process@cols\mult@gfirstbox{%
14334     \ifdim\dp\count@>\dimen\tw@
14335       \global\dimen\tw@\dp\count@ \fi
14336     \mc@col@status@write
14337     \box\count@
14338     \hss{\columnseprulecolor\vrule
14339       @width\columnseprule}\hss}%
14340   \ifdim\dp\mult@rightbox>\dimen\tw@
14341     \global\dimen\tw@\dp\mult@rightbox \fi
14342   \mc@lastcol@status@write
14343   \box\mult@rightbox
14344 }
14345
14346 \def\RTL@column@boxes{%
14347   \ifnum\col@number<\tw@
14348     \LTR@column@boxes
14349   \else
14350     \process@cols\mult@gfirstbox{%
14351       \hskip\hsize
14352       \hss{\columnseprulecolor\vrule
14353         @width\columnseprule}\hss
14354     }%
14355     \hskip\hsize
14356     \process@cols\mult@gfirstbox{%
14357       \ifdim\dp\count@>\dimen\tw@
14358         \global\dimen\tw@\dp\count@ \fi
14359       \hskip-\hsize
14360       \mc@col@status@write

```



```

14361      \box\count@%
14362      \hskip-\hsize%
14363      \hskip-\columnsep%
14364  }%
14365  \ifdim\dp\mult@rightbox>\dimen\tw@%
14366      \global\dimen\tw@\dp\mult@rightbox \fi%
14367  \hskip-\hsize%
14368  \mc@lastcol@status@write%
14369  \box\mult@rightbox%
14370  \hskip-\hsize%
14371  \hskip\full@width%
14372 \fi%
14373 }%
14374 \newcommand\RTLmulticolcolumns{%
14375     {\let\bidi@multicol@align@columns%
14376         \RTL@column@boxes}%
14377 \newcommand\LTRmulticolcolumns{%
14378     {\let\bidi@multicol@align@columns%
14379         \LTR@column@boxes}%
14380 \newcommand\bidi@multicol@align@columns{%
14381     {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}%
14382 \def\multicols#1{\col@number#1\relax%
14383     \ifnum\col@number<\tw@%
14384         \PackageWarning{multicol}{%
14385             {Using `~\number\col@number'%
14386                 columns doesn't seem a good idea.^^J%
14387                 I therefore use two columns instead}}%
14388     \col@number\tw@ \fi%
14389     \ifnum\col@number>10%
14390         \PackageError{multicol}{%
14391             {Too many columns}}%
14392             {Current implementation doesn't%
14393                 support more than 10 columns.}%
14394             \MessageBreak%
14395             I therefore use 10 columns instead}}%
14396     \col@number10 \fi%
14397     \ifx\@footnotetext\mult@footnotetext\else%
14398         \let\orig@footnotetext\@footnotetext%
14399         \let\@footnotetext\mult@footnotetext%
14400     \fi%
14401     \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else%
14402         \let\orig@LTRfootnotetext\@LTRfootnotetext%
14403         \let\@LTRfootnotetext\mult@LTRfootnotetext%
14404     \fi%
14405     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else%
14406         \let\orig@RTLfootnotetext\@RTLfootnotetext%
14407         \let\@RTLfootnotetext\mult@RTLfootnotetext%
14408     \fi%
14409     \@ifnextchar[\mult@cols{\mult@cols[]}{}%
14410 \long\def\mult@footnotetext#1{\begingroup%

```



```

14411      \hsize\textwidth
14412      \columnwidth\textwidth
14413      \orig@footnotetext{\#1}\endgroup
14414 \long\def\mult@LTRfootnotetext#1{\begingroup
14415      \hsize\textwidth
14416      \columnwidth\textwidth
14417      \orig@LTRfootnotetext{\#1}\endgroup}
14418 \long\def\mult@RTLfootnotetext#1{\begingroup
14419      \hsize\textwidth
14420      \columnwidth\textwidth
14421      \orig@RTLfootnotetext{\#1}\endgroup}
14422 \def\right@footnoterule{%
14423   \kern-3\p@
14424   \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
14425   \kern2.6\p@}
14426 \def\textwidth@footnoterule{\kern-3\p@
14427   \hrule \width \textwidth \kern 2.6\p@}

```

7.82 multienum-xetex-bidi.def

```

14428 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
14429 \renewcommand{\itemx}[1]{\parbox[t]{%
14430 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14431 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}\%}\smallskip
14432 \renewcommand{\itemxx}[2]{\parbox[t]{%
14433 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14434 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
14435 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14436 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
14437 \renewcommand{\itemxxx}[3]{\parbox[t]{%
14438 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14439 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
14440 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14441 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
14442 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14443 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}\%}\smallskip
14444 \renewcommand{\itemxxxx}[4]{\parbox[t]{%
14445 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14446 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
14447 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14448 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
14449 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14450 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
14451 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14452 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
14453 \renewcommand{\itemxxxxx}[5]{\parbox[t]{%
14454 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14455 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
14456 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
14457 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%

```



```

14458 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14459 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #3}\hfill%
14460 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14461 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #4}\hfill%
14462 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14463 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip}
14464 \renewcommand{\itemxo}[2]{\parbox[t]%
14465 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14466 \parbox[t]{\remainxo}{\bidi@raggedright #1}\hfill%
14467 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14468 \parbox[t]{0.3333\remainxx}{\bidi@raggedright #2}\smallskip}
14469 \renewcommand{\itemxo}[2]{\parbox[t]%
14470 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14471 \parbox[t]{0.3333\remainxx}{\bidi@raggedright #1}\hfill%
14472 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14473 \parbox[t]{\remainxo}{\bidi@raggedright #2}\smallskip}
14474 \renewcommand{\itemxo}[3]{\parbox[t]%
14475 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14476 \parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
14477 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14478 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
14479 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14480 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
14481 \renewcommand{\itemxo}[3]{\parbox[t]%
14482 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14483 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
14484 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14485 \parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
14486 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14487 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
14488 \renewcommand{\itemxo}[3]{\parbox[t]%
14489 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14490 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
14491 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14492 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
14493 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
14494 \parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}

```

7.83 natbib-xetex-bidi.def

```

14495 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for ]
14496 \renewenvironment{thebibliography}[1]{%
14497 \bibsection
14498 \parindent\z@
14499 \bibpreamble
14500 \bibfont
14501 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14502 \bidi@@thebibliography@font@hook%
14503 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{\#1}\global\c@NAT@ctr\z@}%
14504 \ifNAT@openbib

```



```

14505     \renewcommand{\newblock}{\par}%
14506 \else
14507     \renewcommand{\newblock}{\hskip .11em \@plus.33em \@minus.07em}%
14508 \fi
14509 \sloppy\clubpenalty4000\widowpenalty4000
14510 \sfcode`\. \!`m
14511 \let\NAT@bibitem@first@sw\@firstoftwo
14512     \let\citeN\cite \let\shortcite\cite
14513     \let\citeasnoun\cite
14514 }{%
14515 \bibitem@fin
14516 \bibpostamble
14517 \def\@noitemerr{%
14518 \PackageWarning{natbib}{Empty `thebibliography' environment}%
14519 }%
14520 \endlist
14521 \bibcleanup
14522 }%

```

7.84 newfloat-xetex-bidi.def

```

14523 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
14524 \renewcommand*\newfloat@setwithin[2]{%
14525     \ifcsname c@chapter\endcsname
14526         \removetokenreset{\#1}{chapter}%
14527     \fi
14528     \removetokenreset{\#1}{section}%
14529     \edef\@tempa{\#2}%
14530     \ifx\@tempa\empty
14531         \def\@tempa{none}%
14532     \fi
14533     \def\@tempb{none}%
14534     \ifx\@tempa\@tempb
14535         \ifcsname c@chapter\endcsname
14536             \chapterlistsgap@off{\#1}%
14537         \fi
14538         \newfloat@@setwithin{\#1}{}{}%
14539     \else
14540         \def\@tempb{chapter}%
14541         \ifx\@tempa\@tempb
14542             \addtoreset{\#1}{chapter}%
14543             \chapterlistsgap@on{\#1}%
14544             \newfloat@@setwithin{\#1}{\ifnum\c@chapter>\z@\thechapter\SepMark\fi}{\theHchapter\Sep}
14545     \else
14546         \def\@tempb{section}%
14547         \ifx\@tempa\@tempb
14548             \addtoreset{\#1}{section}%
14549             \ifcsname c@chapter\endcsname
14550                 \addtoreset{\#1}{chapter}%
14551                 \chapterlistsgap@on{\#1}%

```



```

14552           \newfloat@@setwithin{\#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
14553     \else
14554       \newfloat@@setwithin{\#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection%
14555     \fi
14556   \else
14557     \newfloat@Error{Invalid value `#2' for option `within'}%
14558   \fi
14559 \fi
14560 \fi}

```

7.85 nttheorem-xetex-bidi.def

```

14561 \ProvidesFile{nttheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for nttheorem package]
14562 \gdef\@thm#1#2#3{%
14563   \if@thmmarks
14564     \stepcounter{end\InTheoType ctr}%
14565   \fi
14566   \renewcommand{\InTheoType}{\#1}%
14567   \if@thmmarks
14568     \stepcounter{curr#1ctr}%
14569     \setcounter{end#1ctr}{0}%
14570   \fi
14571   \refstepcounter{\#2}%
14572   \theorem@prework
14573   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
14574   \ifvmode \advance\thm@topsepadd\partopsep\fi
14575   \trivlist
14576   \topsep \theorempreskipamount
14577   \topsepadd \thm@topsepadd % used by \endparenv
14578   \advance\linewidth -\theorem@indent
14579   \advance\@totalleftmargin \theorem@indent
14580   \if@RTL\parshape @ne Opt \linewidth\else \parshape @ne \@totalleftmargin \linewidth\fi
14581   \ifinnextchar[\{@ythm{\#1}{\#2}{\#3}}{\@xthm{\#1}{\#2}{\#3}}}

```

7.86 nttheorem-hyper-xetex-bidi.def

```

14582 \ProvidesFile{nttheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for nttheorem-hy
14583 \gdef\@thm#1#2#3{%
14584   \if@thmmarks
14585     \stepcounter{end\InTheoType ctr}%
14586   \fi
14587   \renewcommand{\InTheoType}{\#1}%
14588   \if@thmmarks
14589     \stepcounter{curr#1ctr}%
14590     \setcounter{end#1ctr}{0}%
14591   \fi
14592   \refstepcounter{\#2}%
14593   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
14594   \ifvmode \advance\thm@topsepadd\partopsep\fi
14595   \trivlist
14596   \topsep \theorempreskipamount

```



```

14597   \@topsepadd \thm@topsepadd      % used by \endparenv
14598   \advance\linewidth -\theoreml indent
14599   \advance\@totalleftmargin \theoreml indent
14600   \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
14601   \ifnextchar[{\@ythm{\#1}{\#2}{\#3}}{\@xthm{\#1}{\#2}{\#3}}}

```

7.87 overpic-xetex-bidi.def

```

14602 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package for
14603 renewenvironment{overpic}[2] []{%
14604   \sbox{\z@}{\includegraphics[#1]{#2}}%
14605   \settodepth{\@tempcnta}{\usebox{\z@}}%
14606   \settoheight{\@tempcntb}{\usebox{\z@}}%
14607   \advance\@tempcntb\@tempcnta%
14608   \settowidth{\@tempcnta}{\usebox{\z@}}%
14609   \setlength{\@tempdima}{\unitlength}%
14610   \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
14611 %
14612   \OVP@calc%
14613 %
14614   \begin{picture}(\@tempcnta,\@tempcntb)%
14615     \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\%
14616     \ifGin@grid%
14617       \put(0,0){\normalfont\fontsize@\viiipt\selectfont%
14618         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]\%}
14619     \fi\fi%
14620   % reset the graphics parameter
14621   \let\Gin@outer@scalex\relax
14622   \let\Gin@outer@scaley\relax
14623   \let\Gin@angle\relax
14624   \let\Gin@ewidth\Gin@exclamation
14625   \let\Gin@eheight\Gin@ewidth
14626   \def\Gin@scalex{1}
14627   \let\Gin@scalley\Gin@exclamation
14628 }{%
14629   \if@RTL\ifGin@grid%
14630     \put(0,0){\normalfont\fontsize@\viiipt\selectfont%
14631       \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]\%}
14632   \fi%
14633   \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
14634   \end{picture}%
14635 }%

```

7.88 pdfbase-xetex-bidi.def

```

14636 \ProvidesFile{pdfbase-xetex-bidi.def}[2017/08/27 v0.1 bidi adaptations for pdfbase package for
14637 \ExplSyntaxOn
14638 \cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
14639 \cs_set_nopar:Npn\@outputpage{%
14640   \int_gincr:N\g_pbs_page_int
14641   \iow_now:Nx\@mainaux{%

```



```

14642   \token_to_str:N\pbs@newkey{pbs@last@page}{\int_use:N\g_pbs_page_int}
14643 }
14644 \box_if_vertical:cTF{@outputbox}{
14645   \bool_set_true:N\l_pbs_is_vertical_bool
14646 }{
14647   \bool_set_false:N\l_pbs_is_vertical_bool
14648 }
14649 \hbox_set:Nn\@outputbox{
14650   %begin of page
14651   \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
14652   \box_use_clear:N\@outputbox
14653   %end of page
14654   \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
14655   %end of dvi
14656   \int_compare:nT{\pbs@last@page=\g_pbs_page_int}{
14657     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eod_seq{##1}}
14658   }
14659 }
14660 \bool_if:NT\l_pbs_is_vertical_bool{
14661   \vbox_set:Nn\@outputbox{\box_use_clear:N\@outputbox}
14662 }
14663 %insert /Properties into current page's resources
14664 \pbs_insert_properties_entry:
14665 \pbs_outputpage_orig:
14666 }
14667 \ExplSyntaxOff

```

7.89 pdfpages-xetex-bidi.def

```

14668 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
14669 \renewcommand*{\includepdf}[2][]{\%
14670   \begingroup
14671   \cRTLfalse
14672   \let\AM@threadname\relax
14673   \AM@split@options{pdfpages}{#1}%
14674   \edef\AM@temp{\pdfpages}{\the\@temptokena}%
14675   \expandafter\setkeys\AM@temp
14676   \ifthenelse{\boolean{\AM@pkg@draft}}{\and}{\boolean{\AM@survey}}{%
14677     \let\AM@currentdocname\relax
14678     \renewcommand{\includegraphics}[2][]{Survey in draft-mode}%
14679     \def\AM@pagecount{0}%
14680   }%
14681   \AM@findfile{#2}%
14682   \if\AM@threadname\relax
14683     \def\AM@threadname{\AM@currentdocname}%
14684   \fi
14685 }%
14686 \if\AM@survey
14687   \def\AM@pagestemp{}%
14688   \tempcnta=0

```



```

14689 \def\foo{%
14690   \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
14691     {\let\foo\relax}
14692     {\expandafter\ifx\expandafter\\\AM@pagestemp\\
14693       \edef\AM@pagestemp{%
14694         \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
14695     \else
14696       \edef\AM@pagestemp{\AM@pagestemp,%
14697         \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
14698     \fi
14699     \advance\@tempcnta 1\relax
14700   }%
14701   \foo
14702 }%
14703 \foo
14704 \expandafter\ifx\expandafter\\\AM@pagestemp\\
14705   \def\AM@pagestemp{1}%
14706   \fi
14707 \fi
14708 \ifAM@output
14709   \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
14710   \AM@output{#1}%
14711 \fi
14712 \AM@CheckAtEnd
14713 \endgroup
14714 \AM@ClearShipoutPicture
14715 }

```

7.90 pgfcorescopes.code-xetex-bidi.def

```

14716 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf paci
14717 \def\pgfpicture{%
14718   \begingroup%
14719   \ifmmode\else\@RTLfalse\beginL\fi%
14720   \pgfpicturetrue%
14721   \global\advance\pgf@picture@serial@count by1\relax%
14722   \edef\pgfpictureid{\pgfid\the\pgf@picture@serial@count}%
14723   \let\pgf@nodecallback=\pgfutil@gobble%
14724   \pgf@picmaxx=-16000pt\relax%
14725   \pgf@picminx=16000pt\relax%
14726   \pgf@picmaxy=-16000pt\relax%
14727   \pgf@picminy=16000pt\relax%
14728   \pgf@relevantforpicturesizetrue%
14729   \pgf@resetpathsizes%
14730   \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}%
14731 \def\endpgfpicture{%
14732   \ifpgfrememberpicturepositiononpage%
14733     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
14734   \fi%
14735   % ok, now let's position the box

```



```

14736           \ifdim\pgf@picmaxx=-16000pt\relax%
14737             % empty picture. make size 0.
14738             \global\pgf@picmaxx=0pt\relax%
14739             \global\pgf@picminx=0pt\relax%
14740             \global\pgf@picmaxy=0pt\relax%
14741             \global\pgf@picminy=0pt\relax%
14742         \fi%
14743         % Shift baseline outside:
14744         \pgf@relevantforpicturesizefalse%
14745         \pgf@process{\pgf@baseline}%
14746         \xdef\pgf@shift@baseline{\the\pgf@y}%
14747         %
14748         \pgf@process{\pgf@trimleft}%
14749         \global\advance\pgf@x by-\pgf@picminx
14750         % prepare \hskip\pgf@trimleft@final.
14751         % note that \pgf@trimleft@final is also queried
14752         % by the pgf image externalization.
14753         \xdef\pgf@trimleft@final{-\the\pgf@x}%
14754         %
14755         \pgf@process{\pgf@trimright}%
14756         \global\advance\pgf@x by-\pgf@picmaxx
14757         % prepare \hskip\pgf@trimright@final.
14758         % note that \pgf@trimright@final is also queried
14759         % by the pgf image externalization.
14760         \xdef\pgf@trimright@final{\the\pgf@x}%
14761         %
14762         \pgf@remember@layerlist@globally
14763         \endgroup%
14764         \hss%
14765         \egroup%
14766         \pgf@restore@layerlist@from@global
14767         \pgf@insertlayers%
14768         \endgroup%
14769         \pgfsys@discardpath%
14770         \endgroup%
14771         \pgfsys@endscope%
14772         \pgfsys@endpicture%
14773         \endgroup%
14774         \hss
14775         \egroup%
14776         \pgfsys@typesetpicturebox\pgfpic%
14777         \ifmmode\else\endL\fi%
14778         \endgroup%
14779     }

```

7.91 picinpar-xetex-bidi.def

```

14780 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package]
14781 \long\def\@makewincaption#1#2{%
14782   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%

```



```

14783     \ifdim\wd\@tempboxa>\picwd
14784         {\footnotesize{\bf #1:\enspace}{#2\par}}
14785     \else
14786         \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
14787     \fi}
14788 \def\endwindow{%
14789     \global\tcd=\tcdsav
14790     \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
14791     \vbadness=10000
14792     \splittopskip=0pt
14793 %
14794 % Typeset the lines above the window
14795 %
14796 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
14797 \tcn=\tcd
14798 \loop\advance\tcn -1
14799 \setbox\fslice=\vsplit\holder to\baselineskip
14800 \prune\fslice\linewidth
14801 \topheight=0pt
14802 \ifnum\dp\fslice>\dp\wstrutbox
14803     \advance\topheight-\dp\fslice
14804     \advance\topheight\dp\wstrutbox
14805     \advance\topheight\ilg\fi
14806 \hbox to\linewidth{\box\fslice}
14807 \vskip-\topheight
14808 \ifdim\ht\holder>0pt\repeat
14809 \fi
14810 %
14811 % Now we build the boxes beside the window
14812 %
14813 \global\topheight=\tcl\baselineskip
14814 \ifnum\cumpartcl>0\global\tcl=\cumtcl
14815     \global\topheight=\vpic
14816 \fi
14817 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
14818 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
14819 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
14820 \tcn=\tcl \na=0 \nb=0
14821 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
14822 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
14823 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
14824 \ifnum\na=0\ifnum\nb=0
14825     \setbox\waslice=\vbox to\vpic{\vss}
14826     \setbox\wbslice=\vbox to\vpic{\vss}
14827     \bl=1\br=1
14828     \vskip\ilg
14829 \fi\fi
14830 %
14831 % both sides
14832 %

```



```

14833 \ifnum\na>0 \ifnum\nb>0
14834 \loop\advance\nb -1
14835 \advance\na -1
14836 \if@RTL%
14837 \setbox\bslice=\vsplit\holder to\baselineskip
14838 \prune\bslice\rtside
14839 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
14840 to\rtside{\box\bslice\hfil}}
14841 \setbox\aslice=\vsplit\holder to\baselineskip
14842 \prune\aslice\lftside
14843 \setbox\waslice=\vbox{\unvbox\waslice\hbox
14844 to\lftside{\box\aslice\hfil}}
14845 \else%
14846 \setbox\aslice=\vsplit\holder to\baselineskip
14847 \prune\aslice\lftside
14848 \setbox\waslice=\vbox{\unvbox\waslice\hbox
14849 to\lftside{\box\aslice\hfil}}
14850 \setbox\bslice=\vsplit\holder to\baselineskip
14851 \prune\bslice\rtside
14852 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
14853 to\rtside{\box\bslice\hfil}}
14854 \fi%
14855 \ifnum\nb>0\repeat
14856 \fi\fi
14857 %
14858 % only text on the left side
14859 %
14860 \ifnum\na>0
14861     \loop\advance\na -1
14862     \setbox\aslice=\vsplit\holder to\baselineskip
14863     \prune\aslice\lftside
14864     \setbox\waslice=\vbox{\unvbox\waslice\hbox
14865     to\lftside{\box\aslice\hfil}}
14866     \ifdim\ht\holder>0pt\repeat
14867 \fi
14868 %
14869 % only text on the right side
14870 %
14871 \ifnum\nb>0
14872     \loop\advance\nb -1
14873     \setbox\bslice=\vsplit\holder to\baselineskip
14874     \prune\bslice\rtside
14875     \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
14876     to\rtside{\box\bslice\hfil}}
14877     \ifdim\ht\holder>0pt\repeat
14878 \fi
14879 %
14880 % fixing the dimensions of the window part
14881 %
14882 \ifnum\bl=0\topheight=\ht\wbslice

```



```

14883 \else\ifnum\br=0\topheight=\ht\waslice
14884     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
14885         \else\topheight=\ht\wbslice\fi\fi\fi
14886 %
14887 % ship out the window material to the main vertical list
14888 %
14889 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
14890 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
14891 \fi\fi\fi
14892 \setbox>windowbox=\vbox{\hbox to\linewidth{%
14893 \ifnum\bl>0\box\waslice\hfill\fi%
14894 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
14895 \vfill\unvbox\picbox%
14896 \ifnum\picwd>0\vfill\fi%
14897 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
14898 \unvbox>windowbox%
14899 \loop
14900 \setbox\bslice=\vsplit\rawtext to\baselineskip
14901 \prune\bslice\linewidth
14902 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
14903 \unvbox\wbslice
14904 \ifdim\ht\rawtext>0pt
14905 \repeat
14906 }% FINITO

```

7.92 plain-xetex-bidi.def

```

14907 \def\TeXeTOn{\TeXeTstate=1 }
14908 \def\TeXeTOff{\TeXeTstate=0 }
14909 \TeXeTOn
14910 \def\usebox#1{\leavevmode\copy #1\relax}
14911 \def\bidi@RTL@everypar{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox
14912     \let\bidi@o@everypar=\everypar
14913     \newtoks\bidi@n@everypar
14914     \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
14915     \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
14916     \let\everypar=\bidi@n@everypar
14917 \def\moreLRE{\brace{text \aftergroup\endL \beginL\@RTLfalse}
14918 \def\moreRLE{\brace{text \aftergroup\endR \beginR\@RTLtrue}
14919 \protected\def\hboxR{\hbox\bgroup
14920 \everyhbox{%
14921   \aftergroup\egroup
14922   \everyhbox{}}%
14923   \beginR
14924   \hboxRconstructtrue
14925   \bgroup
14926   \aftergroup\endR
14927   \aftergroup\egroup
14928 }\hbox}
14929 \protected\def\hboxL{\hbox\bgroup

```



```

14930 \everyhbox{%
14931 \aftergroup\egroup
14932 \everyhbox{}%
14933 \beginL
14934 \ChboxRconstructfalse
14935 \bgroup
14936 \aftergroup\endL
14937 \aftergroup\egroup
14938 }\hbox}
14939 \protected\def\vboxR{\vbox\bgroup
14940 \everyvbox{%
14941 \aftergroup\egroup
14942 \everyvbox{}%
14943 \RTLtrue
14944 \bgroup
14945 \aftergroup\egroup
14946 }\vbox}
14947 \protected\def\vboxL{\vbox\bgroup
14948 \everyvbox{%
14949 \aftergroup\egroup
14950 \everyvbox{}%
14951 \RTLfalse
14952 \bgroup
14953 \aftergroup\egroup
14954 }\vbox}
14955 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
14956 \def\endLTR{\par}
14957 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
14958 \def\endRTL{\par}
14959 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
14960 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
14961 \let\unsetRTL=\setRTL
14962 \let\unsetLTR=\setRTL
14963 \let\LR=\LRE
14964 \let\RLE=\RLE
14965 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
14966 \def\@ensure@LTR#1{\if@RTL\LR{#1}\else#1\fi}
14967 \let\@ensure@RL=\@ensure@RTL
14968 \let\@ensure@LR=\@ensure@LTR
14969 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
14970 \let\@ensure@maindir=\@ensure@dir
14971 \def\@@RTL{RTL}
14972 \def\@@LTR{LTR}
14973 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
14974 \def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi}
14975 \let\@TeX\TeX
14976 \def\TeX{\@ensure@LTR{\@TeX}}
14977 \long\def\bidi@reflect@box#1{%
14978 \leavevmode
14979 \setbox\z@\hbox{{#1}}%
```



```

14980 \setbox\tw@ \hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@\special{x:grestore}}
14981 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
14982 }
14983 \def\xetex{\LR{\leavevmode$}\smash{\hbox{X\lower.5ex
14984 \kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}
14985 \let\setRL=\setRTL
14986 \let\setLR=\setLTR
14987 \let\unsetRL=\setLTR
14988 \let\bidi@saved@eqno=\eqno
14989 \let\bidi@saved@leqno=\leqno
14990 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
14991 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
14992 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
14993 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
14994 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

7.93 pstricks-xetex-bidi.def

```

14995 \ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package]
14996 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
14997 \def\endpspicture{%
14998   \ifshowgrid\ifnum\showgridp@s>0
14999     \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
15000   \pst@killglue
15001 % \global\pst@shift=\pst@shift% in fact of the following endgroup
15002   \endgroup
15003   \egroup
15004   \ifdim\wd\pst@hbox=\z@\else
15005     %\@pstrickserr{Extraneous space in the pspicture environment}%
15006     % {Type \space <return> \space to proceed.}%
15007   \fi
15008   \ht\pst@hbox=\pst@dimd
15009   \dp\pst@hbox=-\pst@dimb
15010   \setbox\pst@hbox=\hbox{%
15011     \kern-\pst@dima
15012 % Orig version -----
15013 %\ifx\pst@tempa\empty\else
15014 %\advance\pst@dimd-\pst@dimb
15015 %\pst@dimd=\pst@tempa\pst@dimd
15016 %\advance\pst@dimd\pst@dimb
15017 %\lower\pst@dimd
15018 %\fi
15019 %---- end Orig
15020   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}% shift==
15021     \advance\pst@dimd-\pst@dimb
15022     \pst@dimd=0.5\pst@dimd
15023   \else\pst@dimd-\pst@shift\fi
15024   \advance\pst@dimd\pst@dimb
15025   \lower\pst@dimd
15026   \box\pst@hbox

```



```

15027     \kern\pst@dimc}%
15028     \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@\fi}
15029     \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
15030     \fboxsep=0pt
15031     \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
15032     \ifmmode\else\endL\fi
15033     \endgroup%
15034     \psset[pstricks]{shift=0}%
15035 }% reset value

```

7.94 quotchap-xetex-bidi.def

```

15036 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
15037 \renewcommand{\qauthor}[1]{%
15038   \par\smallskip
15039   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
15040 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
15041   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
15042     \chapnumfont
15043       \ifnum \c@secnumdepth >\m@ne%
15044         \if@mainmatter\thechapter%
15045           \fi\fi
15046         \par\nobreak}%
15047       {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10pt
15048         \nobreak\chapterheadendvskip}}
15049 \renewcommand*{\@printcites}{%
15050   \vbox to\z@{\leavevmode\copy\@quotebox\vss}
15051   \global\let\@printcites\relax}

```

7.95 ragged2e-xetex-bidi.def

```

15052 \ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package]
15053 \renewcommand{\Centering}{%
15054   \ifx\\@\raggedtwoe@savedcr
15055     \let\\@\centercr
15056   \fi
15057   \let@gnewline@\raggedtwoe@gnewline
15058   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
15059   \rightskip\CenteringRightskip
15060   \if@RTL\leftskip\else\rightskip\fi\rightskip
15061   \parfillskip\CenteringParfillskip
15062   \parindent\CenteringParindent
15063   \raggedtwoe@spaceskiptrue
15064   \raggedtwoe@everyselectfont
15065 }
15066 \renewcommand{\RaggedLeft}{%
15067   \ifx\\@\raggedtwoe@savedcr
15068     \let\\@\centercr
15069   \fi
15070   \let@gnewline@\raggedtwoe@gnewline
15071   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip

```



```

15072   \@rightskip\RaggedLeftRightskip
15073   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15074   \parfillskip\RaggedLeftParfillskip
15075   \parindent\RaggedLeftParindent
15076   \raggedtwoe@spaceskiptrue
15077   \raggedtwoe@everyselectfont
15078 }
15079 \renewcommand{\RaggedRight}{%
15080   \ifx\\@\raggedtwoe@savedcr
15081     \let\\@\centercr
15082   \fi
15083   \let\gnewline@\raggedtwoe@gnewline
15084   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
15085   \rightskip\RaggedRightRightskip
15086   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15087   \parfillskip\RaggedRightParfillskip
15088   \parindent\RaggedRightParindent
15089   \raggedtwoe@spaceskiptrue
15090   \raggedtwoe@everyselectfont
15091 }
15092 \renewcommand{\justifying}{%
15093   \let\\@\raggedtwoe@savedcr
15094   \let\gnewline@\raggedtwoe@saved@gnewline
15095   \if@RTL\rightskip\else\leftskip\fi\z@
15096   \rightskip\z@
15097   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15098   \parfillskip\JustifyingParfillskip
15099   \parindent\JustifyingParindent
15100   \raggedtwoe@spaceskipfalse
15101   \raggedtwoe@everyselectfont
15102 }
15103 \renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{%
15104   \CheckCommand*{\@arrayparboxrestore}{%
15105     \let\ifnobreak\iffalse
15106     \let\ifnoskipsec\iffalse
15107     \let\par\@@par
15108     \let\-\@dischyp
15109     \let'\@acci\let`\@acci\let=\@accii
15110     \parindent\z@\parskip\z@skip
15111     \everypar{%
15112       \linewidth\hsize
15113       \totalleftmargin\z@
15114       \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \rightskip
15115       \parfillskip\@flushglue \lineskip\normalineskip
15116       \baselineskip\normalbaselineskip
15117       \sloppy}%
15118   \renewcommand{\@arrayparboxrestore}{%
15119     \let\ifnobreak\iffalse
15120     \let\ifnoskipsec\iffalse
15121     \let\par\@@par

```



```

15122   \let\-\@dischyp
15123   \let'\@acci\let`\@accii\let\=\@acciii
15124   \parskip\z@skip
15125   \everypar{}%
15126   \linewidth\hsize
15127   \@totalleftmargin\z@
15128   \RaggedRight
15129   \lineskip\normallineskip
15130   \baselineskip\normalbaselineskip
15131   \sloppy}%
15132 \let\@raggedtwoe@raggedrightboxes@opt\relax
15133 }
15134 \let\origin@RaggedLeft=\RaggedLeft
15135 \let\origin@RaggedRight=\RaggedRight
15136 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
15137 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

7.96 rapport1-xetex-bidi.def

```

15138 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class for
15139 \renewenvironment{theindex}{%
15140   \if@twocolumn
15141     \@restonecolfalse
15142   \else
15143     \@restonecoltrue
15144   \fi
15145   \columnseprule \z@
15146   \columnsep 35\p@
15147   \twocolumn[\@makeschapterhead{\indexname}]%
15148   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
15149   \thispagestyle{plain}\parindent\z@
15150   \parskip\z@ \oplus .3\p@\relax
15151   \let\item\@idxitem
15152 }{%
15153   \if@restonecol\onecolumn\else\clearpage\fi}
15154 \renewcommand*\head@style{%
15155   \interlinepenalty \OM
15156   \hyphenpenalty=\OM \exhyphenpenalty=\OM
15157   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
15158 \if@titlepage
15159   \renewenvironment{abstract}{%
15160     \titlepage
15161     \null\vfil
15162     \section*{\SectFont\abstractname}%
15163     \noindent\ignorespaces
15164     {\par\vfil\null\endtitlepage}
15165   }%
15166   \renewenvironment{abstract}{%
15167     \if@twocolumn
15168       \section*{\abstractname}%

```



```

15169      \else
15170          \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
15171          \section*\{ \small \SectFont \abstractname \}%
15172          \noindent\ignorespaces
15173      \fi}
15174      {\if@twocolumn\else\par\egroup\fi}
15175  \fi
15176 \renewcommand*{\regtocline}[3]{%
15177     \ifnum #1>\c@tocdepth
15178     \else
15179         \vskip\z@\@plus.2\p@
15180         \hangindent\z@\@afterindenttrue \interlinepenalty\@M
15181         \if@RTL\rightskip\else\leftskip\fi\unitindent
15182         \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
15183         \parfillskip\z@
15184         \tempdima\unitindent
15185         \parindent\z@
15186         \leavevmode
15187         \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
15188         \hskip 1em \nobreak\slshape #3\par
15189     }%
15190   \fi}
15191 \if@oldtoc
15192 \renewcommand*{\l@part}[2]{%
15193     \ifnum \c@tocdepth >-2\relax
15194         \addpenalty{-\highpenalty}%
15195         \addvspace{2.25em \@plus\p@}%
15196         \begingroup
15197             \setlength{\tempdima}{3em}%
15198             \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\unitwidth
15199             \parfillskip -\unitwidth
15200             \leavevmode
15201                 \large \bfseries #1\hfil \hb@xt@{\unitwidth}{\hss #2}\par
15202                 \nobreak
15203                 \global\@nobreaktrue
15204                 \everypar{\global\@nobreakfalse\everypar{} }%
15205             \endgroup
15206     \fi}
15207 \else
15208     \renewcommand*{\l@part}{%
15209         \ifnum \c@tocdepth >-2\relax
15210             \addpenalty{-\highpenalty}%
15211             \addvspace{2.25em \@plus\p@}%
15212             \regtocline{0}%
15213     \fi}
15214 \fi
15215 \if@oldtoc
15216 \renewcommand*{\l@chapter}[2]{%
15217     \addpenalty{-\highpenalty}%
15218     \vskip 1.0em \@plus\p@

```



```

15219      \settowidth{\tempdima{1.5em}}%
15220      \begingroup
15221      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15222      \parfillskip -\c@pnumwidth
15223      \leavevmode \bfseries
15224      \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
15225      \hskip -\if@RTL\rightskip\else\leftskip\fi
15226      #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
15227      \penalty\@highpenalty
15228      \endgroup}
15229 \else
15230   \renewcommand*\l@chapter{\@regtocline{0}}
15231 \fi
15232 \renewcommand*\left@footnoterule{%
15233   \kern-3\p@
15234   \kern.5\baselineskip
15235   \hrule\@width\unitindent
15236   \kern.4\baselineskip
15237 }
15238 \renewcommand*\right@footnoterule{%
15239   \kern-3\p@
15240   \kern.5\baselineskip
15241   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
15242   \kern.4\baselineskip}
15243 \renewenvironment{thebibliography}[1]
15244   {\chapter*{\bibname}%
15245     \c@mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
15246     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15247     \bidi@thebibliography@font@hook%
15248     \list{\@biblabel{\@arabic\c@enumiv}}%
15249       {\settowidth\labelwidth{\@biblabel{\#1}}%
15250         \leftmargin\labelwidth
15251         \advance\leftmargin\labelsep
15252         \openbib@code
15253         \usecounter{enumiv}%
15254         \let\p@enumiv\empty
15255         \renewcommand*\theenumiv{\@arabic\c@enumiv}%
15256         \sloppy\clubpenalty4000\widowpenalty4000%
15257         \sfcode`\.\@m}
15258       \def\@noitemerr
15259         {\@latex@warning{Empty `thebibliography' environment}}%
15260       \endlist}
15261 \renewcommand*\thesection{\thechapter\c@arabic\c@section}
15262 \renewcommand*\thesubsection{\thesection\c@arabic\c@subsection}
15263 \renewcommand*\thesubsubsection{\thesubsection\c@arabic\c@subsubsection}
15264 \renewcommand*\theparagraph{\thesubsubsection\c@arabic\c@paragraph}
15265 \renewcommand*\thesubparagraph{\theparagraph\c@arabic\c@subparagraph}
15266 \renewcommand*\theequation{%
15267   \ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi\c@arabic\c@equation}
15268 \renewcommand*\thefigure{%

```



```

15269  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
15270 \renewcommand*\thetable{%
15271  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
15272 \if@titlepage
15273 \renewcommand*\TitleFont{\rmfamily}
15274 \renewcommand*\maketitle{%
15275  \begin{titlepage}%
15276   \let\footnotesize\small
15277   \let\right@footnoterule\relax
15278   \let\left@footnoterule\relax
15279   \let\textwidth@footnoterule\relax
15280   \let\footnote\thanks
15281   \long\def\@makefntext##1{\par\indent\z@
15282     \def\labelitemi{\textendash}\@revlabeltrue
15283     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
15284 \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
15285 \if@compatibility\setcounter{page}{0}\fi
15286 \null\vfil
15287 \vskip 60\p@
15288 \begin{center}%
15289   \TitleFont
15290   {\LARGE \def\\{\penalty -\@M}
15291     \if@allcaps
15292       \expandafter\uc@nothanks\@title\thanks\relax
15293     \else
15294       \@title
15295     \fi\par}%
15296 \vskip 3em%
15297 {\large
15298   \lineskip .75em \par\indent\z@
15299   \begin{tabular}[t]{c}%
15300     \if@allcaps
15301       \expandafter\uc@authornothanks\@author\and\relax
15302     \else
15303       \@author
15304     \fi
15305   \end{tabular}\par}%
15306 \vskip 1.5em%
15307 {\large
15308   \if@allcaps
15309     \uppercase\expandafter{\@date}%
15310   \else
15311     \@date
15312   \fi\par}%
15313 \end{center}\par
15314   \thanks
15315   \vfil\null
15316 \end{titlepage}%
15317 \setcounter{footnote}{0}%
15318 \global\let\thanks\relax

```



```

15319 \global\let\maketitle\relax
15320 \global\let\@thanks\@empty
15321 \global\let\@author\@empty
15322 \global\let\@title\@empty
15323 \global\let\@date\@empty
15324 \global\let\title\relax
15325 \global\let\author\relax
15326 \global\let\date\relax
15327 \global\let\and\relax
15328 }
15329 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
15330 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
15331     \futurelet\@tempa\uc@ax}
15332 \def\uc@ax{%
15333     \ifx\@tempa\relax
15334     \else
15335         \\\andname \\ \expandafter\uc@authornothanks
15336     \fi}
15337 \def\uc@tx{\ifx\@tempa\relax
15338     \else \expandafter\uc@ty \fi}
15339 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
15340 \else
15341 \renewcommand*\maketitle{\par
15342     \begin{group}
15343         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15344         \def\@makefnmark{\rlap{%
15345             \textsuperscript{\normalfont\@thefnmark}}}%
15346         \long\def\@makefntext{\@xmakefntext{%
15347             \textsuperscript{\normalfont\@thefnmark}}}%
15348         \if@twocolumn
15349             \ifnum \col@number=\@ne
15350                 \maketitle
15351             \else
15352                 \twocolumn[\maketitle]%
15353             \fi
15354         \else
15355             \newpage
15356             \global\@topnum\z@
15357             \maketitle
15358             \fi
15359             \thispagestyle{plain}\@thanks
15360     \end{group}
15361     \setcounter{footnote}{0}%
15362     \global\let\thanks\relax
15363     \global\let\maketitle\relax
15364     \global\let\@maketitle\relax
15365     \global\let\@thanks\@empty
15366     \global\let\@author\@empty
15367     \global\let\@title\@empty
15368     \global\let\@date\@empty

```



```

15369 \global\let\title\relax
15370 \global\let\author\relax
15371 \global\let\date\relax
15372 \global\let\and\relax
15373 }
15374 \def\@maketitle{%
15375 \newpage
15376 \null
15377 \vskip 2em%
15378 \begin{center}%
15379 \let \footnote \thanks
15380 {\LARGE \TitleFont \@title \par}%
15381 \vskip 1.5em%
15382 {\large \TitleFont
15383 \lineskip .5em%
15384 \begin{tabular}[t]{c}%
15385 \author
15386 \end{tabular}\par}%
15387 \vskip 1em%
15388 {\large \TitleFont \@date}%
15389 \end{center}%
15390 \par
15391 \vskip 1.5em}
15392 \fi

```

7.97 rapport3-xetex-bidi.def

```

15393 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class for
15394 \renewenvironment{theindex}{%
15395   \if@twocolumn
15396     \restonecolfalse
15397   \else
15398     \restonecoltrue
15399   \fi
15400   \columnseprule \z@
15401   \columnsep 35\p@
15402   \twocolumn[\@makeschapterhead{\indexname}]%
15403   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
15404   \thispagestyle{plain}\par\indent\z@
15405   \parskip\z@ \oplus .3\p@\relax
15406   \let\item\@idxitem
15407 }{%
15408   \if@restonecol\onecolumn\else\clearpage\fi}
15409 \if@titlepage
15410   \renewcommand*\TitleFont{\rmfamily}
15411   \renewcommand*\maketitle{%
15412     \begin{titlepage}%
15413       \let\footnotesize\small
15414       \let\right@footnoterule\relax
15415       \let\left@footnoterule\relax

```



```

15416   \let\textwidth@footnoterule\relax
15417   \let \footnote \thanks
15418   \let \LTRfootnote \LTRthanks
15419   \let \RTLfootnote \RTLthanks
15420   \long\def\@makefntext##1{\par\indent\z@
15421       \def\labelitemi{\textendash}\@revlabeltrue
15422       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
15423   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15424   \if@compatibility\setcounter{page}{0}\fi
15425   \null\vfil
15426   \vskip 60\p@
15427   \begin{center}%
15428       \TitleFont
15429       {\LARGE \def\\{\penalty -\@M}
15430           \if@allcaps
15431               \expandafter\uc@nothanks\@title\thanks\relax
15432           \else
15433               \@title
15434           \fi\par}%
15435   \vskip 3em%
15436   {\large
15437       \lineskip .75em \par\indent\z@
15438   \begin{tabular}[t]{c}%
15439       \if@allcaps
15440           \expandafter\uc@authornothanks\@author\and\relax
15441       \else
15442           \@author
15443       \fi
15444   \end{tabular}\par}%
15445   \vskip 1.5em%
15446   {\large
15447       \if@allcaps
15448           \uppercase\expandafter{\@date}%
15449       \else
15450           \@date
15451       \fi\par}%
15452   \end{center}\par
15453   \@thanks
15454   \vfil\null
15455   \end{titlepage}%
15456   \setcounter{footnote}{0}%
15457   \global\let\thanks\relax
15458   \global\let\LTRthanks\relax
15459   \global\let\RTLthanks\relax
15460   \global\let\maketitle\relax
15461   \global\let\@thanks\@empty
15462   \global\let\@author\@empty
15463   \global\let\@title\@empty
15464   \global\let\@date\@empty
15465   \global\let\title\relax

```



```

15466 \global\let\author\relax
15467 \global\let\date\relax
15468 \global\let\and\relax
15469 }
15470 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
15471 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
15472 \futurelet\@tempa\uc@ax}
15473 \def\uc@ax{%
15474 \ifx\@tempa\relax
15475 \else
15476 \\ \andname \\ \expandafter\uc@authornothanks
15477 \fi}
15478 \def\uc@tx{\ifx\@tempa\relax
15479 \else \expandafter\uc@ty \fi}
15480 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
15481 \else
15482 \renewcommand*\maketitle{\par
15483 \begingroup
15484 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15485 \def\@makefnmark{\rlap{%
15486 \textsuperscript{\normalfont\@thefnmark}}}%
15487 \long\def\@makefntext{\xmakefntext{%
15488 \textsuperscript{\normalfont\@thefnmark}}}%
15489 \if@twocolumn
15490 \ifnum \col@number=\@ne
15491 \maketitle
15492 \else
15493 \twocolumn[\maketitle]%
15494 \fi
15495 \else
15496 \newpage
15497 \global\@topnum\z@
15498 \maketitle
15499 \fi
15500 \thispagestyle{plain}\@thanks
15501 \endgroup
15502 \setcounter{footnote}{0}%
15503 \global\let\thanks\relax
15504 \global\let\LTRthanks\relax
15505 \global\let\RTLthanks\relax
15506 \global\let\maketitle\relax
15507 \global\let\@maketitle\relax
15508 \global\let\@thanks\@empty
15509 \global\let\@author\@empty
15510 \global\let\@title\@empty
15511 \global\let\@date\@empty
15512 \global\let\title\relax
15513 \global\let\author\relax
15514 \global\let\date\relax
15515 \global\let\and\relax

```



```

15516    }
15517 \def\@maketitle{%
15518   \newpage
15519   \null
15520   \vskip 2em%
15521 \if@titlecentered
15522   \begin{center}%
15523     \let \footnote \thanks
15524     \let \LTrfootnote \LTrthanks
15525     \let \RTLfootnote \RTLthanks
15526     {\LARGE \TitleFont \@title \par}%
15527     \vskip 1.5em%
15528     {\large \TitleFont
15529       \lineskip .5em%
15530       \begin{tabular}[t]{c}%
15531         \author
15532       \end{tabular}\par}%
15533     \vskip 1em%
15534     {\large \TitleFont \@date}%
15535   \end{center}%
15536 \else
15537   {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
15538   {\large \TitleFont \lineskip .5em \tabcolsep\z@
15539     \def\and{\% \begin{tabular} has already started
15540       \end{tabular}\hskip 1em plus .17fil
15541       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}%
15542       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\author\end{tabular}\p@
15543     \vskip 1em {\large \TitleFont \@date}
15544   \fi
15545   \par
15546   \vskip 1.5em}
15547 \fi
15548 \renewcommand*\@regtocline[3]{%
15549   \ifnum #1>\c@tocdepth
15550   \else
15551     \vskip\z@\oplus.2\p@
15552     \hangindent\z@ \cafterindenttrue \interlinepenalty\OM
15553     \if@RTL\rightskip\else\leftskip\fi\unitindent
15554     \if@RTL\leftskip\else\rightskip\fi\unitindent\oplus 1fil
15555     \parfillskip\z@
15556     \tempdima\unitindent
15557     \parindent\z@
15558     \leavevmode
15559     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
15560     \hskip 1em \nobreak{\slshape #3}\par
15561   }%
15562   \fi}
15563 \if@oldtoc
15564 \renewcommand*\l@part[2]{%
15565   \ifnum \c@tocdepth >-2\relax

```



```

15566      \addpenalty{-\@highpenalty}%
15567      \addvspace{2.25em \@plus\p@}%
15568      \begingroup
15569          \setlength{\tempdima}{3em}%
15570          \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15571          \parfillskip -\pnumwidth
15572          {\leavevmode
15573              \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
15574              \nobreak
15575              \global\@nobreaktrue
15576              \everypar{\global\@nobreakfalse\everypar{}}
15577          \endgroup
15578      \fi}
15579 \else
15580     \renewcommand*\l@part{%
15581         \ifnum \c@tocdepth >-2\relax
15582             \addpenalty{-\@highpenalty}%
15583             \addvspace{2.25em \@plus \p@}%
15584             \regtocline{0}%
15585         \fi}
15586 \fi
15587 \if@oldtoc
15588 \renewcommand*\l@chapter[2]{%
15589     \addpenalty{-\@highpenalty}%
15590     \vskip 1.0em \@plus\p@
15591     \setlength{\tempdima}{1.5em}%
15592     \begingroup
15593         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15594         \parfillskip -\pnumwidth
15595         \leavevmode \bfseries
15596         \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
15597         \hskip -\if@RTL\rightskip\else\leftskip\fi
15598         #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
15599         \penalty\@highpenalty
15600     \endgroup
15601 \else
15602     \renewcommand*\l@chapter{\regtocline{0}}
15603 \fi
15604 \renewcommand*\head@style{%
15605     \interlinepenalty \OM
15606     \hyphenpenalty=\OM \exhyphenpenalty=\OM
15607     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
15608 \if@titlepage
15609     \renewenvironment{abstract}{%
15610         \titlepage
15611         \null\vfil
15612         \section*{\SectFont\abstractname}%
15613         \noindent\ignorespaces
15614         \f\par\vfil\null\endtitlepage}
15615 \else

```



```

15616 \renewenvironment{abstract}{%
15617   \if@twocolumn
15618     \section*{\abstractname}%
15619   \else
15620     \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
15621     \section*{\small\SectFont\abstractname}%
15622     \noindent\ignorespaces
15623   \fi}
15624   {\if@twocolumn\else\par\egroup\fi}
15625 \fi
15626 \renewcommand*\thesection{\thechapter \@SepMark @arabic \c@section}
15627 \renewcommand*\thesubsection{\thesection \@SepMark @arabic \c@subsection}
15628 \renewcommand*\thesubsubsection{\thesubsection \@SepMark @arabic \c@subsubsection}
15629 \renewcommand*\theparagraph{\thesubsubsection \@SepMark @arabic \c@paragraph}
15630 \renewcommand*\thesubparagraph{\theparagraph \@SepMark @arabic \c@subparagraph}
15631 \renewcommand*\thefigure{%
15632   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi @arabic \c@figure}
15633 \renewcommand*\thetable{%
15634   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi @arabic \c@table}
15635 \renewcommand*\theequation{%
15636   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi @arabic \c@equation}
15637 \renewenvironment{thebibliography}[1]
15638   {\chapter*{\bibname}%
15639     \if@RTL \if@LTRbibitems @RTLfalse \else \fi \else \if@RTLbibitems @RTLtrue \else \fi \fi
15640     \bidi@thebibliography @font@hook%
15641     \list{\@biblabel{\@arabic \c@enumiv}}%
15642       {\settowidth\labelwidth{\@biblabel{\#1}}%
15643         \leftmargin\labelwidth
15644         \advance\leftmargin\labelsep
15645         \openbib@code
15646         \usecounter{enumiv}%
15647         \let\p@enumiv\empty
15648         \renewcommand*\theenumiv{\@arabic \c@enumiv}%
15649         \sloppy\clubpenalty4000\widowpenalty4000%
15650         \sfcode`\.\@m}
15651       \def\@noitemerr
15652         {\@latex@warning{Empty `thebibliography' environment}}%
15653       \endlist}
15654 \renewcommand*\left@footnoterule{%
15655   \kern-3\p@
15656   \kern.5\baselineskip
15657   \hrule\@width\unitindent
15658   \kern.4\baselineskip
15659 }
15660 }
15661 \renewcommand*\right@footnoterule{%
15662   \kern-3\p@
15663   \kern.5\baselineskip
15664   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax} \hrulefill }
15665   \kern.4\baselineskip}

```



```

15666 \renewcommand*\head@style{%
15667     \interlinepenalty \OM
15668     \hyphenpenalty=\OM \exhyphenpenalty=\OM
15669     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hspace\relax}

```

7.98 refrep-xetex-bidi.def

```

15670 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for Xe
15671 \if@titlepage
15672     \renewcommand\maketitle{\begin{titlepage}%
15673         \let\footnotesize\small
15674         \let\right@footnoterule\relax
15675         \let\left@footnoterule\relax
15676         \let\textwidth@footnoterule\relax
15677         \let\footnote\thanks
15678         \let\LTRfootnote\LTRthanks
15679         \let\RTLfootnote\RTLthanks
15680     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
15681     \def\@makefnmark%
15682         {\rlap{\@textsuperscript{\normalfont\@thefnmark}}\%}
15683     \long\def\@makefntext##1{%
15684         \setpar{\@@par
15685             \tempdima = \hspace
15686             \advance\tempdima -1em
15687             \parshape \one 1em \tempdima\%
15688             \par\parindent 1em \noindent
15689             \hb@xt@z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,,}##1}
15690         \null\vfil
15691         \vskip 60\p@
15692         \begin{center}%
15693             {\LARGE \@title \par}%
15694             \vskip 3em%
15695             \large
15696             \lineskip .75em%
15697             \begin{tabular}[t]{c}%
15698                 \author
15699             \end{tabular}\par}%
15700             \vskip 1.5em%
15701             {\large \@date \par}      % Set date in \large size.
15702         \end{center}\par
15703         \thanks
15704         \vfildnull
15705         \end{titlepage}%
15706         \setcounter{footnote}{0}%
15707         \global\let\thanks\relax
15708         \global\let\LTRthanks\relax
15709         \global\let\RTLthanks\relax
15710         \global\let\maketitle\relax
15711         \global\let\@thanks\empty
15712         \global\let\@author\empty

```



```

15713 \global\let\@date\empty
15714 \global\let\@title\empty
15715 \global\let\title\relax
15716 \global\let\author\relax
15717 \global\let\date\relax
15718 \global\let\and\relax
15719 }
15720 \else
15721 \renewcommand\maketitle{\par
15722 \begin{group}
15723 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
15724 \def\@makefnmark{%
15725 {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}}%
15726 \long\def\@makefntext##1{%
15727 \setpar{\@par
15728 \tempdima = \hsize
15729 \advance\tempdima -1em
15730 \parshape \one 1em \tempdima}%
15731 \par\parindent 1em \noindent
15732 \hb@xt@{\z@}{\hss\@textsuperscript{\normalfont\@thefnmark}\,,}##1}
15733 \if@twocolumn
15734 \ifnum\col@number=\one
15735 \maketitle
15736 \else
15737 \twocolumn[\maketitle]%
15738 \fi
15739 \else
15740 \newpage
15741 \global\@topnum\z@ % Prevents figures from going at top of page.
15742 \maketitle
15743 \fi
15744 \thispagestyle{empty}\thanks
15745 \end{group}
15746 \setcounter{footnote}{0}%
15747 \global\let\thanks\relax
15748 \global\let\LTRthanks\relax
15749 \global\let\RTLthanks\relax
15750 \global\let\maketitle\relax
15751 \global\let\@maketitle\relax
15752 \global\let\@thanks\empty
15753 \global\let\@author\empty
15754 \global\let\@date\empty
15755 \global\let\@title\empty
15756 \global\let\title\relax
15757 \global\let\author\relax
15758 \global\let\date\relax
15759 \global\let\and\relax
15760 }
15761 \def\@maketitle{%
15762 \newpage

```



```

15763     \null
15764     \longthickrule\vskip1.5em%
15765     \let \footnote \thanks
15766     \let \LTrfootnote \LTrthanks
15767     \let \RTLfootnote \RTLthanks
15768     {\secshape \parskip\z@ \parindent\z@%
15769     \Large\bfseries \@title \par}%
15770     \vskip1.5em\longthickrule\vskip1.5em%
15771     {\normalsize
15772         \lineskip .5em%
15773         \begin{flushright}%
15774             {\slshape\@author\par}
15775             \vskip 1em%
15776             {\@date}%
15777             \end{flushright}\par}%
15778     \vskip 1.5em}
15779 \fi
15780 \renewcommand*\l@part[2]{%
15781   \ifnum \c@tocdepth >-2\relax
15782     \addpenalty{-\@highpenalty}%
15783     \addvspace{2.25em \@plus\p@}%
15784     \begin{group}
15785       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15786       \parfillskip -\c@pnumwidth
15787       \leavevmode
15788       \large \bfseries #1\hfil \hbox to\c@pnumwidth{\hss #2}\par
15789       \nobreak
15790       \global\c@nobreaktrue
15791       \everypar{\global\c@nobreakfalse\everypar{}}
15792     \endgroup
15793   \fi}
15794 \renewcommand*\l@chapter[2]{%
15795   \ifnum \c@tocdepth >\m@ne
15796     \addpenalty{-\@highpenalty}%
15797     \vskip 1.0em \@plus\p@
15798     \setlength{\tempdima}{1.5em}%
15799     \begin{group}
15800       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15801       \parfillskip -\c@pnumwidth
15802       \leavevmode \bfseries
15803       \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
15804       \hskip -\if@RTL\rightskip\else\leftskip\fi\c@tempdima
15805       #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
15806       \penalty\@highpenalty
15807     \endgroup
15808   \fi}
15809 \renewcommand{\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth}%
15810           \if@RTL\leftskip\else\rightskip\fi=\@flushglue}%
15811           \hyphenpenalty=2000}
15812 \renewcommand{\left@footnoterule{%

```



```

15813 \kern-3\p@
15814 \hrule\@width.4\columnwidth
15815 \kern 2.6\p@}
15816 \renewcommand\right@footnoterule{%
15817 \kern-3\p@
15818 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
15819 \kern2.6\p@}
15820 \renewcommand\theequation
15821 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
15822 \renewcommand\thefigure
15823 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
15824 \renewcommand\thetable{%
15825 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}}
15826 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
15827 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
15828 \renewcommand\thesubsubsection {\thesubsection\@SepMark\@arabic\c@subsubsection}
15829 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
15830 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
15831 \renewenvironment{thebibliography}[1]
15832 {\chapter*\{\bibname
15833 \mkboth{\bibname}{\bibname}}%
15834 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15835 \bidi@thebibliography@font@hook%
15836 \list{\@biblabel{\@arabic\c@enumiv}}%
15837 {\settowidth\labelwidth{\@biblabel{#1}}%
15838 \leftmargin\labelwidth
15839 \advance\leftmargin\labelsep
15840 \openbib@code
15841 \usecounter{enumiv}%
15842 \let\p@enumiv\empty
15843 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
15844 \sloppy
15845 \clubpenalty4000
15846 \clubpenalty \clubpenalty
15847 \widowpenalty4000%
15848 \sfcode`\.=\@m}
15849 \def\@noitemerr
15850 {\@latex@warning{Empty `thebibliography' environment}}%
15851 \endlist}

```

7.99 report-xetex-bidi.def

```

15852 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report class]
15853 \renewenvironment{theindex}
15854 {\if@twocolumn
15855 \restonecolfalse
15856 \else
15857 \restonecoltrue
15858 \fi
15859 \columnseprule \z@}

```



```

15860          \columnsep 35\p@
15861          \twocolumn[\@makeschapterhead{\indexname}]%
15862          \@mkboth{\MakeUppercase\indexname}%
15863          {\MakeUppercase\indexname}%
15864          \thispagestyle{plain}\parindent\z@
15865          \parskip\z@ \relax .3\p@\relax
15866          \let\item\@idxitem
15867          {\if@restonecol\onecolumn\else\clearpage\fi}
15868          \if@titlepage
15869          \renewcommand\maketitle{\begin{titlepage}%
15870          \let\footnotesize\small
15871          \let\right@footnoterule\relax
15872          \let\left@footnoterule\relax
15873          \let\textwidth@footnoterule\relax
15874          \let\footnote\thanks
15875          \let\LTRfootnote\LTRthanks
15876          \let\RTLfootnote\RTLthanks
15877          \null\vfil
15878          \vskip 60\p@
15879          \begin{center}%
15880          {\LARGE \@title \par}%
15881          \vskip 3em%
15882          \large
15883          \lineskip .75em%
15884          \begin{tabular}[t]{c}%
15885          \author
15886          \end{tabular}\par}%
15887          \vskip 1.5em%
15888          {\large \@date \par} % Set date in \large size.
15889          \end{center}\par
15890          \thanks
15891          \vfil\null
15892          \end{titlepage}%
15893          \setcounter{footnote}{0}%
15894          \global\let\thanks\relax
15895          \global\let\LTRthanks\relax
15896          \global\let\RTLthanks\relax
15897          \global\let\maketitle\relax
15898          \global\let\@thanks\empty
15899          \global\let\author\empty
15900          \global\let\@date\empty
15901          \global\let\@title\empty
15902          \global\let\title\relax
15903          \global\let\author\relax
15904          \global\let\date\relax
15905          \global\let\and\relax
15906      }
15907      \else
15908      \renewcommand\maketitle{\par
15909      \begingroup

```



```

15910 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
15911 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
15912 \long\def\@makefntext{\parindent 1em\noindent
15913 \hb@xt@1.8em{%
15914 \hss\@textsuperscript{\normalfont\@thefnmark}\#1}%
15915 \if@twocolumn
15916 \ifnum \col@number=\@ne
15917 \maketitle
15918 \else
15919 \twocolumn[\maketitle]%
15920 \fi
15921 \else
15922 \newpage
15923 \global\@topnum\z@ % Prevents figures from going at top of page.
15924 \maketitle
15925 \fi
15926 \thispagestyle{plain}\@thanks
15927 \endgroup
15928 \setcounter{footnote}{0}%
15929 \global\let\thanks\relax
15930 \global\let\LTRthanks\relax
15931 \global\let\RTLthanks\relax
15932 \global\let\maketitle\relax
15933 \global\let\@maketitle\relax
15934 \global\let\@thanks\@empty
15935 \global\let\@author\@empty
15936 \global\let\@date\@empty
15937 \global\let\@title\@empty
15938 \global\let\title\relax
15939 \global\let\author\relax
15940 \global\let\date\relax
15941 \global\let\and\relax
15942 }
15943 \def\@maketitle{%
15944 \newpage
15945 \null
15946 \vskip 2em%
15947 \begin{center}%
15948 \let \footnote \thanks
15949 \let \LTrfootnote \LTRthanks
15950 \let \RTLfootnote \RTLthanks
15951 {\LARGE \@title \par}%
15952 \vskip 1.5em%
15953 {\large
15954 \lineskip .5em%
15955 \begin{tabular}[t]{c}%
15956 \author
15957 \end{tabular}\par}%
15958 \vskip 1em%
15959 {\large \@date}%

```



```

15960 \end{center}%
15961 \par
15962 \vskip 1.5em}
15963 \fi
15964 \renewcommand*\l@part[2]{%
15965 \ifnum \c@tocdepth >-2\relax
15966 \addpenalty{-\@highpenalty}%
15967 \addvspace{2.25em \@plus\p@}%
15968 \setlength{\tempdima{3em}}%
15969 \begin{group}
15970 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15971 \parfillskip -\c@pnumwidth
15972 {\leavevmode
15973 \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
15974 \nobreak
15975 \global\nobreaktrue
15976 \everypar{\global\nobreakfalse\everypar{} }%
15977 \endgroup
15978 \fi}
15979 \renewcommand*\l@chapter[2]{%
15980 \ifnum \c@tocdepth >\m@ne
15981 \addpenalty{-\@highpenalty}%
15982 \vskip 1.0em \@plus\p@
15983 \setlength{\tempdima{1.5em}}%
15984 \begin{group}
15985 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15986 \parfillskip -\c@pnumwidth
15987 \leavevmode \bfseries
15988 \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
15989 \hspace{-\if@RTL\rightskip\else\leftskip\fi\c@tempdima}
15990 #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
15991 \penalty\@highpenalty
15992 \endgroup
15993 \fi}
15994 \renewcommand{\left@footnoterule}{%
15995 \kern-3\p@
15996 \hrule\c@width.4\columnwidth
15997 \kern2.6\p@}
15998 \renewcommand{\right@footnoterule}{%
15999 \kern-3\p@
16000 \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }
16001 \kern2.6\p@}
16002 \renewcommand{\theequation}{%
16003 {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@equation}}
16004 \renewcommand{\thefigure}{%
16005 {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@figure}}
16006 \renewcommand{\thetable}{%
16007 {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@table}}
16008 \renewcommand{\thechapter}{\c@arabic\c@chapter}
16009 \renewcommand{\thesection}{\thechapter\c@SepMark\c@arabic\c@section}

```



```

16010 \renewcommand\thesubsection {\thesection \@SepMark @arabic \c@subsection}
16011 \renewcommand\thesubsubsection{\thesubsection \@SepMark @arabic \c@subsubsection}
16012 \renewcommand\theparagraph {\thesubsubsection \@SepMark @arabic \c@paragraph}
16013 \renewcommand\thesubparagraph {\theparagraph \@SepMark @arabic \c@subparagraph}
16014 \def\@makechapterhead#1{%
16015   \vspace*{50\p@}%
16016   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi \normalfont
16017     \ifnum \c@secnumdepth >\m@ne
16018       \huge\bfseries \chapapp\space \thechapter
16019       \par\nobreak
16020       \vskip 20\p@
16021     \fi
16022     \interlinepenalty\@M
16023     \Huge \bfseries #1\par\nobreak
16024     \vskip 40\p@
16025   }%
16026 \def\@makeschapterhead#1{%
16027   \vspace*{50\p@}%
16028   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
16029     \normalfont
16030     \interlinepenalty\@M
16031     \Huge \bfseries #1\par\nobreak
16032     \vskip 40\p@
16033   }%
16034 \renewenvironment{thebibliography}[1]
16035   {\chapter*{\bibname}%
16036     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
16037     \if@RTL\if@LTrbitems@\RTLfalse\else\fi\else\if@RTLbitems@\RTLtrue\else\fi\fi
16038     \bidi@thebibliography@font@hook%
16039     \list{\@biblabel{\@arabic\c@enumiv}}%
16040       {\settowidth\labelwidth{\@biblabel{\#1}}%
16041         \leftmargin\labelwidth
16042         \advance\leftmargin\labelsep
16043         \openbib@code
16044         \usecounter{enumiv}%
16045         \let\p@enumiv\empty
16046         \renewcommand\theenumiv{\@arabic\c@enumiv}%
16047         \sloppy
16048         \clubpenalty4000
16049         \clubpenalty \clubpenalty
16050         \widowpenalty4000%
16051         \sfcode`.\. \cm}
16052       {\def\@noitemerr
16053         {\@latex@warning{Empty `thebibliography' environment}}%
16054       \endlist}

```

7.100 rotating-xetex-bidi.def

```

16055 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
16056 \def\end@rotffloat{%

```



```

16057 \end{minipage}\end{lrbox}%
16058 \stepcounter{r@tfl@t}%
16059 \rot@label{RF\ther@tfl@t}%
16060 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16061 \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}%
16062 \rot@mess@toks\expandafter{\@tempa}%
16063 \wd\rot@float@box\z@%
16064 \ht\rot@float@box\z@%
16065 \dp\rot@float@box\z@%
16066 \vboxL to \textheight{%
16067 \setkeys{Grot}{units=360}%
16068 \if@rot@twoside%
16069 \else%
16070 \let\R@@page\rot@LR%
16071 \fi%
16072 \ifthenelse{\isodd{\R@@page}}{%
16073 \if@rot@twoside%
16074 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16075 \fi%
16076 \vfill%
16077 \@@line{%
16078 \hskip\rotFPtop%
16079 \rotatebox{90}{\box\rot@float@box}%
16080 \hskip\rotFPbot%
16081 }%
16082 }{%
16083 \if@rot@twoside%
16084 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16085 \fi%
16086 \@@line{%
16087 \hskip\rotFPbot%
16088 \rotatebox{-90}{\box\rot@float@box}%
16089 \hskip\rotFPtop%
16090 }%
16091 \vfill%
16092 }%
16093 \rot@message{\the\rot@mess@toks}%
16094 }%
16095 \end@float%
16096 }%
16097 \let\endsidewaysfigure\end@rotfloat%
16098 \let\endsidewaystable\end@rotfloat%
16099 \def\end@rotdblfloat{%
16100 \end{minipage}\end{lrbox}%
16101 \stepcounter{r@tfl@t}%
16102 \rot@label{RF\ther@tfl@t}%
16103 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16104 \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}%
16105 \rot@mess@toks\expandafter{\@tempa}%
16106 \tempdima\ht\rot@float@box%

```



```

16107 \advance\@tempdima by \dp\rot@float@box
16108 \wd\rot@float@box\z@
16109 \ht\rot@float@box\z@
16110 \dp\rot@float@box\z@
16111 \vboxL to \textheight{%
16112   \setkeys{Grot}{units=360}%
16113   \if@rot@twoside
16114   \else
16115     \let\R@@page\rot@LR
16116   \fi
16117   \ifthenelse{\isodd{\R@@page}}{%
16118     \ifrot@messages
16119       \if@rot@twoside
16120         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16121     \fi
16122     \fi
16123     \vfill
16124     \@@line{%
16125       \hskip\rotFPtop
16126       \rotatebox{90}{\box\rot@float@box}%
16127       \hskip\rotFPbot
16128     }%
16129   }{%
16130     \ifrot@messages
16131       \if@rot@twoside
16132         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16133     \fi
16134     \fi%
16135     \@@line{%
16136       \hskip\rotFPbot
16137       \rotatebox{-90}{\box\rot@float@box}%
16138       \hskip\rotFPtop
16139     }%
16140     \vfill
16141   }%
16142   \rot@message{\the\rot@mess@toks}%
16143 }%
16144 \enddblfloat
16145 }
16146 \def\turn#1{%
16147   \Grot@setangle{#1}%
16148   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16149 \def\endturn{%
16150   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16151   \unskip\color@endbox
16152   \Grot@x\z@
16153   \Grot@y\z@
16154   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16155 }
16156 \def\rotate#1{%

```



```

16157 \Grot@setangle{#1}%
16158 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16159 \def\endrotate{%
16160 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16161 \unskip\color@endbox
16162 \Grot@x\z@
16163 \Grot@y\z@
16164 \wd0\z@\dp0\z@\ht0\z@
16165 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16166 }
16167 \def\turnbox#1#2{%
16168 \Grot@setangle{#1}%
16169 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ifmmode\if@RTL\endR\fi\ignorespaces}
16170 \Grot@x\z@\Grot@y\z@
16171 \wd0\z@\dp0\z@\ht0\z@
16172 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16173 }
16174 \def\sideways{%
16175 \Grot@setangle{90}%
16176 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16177 \def\endsideways{%
16178 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16179 \unskip\color@endbox
16180 \Grot@x\z@
16181 \Grot@y\z@
16182 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16183 }

```

7.101 scrartcl-xetex-bidi.def

```

16184 \ProvidesFile{scrartcl-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrartcl class for
16185 \newcommand{\scr@saved@LTRfootnotetext}{}
16186 \newcommand{\scr@saved@RTLfootnotetext}{}
16187 \let\scr@saved@footnotetext\@footnotetext
16188 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
16189 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
16190 \renewcommand{\@footnotetext}[1]{%
16191   \scr@saved@footnotetext{#1}%
16192   \csname FN@mf@prepare\endcsname
16193 }
16194 \renewcommand{\@LTRfootnotetext}[1]{%
16195   \scr@saved@LTRfootnotetext{#1}%
16196   \csname FN@mf@prepare\endcsname
16197 }
16198 \renewcommand{\@RTLfootnotetext}[1]{%
16199   \scr@saved@RTLfootnotetext{#1}%
16200   \csname FN@mf@prepare\endcsname
16201 }
16202 \renewcommand{\deffootnote}[4][]{%
16203   \long\def\@makefntext##1{%

```



```

16204 \settowidth{\@tempdimc}{#3}%
16205 \def\@tempa{#1}\ifx\@tempa\empty
16206   \csetpar{\@par
16207     \tempdima = \hsize
16208     \addtolength{\tempdima}{-#2}%
16209     \if@RTL\parshape \one Opt \tempdima\else\parshape \one #2 \tempdima\fi}%
16210 \else
16211   \addtolength{\tempdima}{#2}%
16212   \addtolength{\tempdima}{-#1}%
16213   \csetpar{\@par
16214     \tempdima = \hsize
16215     \addtolength{\tempdima}{-#1}%
16216     \tempdimb = \hsize
16217     \addtolength{\tempdimb}{-#2}%
16218     \if@RTL\parshape \tw@ Opt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima}%
16219 }%
16220 \fi
16221 \par
16222 \parindent\tempdima\noindent
16223 \ftn@font\hbox to \z@\hss\@makefnmark}##1%
16224 }%
16225 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
16226 }
16227 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
16228 \renewcommand*\left@footnoterule{%
16229   \normalsize\ftn@rule@test@values
16230   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16231   \ifx\@textbottom\relax\else\vskip \z@ \vplus.05fil\fi
16232   {\usekomafont{footnoterule}{%
16233     \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
16234   \kern 2.6\p@}
16235 \renewcommand*\right@footnoterule{%
16236   \normalsize\ftn@rule@test@values
16237   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16238   \ifx\@textbottom\relax\else\vskip \z@ \vplus.05fil\fi
16239   {\usekomafont{footnoterule}{%
16240     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
16241   \kern 2.6\p@}
16242 \renewcommand*\maketitle[1][1]{%
16243   \if@titlepage
16244     \begin{titlepage}
16245       \setcounter{page}{%
16246         #1}%
16247     }%
16248     \let\footnotesize\small
16249     \let\right@footnoterule\relax
16250     \let\left@footnoterule\relax
16251     \let\textwidth@footnoterule\relax
16252     \let\footnote\thanks
16253     \let\LTRfootnote\LTRthanks

```



```

16254 \let\RTLfootnote\RTLthanks
16255 \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
16256 \let\oldmakefnmark\makefnmark
16257 \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
16258 \ifx\extratitle\empty \else
16259   \noindent\extratitle\next@tpage\cleardoubleemptypage
16260   \thispagestyle{empty}%
16261 \fi
16262 \setparsizes{\z@}{\z@}{\z@\oplus 1fil}\par@updaterelative
16263 \ifx\titlehead\empty \else
16264   \begin{minipage}[t]{\textwidth}%
16265     \titlehead
16266   \end{minipage}\par
16267 \fi
16268 \null\vfill
16269 \begin{center}
16270   \ifx\subject\empty \else
16271     {\subject\font\@subject\par}%
16272     \vskip 3em
16273   \fi
16274   {\titlefont\huge \title\par}%
16275   \vskip 1em
16276   {\ifx\subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16277   \vskip 2em
16278   {\Large \lineskip 0.75em
16279     \begin{tabular}[t]{c}
16280       \author
16281     \end{tabular}\par
16282   }%
16283   \vskip 1.5em
16284   {\Large \date\par}%
16285   \vskip \z@\oplus3fill
16286   {\Large \publishers\par}%
16287   \vskip 3em
16288 \end{center}\par
16289 \thanks
16290 \vfill\null
16291 \if@twoside\next@tpage
16292   \begin{minipage}[t]{\textwidth}
16293     \uppertitleback
16294   \end{minipage}\par
16295   \vfill
16296   \begin{minipage}[b]{\textwidth}
16297     \lowertitleback
16298   \end{minipage}
16299 \fi
16300 \ifx\dedication\empty \else
16301   \next@tpage\null\vfill
16302   {\centering \Large \dedication\par}%
16303   \vskip \z@\oplus3fill

```



```

16304      \if@twoside \next@tpage\cleardoubleemptypage \fi
16305      \fi
16306      \end{titlepage}
16307  \else
16308      \par
16309      \@tempcnta=%
16310      #1%
16311      \relax\ifnum@\tempcnta=1\else
16312          \ClassWarning{\KOMAClassName}{%
16313              Optional argument of \string\maketitle\space ignored
16314              at\MessageBreak
16315              notitlepage-mode%
16316          }%
16317      \fi
16318  \begingroup
16319      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16320      \let\oldmakefnmark\makefnmark
16321      \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
16322  \if@twocolumn
16323      \ifnum \col@number=\@ne
16324          \maketitle
16325      \else
16326          \twocolumn[\maketitle]%
16327      \fi
16328  \else
16329      \newpage
16330      \global\@topnum\z@
16331      \maketitle
16332      \fi
16333      \thispagestyle{\titlepagestyle}\@thanks
16334  \endgroup
16335  \fi
16336  \setcounter{footnote}{0}%
16337  \let\thanks\relax
16338  \let\LTRthanks\relax
16339  \let\RTLthanks\relax
16340  \let\maketitle\relax
16341  \let\maketitle\relax
16342  \global\let\@thanks\empty
16343  \global\let\@author\empty
16344  \global\let\@date\empty
16345  \global\let\@title\empty
16346  \global\let\@subtitle\empty
16347  \global\let\@extratitle\empty
16348  \global\let\@titlehead\empty
16349  \global\let\@subject\empty
16350  \global\let\@publishers\empty
16351  \global\let\@uppertitleback\empty
16352  \global\let\@lowertitleback\empty
16353  \global\let\@dedication\empty

```



```

16354 \global\let\author\relax
16355 \global\let\title\relax
16356 \global\let\extratitle\relax
16357 \global\let\titlehead\relax
16358 \global\let\subject\relax
16359 \global\let\publishers\relax
16360 \global\let\uppertitleback\relax
16361 \global\let\lowertitleback\relax
16362 \global\let\dedication\relax
16363 \global\let\date\relax
16364 \global\let\and\relax
16365 }%
16366 \renewcommand*{\@maketitle}{%
16367   \clearpage
16368   \let\footnote\thanks
16369   \let\LTRfootnote\LTRthanks
16370   \let\RTLfootnote\RTLthanks
16371   \ifx\@extratitle\@empty \else
16372     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
16373   \fi
16374   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16375   \ifx\@titlehead\@empty \else
16376     \begin{minipage}[t]{\textwidth}
16377       \begin{titlehead}
16378         \end{minipage}\par
16379     \fi
16380     \null
16381     \vskip 2em%
16382     \begin{center}%
16383       \ifx\@subject\@empty \else
16384         {\@subject\font \@subject \par}
16385       \vskip 1.5em
16386     \fi
16387     {\@titlefont\huge \begin{title}\par}%
16388     \vskip .5em
16389     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16390     \vskip 1em
16391     {\Large
16392       \lineskip .5em%
16393       \begin{tabular}[t]{c}
16394         \begin{author}
16395           \end{tabular}\par
16396     }%
16397     \vskip 1em%
16398     {\Large \begin{date}\par}%
16399     \vskip \z@\@plus 1em
16400     {\Large \begin{publishers}\par}
16401     \ifx\@dedication\@empty \else
16402       \vskip 2em
16403       {\Large \begin{dedication}\par}

```



```

16404     \fi
16405     \end{center}%
16406     \par
16407     \vskip 2em
16408 }%
16409 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
16410 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
16411 \renewcommand*\autodot{\if@altseccnumformat \@SepMark\fi}
16412 \renewcommand*{\thesubsection}{\thesection \@SepMark @arabic \c@section}
16413 \renewcommand*{\thesubsubsection}{%
16414   \thesubsection \@SepMark @arabic \c@subsection
16415 }
16416 \renewcommand*{\theparagraph}{\thesubsubsection \@SepMark @arabic \c@paragraph}
16417 \renewcommand*{\thesubparagraph}{%
16418   \theparagraph \@SepMark @arabic \c@subparagraph
16419 }
16420 \renewenvironment{thebibliography}[1]{%
16421   \if@bib@break@
16422     \bib@beginhook
16423   \else
16424     \bib@heading
16425     \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
16426       \noindent\bibpreamble\par\nobreak
16427     \fi\fi
16428     \bib@beginhook
16429     \bib@before@hook
16430   \fi
16431 \renewcommand{\BreakBibliography}[1]{%
16432   \bib@break
16433   \end{thebibliography}%
16434   \begingroup ##1\endgroup
16435   \begin{thebibliography}{##1}
16436 }%
16437 \if@RTL\if@LTRbibitems@RTLfalse\else\fi\else\if@RTLbibitems@RTLtrue\else\fi\fi
16438 \bidi@thebibliography@font@hook%
16439 \list{%
16440   \biblabel{@arabic \c@enumiv}%
16441 }{%
16442   \setwidth\labelwidth{\biblabel{##1}}%
16443   \leftmargin\labelwidth
16444   \advance\leftmargin\labelsep
16445   \openbib@code
16446   \if@bib@break@
16447     \edef@\tempa{%
16448       \noexpand\usecounter{enumiv}%
16449       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
16450     }@\tempa
16451     \no@bib@break
16452   \else
16453     \usecounter{enumiv}%

```



```

16454     \fi
16455     \let\p@enumiv\@empty
16456     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
16457   }%
16458   \sloppy\clubpenalty4000 \widowpenalty4000
16459   \sfcode`.=\@m
16460 }{%
16461   \if@bib@break@
16462     \def\@noitemerr{%
16463       \@latex@warning{%
16464         \string\BreakBibliography\space at begin of `thebibliography'
16465         environment\MessageBreak
16466         or following \string\BreakBibliography}%
16467     }%
16468   \else
16469     \def\@noitemerr{%
16470       \@latex@warning{%
16471         Empty `thebibliography' environment or
16472         \string\BreakBibliography\MessageBreak
16473         before end of `thebibliography' environment}%
16474     }%
16475   \fi
16476   \endlist
16477   \if@bib@break@
16478   \else
16479     \bib@after@hook
16480     \let\bib@before@hook\@empty
16481     \let\bib@after@hook\@empty
16482   \fi
16483   \bib@endhook
16484 }
16485 \renewcommand*\left@footnoterule{%
16486   \kern-3\p@
16487   \ifx@\textbottom\relax\else\vskip \z@ \oplus.05fil\fi
16488   \hrule\@width.4\columnwidth
16489   \kern 2.6\p@}
16490 \renewcommand*\right@footnoterule{%
16491   \kern-3\p@
16492   \ifx@\textbottom\relax\else\vskip \z@ \oplus.05fil\fi
16493   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16494   \kern2.6\p@}
16495 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
16496 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
16497 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
16498 \renewcommand\marginline[1]{%
16499   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}%
16500 }
16501 \renewcommand{\@makecaption}[3]{%
16502   \cap@margin
16503   \ifonelinecaptions

```



```

16504  \@tempcpta=\value{mpfootnote}\@tempcntb=\value{footnote}%
16505  \let\scr@tmp@footnotetext=\@footnotetext
16506  \let\@footnotetext=\gobble
16507  \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
16508  \let\@LTRfootnotetext=\gobble
16509  \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
16510  \let\@RTLfootnotetext=\gobble
16511  \sbox\@tempboxa{%
16512    {\capfont{\strut\ignorespaces
16513      #1{\caplabelfont{\#2\captionformat}}}}%
16514      #3\unskip\strut}}%
16515  }%
16516  \let\@footnotetext=\scr@tmp@footnotetext
16517  \let\scr@tmp@footnotetext=\undefined
16518  \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
16519  \let\scr@tmp@LTRfootnotetext=\undefined
16520  \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
16521  \let\scr@tmp@RTLfootnotetext=\undefined
16522  \setcounter{footnote}{\@tempcntb}%
16523  \setcounter{mpfootnote}{\@tempcpta}%
16524 \else
16525  \sbox\@tempboxa{\hspace*{2\cap@width}}%
16526 \fi
16527 \begingroup%
16528  \setlength{\@tempdima}{\cap@width}%
16529  \ifdim \wd\@tempboxa >\@tempdima
16530    \hb@xt@{\hsize}{%
16531      \setbox\@tempboxa\vbox{\hsize=\cap@width
16532        \ifdofullc@p
16533          {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
16534            #1{\caplabelfont{\#2\captionformat}}}}}}%
16535            #3\unskip\strut\par}}%
16536  \else%
16537    \ifdim\cap@indent<\z@
16538      {\capfont{\strut\ignorespaces
16539        #1{\caplabelfont{\#2\captionformat\par}}}}%
16540        \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
16541  \else%
16542    \ifcapbreak
16543      {\capfont{\strut\ignorespaces
16544        #1{\caplabelfont{\#2\captionformat\par}}}}%
16545        \noindent\@hangfrom{\hspace*{\cap@indent}}{\#3\par}}%
16546  \else
16547    {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}}}%
16548      {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
16549        {\caplabelfont{\#2\captionformat}}}}#3\unskip\strut\par}}%
16550    \fi
16551  \fi
16552  \fi
16553 }%

```



```

16554     \setlength{\@tempdima}{\ht\@tempboxa}%
16555     \addtolength{\@tempdima}{\dp\@tempboxa}%
16556     \addtolength{\@tempdima}{-\ht\strutbox}%
16557     \ht\@tempboxa\ht\strutbox
16558     \dp\@tempboxa\@tempdima
16559     \strut\cap@left
16560     \box\@tempboxa
16561     \cap@right\strut
16562   }%
16563 \else
16564   \global \minipagefalse
16565   \sbox\@tempboxa{%
16566     {\capfont{\scr@smashdp{\strut\ignorespaces
16567       #1{\caplabelfont{\#2\captionformat}}}}%
16568       #3}}%
16569   }%
16570   {\capfont{\hb@xt@\hspace{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\captionformat}}}
16571   \fi
16572 \endgroup
16573 }
16574 \renewcommand{\makecaption}[2]{%
16575   \if@captionabove
16576     \vskip\belowcaptionskip
16577   \else
16578     \vskip\abovecaptionskip
16579   \fi
16580   \@@makecaption{\firstofone{\#1}{\#2}}%
16581   \if@captionabove
16582     \vskip\abovecaptionskip
16583   \else
16584     \vskip\belowcaptionskip
16585   \fi
16586 }
16587 \bidi@AfterFile{longtable-xetex-bidi.def}{%
16588   \ifpackageloaded{caption2}{\komalongtablefalse
16589     \scr@caption@before@longtable@warning{caption2}}%
16590   }{}%
16591 \if@komalongtable
16592   \renewcommand{\LT@makecaption}[3]{%
16593     \noalign{%
16594       \if@captionabove
16595         \vskip\belowcaptionskip
16596       \else
16597         \vskip\abovecaptionskip
16598       \fi
16599     }%
16600     \LT@mcoll\LT@cols c{%
16601       \hbox to\z@\{\hss\parbox[t]\linewidth{%
16602         \@@makecaption{\#1}{\#2}{\#3}}%
16603       \endgraf

```



```

16604      \if@captionabove
16605          \vskip\abovecaptionskip
16606      \else
16607          \vskip\belowcaptionskip
16608      \fi
16609  }%
16610  \hss
16611 }%
16612 }%
16613 }%
16614 \renewcommand*\scr@LT@array}{%
16615 \let\scr@LT@array=\LT@array
16616 \renewcommand*\LT@array}{%
16617     \let\scr@caption=\LT@caption
16618     \def\captionabove{\noalign{\global\@captionabovetrue}%
16619         \scr@caption}%
16620     \def\captionbelow{\noalign{\global\@captionabovefalse}%
16621         \scr@caption}%
16622     \if@tablecaptionabove
16623         \let\LT@caption=\captionabove
16624     \else
16625         \let\LT@caption=\captionbelow
16626     \fi
16627     \scr@LT@array
16628 }%
16629 \ClassInfo{\KOMAClassName}{%
16630     longtable captions redefined%
16631 }%
16632 \fi
16633 }
16634
16635 \CloneTOCEEntryStyle{tocline}{part}
16636 \TOCEEntryStyleStartInitCode{part}{%
16637     \expandafter\renewcommand%
16638     \csname scr@tso@#1@linefill\endcsname{\hfill}%
16639     \expandafter\renewcommand%
16640     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
16641     \expandafter\renewcommand%
16642     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
16643         \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
16644     \expandafter\renewcommand\expandafter*%
16645     \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
16646 }
16647
16648 \CloneTOCEEntryStyle{tocline}{section}
16649 \TOCEEntryStyleStartInitCode{section}{%
16650     \expandafter\renewcommand%
16651     \csname scr@tso@#1@linefill\endcsname{%
16652         \if@sectionentrywithdots
16653             \TOCLineLeaderFill\relax

```



```

16654     \else
16655         \hfill
16656     \fi
16657 }
16658 % F^^fcr die Eintr^^e4ge die Schrift von Element sectionentry verwenden.
16659 \expandafter\renewcommand%
16660 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
16661 \expandafter\renewcommand%
16662 \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{se
16663 \expandafter\renewcommand\expandafter*}%
16664 \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus \p0}%
16665 }
16666
16667 \CloneTOCEntryStyle{tocline}{subsection}
16668 \TOCEntryStyleStartInitCode{subsection}{%
16669   \expandafter\renewcommand%
16670   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
16671 }
16672
16673 \CloneTOCEntryStyle{subsection}{default}
16674
16675 \DeclareSectionCommand[%]
16676   style=part,%
16677   level=\z@,%
16678   tocstyle=part,%
16679   toplevel=\m@ne,%
16680   tocindent=\z@,%
16681   tocnumwidth=2em%
16682 ]{part}
16683 \DeclareSectionCommand[%]
16684   style=section,%
16685   level=1,%
16686   indent=\z@,%
16687   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
16688   afterskip=2.3ex \oplus .2ex,%
16689   tocstyle=section,%
16690   tocindent=0pt,%
16691   tocnumwidth=1.5em%
16692 ]{section}
16693 \DeclareSectionCommand[%]
16694   style=section,%
16695   level=2,%
16696   indent=\z@,%
16697   beforeskip=-3.25ex \oplus -1ex \minus -.2ex,%
16698   afterskip=1.5ex \oplus .2ex,%
16699   tocstyle=subsection,%
16700   tocindent=1.5em,%
16701   tocnumwidth=2.3em%
16702 ]{subsection}
16703 \DeclareSectionCommand[%]

```



```

16704 style=section,%
16705 level=3,%
16706 indent=\z@,%
16707 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
16708 afterskip=1.5ex \@plus .2ex,%
16709 tocstyle=subsection,%
16710 tocindent=3.8em,%
16711 tocnumwidth=3.2em%
16712 ]{subsubsection}
16713 \DeclareSectionCommand[%]
16714 style=section,%
16715 level=4,%
16716 indent=\z@,%
16717 beforeskip=3.25ex \@plus1ex \@minus .2ex,%
16718 afterskip=-1em,%
16719 tocstyle=subsection,%
16720 tocindent=7.0em,%
16721 tocnumwidth=4.1em%
16722 ]{paragraph}
16723 \DeclareSectionCommand[%]
16724 style=section,%
16725 level=5,%
16726 indent=\scr@parindent,%
16727 beforeskip=3.25ex \@plus1ex \@minus .2ex,%
16728 afterskip=-1em,%
16729 tocstyle=subsection,%
16730 tocindent=10em,%
16731 tocnumwidth=5em%
16732 ]{subparagraph}

```

7.102 scrbook-xetex-bidi.def

```

16733 \ProvidesFile{scrbook-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrbook class for ]
16734 \newcommand{\scr@saved@LTRfootnotetext}{}%
16735 \newcommand{\scr@saved@RTLfootnotetext}{}%
16736 \let\scr@saved@footnotetext\@footnotetext
16737 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
16738 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
16739 \renewcommand{\@footnotetext}[1]{%
16740   \scr@saved@footnotetext{\#1}%
16741   \csname FN@mf@prepare\endcsname
16742 }%
16743 \renewcommand{\@LTRfootnotetext}[1]{%
16744   \scr@saved@LTRfootnotetext{\#1}%
16745   \csname FN@mf@prepare\endcsname
16746 }%
16747 \renewcommand{\@RTLfootnotetext}[1]{%
16748   \scr@saved@RTLfootnotetext{\#1}%
16749   \csname FN@mf@prepare\endcsname
16750 }%

```



```

16751 \renewcommand\deffootnote[4] []{%
16752   \long\def\@makefntext##1{%
16753     \setlength{\@tempdimc}{#3}%
16754     \def\@tempa{#1}\ifx\@tempa\empty
16755       \csetpar{\@par
16756         \@tempdima = \hsize
16757         \addtolength{\@tempdima}{-#2}%
16758         \if@RTL\parshape \one Opt \@tempdima\else\parshape \one #2 \@tempdima\fi}%
16759     \else
16760       \addtolength{\@tempdimc}{#2}%
16761       \addtolength{\@tempdimc}{-#1}%
16762       \csetpar{\@par
16763         \@tempdima = \hsize
16764         \addtolength{\@tempdima}{-#1}%
16765         \@tempdimb = \hsize
16766         \addtolength{\@tempdimb}{-#2}%
16767         \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima %
16768       }%
16769     \fi
16770   \par
16771   \parindent\@tempdimc\noindent
16772   \ftn@font\hbox to \z@\{\hss\@makefnmark}##1%
16773 }%
16774 \def\@makefnmark{\hbox{\ftnm@font{#4}}}%
16775 }%
16776 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}%
16777 \renewcommand*\left@footnoterule{%
16778   \normalsize\ftn@rule@test@values
16779   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16780   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
16781   {\usekomafont{footnoterule}{%
16782     \hrule \height\ftn@rule@height \width\ftn@rule@width}%
16783   \kern 2.6\p@}%
16784 \renewcommand*\right@footnoterule{%
16785   \normalsize\ftn@rule@test@values
16786   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16787   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
16788   {\usekomafont{footnoterule}{%
16789     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
16790   \kern 2.6\p@}%
16791 \renewcommand*\maketitle[1][1]{%
16792   \if@titlepage
16793     \begin{titlepage}
16794       \setcounter{page}{%
16795         #1}%
16796     }%
16797     \let\footnotesize\small
16798     \let\right@footnoterule\relax
16799     \let\left@footnoterule\relax
16800     \let\textwidth@footnoterule\relax

```



```

16801 \let\footnote\thanks
16802 \let\LTRfootnote\LTRthanks
16803 \let\RTLfootnote\RTLthanks
16804 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16805 \let\@oldmakefnmark\@makefnmark
16806 \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
16807 \ifx\@extratitle\@empty \else
16808   \noindent\@extratitle\next@tpage\cleardoubleemptypage
16809   \thispagestyle{empty}%
16810 \fi
16811 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16812 \ifx\@titlehead\@empty \else
16813   \begin{minipage}[t]{\textwidth}%
16814     \begin{titlehead}
16815       \end{minipage}\par
16816 \fi
16817 \null\vfill
16818 \begin{center}
16819   \ifx\@subject\@empty \else
16820     {\@subject\font \@subject \par}%
16821     \vskip 3em
16822   \fi
16823   {\@titlefont\huge \@title\par}%
16824   \vskip 1em
16825   {\@ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16826   \vskip 2em
16827   {\@Large \lineskip 0.75em
16828     \begin{tabular}[t]{c}
16829       \author
16830     \end{tabular}\par
16831   }%
16832   \vskip 1.5em
16833   {\@Large \@date \par}%
16834   \vskip \z@\@plus3fill
16835   {\@Large \@publishers \par}%
16836   \vskip 3em
16837 \end{center}\par
16838 \@thanks
16839 \vfill\null
16840 \if@twoside\next@tpage
16841   \begin{minipage}[t]{\textwidth}%
16842     \begin{uppertitleback}
16843       \end{minipage}\par
16844     \vfill
16845     \begin{minipage}[b]{\textwidth}%
16846       \begin{lowertitleback}
16847         \end{minipage}
16848 \fi
16849 \ifx\@dedication\@empty \else
16850   \next@tpage\null\vfill

```



```

16851      {\centering \Large \@dedication \par}%
16852      \vskip \z@ \@plus3fill
16853      \if@twoside \next@page\cleardoubleemptypage \fi
16854      \fi
16855      \end{titlepage}
16856 \else
16857     \par
16858     \tempcnta=%
16859     #1%
16860     \relax\ifnum\tempcnta=1\else
16861       \ClassWarning{\KOMAClassName}{%
16862         Optional argument of \string\maketitle\space ignored
16863         at \MessageBreak
16864         notitlepage-mode%
16865     }%
16866   \fi
16867   \begingroup
16868     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16869     \let\oldmakefnmark\makefnmark
16870     \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
16871     \if@twocolumn
16872       \ifnum \col@number=\@ne
16873         \maketitle
16874       \else
16875         \twocolumn[\maketitle]%
16876       \fi
16877     \else
16878       \newpage
16879       \global\@topnum\z@
16880       \maketitle
16881     \fi
16882     \thispagestyle{\titlepagestyle}\@thanks
16883   \endgroup
16884 \fi
16885 \setcounter{footnote}{0}%
16886 \let\thanks\relax
16887 \let\LTRthanks\relax
16888 \let\RTLthanks\relax
16889 \let\maketitle\relax
16890 \let\@maketitle\relax
16891 \global\let\@thanks\empty
16892 \global\let\@author\empty
16893 \global\let\@date\empty
16894 \global\let\@title\empty
16895 \global\let\@subtitle\empty
16896 \global\let\@extratitle\empty
16897 \global\let\@titlehead\empty
16898 \global\let\@subject\empty
16899 \global\let\@publishers\empty
16900 \global\let\@uppertitleback\empty

```



```

16901 \global\let\@lowertitleback\@empty
16902 \global\let\@dedication\@empty
16903 \global\let\author\relax
16904 \global\let\title\relax
16905 \global\let\extratitle\relax
16906 \global\let\titlehead\relax
16907 \global\let\subject\relax
16908 \global\let\publishers\relax
16909 \global\let\uppertitleback\relax
16910 \global\let\lowertitleback\relax
16911 \global\let\dedication\relax
16912 \global\let\date\relax
16913 \global\let\and\relax
16914 }%
16915 \renewcommand*{\@maketitle}{%
16916 \clearpage
16917 \let\footnote\thanks
16918 \let\LTRfootnote\LTRthanks
16919 \let\RTLfootnote\RTLthanks
16920 \ifx\@extratitle\@empty \else
16921 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
16922 \fi
16923 \setparsizes{\z@}{\z@}{\z@+\@plus 1fil}\par@updaterelative
16924 \ifx\@titlehead\@empty \else
16925 \begin{minipage}[t]{\textwidth}
16926 \begin{titlehead}
16927 \end{minipage}\par
16928 \fi
16929 \null
16930 \vskip 2em%
16931 \begin{center}%
16932 \ifx\@subject\@empty \else
16933 {\@subject\font \@subject \par}
16934 \vskip 1.5em
16935 \fi
16936 {\@titlefont\huge \begin{title}\par}%
16937 \vskip .5em
16938 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16939 \vskip 1em
16940 {\Large
16941 \lineskip .5em%
16942 \begin{tabular}[t]{c}
16943 \begin{author}
16944 \end{author}
16945 \end{tabular}\par
16946 \vskip 1em%
16947 {\Large \begin{date}\par}%
16948 \vskip \z@+\@plus 1em
16949 {\Large \begin{publishers}\par}
16950 \ifx\@dedication\@empty \else

```



```

16951      \vskip 2em
16952      {\Large \dedication \par}
16953      \fi
16954      \end{center}%
16955      \par
16956      \vskip 2em
16957 }%
16958 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
16959 \renewcommand*\autodot{\if@altsecnumformat \@SepMark\fi}
16960 \renewcommand*\thesection{%
16961   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
16962     \if@mainmatter\thechapter\@SepMark\fi
16963   \else
16964     \thechapter\@SepMark%
16965   \fi
16966   \arabic{c@section}
16967 }
16968 \renewcommand*\thesubsection{\thesection\@SepMark\arabic{c@subsection}}
16969 \renewcommand*\thesubsubsection{%
16970   \thesubsection\@SepMark\arabic{c@subsubsection}
16971 }
16972 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\arabic{c@paragraph}}
16973 \renewcommand*\thesubparagraph{%
16974   \theparagraph\@SepMark\arabic{c@subparagraph}
16975 }
16976 \renewcommand*\thefigure{%
16977   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
16978     \if@mainmatter\thechapter\@SepMark\fi
16979   \else
16980     \thechapter\@SepMark%
16981   \fi
16982   \arabic{c@figure}
16983 }
16984 \renewcommand*\thetable{%
16985   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
16986     \if@mainmatter\thechapter\@SepMark\fi
16987   \else
16988     \thechapter\@SepMark%
16989   \fi
16990   \arabic{c@table}
16991 }
16992 \renewcommand*\theequation{%
16993   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
16994     \if@mainmatter\thechapter\@SepMark\fi
16995   \else
16996     \thechapter\@SepMark%
16997   \fi
16998   \arabic{c@equation}
16999 }
17000 \renewenvironment{thebibliography}[1]{%

```



```

17001 \if@bib@break@
17002   \bib@beginhook
17003 \else
17004   \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
17005     \setchapterpreamble{\bibpreamble}%
17006   \fi\fi
17007   \bib@heading
17008   \bib@beginhook
17009   \bib@before@hook
17010 \fi
17011 \renewcommand{\BreakBibliography}[1]{%
17012   \@bib@break
17013   \end{thebibliography}%
17014   \begingroup ##1\endgroup
17015   \begin{thebibliography}{##1}
17016 }%
17017 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17018 \bidi@thebibliography@font@hook%
17019 \list{%
17020   \@biblabel{\@arabic\c@enumiv}%
17021 }{%
17022   \settowidth\labelwidth{\@biblabel{#1}}%
17023   \leftmargin\labelwidth
17024   \advance\leftmargin\labelsep
17025   \openbib@code
17026   \if@bib@break@
17027     \edef@\tempa{%
17028       \noexpand\usecounter{enumiv}%
17029       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
17030     }\@\tempa
17031     \no@bib@break
17032   \else
17033     \usecounter{enumiv}%
17034   \fi
17035   \let\p@enumiv\@empty
17036   \renewcommand*\theenumiv{\@arabic\c@enumiv}%
17037 }%
17038 \sloppy\clubpenalty4000 \widowpenalty4000
17039 \sfcode`\.=\@m
17040 }{%
17041   \if@bib@break@
17042     \def\@noitemerr{%
17043       \@latex@warning{%
17044         \string\BreakBibliography\space at begin of `thebibliography'
17045         environment\MessageBreak
17046         or following \string\BreakBibliography}%
17047     }%
17048   \else
17049     \def\@noitemerr{%
17050       \@latex@warning{%

```



```

17051      Empty `thebibliography' environment or
17052      \string\BreakBibliography\MessageBreak
17053      before end of `thebibliography' environment}%
17054      }%
17055      \fi
17056      \endlist
17057      \if@bib@break@
17058      \else
17059          \bib@after@hook
17060          \let\bib@before@hook\empty
17061          \let\bib@after@hook\empty
17062      \fi
17063      \bib@endhook
17064  }
17065 \renewcommand*\left@footnoterule{%
17066     \kern-3\p@
17067     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17068     \hrule\@width.4\columnwidth
17069     \kern 2.6\p@
17070 \renewcommand*\right@footnoterule{%
17071     \kern-3\p@
17072     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17073     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
17074     \kern2.6\p@
17075 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
17076 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
17077 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
17078 \renewcommand\marginline[1]{%
17079     \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
17080 }
17081 \renewcommand{\@makecaption}[3]{%
17082     \cap@margin
17083     \ifonelinecaptions
17084         \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
17085         \let\scr@tmp@footnotetext=\@footnotetext
17086         \let@\footnotetext=\@gobble
17087         \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
17088         \let@\LTRfootnotetext=\@gobble
17089         \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
17090         \let@\RTLfootnotetext=\@gobble
17091         \sbox\@tempboxa{%
17092             \capfont{\strut\ignorespaces
17093                 #1{\caplabelfont{#2\captionformat}}%
17094                 #3\unskip\strut}}%
17095     }%
17096     \let@\footnotetext=\scr@tmp@footnotetext
17097     \let\scr@tmp@footnotetext=\undefined
17098     \let@\LTRfootnotetext=\scr@tmp@LTRfootnotetext
17099     \let\scr@tmp@LTRfootnotetext=\undefined
17100     \let@\RTLfootnotetext=\scr@tmp@RTLfootnotetext

```



```

17101   \let\scr@tmp@RTLfootnotetext=\undefined
17102   \setcounter{footnote}{\@tempcntb}%
17103   \setcounter{mpfootnote}{\@tempcnta}%
17104 \else
17105   \sbox\@tempboxa{\hspace*{2\cap@width}}%
17106 \fi
17107 \begingroup%
17108   \setlength{\@tempdima}{\cap@width}%
17109   \ifdim \wd\@tempboxa >\@tempdima
17110     \hb@xt@{\hsize}{%
17111       \setbox\@tempboxa\vbox{\hsize=\cap@width
17112         \ifdofullc@p
17113           {\capfont{\hangfrom{\scr@smashdp{\strut\ignorespaces
17114             #1{\caplabelfont{#2\captionformat}}}}}}%
17115           {\#3\unskip\strut\par}}}}%
17116     \else%
17117       \ifdim\cap@indent<\z@
17118         {\capfont{\strut\ignorespaces
17119           #1{\caplabelfont{#2\captionformat\par}}}}%
17120         \noindent\hspace*{-\cap@indent}\#3\unskip\strut\par}}%
17121     \else%
17122       \if@capbreak
17123         {\capfont{\strut\ignorespaces
17124           #1{\caplabelfont{#2\captionformat\par}}}}%
17125         \noindent\hangfrom{\hspace*{\cap@indent}\#3\par}}%
17126     \else
17127       {\capfont{\hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}}%
17128         {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
17129           {\caplabelfont{#2\captionformat}}}}\#3\unskip\strut\par}}}}%
17130     \fi
17131   \fi
17132   \fi
17133 }%
17134 \setlength{\@tempdima}{\ht\@tempboxa}%
17135 \addtolength{\@tempdima}{\dp\@tempboxa}%
17136 \addtolength{\@tempdima}{-\ht\strutbox}%
17137 \ht\@tempboxa\ht\strutbox
17138 \dp\@tempboxa@\tempdima
17139 \strut\cap@left
17140 \box\@tempboxa
17141 \cap@right\strut
17142 }%
17143 \else
17144   \global \minipagetrue
17145   \sbox\@tempboxa{%
17146     {\capfont{\scr@smashdp{\strut\ignorespaces
17147       #1{\caplabelfont{#2\captionformat}}}}}}%
17148     {\#3}}%
17149   {\capfont{\hb@xt@{\hsize}{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@width}}}}%
17150

```



```

17151     \fi
17152     \endgroup
17153 }
17154 \renewcommand{\@makecaption}[2]{%
17155     \if@captionabove
17156         \vskip\belowcaptionskip
17157     \else
17158         \vskip\abovecaptionskip
17159     \fi
17160     \@@makecaption\@firstofone{#1}{#2}%
17161     \if@captionabove
17162         \vskip\abovecaptionskip
17163     \else
17164         \vskip\belowcaptionskip
17165     \fi
17166 }
17167 \bidi@AfterFile{longtable-xetex-bidi.def}{%
17168     \@ifpackageloaded{caption2}{\komalatexfalse
17169         \scr@caption@before@longtable@warning{caption2}%
17170     }%
17171     \if@komalatex
17172         \renewcommand{\LT@makecaption}[3]{%
17173             \noalign{%
17174                 \if@captionabove
17175                     \vskip\belowcaptionskip
17176                 \else
17177                     \vskip\abovecaptionskip
17178                 \fi
17179             }%
17180             \LT@mcoll\LT@cols c{%
17181                 \hbox to\z@\{\hss\parbox[t]\linewidth{%
17182                     \@@makecaption{#1}{#2}{#3}%
17183                     \endgraf
17184                     \if@captionabove
17185                         \vskip\abovecaptionskip
17186                     \else
17187                         \vskip\belowcaptionskip
17188                     \fi
17189                 }%
17190                 \hss
17191             }%
17192         }%
17193     }%
17194     \renewcommand*{\scr@LT@array}{}%
17195     \let\scr@LT@array=\LT@array
17196     \renewcommand*{\LT@array}{%
17197         \let\scr@caption=\LT@caption
17198         \def\captionabove{\noalign{\global\@captionabovetrue}%
17199             \scr@caption}%
17200         \def\captionbelow{\noalign{\global\@captionabovefalse}%

```



```

17201     \scr@caption}%
17202     \if@tablecaptionabove
17203         \let\LT@caption=\captionabove
17204     \else
17205         \let\LT@caption=\captionbelow
17206     \fi
17207     \scr@LT@array
17208 }%
17209 \ClassInfo{\KOMAClassName}{%
17210     longtable captions redefined%
17211 }%
17212 \fi
17213 }
17214
17215 \CloneTOCEntryStyle{tocline}{part}
17216 \TOCEntryStyleStartInitCode{part}{%
17217     \expandafter\renewcommand%
17218     \csname scr@tso@#1@linefill\endcsname{\hfill}%
17219     \expandafter\renewcommand%
17220     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17221     \expandafter\renewcommand%
17222     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17223         \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17224     \expandafter\renewcommand\expandafter*%
17225     \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
17226 }
17227
17228 \CloneTOCEntryStyle{tocline}{chapter}
17229 \TOCEntryStyleStartInitCode{chapter}{%
17230     \expandafter\renewcommand%
17231     \csname scr@tso@#1@linefill\endcsname{%
17232         \if@chapterentrywithdots
17233             \TOCLineLeaderFill\relax
17234         \else
17235             \hfill
17236         \fi
17237 }%
17238     \expandafter\renewcommand%
17239     \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
17240     \expandafter\renewcommand%
17241     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17242         \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
17243     \expandafter\renewcommand\expandafter*%
17244     \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
17245 }
17246
17247 \CloneTOCEntryStyle{tocline}{section}
17248 \TOCEntryStyleStartInitCode{section}{%
17249     \expandafter\renewcommand%
17250     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%

```



```

17251 }
17252 \CloneTOCEntryStyle{section}{default}
17253
17254 \DeclareSectionCommand[%]
17255   style=part,%
17256   level=\m@ne,%
17257   pagestyle=plain,%
17258   tocstyle=part,%
17259   toplevel=\m@ne,%
17260   tocindent=\z@,%
17261   tocnumwidth=2em%
17262   ]
17263 ]{part}
17264 \DeclareSectionCommand[%]
17265   style=chapter,%
17266   level=\z@,%
17267   pagestyle=plain,%
17268   tocstyle=chapter,%
17269   tocindent=\z@,%
17270   tocnumwidth=1.5em%
17271 ]{chapter}
17272 \DeclareSectionCommand[%]
17273   style=section,%
17274   level=1,%
17275   indent=\z@,%
17276   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
17277   afterskip=2.3ex \oplus .2ex,%
17278   tocstyle=section,%
17279   tocindent=1.5em,%
17280   tocnumwidth=2.3em%
17281 ]{section}
17282 \DeclareSectionCommand[%]
17283   style=section,%
17284   level=2,%
17285   indent=\z@,%
17286   beforeskip=-3.25ex \oplus -1ex \minus -.2ex,%
17287   afterskip=1.5ex \oplus .2ex,%
17288   tocstyle=section,%
17289   tocindent=3.8em,%
17290   tocnumwidth=3.2em%
17291 ]{subsection}
17292 \DeclareSectionCommand[%]
17293   style=section,%
17294   level=3,%
17295   indent=\z@,%
17296   beforeskip=-3.25ex \oplus -1ex \minus -.2ex,%
17297   afterskip=1.5ex \oplus .2ex,%
17298   tocstyle=section,%
17299   tocindent=7.0em,%
17300   tocnumwidth=4.1em%

```



```

17301 ]{subsubsection}
17302 \DeclareSectionCommand[%]
17303   style=section,%
17304   level=4,%
17305   indent=\z@,%
17306   beforeskip=3.25ex \oplus1ex \ominus.2ex,%
17307   afterskip=-1em,%
17308   tocstyle=section,%
17309   tocindent=10em,%
17310   tocnumwidth=5em%
17311 ]{paragraph}
17312 \DeclareSectionCommand[%]
17313   style=section,%
17314   level=5,%
17315   indent=\scr@parindent,%
17316   beforeskip=3.25ex \oplus1ex \ominus .2ex,%
17317   afterskip=-1em,%
17318   tocstyle=section,%
17319   tocindent=12em,%
17320   tocnumwidth=6em%
17321 ]{subparagraph}
17322
17323

```

7.103 scrlettr-xetex-bidi.def

```

17324 \ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class for
17325 \renewcommand\deffootnote[4][]{%
17326   \long\def\@makefntext##1{%
17327     \edef\@tempa{##1}\ifx\@tempa\empty
17328       \csetpar{\@par
17329         \tempdima = \hsize
17330         \addtolength{\tempdima}{-#2}
17331         \if@RTL\parshape \one 0pt \tempdima\else\parshape \one #2 \tempdima\fi}%
17332     \else
17333       \csetpar{\@@par
17334         \tempdima = \hsize
17335         \addtolength{\tempdima}{-#1}
17336         \tempdimb = \hsize
17337         \addtolength{\tempdimb}{-#2}
17338         \if@RTL\parshape \tw@ 0pt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima
17339       \fi
17340     \par
17341     \parindent #3\noindent
17342     \hbox to \z@\{\hss\@makefnmark\#\#1\}
17343     \def\@makefnmark{\hbox{\#4}}
17344   }
17345 \deffootnote[1em]{1.5em}{1em}
17346   {\textsuperscript{\thefootnotemark}}
17347 \def\left@footnoterule{\kern-1\p@

```



```

17348 \hrule width 0.4\columnwidth
17349 \kern .6\p@}
17350 \def\right@footnoterule{%
17351 \kern-1\p@
17352 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
17353 \kern .6\p@}
17354 \def\@datefield{\@reffalse
17355 \ifx\varyourref\@empty \else \@reftrue \fi
17356 \ifx\varyourmail\@empty \else \@reftrue \fi
17357 \ifx\varmyref\@empty \else \@reftrue \fi
17358 \ifx\varcustomer\@empty \else \@reftrue \fi
17359 \ifx\varinvoice\@empty \else \@reftrue \fi
17360 \ifx\varrefitemi\@empty \else \@reftrue \fi
17361 \ifx\varrefitemii\@empty \else \@reftrue \fi
17362 \ifx\varrefitemiii\@empty \else \@reftrue \fi
17363 \vskip -\parskip
17364 \vskip \refvskip
17365 \if@ref
17366 \ifx\varyourref\@empty \else
17367 \settowidth{\sc@temp}{\varyourref}
17368 \setbox0\hbox{\scriptsize \sf \yourrefname}
17369 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17370 \parbox[t]{\sc@temp}{\noindent \box0\par \varyourref}\hfill
17371 \fi
17372 \ifx\varyourmail\@empty \else
17373 \settowidth{\sc@temp}{\varyourmail}
17374 \setbox0\hbox{\scriptsize \sf \yourmailname}
17375 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17376 \parbox[t]{\sc@temp}{\noindent \box0\par \varyourmail}\hfill
17377 \fi
17378 \ifx\varmyref\@empty \else
17379 \settowidth{\sc@temp}{\varmyref}
17380 \setbox0\hbox{\scriptsize \sf \myrefname}
17381 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17382 \parbox[t]{\sc@temp}{\noindent \box0\par \varmyref}\hfill
17383 \fi
17384 \ifx\varcustomer\@empty \else
17385 \settowidth{\sc@temp}{\varcustomer}
17386 \setbox0\hbox{\scriptsize \sf \customername}
17387 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17388 \parbox[t]{\sc@temp}{\noindent \box0\par \varcustomer}\hfill
17389 \fi
17390 \ifx\varinvoice\@empty \else
17391 \settowidth{\sc@temp}{\varinvoice}
17392 \setbox0\hbox{\scriptsize \sf \invoicename}
17393 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17394 \parbox[t]{\sc@temp}{\noindent \box0\par \varinvoice}\hfill
17395 \fi
17396 \ifx\varrefitemi\@empty \else
17397 \settowidth{\sc@temp}{\varrefitemi}

```



```

17398 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
17399 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17400 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemi}\hfill
17401 \fi
17402 \ifx\varrefitemii\empty \else
17403 \settowidth{\sc@temp}{\varrefitemii}
17404 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
17405 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17406 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemii}\hfill
17407 \fi
17408 \ifx\varrefitemiii\empty \else
17409 \settowidth{\sc@temp}{\varrefitemiii}
17410 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
17411 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17412 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemiii}\hfill
17413 \fi
17414 \ifx\@date\empty \else
17415 \settowidth{\sc@temp}{\@date}
17416 \setbox0\hbox{\scriptsize \sf \datename}
17417 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
17418 \parbox[t]{\sc@temp}{\noindent \box0\par \@date}
17419 \fi
17420 \par
17421 \vspace{2.5\baselineskip}
17422 \else
17423 {\ifx\@date\empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \atdate\par \fi}
17424 \vspace{1.5\baselineskip}
17425 \fi
17426 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
17427 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
17428 -\sigindent \hspace{\sigindent}%
17429 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@sk
17430 \fromsig\strut}\par
17431 \vspace{1.5\baselineskip}}

```

7.104 scrreprt-xetex-bidi.def

```

17432 \ProvidesFile{scrreprt-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrreprt class for
17433 \newcommand{\scr@saved@LTRfootnotetext}{}
17434 \newcommand{\scr@saved@RTLfootnotetext}{}
17435 \let\scr@saved@footnotetext@\footnotetext
17436 \let\scr@saved@LTRfootnotetext@\LTRfootnotetext
17437 \let\scr@saved@RTLfootnotetext@\RTLfootnotetext
17438 \renewcommand{\footnotetext}[1]{%
17439   \scr@saved@footnotetext{\#1}%
17440   \csname FN@mf@prepare\endcsname
17441 }
17442 \renewcommand{\@LTRfootnotetext}[1]{%
17443   \scr@saved@LTRfootnotetext{\#1}%
17444   \csname FN@mf@prepare\endcsname

```



```

17445 }
17446 \renewcommand{\@RTLfootnotetext}[1]{%
17447   \scr@saved@RTLfootnotetext{#1}%
17448   \csname FN@mf@prepare\endcsname
17449 }
17450 \renewcommand\deffootnote[4][]{%
17451   \long\def\@makefntext##1{%
17452     \setlength{\@tempdimc}{#3}%
17453     \def\@tempa{#1}\ifx\@tempa\empty
17454       \csetpar{\@par
17455         \tempdima = \hsize
17456         \addtolength{\@tempdima}{-#2}%
17457         \if@RTL\parshape \one 0pt \tempdima\else\parshape \one #2 \tempdima\fi}%
17458     \else
17459       \addtolength{\@tempdimc}{#2}%
17460       \addtolength{\@tempdimc}{-#1}%
17461       \csetpar{\@par
17462         \tempdima = \hsize
17463         \addtolength{\@tempdima}{-#1}%
17464         \tempdimb = \hsize
17465         \addtolength{\@tempdimb}{-#2}%
17466         \if@RTL\parshape \tw@ 0pt \tempdima Opt \tempdimb\else\parshape \tw@ #1 \tempdima :%
17467       }%
17468     \fi
17469     \par
17470     \parindent\tempdimc\noindent
17471     \ftn@font\hbox to \z@\{\hss\@@makefnmark}##1%
17472   }%
17473   \def\@@makefnmark{\hbox{\ftn@font{#4}}}%
17474 }
17475 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
17476 \renewcommand*\left@footnoterule{%
17477   \normalsize\ftn@rule@test@values
17478   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17479   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17480   {\usekomafont{footnoterule}}{%
17481     \hrule \height\ftn@rule@height \width\ftn@rule@width}%
17482   \kern 2.6\p@}
17483 \renewcommand*\right@footnoterule{%
17484   \normalsize\ftn@rule@test@values
17485   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17486   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
17487   {\usekomafont{footnoterule}}{%
17488     \hbox to \columnwidth\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
17489   \kern 2.6\p@}
17490 \renewcommand*\maketitle[1][1]{%
17491   \if@titlepage
17492     \begin{titlepage}
17493       \setcounter{page}{%
17494         #1}%

```



```

17495 }%
17496 \let\footnotesize\small
17497 \let\right@footnoterule\relax
17498 \let\left@footnoterule\relax
17499 \let\textwidth@footnoterule\relax
17500 \let\footnote\thanks
17501 \let\LTRfootnote\LTRthanks
17502 \let\RTLfootnote\RTLthanks
17503 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17504 \let\@oldmakefnmark\@makefnmark
17505 \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
17506 \ifx\@extratitle\empty \else
17507   \noindent\@extratitle\next@tpage\cleardoubleemptypage
17508   \thispagestyle{empty}%
17509 \fi
17510 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17511 \ifx\@titlehead\empty \else
17512   \begin{minipage}[t]{\textwidth}%
17513     \titlehead
17514   \end{minipage}\par
17515 \fi
17516 \null\vfill
17517 \begin{center}
17518   \ifx\@subject\empty \else
17519     {\@subject\font \@subject \par}%
17520   \vskip 3em
17521 \fi
17522   {\@titlefont\huge \@title\par}%
17523   \vskip 1em
17524   {\ifx\@subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17525   \vskip 2em
17526   {\Large \lineskip 0.75em
17527     \begin{tabular}[t]{c}
17528       \author
17529     \end{tabular}\par
17530   }%
17531   \vskip 1.5em
17532   {\Large \@date \par}%
17533   \vskip \z@\@plus3fill
17534   {\Large \@publishers \par}%
17535   \vskip 3em
17536 \end{center}\par
17537 \@thanks
17538 \vfill\null
17539 \if@twoside\next@tpage
17540   \begin{minipage}[t]{\textwidth}
17541     \uppertitleback
17542   \end{minipage}\par
17543   \vfill
17544   \begin{minipage}[b]{\textwidth}

```



```

17545      \@lowertitleback
17546      \end{minipage}
17547      \fi
17548      \ifx\@dedication\@empty \else
17549          \next@tpage\null\vfill
17550          {\centering \Large \@dedication \par}%
17551          \vskip \z@\@plus3fill
17552          \if@twoside \next@tpage\cleardoubleemptypage \fi
17553      \fi
17554      \end{titlepage}
17555  \else
17556      \par
17557      \tempcnta=%
17558      #1%
17559      \relax\ifnum\tempcnta=1\else
17560          \ClassWarning{\KOMAClassName}{%
17561              Optional argument of \string\maketitle\space ignored
17562              at\MessageBreak
17563              notitlepage-mode%
17564          }%
17565      \fi
17566      \begin{group}
17567          \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17568          \let\oldmakefnmark\makefnmark
17569          \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}
17570          \if@twocolumn
17571              \ifnum \col@number=\@ne
17572                  \maketitle
17573              \else
17574                  \twocolumn[\maketitle]%
17575              \fi
17576          \else
17577              \newpage
17578              \global\@topnum\z@
17579              \maketitle
17580          \fi
17581          \thispagestyle{\titlepagestyle}\@thanks
17582      \end{group}
17583  \fi
17584  \setcounter{footnote}{0}%
17585  \let\thanks\relax
17586  \let\LTRthanks\relax
17587  \let\RTLthanks\relax
17588  \let\maketitle\relax
17589  \let\@maketitle\relax
17590  \global\let\@thanks\@empty
17591  \global\let\@author\@empty
17592  \global\let\@date\@empty
17593  \global\let\@title\@empty
17594  \global\let\@subtitle\@empty

```



```

17595 \global\let\@extratitle\@empty
17596 \global\let\@titlehead\@empty
17597 \global\let\@subject\@empty
17598 \global\let\@publishers\@empty
17599 \global\let\@uppertitleback\@empty
17600 \global\let\@lowertitleback\@empty
17601 \global\let\@dedication\@empty
17602 \global\let\author\relax
17603 \global\let\title\relax
17604 \global\let\extratitle\relax
17605 \global\let\titlehead\relax
17606 \global\let\subject\relax
17607 \global\let\publishers\relax
17608 \global\let\uppertitleback\relax
17609 \global\let\lowertitleback\relax
17610 \global\let\dedication\relax
17611 \global\let\date\relax
17612 \global\let\and\relax
17613 }%
17614 \renewcommand*{\@maketitle}{%
17615   \clearpage
17616   \let\footnote\thanks
17617   \let\LTRfootnote\LTRthanks
17618   \let\RTLfootnote\RTLthanks
17619   \ifx\@extratitle\@empty \else
17620     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17621   \fi
17622   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17623   \ifx\@titlehead\@empty \else
17624     \begin{minipage}[t]{\textwidth}
17625       \titlehead
17626     \end{minipage}\par
17627   \fi
17628   \null
17629   \vskip 2em%
17630   \begin{center}%
17631     \ifx\@subject\@empty \else
17632       {\@subject\font\@subject\par}
17633       \vskip 1.5em
17634     \fi
17635     {\@titlefont\huge \title \par}%
17636     \vskip .5em
17637     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17638     \vskip 1em
17639     {\Large
17640       \lineskip .5em%
17641       \begin{tabular}[t]{c}
17642         \author
17643       \end{tabular}\par
17644     }%

```



```

17645     \vskip 1em%
17646     {\Large \@date \par}%
17647     \vskip \z@ \@plus 1em
17648     {\Large \@publishers \par}
17649     \ifx\@dedication\empty \else
17650         \vskip 2em
17651         {\Large \@dedication \par}
17652     \fi
17653 \end{center}%
17654 \par
17655 \vskip 2em
17656 }%
17657 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
17658 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
17659 \renewcommand*\thesection{%
17660     \thechapter\@SepMark%
17661     \@arabic\c@section
17662 }
17663 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
17664 \renewcommand*\thesubsubsection{\%
17665     \thesubsection\@SepMark\@arabic\c@subsubsection
17666 }
17667 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
17668 \renewcommand*\thesubparagraph{\%
17669     \theparagraph\@SepMark\@arabic\c@subparagraph
17670 }
17671 \renewcommand*\thefigure{%
17672     \thechapter\@SepMark%
17673     \@arabic\c@figure
17674 }
17675 \renewcommand*\thetable{%
17676     \thechapter\@SepMark%
17677     \@arabic\c@table
17678 }
17679 \renewcommand*\theequation{%
17680     \thechapter\@SepMark%
17681     \@arabic\c@equation
17682 }
17683 \renewenvironment{thebibliography}[1]{%
17684     \if@bib@break@
17685         \bib@beginhook
17686     \else
17687         \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
17688             \setchapterpreamble{\bibpreamble}%
17689         \fi\fi
17690         \bib@heading
17691         \bib@beginhook
17692         \bib@before@hook
17693     \fi
17694     \renewcommand{\BreakBibliography}[1]{%

```



```

17695   \@bib@break
17696   \end{thebibliography}%
17697   \begingroup ##1\endgroup
17698   \begin{thebibliography}{##1}
17699   }%
17700   \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
17701   \bidi@@thebibliography@font@hook%
17702   \list{%
17703     \@biblabel{\@arabic\c@enumiv}%
17704   }{%
17705     \settowidth\labelwidth{\@biblabel{##1}}%
17706     \leftmargin\labelwidth
17707     \advance\leftmargin\labelsep
17708     \openbib@code
17709     \if@bib@break@
17710       \edef@\tempa{%
17711         \noexpand\usecounter{enumiv}%
17712         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
17713       }@\tempa
17714       \no@bib@break
17715     \else
17716       \usecounter{enumiv}%
17717     \fi
17718     \let\p@enumiv\empty
17719     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
17720   }%
17721   \sloppy\clubpenalty4000 \widowpenalty4000
17722   \sfcode`\.=\@m
17723 }{%
17724   \if@bib@break@
17725     \def\@noitemerr{%
17726       \@latex@warning{%
17727         \string\BreakBibliography space at begin of `thebibliography'
17728         environment\MessageBreak
17729         or following \string\BreakBibliography}%
17730     }%
17731   \else
17732     \def\@noitemerr{%
17733       \@latex@warning{%
17734         Empty `thebibliography' environment or
17735         \string\BreakBibliography\MessageBreak
17736         before end of `thebibliography' environment}%
17737     }%
17738   \fi
17739   \endlist
17740   \if@bib@break@
17741   \else
17742     \bib@after@hook
17743     \let\bib@before@hook\empty
17744     \let\bib@after@hook\empty

```



```

17745   \fi
17746   \bib@endhook
17747 }
17748 \renewcommand*\left@footnoterule{%
17749   \kern-3\p@
17750   \ifx\@textbottom\relax\else\vskip \z@ \vskip .05fil\fi
17751   \hrule\@width.4\columnwidth
17752   \kern 2.6\p@}
17753 \renewcommand*\right@footnoterule{%
17754   \kern-3\p@
17755   \ifx\@textbottom\relax\else\vskip \z@ \vskip .05fil\fi
17756   \hbox to \columnwidth{\hspace .6\columnwidth \hrulefill }
17757   \kern2.6\p@}
17758 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
17759 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
17760 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
17761 \renewcommand\marginline[1]{%
17762   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\{\if@RTL\raggedleft\else\raggedright\fi{#1}\}}
17763 }
17764 \renewcommand{\@makecaption}[3]{%
17765   \cap@margin
17766   \ifonelinecaptions
17767     \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
17768     \let\scr@tmp@footnotetext=\@footnotetext
17769     \let\@footnotetext=\gobble
17770     \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
17771     \let\@LTRfootnotetext=\gobble
17772     \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
17773     \let\@RTLfootnotetext=\gobble
17774     \sbox\@tempboxa{%
17775       \capfont{\strut\ignorespaces
17776         #1{\caplabelfont{\captionformat}}}}%
17777       #3\unskip\strut}}%
17778   }%
17779   \let\@footnotetext=\scr@tmp@footnotetext
17780   \let\scr@tmp@footnotetext=\undefined
17781   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
17782   \let\scr@tmp@LTRfootnotetext=\undefined
17783   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
17784   \let\scr@tmp@RTLfootnotetext=\undefined
17785   \setcounter{footnote}{\@tempcntb}%
17786   \setcounter{mpfootnote}{\@tempcnta}%
17787 \else
17788   \sbox\@tempboxa{\hspace*{2\cap@width}}%
17789 \fi
17790 \begingroup%
17791   \setlength{\tempdima}{\cap@width}%
17792   \ifdim \wd\@tempboxa >\tempdima
17793     \hb@xt@\hsize{%
17794       \setbox\@tempboxa\vbox{\hsize=\cap@width

```



```

17795 \ifdofullc@p
17796   {\capfont{\hangfrom{\scr@smashdp{\strut\ignorespaces
17797     #1{{\caplabelfont{#2\captionformat}}}}}}%
17798     {#3\unskip\strut\par}}}%
17799 \else%
17800   \ifdim\cap@indent<\z@
17801     {\capfont{\strut\ignorespaces
17802       #1{{\caplabelfont{#2\captionformat\par}}}}%
17803       \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
17804 \else%
17805   \if@capbreak
17806     {\capfont{\strut\ignorespaces
17807       #1{{\caplabelfont{#2\captionformat\par}}}}%
17808       \noindent\hangfrom{\hspace*{\cap@indent}}{\#3\par}}%
17809 \else
17810   {\capfont{\hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}}%
17811     {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
17812       {{\caplabelfont{#2\captionformat}}}}}}#3\unskip\strut\par}}%
17813   \fi
17814   \fi
17815   \fi
17816 }%
17817 \setlength{\@tempdima}{\ht\@tempboxa}%
17818 \addtolength{\@tempdima}{\dp\@tempboxa}%
17819 \addtolength{\@tempdima}{-\ht\strutbox}%
17820 \ht\@tempboxa\ht\strutbox
17821 \dp\@tempboxa\@tempdima
17822 \strut\cap@left
17823 \box\@tempboxa
17824 \cap@right\strut
17825 }%
17826 \else
17827   \global \minipagefalse
17828   \sbox\@tempboxa{%
17829     {\capfont{\scr@smashdp{\strut\ignorespaces
17830       #1{{\caplabelfont{#2\captionformat}}}}}}%
17831       #3}}%
17832 }%
17833 {\capfont{\hb@xt@\hspace{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right\strut}}%
17834   \fi
17835 \endgroup
17836 }
17837 \renewcommand{\makecaption}[2]{%
17838   \if@captionabove
17839     \vskip\belowcaptionskip
17840   \else
17841     \vskip\abovecaptionskip
17842   \fi
17843   \@@makecaption{\firstofone{#1}{#2}}%
17844   \if@captionabove

```



```

17845      \vskip\abovecaptionskip
17846  \else
17847      \vskip\belowcaptionskip
17848  \fi
17849 }
17850 \bidi@AfterFile{longtable-xetex-bidi.def}{%
17851  \@ifpackageloaded{caption2}{\@komalongtablefalse
17852    \scr@caption@before@longtable@warning{caption2}%
17853 }{}%
17854 \if@komalongtable
17855   \renewcommand{\LT@makecaption}[3]{%
17856     \noalign{%
17857       \if@captionabove
17858         \vskip\belowcaptionskip
17859       \else
17860         \vskip\abovecaptionskip
17861       \fi
17862     }%
17863   \LT@mcol\LT@cols c{%
17864     \hbox to\z@\{\hss\parbox[t]\linewidth{%
17865       \@@makecaption{\#1}{\#2}{\#3}%
17866       \endgraf
17867       \if@captionabove
17868         \vskip\abovecaptionskip
17869       \else
17870         \vskip\belowcaptionskip
17871       \fi
17872     }%
17873     \hss
17874   }%
17875 }%
17876 }%
17877 \renewcommand*{\scr@LT@array}{%
17878 \let\scr@LT@array=\LT@array
17879 \renewcommand*{\LT@array}{%
17880   \let\scr@caption=\LT@caption
17881   \def\captionabove{\noalign{\global\@captionabovetrue}%
17882     \scr@caption}%
17883   \def\captionbelow{\noalign{\global\@captionabovefalse}%
17884     \scr@caption}%
17885   \if@tablecaptionabove
17886     \let\LT@caption=\captionabove
17887   \else
17888     \let\LT@caption=\captionbelow
17889   \fi
17890   \scr@LT@array
17891 }%
17892 \ClassInfo{\KOMAClassName}{%
17893   longtable captions redefined%
17894 }%

```



```

17895   \fi
17896 }
17897
17898 \CloneTOCEntryStyle{tocline}{part}
17899 \TOCEntryStyleStartInitCode{part}{%
17900   \expandafter\renewcommand%
17901   \csname scr@tso@#1@linefill\endcsname{\hfill}%
17902   \expandafter\renewcommand%
17903   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17904   \expandafter\renewcommand%
17905   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17906     \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17907   \expandafter\renewcommand\expandafter*%
17908   \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
17909 }
17910
17911 \CloneTOCEntryStyle{tocline}{chapter}
17912 \TOCEntryStyleStartInitCode{chapter}{%
17913   \expandafter\renewcommand%
17914   \csname scr@tso@#1@linefill\endcsname{%
17915     \if@chapterentrywithdots
17916       \TOCLineLeaderFill\relax
17917     \else
17918       \hfill
17919     \fi
17920   }%
17921   \expandafter\renewcommand%
17922   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
17923   \expandafter\renewcommand%
17924   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17925     \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
17926   \expandafter\renewcommand\expandafter*%
17927   \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
17928 }
17929
17930 \CloneTOCEntryStyle{tocline}{section}
17931 \TOCEntryStyleStartInitCode{section}{%
17932   \expandafter\renewcommand%
17933   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17934 }
17935
17936 \CloneTOCEntryStyle{section}{default}
17937
17938 \DeclareSectionCommand[%]
17939   style=part,%
17940   level=\m@ne,%
17941   pagestyle=plain,%
17942   tocstyle=part,%
17943   toplevel=\m@ne,%
17944   tocindent=\z@,%

```



```

17945   tocnumwidth=2em%
17946 ]{part}
17947 \DeclareSectionCommand[%]
17948   style=chapter,%
17949   level=\z@,%
17950   pagestyle=plain,%
17951   tocstyle=chapter,%
17952   tocindent=\z@,%
17953   tocnumwidth=1.5em%
17954 ]{chapter}
17955 \DeclareSectionCommand[%]
17956   style=section,%
17957   level=1,%
17958   indent=\z@,%
17959   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
17960   afterskip=2.3ex \oplus .2ex,%
17961   tocstyle=section,%
17962   tocindent=1.5em,%
17963   tocnumwidth=2.3em%
17964 ]{section}
17965 \DeclareSectionCommand[%]
17966   style=section,%
17967   level=2,%
17968   indent=\z@,%
17969   beforeskip=-3.25ex \oplus -1ex \minus -.2ex,%
17970   afterskip=1.5ex \oplus .2ex,%
17971   tocstyle=section,%
17972   tocindent=3.8em,%
17973   tocnumwidth=3.2em%
17974 ]{subsection}
17975 \DeclareSectionCommand[%]
17976   style=section,%
17977   level=3,%
17978   indent=\z@,%
17979   beforeskip=-3.25ex \oplus -1ex \minus -.2ex,%
17980   afterskip=1.5ex \oplus .2ex,%
17981   tocstyle=section,%
17982   tocindent=7.0em,%
17983   tocnumwidth=4.1em%
17984 ]{subsubsection}
17985 \DeclareSectionCommand[%]
17986   style=section,%
17987   level=4,%
17988   indent=\z@,%
17989   beforeskip=3.25ex \oplus 1ex \minus .2ex,%
17990   afterskip=-1em,%
17991   tocstyle=section,%
17992   tocindent=10em,%
17993   tocnumwidth=5em%
17994 ]{paragraph}

```



```

17995 \DeclareSectionCommand[%  

17996   style=section,%  

17997   level=5,%  

17998   indent=\scr@parindent,%  

17999   beforeskip=3.25ex \oplus1ex \minus .2ex,%  

18000   afterskip=-1em,%  

18001   tocstyle=section,%  

18002   tocindent=12em,%  

18003   tocnumwidth=6em%  

18004 ]{subparagraph}  

18005  

18006

```

7.105 sidecap-xetex-bidi.def

```

18007 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for XeTeX]  

18008 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%  

18009   \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2}} {\#2}\hspace{\sidecaptionsep}{\#1}}\else%  

18010 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1}} {\#1}\hspace{\sidecaptionsep}{\#2}}\fi}  

18011 \renewcommand*{\SC@justify@caption}{\if@RTL%  

18012 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%  

18013 \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}

```

7.106 soul-xetex-bidi.def

```

18014 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTeX]  

18015 \long\def\SOUL@start#1{  

18016   \let\bidi@RTL@everypar\empty  

18017   \let<\SOUL@lowerthan  

18018   \let>\empty  

18019   \def\soulomit{\noexpand\soulomit}%  

18020   \gdef\SOUL@eventuallyexhyphen##1{}%  

18021   \let\SOUL@soeventuallyskip\relax  

18022   \SOUL@spaceskip=\fontdimen\tw@\font\oplus\fontdimen\thr@@\font  

18023   \minus\fontdimen4\font  

18024   \SOUL@ignorespacesfalse  

18025   \leavevmode  

18026   \SOUL@preamble  

18027   \SOUL@lasttoken={}%  

18028   \SOUL@word={}%  

18029   \SOUL@minus\z@  

18030   \SOUL@comma\z@  

18031   \SOUL@apo\z@  

18032   \SOUL@grave\z@  

18033   \SOUL@do{\#1}%  

18034   \SOUL@postamble  

18035 }}  

18036 \def\SOUL@ulunderline#1{  

18037   \setbox\z@\hbox{\#1}%  

18038   \dimen@=\wd\z@  

18039   \dimen@i=\SOUL@uloverlap

```



```

18040      \advance\dimen@2\dimen@i
18041      \if@RTL
18042      \unhcopy\z@
18043      \llap{%
18044          \null
18045          \kern-\dimen@i
18046          \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18047      }%
18048      \else
18049      \rlap{%
18050          \null
18051          \kern-\dimen@i
18052          \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18053      }%
18054      \unhcopy\z@
18055      \fi
18056  }%
18057 \def\bidi@SOUL@ulleaders{%
18058     \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@ulp\@height\SOUL@ulht}\hss}\relax
18059  }%
18060 \def\SOUL@uleverspace#1{%
18061     \if@RTL
18062         #1%
18063         \bidi@SOUL@ulleaders
18064         \hskip\spaceskip
18065     \else
18066         \SOUL@ulcolor{%
18067             #1%
18068             \SOUL@ulleaders
18069             \hskip\spaceskip
18070         }%
18071     \fi
18072     \null
18073  }%

```

7.107 stabular-xetex-bidi.def

```

18074 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
18075 \def\@stabular{%
18076     \leavevmode \bgroup \if@RTLtab\beginR \fi
18077     \let\@acol\@tabacol
18078     \let\@classz\@tabclassz
18079     \let\@classiv\@tabclassiv \let\\@\tabularcr\@stabarray}
18080 \def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
18081                 \egroup \if@RTLtab\endR\fi\egroup}
18082 \expandafter \let \csname endstabular*\endcsname = \endstabular
18083 \def\@sarray[#1]#2{%
18084     \bgroup
18085     \setbox\@arstrutbox\hbox{%
18086         \vrule \height\arraystretch\ht\strutbox

```



```

18087      \@depth\arraystretch \dp\strutbox
18088      \@width\z@}%
18089 \mkpream{#2}%
18090 \edef\@preamble{%
18091   \ialign \noexpand\@halignto
18092     \bgroup \carstrut \preamble \tabskip\z@skip \cr}%
18093 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
18094 \let\tabularnewline\\%
18095 \let\sharp##%
18096 \set@typeset@protect
18097 \lineskip\z@skip\baselineskip\z@skip
18098 \if@RTLtab\hbox\bgroup\beginR\hboxR\constructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
18099 \preamble}

```

7.108 subfigure-xetex-bidi.def

```

18100 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
18101 \AtBeginDocument{%
18102 \let\p@subfigure=\thefigure
18103 \let\p@subtable=\thetable%
18104 }

```

7.109 tabls-xetex-bidi.def

```

18105 \ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for XeLaTeX]
18106 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
18107
18108 \expandafter\let\csname endtabular*\endcsname=\endtabular
18109
18110 \def\endarray{\ifvmode\csname crcr\endcsname % just do \cr if \\ given
18111   \else \\[\z@ \global\advance\carstdepth-\@tarlinesep]%
18112   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\unrecuse\egroup}
18113
18114 \def\@array[#1]#2{%
18115   \edef\@unrecuse{\global\skip@bove\the\skip@bove
18116     \global\carstheight\the\carstheight\global\carstdepth\the\carstdepth}%
18117   \let\@tarlinesep\@tarlinesep \global\skip@bove-\@tarlinesep
18118   \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
18119   \else \let\@tarlinesep\tablinesep \fi
18120   \divide\@tarlinesep\tw@ % half sep is applied to height & depth
18121   \let\@seesize\relax \let\@rememsize\relax \mkpream{#2}%
18122   \tempdima\arraystretch\ht\strutbox \tempdimb\arraystretch\dp\strutbox
18123   \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
18124     \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@size
18125     \advance\tempdima-\@tarlinesep \advance\tempdimb-\@tarlinesep
18126   \fi \setbox\carstrutbox\hbox{%
18127     \vrule\height\tempdima \depth\tempdimb \width\z@}%
18128   \let\protect\noexpand
18129   \edef\@preamble{\ialign \noexpand\@halignto \bgroup
18130     \unhcopy\carstrutbox \preamble \tabskip\z@skip \&\sharp \cr}%
18131   \let\@startpbox\@startpbox \let\@endpbox\@endpbox

```



```

18132 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
18133 \bgroup \let\par\@empty
18134 \global\@arstrheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
18135 \advance\extrarulesep.5\arrayrulewidth
18136 \let\sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
18137 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
18138 \preamble}

```

7.110 tabularx-xetex-bidi.def

```

18139 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
18140 \def\TX@endtabularx{%
18141   \expandafter\expandafter\expandafter
18142     \TX@find@endtabularxa\csname end\TX@\endcsname
18143   \endtabularx\TX@\endtabularx\TX@find@endtabularxa
18144 \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
18145 \let\verb\TX@verb
18146 \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
18147 \edef\TX@ckpt{\cl@ckpt}%
18148 \let\@elt\relax
18149 \TX@old@table\maxdimen
18150 \TX@col@width\TX@target
18151 \global\TX@cols\@ne
18152 \TX@typeout@
18153   {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
18154 \TX@trial{\def\NC@rewrite@X{%
18155   \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}%
18156 \loop
18157   \TX@arith
18158   \ifTX@
18159   \TX@trial{}%
18160 \repeat
18161 {\let\@footnotetext\TX@fnttext\let\@xfootnotenext\TX@xftntext
18162 \let\@LTFootnotetext\TX@LTFnttext\let\@xLTFootnotenext\TX@xLTFnttext
18163 \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
18164 \csname tabular*\expandafter\endcsname\expandafter\TX@target
18165   \the\toks@
18166 \csname endtabular*\endcsname}%
18167 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
18168 \ifnum0=\`{fi}%
18169 \expandafter\expandafter\expandafter
18170 \TX@find@endtabularxb
18171 \expandafter\end\expandafter{\TX@}%
18172 \endtabularx\TX@\endtabularx\TX@find@endtabularxb
18173 }
18174 \def\TX@trial#1{%
18175 \setbox\@tempboxa\hbox{%
18176   #1\relax
18177 \let\@footnotetext\TX@trial@ftn

```



```

1819 \let\@LTRfootnotetext\TX@trial@ftn
1820 \let\@RTLfootnotetext\TX@trial@ftn
1821 \let\TX@vwarn\@empty
1822 \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
1823 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
1824 \def\write{\begingroup
1825   \def\let{\afterassignment\endgroup\toks@}%
1826   \afterassignment\let\count@}%
1827 \hbadness\@M
1828 \hfuzz\maxdimen
1829 \let\hbadness\@tempcnta
1830 \let\hfuzz\@tempdima
1831 \expandafter\tabular\the\toks@
1832 \endtabular}%
1833 \TX@ckpt
1834 \TX@typeout@\{@spaces
1835   \expandafter\TX@align
1836     \the\wd\@tempboxa\space\space\space\space\space\space\@O
1837   \expandafter\TX@align
1838     \the\TX@col@width\space\space\space\space\space\space\space\@O
1839   \@spaces\the\TX@cols\}}
1840
1841 \long\def\TX@LTRftntext#1{%
1842   \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
1843     [\the\csname c@\@mpfn\endcsname]}%
1844   \global\TX@ftn\expandafter{\@tempa{#1}}%
1845 \long\def\TX@xLTRftntext[#1]#2{%
1846   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}%
1847
1848 \long\def\TX@RTLftntext#1{%
1849   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
1850     [\the\csname c@\@mpfn\endcsname]}%
1851   \global\TX@ftn\expandafter{\@tempa{#1}}%
1852 \long\def\TX@xRTLftntext[#1]#2{%
1853   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}%

```

7.1.11 tabulary-xetex-bidi.def

```

18214 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package]
18215 \def\@testpach{\@chclass
18216 \ifnum\@lastchclass=6\@ne\@chnum\@ne\else
18217 \ifnum\@lastchclass=7\@ne\else
18218 \ifnum\@lastchclass=8\@tw@ \else
18219 \ifnum\@lastchclass=9\@thr@%
18220 \else\z@%
18221 \ifnum\@lastchclass=10\@else
18222 \edef\@nextchar{\expandafter\string\@nextchar}%
18223 \@chnum
18224 \if\@nextchar\z@\else
18225 \if\@nextchar\if@RTLtab\@else\l\fi\@ne\else

```



```

18226     \if \@nextchar \if@RTLtab 1\else r\fi\tw@ \else
18227     \if \@nextchar C7 \else
18228     \if \@nextchar L8 \else
18229     \if \@nextchar R9 \else
18230     \if \@nextchar J10 \else
18231     \z@\@chclass
18232     \if@\nextchar \l@ne \else
18233     \if \@nextchar !6 \else
18234     \if \@nextchar @7 \else
18235     \if \@nextchar <8 \else
18236     \if \@nextchar >9 \else
18237     10
18238     \@chnum
18239     \if \@nextchar m\thr@@\else
18240     \if \@nextchar p4 \else
18241     \if \@nextchar b5 \else
18242     \z@\@chclass \z@\@preamerr \z@\fi \fi \fi
18243

```

7.112 tc-xetex-bidi.def

```

18244 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeT
18245 \def\@cliptoboxdim#1{%
18246   \setbox#1=\hbox{%
18247     \Gin@defaultbp\WIDTH{\wd#1}%
18248     \Gin@defaultbp\DEPTH{\dp#1}%
18249     \tempdima\ht#1%
18250     \advance\tempdima\dp#1%
18251     \Gin@defaultbp\TOTALHEIGHT{\tempdima}%
18252     \beginL\special{pdf:bcontent }%
18253     \special{%
18254       pdf:literal direct
18255       0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
18256     }%
18257     \special{pdf:literal direct W }%
18258     \special{pdf:literal direct n }%
18259     \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
18260     \special{pdf:econtent }\endL%
18261   }%
18262 }

```

7.113 tcolorbox-xetex-bidi.def

```

18263 \ProvidesFile{tcolorbox-xetex-bidi.def}[2017/08/15 v0.1 bidi adaptations for tcolorbox package
18264 \let\endtcb@lrbox=\endminipage
18265 \let\endtcb@savebox=\endtcb@lrbox
18266
18267 \bidi@patchcmd{\tcb@vbox}{%
18268   \let\@footnotetext\@mpfootnotetext%
18269 }{%
18270   \let\@footnotetext\@mpfootnotetext%

```



```

18271   \let\@LTRfootnotetext\@mpLTRfootnotetext%
18272   \let\@RTLfootnotetext\@mpRTLfootnotetext%
18273 }{}{%
18274
18275 \bidi@patchcmd{\endtcb@vbox}{%
18276   \footnoterule%
18277 }{%
18278   \bidi@mpfootnoterule%
18279 }{}{%

```

7.114 titlesec-xetex-bidi.def

```

18280 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package]
18281 \renewcommand\filright{%
18282   \gdef\ttl@filleft##1{\hspace{\#1}}%
18283   \gdef\ttl@filright##1{\hfill}%
18284   \let\\@centercr
18285   \advance\rightskip\z@ \plus 1fil
18286 \parfillskip\z@}
18287 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
18288   \gdef\ttl@makeline##1{\ttl@calc\hspace{\#6}##1\ttl@calc\hspace{\#7}}%
18289   \setlength\leftskip{\#6}%
18290   \setlength\rightskip{\#7}%
18291   \interlinepenalty\@M
18292   \ttl@changecentercr
18293   \ttl@beginlongest
18294   #1{\ifhmode\ttl@hmode@error\fi
18295     \ttl@glcmds
18296     \parindent\z@
18297     \leavevmode
18298     \begingroup
18299       \ifttl@label
18300         \sbox\z@{\#2\strut\ttl@calc\hspace{\#3}}%
18301         \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
18302         \llap{\box\z@}%
18303       \fi
18304       #4{\#8}%
18305       \kern\z@\strut\@@par
18306     \endgroup
18307     \nobreak\ttl@midlongest#5\@@par}%
18308   \ttl@endlongest}

```

7.115 titletoc-xetex-bidi.def

```

18309 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
18310 \renewcommand\filright{%
18311   \gdef\ttl@filleft##1{\hspace{\#1}}%
18312   \gdef\ttl@filright##1{\hfill}%
18313   \let\\@centercr
18314   \advance\rightskip\z@ \plus 1fil
18315 \parfillskip\z@}

```



```

18316 \renewcommand\contentspush[1]{%
18317   \sbox{z@{\#1}}%
18318   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
18319   \aftergroup\ttl@b
18320   \leavevmode\llap{\box{z@}}}
18321 \def\ttl@outnoblock#1#2#3{%
18322   \begingroup
18323   \ifnum\ttl@b>\ttl@a
18324     \nobreak
18325   \else\ifnum\ttl@b<\ttl@a
18326     \addpenalty{\@secpenalty}%
18327   \else
18328     \addpenalty{\z@}%
18329   \fi\fi
18330   \ttl@contentsstretch
18331   \nobreak
18332   \ifcase#1\relax\else\interlinepenalty\@M\fi
18333   \parindent{z@}
18334   \ifx@\nil#2%
18335     \PackageError{titletoc}{Unimplemented}%
18336     {The optional argument is currently mandatory}%
18337   \else
18338     \if@RTL\setlength\rightskip{\#2}\else
18339       \setlength\leftskip{\#2}\fi%
18340   \fi
18341   \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
18342   \let\contentsmargin\ttl@margin
18343   \def\ttl@makeline##1{##1}%
18344   #3%
18345   \addtolength{\parfillskip}{-\ttl@corr}%
18346   \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
18347   \let\ttl@leaders\leaders
18348 \renewcommand\ttl@margin[2][z@]{%
18349   \def\ttl@corr{\#1}%
18350   \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
18351   \advance\if@RTL\leftskip\else\rightskip\fi\#2\relax
18352   \def\@pnumwidth{\#2}%
18353   \let\ttl@savel@part\l@part
18354   \def\l@part{\ttl@lselect{part}}%
18355
18356 \let\ttl@savel@chapter\l@chapter
18357 \def\l@chapter{\ttl@lselect{chapter}}%

```

7.116 tocbibind-xetex-bidi.def

```

18358 \ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind package]
18359 \if@dotocbib
18360   \@ifpackageloaded{natbib}{}{ natbib not loaded
18361     \renewcommand{\bibsection}{\t@cb@bchapsec}
18362     \renewenvironment{thebibliography}[1]{%

```



```

18363   \bibsection
18364   \begin{thebibitemlist}{\#1}\end{thebibitemlist}}
18365 \renewenvironment{thebibitemlist}[1]{
18366   \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
18367   \bidi@@thebibliography@font@hook%
18368   \list{\@biblabel{\@arabic\c@enumiv}}%
18369   {\settowidth\labelwidth{\@biblabel{\#1}}%
18370     \leftmargin\labelwidth
18371     \advance\leftmargin\labelsep
18372     \openbib@code
18373     \usecounter{enumiv}%
18374     \let\p@enumiv\empty
18375     \renewcommand\theenumiv{\@arabic\c@enumiv}%
18376     \sloppy
18377     \clubpenalty4000
18378     \clubpenalty \clubpenalty
18379     \widowpenalty4000%
18380     \sfcodes`.\.@\m}
18381   {\def\@noitemerr
18382     {\@latex@warning{Empty `thebibliography' environment}}%
18383   \endlist}
18384
18385 \ifpackagewith{chapterbib}{sectionbib}%
18386   {\renewcommand{\sectionbib}[2]{}}
18387   {}
18388
18389 \fi
18390 \if@inltxd doc\else
18391   \renewenvironment{theindex}%
18392   {\if@twocolumn
18393     \restonecolfalse
18394   \else
18395     \restonecoltrue
18396   \fi
18397   \if@bibchapter
18398     \if@donumindex
18399       \refstepcounter{chapter}
18400       \twocolumn[\vspace*{2\topskip}%
18401         \makechapterhead{\indexname}]%
18402       \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
18403       \chaptermark{\indexname}
18404     \else
18405       \if@dotocind
18406         \twocolumn[\vspace*{2\topskip}%
18407           \makeschapterhead{\indexname}]%
18408         \prw@mkboth{\indexname}
18409         \addcontentsline{toc}{chapter}{\indexname}
18410     \else
18411       \twocolumn[\vspace*{2\topskip}%
18412           \makeschapterhead{\indexname}]%

```



```

18413           \prw@mkboth{\indexname}
18414           \fi
18415           \fi
18416     \else
18417       \if@donumindex
18418         \twocolumn[\vspace*{-1.5\topskip}%
18419             \nameuse{@tocextra}{\indexname}]%
18420         \csname \tocextra mark\endcsname{\indexname}
18421     \else
18422       \if@dotocind
18423         \twocolumn[\vspace*{-1.5\topskip}%
18424             \toc@headstar{@tocextra}{\indexname}]%
18425         \prw@mkboth{\indexname}
18426         \addcontentsline{toc}{@tocextra}{\indexname}
18427     \else
18428       \twocolumn[\vspace*{-1.5\topskip}%
18429             \toc@headstar{@tocextra}{\indexname}]%
18430       \prw@mkboth{\indexname}
18431     \fi
18432   \fi
18433   \fi
18434   \thispagestyle{plain}\parindent\z@
18435   \parskip\z@ \plus .3\p@\relax
18436   \let\item\@idxitem
18437   {\if@restonecol\onecolumn\else\clearpage\fi}
18438 \fi

```

7.117 tocloft-xetex-bidi.def

```

18439 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for
18440 \let\cftdot\@SepMark
18441 \if@cfthaspart
18442 \renewcommand*\@part}[2]{%
18443   \cftdopartfalse
18444   \ifnum \c@tocdepth >-2\relax
18445     \if@cfthaschapter
18446       \cftdoparttrue
18447     \fi
18448     \ifnum \c@tocdepth >\m@ne
18449       \if@cfthaschapter\else
18450         \cftdoparttrue
18451       \fi
18452     \fi
18453   \cftdopart
18454     \if@cfthaschapter
18455       \addpenalty{-\highpenalty}
18456     \else
18457       \addpenalty\secpenalty
18458     \fi
18459 }

```



```

18460   \addvspace{\cftbeforepartskip}
18461   \begingroup
18462     {\if@RTL\rightskip\else\leftskip\fi \cftpindent\relax
18463       \if@RTL\leftskip\else\rightskip\fi \cftmarg
18464       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18465       \parindent \cftpindent\relax\cftafterindenttrue
18466       \interlinepenalty\@M
18467       \leavevmode
18468       \tempdima \cftpnumwidth\relax
18469       \let\cftbsnum \cftpresnum
18470       \let\cftasnum \cftaftersnum
18471       \let\cftasnumb \cftaftersnumb
18472       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \cftpartfont \cftpresnum #1
18473       \cftpartfillnum{#2}}
18474
18475     \nobreak
18476     \if@cfthaschapter
18477       \global\cftnobreaktrue
18478       \everypar{\global\cftnobreakfalse\everypar{}}
18479     \else
18480       \if@compatibility
18481         \global\cftnobreaktrue
18482         \everypar{\global\cftnobreakfalse\everypar{}}
18483       \fi
18484     \fi
18485     \endgroup
18486   \fi}
18487 \fi
18488 \if@cfthaschapter
18489 \renewcommand*{\l@chapter}[2]{%
18490   \ifnum \c@tocdepth >\m@ne
18491     \addpenalty{-\highpenalty}
18492     \vskip \cftbeforechapskip
18493     {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
18494       \if@RTL\leftskip\else\rightskip\fi \cftmarg
18495       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18496       \parindent \cftchapindent\relax\cftafterindenttrue
18497       \interlinepenalty\@M
18498       \leavevmode
18499       \tempdima \cftchapnumwidth\relax
18500       \let\cftbsnum \cftchapresnum
18501       \let\cftasnum \cftchapaaftersnum
18502       \let\cftasnumb \cftchapaaftersnumb
18503       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \cftchapfont \cftchapaaftersnumb{#1}\nobreak
18504       \cftchapfillnum{#2}}
18505     \fi}
18506   \fi}
18507 \fi
18508 \renewcommand*{\l@section}[2]{%
18509   \ifnum \c@tocdepth >\z@

```



```

18510    \if@cfthaschapter
18511        \vskip \cftbeforesecskip
18512    \else
18513        \addpenalty\@secpenalty
18514        \addvspace{\cftbeforesecskip}
18515    \fi
18516 {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
18517 \if@RTL\leftskip\else\rightskip\fi \cftsecmargin
18518 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18519 \parindent \cftsecindent\relax\cfterindenttrue
18520 \interlinepenalty\@M
18521 \leavevmode
18522 \tempdima \cftsecnumwidth\relax
18523 \let\cftbsnum \cftsecpresnum
18524 \let\cftasnum \cftsecaftersnum
18525 \let\cftasnumb \cftsecaftersnumb
18526 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18527 {\cftsecfont #1}\nobreak
18528 \cftsecfillnum{#2}}
18529 \fi}
18530 \renewcommand*{\l@subsection}[2]{%
18531   \ifnum \c@tocdepth >\@ne
18532     \vskip \cftbeforesubsecskip
18533     {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
18534 \if@RTL\leftskip\else\rightskip\fi \cftsubsecmargin
18535 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18536 \parindent \cftsubsecindent\relax\cfterindenttrue
18537 \interlinepenalty\@M
18538 \leavevmode
18539 \tempdima \cftsubsecnumwidth\relax
18540 \let\cftbsnum \cftsubsecpresnum
18541 \let\cftasnum \cftsubsecaftersnum
18542 \let\cftasnumb \cftsubsecaftersnumb
18543 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18544 {\cftsubsecfont #1}\nobreak
18545 \cftsubsecfillnum{#2}}
18546 \fi}
18547 \renewcommand*{\l@subsubsection}[2]{%
18548   \ifnum \c@tocdepth >\tw@
18549     \vskip \cftbeforesubsubsecskip
18550     {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
18551 \if@RTL\leftskip\else\rightskip\fi \cftsubsubsecmargin
18552 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18553 \parindent \cftsubsubsecindent\relax\cfterindenttrue
18554 \interlinepenalty\@M
18555 \leavevmode
18556 \tempdima \cftsubsubsecnumwidth\relax
18557 \let\cftbsnum \cftsubsubsecpresnum
18558 \let\cftasnum \cftsubsubsecaftersnum
18559 \let\cftasnumb \cftsubsubsecaftersnumb

```



```

18560      \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18561      {\cftsubsubsecfont #1}\nobreak
18562      \cftsubsubsecfillnum{#2}
18563  \fi}
18564 \renewcommand*{\l@paragraph}[2]{%
18565   \ifnum \c@tocdepth >3\relax
18566     \vskip \cftbeforeparaskip
18567     {\if@RTL\rightskip\else\leftskip\fi \cftpaindent\relax
18568       \if@RTL\leftskip\else\rightskip\fi \tocrmarg
18569       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18570       \parindent \cftpaindent\relax\@afterindenttrue
18571       \interlinepenalty\@M
18572       \leavevmode
18573       \tempdima \cftparanumwidth\relax
18574       \let\@cftbsnum \cftparapresnum
18575       \let\@cftasnum \cftparaftersnum
18576       \let\@cftasnumb \cftparaftersnumb
18577       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18578       {\cftparafont #1}\nobreak
18579       \cftparafillnum{#2}}
18580  \fi}
18581 \renewcommand*{\l@subparagraph}[2]{%
18582   \ifnum \c@tocdepth >4\relax
18583     \vskip \cftbeforesubparaskip
18584     {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
18585       \if@RTL\leftskip\else\rightskip\fi \tocrmarg
18586       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18587       \parindent \cftsubparaindent\relax\@afterindenttrue
18588       \interlinepenalty\@M
18589       \leavevmode
18590       \tempdima \cftsubparanumwidth\relax
18591       \let\@cftbsnum \cftsubparapresnum
18592       \let\@cftasnum \cftsubparaftersnum
18593       \let\@cftasnumb \cftsubparaftersnumb
18594       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18595       {\cftsubparafont #1}\nobreak
18596       \cftsubparafillnum{#2}}
18597  \fi}
18598 \renewcommand*{\l@figure}[2]{%
18599   \ifnum \c@lofdepth >\z@
18600     \vskip \cftbeforefigskip
18601     {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
18602       \if@RTL\leftskip\else\rightskip\fi \tocrmarg
18603       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18604       \parindent \cftfigindent\relax\@afterindenttrue
18605       \interlinepenalty\@M
18606       \leavevmode
18607       \tempdima \cftfignumwidth\relax
18608       \let\@cftbsnum \cftfigpresnum
18609       \let\@cftasnum \cftfigaftersnum

```



```

18610      \let\@cftasnumb \cftfigaftersnumb
18611      \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18612      {\cftfigfont #1}\nobreak
18613      \cftfigfillnum{#2}}
18614      \fi
18615  }
18616 \renewcommand*\l@table}[2]{%
18617   \ifnum\c@lotdepth >\z@
18618     \vskip \cftbeforetabskip
18619     {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
18620     \if@RTL\leftskip\else\rightskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18621     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18622     \parindent \cfttabindent\relax\@afterindenttrue
18623     \interlinepenalty\@M
18624     \leavevmode
18625     \tempdima \cfttabnumwidth\relax
18626     \let\@cftbsnum \cfttabpresnum
18627     \let\@cftasnum \cfttabaftersnum
18628     \let\@cftasnumb \cfttabaftersnumb
18629     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18630     {\cfttabfont #1}\nobreak
18631     \cfttabfillnum{#2}}
18632   \fi
18633 }
18634 \renewcommand{\cftl@subfig}{%
18635 \renewcommand*\l@subfigure}[2]{%
18636   \ifnum \c@lofdepth > \toclevel@subfigure
18637     \vskip \cftbeforesubfigskip
18638     {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
18639     \if@RTL\leftskip\else\rightskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18640     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18641     \parindent \cftsubfigindent\relax\@afterindenttrue
18642     \interlinepenalty\@M
18643     \leavevmode
18644     \tempdima \cftsubfignumwidth\relax
18645     \let\@cftbsnum \cftsubfigpresnum
18646     \let\@cftasnum \cftsubfigaftersnum
18647     \let\@cftasnumb \cftsubfigaftersnumb
18648     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18649     {\cftsubfigfont ##1}\nobreak
18650     \cftsubfigfillnum{##2}}
18651   \fi
18652 }
18653 }
18654 \renewcommand{\cftl@subtab}{%
18655 \renewcommand*\l@subtable}[2]{%
18656   \ifnum \c@lotdepth > \toclevel@subtable
18657     \vskip \cftbeforesubtabskip
18658     {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
18659     \if@RTL\leftskip\else\rightskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right

```



```

18660 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18661 \parindent \cftsubtabindent\relax\@afterindenttrue
18662 \interlinepenalty\@M
18663 \leavevmode
18664 \tempdima \cftsubtabnumwidth\relax
18665 \let\cftbsnum \cftsubtabpresnum
18666 \let\cftasnum \cftsubtabaftersnum
18667 \let\cftasnumb \cftsubtabaftersnumb
18668 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18669 {\cftsubtabfont ##1}\nobreak
18670 \cftsubtabfillnum{##2}}
18671 \fi
18672 }
18673 }
18674 \renewcommand{\newlistentry}[4]{[\emptyset]{%
18675 \ifundefined{c@#2}{% check & set the counter
18676 \ifx \emptyset\relax
18677 \newcounter{#2}
18678 \else
18679 \ifundefined{c@#1}{\PackageWarning{tocloft}%
18680 {#1 has no counter for use as a `within'}
18681 \newcounter{#2}}%
18682 {\newcounter{#2}[#1]%
18683 \expandafter\edef\csname the#2\endcsname{%
18684 \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
18685 \fi
18686 \setcounter{#2}{0}
18687 }
18688 {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
18689
18690 \namedef{1@#2}##1##2{%
18691 \ifnum \nameuse{c@#3depth} > #4\relax
18692 \vskip \nameuse{cftbefore#2skip}
18693 {\if@RTL\rightskip\else\leftskip\fi \nameuse{cft#2indent}\relax
18694 \if@RTL\leftskip\else\rightskip\fi \tocrmarg
18695 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18696 \parindent \nameuse{cft#2indent}\relax\@afterindenttrue
18697 \interlinepenalty\@M
18698 \leavevmode
18699 \tempdima \nameuse{cft#2numwidth}\relax
18700 \expandafter\let\expandafter\cftbsnum\csname cft#2presnum\endcsname
18701 \expandafter\let\expandafter\cftasnum\csname cft#2aftersnum\endcsname
18702 \expandafter\let\expandafter\cftasnumb\csname cft#2aftersnumb\endcsname
18703 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
18704 {\nameuse{cft#2font}##1}\nobreak
18705 \nameuse{cft#2fillnum}{##2}}
18706 \fi
18707 } % end of \l@#
18708
18709 \expandafter\newlength\csname cftbefore#2skip\endcsname

```



```

18710   \settlength{\@nameuse{cftbefore#2skip}}{\z@ \oplus .2\p@}
18711   \expandafter\newlength\csname cft#2indent\endcsname
18712   \expandafter\newlength\csname cft#2numwidth\endcsname
18713   \ifcase #4\relax % 0
18714     \settlength{\@nameuse{cft#2indent}}{0em}
18715     \settlength{\@nameuse{cft#2numwidth}}{1.5em}
18716   \or % 1
18717     \settlength{\@nameuse{cft#2indent}}{1.5em}
18718     \settlength{\@nameuse{cft#2numwidth}}{2.3em}
18719   \or % 2
18720     \settlength{\@nameuse{cft#2indent}}{3.8em}
18721     \settlength{\@nameuse{cft#2numwidth}}{3.2em}
18722   \or % 3
18723     \settlength{\@nameuse{cft#2indent}}{7.0em}
18724     \settlength{\@nameuse{cft#2numwidth}}{4.1em}
18725   \else % anything else
18726     \settlength{\@nameuse{cft#2indent}}{10.0em}
18727     \settlength{\@nameuse{cft#2numwidth}}{5.0em}
18728   \fi
18729   \namedef{cft#2font}{\normalfont}
18730   \namedef{cft#2presnum}{}
18731   \namedef{cft#2aftersnum}{}
18732   \namedef{cft#2aftersnumb}{}
18733   \namedef{cft#2dotsep}{\cftdotsep}
18734   \namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
18735   \namedef{cft#2pagefont}{\normalfont}
18736   \namedef{cft#2afterpnum}{}
18737   \namedef{toclevel@#2}{#4}
18738   \namedef{cft#2fillnum}{##1{%
18739     {\@nameuse{cft#2leader}}\nobreak
18740     \hb@xt@0\pnumwidth{\hfil\@nameuse{cft#2pagefont}}##1}\@nameuse{cft#2afterpnum}\par}
18741 } % end \newlistentry
18742 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
18743   \if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
18744   \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
18745   \if@RTL\leftskip\else\rightskip\fi \cftchapmarg\relax
18746   \textit{\#1}\protect\par}}

```

7.118 tocbasic-xetex-bidi.def

```

18747 \ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for toc basic package]
18748 \bidi@undef\scr@dte@def@l@undottedtocline
18749 \bidi@undef\scr@dte@undottedtocline@init
18750 \DeclareTOCEntryStyle{undottedtocline}[{%
18751   \DefineTOCEntryLengthOption{indent}%
18752   {scr@tso@}{@indent}{entry indent}%
18753   \DefineTOCEntryLengthOption{numwidth}%
18754   {scr@tso@}{@numwidth}{entry number width}%
18755   \cifundefined{#1tocdepth}{%
18756     \ifstr{\#1}{part}{\@namedef{#1tocdepth}{-1}}{%

```



```

18757 \ifstr{#1}{chapter}{\@namedef{\#1tocdepth}{0}}{%
18758   \ifstr{#1}{section}{\@namedef{\#1tocdepth}{1}}{%
18759     \ifstr{#1}{subsection}{\@namedef{\#1tocdepth}{2}}{%
18760       \ifstr{#1}{subsubsection}{\@namedef{\#1tocdepth}{3}}{%
18761         \ifstr{#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
18762           \ifstr{#1}{ subparagraph}{\@namedef{\#1tocdepth}{5}}{%
18763             \ifstr{#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
18764               \ifstr{#1}{table}{\@namedef{\#1tocdepth}{1}}{%
18765                 \expandafter\let\csname #1tocdepth\expandafter\endcsname
18766                   \csname #1numdepth\endcsname
18767                 }%
18768               }%
18769             }%
18770           }%
18771         }%
18772       }%
18773     }%
18774   }%
18775 }%
18776 }{%
18777 \@ifundefined{scr@tso@#1@indent}{%
18778   \ifundefined{scr@#1@tocindent}{%
18779     \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18780       \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18781         \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
18782           \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
18783             \scr@ifundefinedorrelax{l@chapter}{%
18784               \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
18785                 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18786                   \ifstr{#1}{subsubsection}{%
18787                     \@namedef{scr@tso@#1@indent}{3.8em}}%
18788                   }%
18789                     \ifstr{#1}{paragraph}{%
18790                       \@namedef{scr@tso@#1@indent}{7em}}%
18791                   }%
18792                     \ifstr{#1}{ subparagraph}{%
18793                       \@namedef{scr@tso@#1@indent}{10em}}%
18794                     }%
18795                   }%
18796                 }%
18797               }%
18798             }%
18799           }%
18800         }{%
18801           \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
18802             \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
18803               \ifstr{#1}{subsubsection}{%
18804                 \@namedef{scr@tso@#1@indent}{7.0em}}%
18805               }%
18806             \ifstr{#1}{paragraph}{%

```



```

18807           \c@namedef{scr@tso@#1@indent}{10em}%
18808 }{%
18809     \ifstr{#1}{subparagraph}{%
18810       \c@namedef{scr@tso@#1@indent}{12em}%
18811     }{%
18812   }{%
18813 }{%
18814 }{%
18815 }{%
18816 }{%
18817 }{%
18818 }{%
18819 }{%
18820 }{%
18821 }{%
18822 }{%
18823   \c@namedef{scr@tso@#1@indent}{\c@nameuse{scr@#1@tocindent}}%
18824 }{%
18825 }{%
18826 \c@ifundefined{scr@tso@#1@numwidth}{%
18827   \c@ifundefined{scr@#1@tocnumwidth}{%
18828     \ifstr{#1}{figure}{\c@namedef{scr@tso@#1@numwidth}{2.3em}}{%
18829       \ifstr{#1}{table}{\c@namedef{scr@tso@#1@numwidth}{2.3em}}{%
18830         \ifstr{#1}{chapter}{\c@namedef{scr@tso@#1@numwidth}{1.5em}}{%
18831           \scr@ifundefinedorrelax{chapter}{%
18832             \ifstr{#1}{section}{\c@namedef{scr@tso@#1@numwidth}{1.5em}}{%
18833               \ifstr{#1}{subsection}{\c@namedef{scr@tso@#1@numwidth}{2.3em}}{%
18834                 \ifstr{#1}{subsubsection}{%
18835                   \c@namedef{scr@tso@#1@numwidth}{3.2em}}{%
18836                 }{%
18837                   \ifstr{#1}{paragraph}{%
18838                     \c@namedef{scr@tso@#1@numwidth}{4.1em}}{%
18839                   }{%
18840                     \ifstr{#1}{subparagraph}{%
18841                       \c@namedef{scr@tso@#1@numwidth}{5em}}{%
18842                     }{%
18843                   }{%
18844                 }{%
18845               }{%
18846             }{%
18847           }{%
18848         }{%
18849           \ifstr{#1}{section}{\c@namedef{scr@tso@#1@numwidth}{2.3em}}{%
18850             \ifstr{#1}{subsection}{\c@namedef{scr@tso@#1@numwidth}{3.2em}}{%
18851               \ifstr{#1}{subsubsection}{%
18852                 \c@namedef{scr@tso@#1@numwidth}{3.1em}}{%
18853               }{%
18854                 \ifstr{#1}{paragraph}{%
18855                   \c@namedef{scr@tso@#1@numwidth}{5em}}{%
18856               }{%

```



```

18857           \ifstr{#1}{subparagraph}{%
18858             \@namedef{scr@tso@#1@numwidth}{6em}%
18859           }{%
18860             }%
18861             }%
18862               }%
18863                 }%
18864                   }%
18865                     }%
18866                       }%
18867                         }%
18868                           }%
18869                         }{%
18870                           \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
18871                           }%
18872                         }{%
18873                   }]{%
18874     \ifnum \c@tocdepth > \numexpr \nameuse{#1tocdepth}-\one\relax
18875       \ifnum \nameuse{#1tocdepth}<\one
18876         \scr@ifundefinedorrelax{chapter}{%
18877           \addpenalty\secpenalty
18878           \addvspace{1.0em \oplus \p@}%
18879             }{%
18880             \addpenalty{-\highpenalty}%
18881             \vskip 1.0em \oplus \p@%
18882             }%
18883       \else
18884         \addpenalty\secpenalty
18885         \addvspace{1.0em \oplus \p@}%
18886       \fi
18887     \setlength\tempdima{\nameuse{scr@tso@#1@numwidth}}%
18888   \begingroup
18889     \parindent \z@ \bidi@rightskip \pnumwidth
18890     \parfillskip -\pnumwidth
18891     \leavevmode
18892     \bfseries
18893     \advance\bidi@leftskip\tempdima
18894     \advance\bidi@leftskip\nameuse{scr@tso@#1@indent}%
18895     \hskip -\dimexpr \bidi@leftskip-\nameuse{scr@tso@#1@indent}\relax
18896     ##1%
18897     \nobreak
18898     \hfil \nobreak\hb@xt@\pnumwidth{\hss ##2}%
18899     \par
18900       \penalty\highpenalty
18901     \endgroup
18902   \fi
18903 }
18904
18905 \bidi@undef\scr@dte@def@l@largeocline
18906 \bidi@undef\scr@dte@largeocline@init

```



```

18907 \DeclareTOCEntryStyle{largetocline}[{%
18908   \DefineTOCEntryLengthOption{indent}%
18909   {scr@tso@}{@indent}{entry indent}%
18910   \Qifundefined{#1tocdepth}{%
18911     \ifstr{#1}{part}{\Qnamedef{#1tocdepth}{-1}}{%
18912       \ifstr{#1}{chapter}{\Qnamedef{#1tocdepth}{0}}{%
18913         \ifstr{#1}{section}{\Qnamedef{#1tocdepth}{1}}{%
18914           \ifstr{#1}{subsection}{\Qnamedef{#1tocdepth}{2}}{%
18915             \ifstr{#1}{subsubsection}{\Qnamedef{#1tocdepth}{3}}{%
18916               \ifstr{#1}{paragraph}{\Qnamedef{#1tocdepth}{4}}{%
18917                 \ifstr{#1}{subparagraph}{\Qnamedef{#1tocdepth}{5}}{%
18918                   \ifstr{#1}{figure}{\Qnamedef{#1tocdepth}{1}}{%
18919                     \ifstr{#1}{table}{\Qnamedef{#1tocdepth}{1}}{%
18920                       \expandafter\let\csname #1tocdepth\expandafter\endcsname
18921                         \csname #1numdepth\endcsname
18922                       }%
18923                     }%
18924                   }%
18925                 }%
18926               }%
18927             }%
18928           }%
18929         }%
18930       }%
18931     }{%
18932       \Qifundefined{scr@tso@#1@indent}{%
18933         \Qifundefined{scr@#1@tocindent}{%
18934           \ifstr{#1}{figure}{\Qnamedef{scr@tso@#1@indent}{1.5em}}{%
18935             \ifstr{#1}{table}{\Qnamedef{scr@tso@#1@indent}{1.5em}}{%
18936               \ifstr{#1}{part}{\Qnamedef{scr@tso@#1@indent}{0em}}{%
18937                 \ifstr{#1}{chapter}{\Qnamedef{scr@tso@#1@indent}{0em}}{%
18938                   \scr@ifundefinedorrelax{l@chapter}{%
18939                     \ifstr{#1}{section}{\Qnamedef{scr@tso@#1@indent}{0pt}}{%
18940                       \ifstr{#1}{subsection}{\Qnamedef{scr@tso@#1@indent}{1.5em}}{%
18941                         \ifstr{#1}{subsubsection}{%
18942                           \Qnamedef{scr@tso@#1@indent}{3.8em}}{%
18943                         }{%
18944                           \ifstr{#1}{paragraph}{%
18945                             \Qnamedef{scr@tso@#1@indent}{7em}}{%
18946                           }{%
18947                             \ifstr{#1}{subparagraph}{%
18948                               \Qnamedef{scr@tso@#1@indent}{10em}}{%
18949                               }{%
18950                                 }{%
18951                               }{%
18952                                 }{%
18953                               }{%
18954                                 }{%
18955                               }{%
18956                                 \ifstr{#1}{section}{\Qnamedef{scr@tso@#1@indent}{1.5em}}{%

```



```

18957     \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
18958         \ifstr{#1}{subsubsection}{%
18959             \@namedef{scr@tso@#1@indent}{7.0em}%
18960         }{%
18961             \ifstr{#1}{paragraph}{%
18962                 \@namedef{scr@tso@#1@indent}{10em}%
18963             }{%
18964                 \ifstr{#1}{subparagraph}{%
18965                     \@namedef{scr@tso@#1@indent}{12em}%
18966                 }{%
18967                     }%
18968                 }%
18969             }%
18970         }%
18971     }%
18972     }%
18973     }%
18974     }%
18975     }%
18976     }%
18977     }{%
18978         \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
18979     }%
18980 }{%
18981 }]%
18982 \ifnum \c@tocdepth > \numexpr \nameuse{#1tocdepth}-\one\relax
18983 \ifnum \nameuse{#1tocdepth}<\one
18984     \scr@ifundefinedorrelax{chapter}{%
18985         \addpenalty\secpenalty
18986         \addvspace{2.25em \oplus \p@}%
18987     }{%
18988         \addpenalty{-\highpenalty}%
18989         \addvspace{2.25em \oplus \p@}%
18990     }%
18991 \else
18992     \addpenalty\secpenalty
18993     \addvspace{2.25em \oplus \p@}%
18994 \fi
18995 \setlength\tempdima{3em}%
18996 \begin{group}
18997     \parindent \z@ \bidi@rightskip \pnumwidth
18998     \parfillskip -\pnumwidth
18999     \leavevmode
19000     \large
19001     \bfseries
19002     \advance\bidi@leftskip\nameuse{scr@tso@#1@indent}%
19003     ##1%
19004     \hfil \nobreak\hb@xt@\pnumwidth{\hss ##2}%
19005     \par
19006     \nobreak

```



```

19007 \ifnum 0=
19008   \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
19009   \global\@nobreaktrue
19010   \everypar{\global\@nobreakfalse\everypar{}}
19011   \fi
19012 \endgroup
19013 \fi
19014 }
19015
19016 \renewcommand*{\scr@dte@tocline}[3]{%
19017   \ifnum \c@nameuse{\#1tocdepth}>\c@tocdepth
19018   \else
19019     \tocbasic@DependOnPenaltyAndTOCLevel{\#1}%
19020     \addvspace{\c@nameuse{\scr@tso@\#1@beforeskip}}\relax
19021   {%
19022     \bidi@leftskip \c@nameuse{\scr@tso@\#1@indent}\relax
19023     \bidi@rightskip \c@tocrmarg
19024     \parfillskip -\bidi@rightskip
19025     \c@nameuse{Ifscr@tso@\#1@raggedpage}{%
19026       \addtolength{\parfillskip}{\z@ \c@plus 1fil}%
19027     }{%
19028       \parindent \c@nameuse{\scr@tso@\#1@indent}\relax
19029       \c@afterindenttrue
19030       \interlinepenalty\c@M
19031       \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
19032         \addtolength\bidi@rightskip\c@flushglue
19033       \else
19034         \def\reserved@a{\raggedright}%
19035         \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19036           \addtolength\bidi@rightskip\c@flushglue
19037         \else
19038           \renewcommand\reserved@a{\raggedright}%
19039           \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19040             \addtolength\bidi@rightskip\c@flushglue
19041           \fi
19042         \fi
19043       \fi
19044       \leavevmode
19045       \c@tempdima \c@nameuse{\scr@tso@\#1@numwidth}\relax
19046       \c@nameuse{Ifscr@tso@\#1@dynnumwidth}{%
19047         \scr@ifundefinedorrelax{\scr@dte@\#1@lastmaxnumwidth}{}{%
19048           \ifdim \c@nameuse{\scr@dte@\#1@lastmaxnumwidth}>\c@tempdima
19049             \c@tempdima\c@nameuse{\scr@dte@\#1@lastmaxnumwidth}\relax
19050           \fi
19051         }{%
19052       }{%
19053         \advance\bidi@leftskip \c@tempdima
19054         \null\nobreak\hskip -\bidi@leftskip
19055       }{%
19056         \usetocbasicnumberline

```



```

19057 \let\scr@dte@numberline@box\numberline@box
19058 \def\numberline@box##1{%
19059   \sbox{\scr@dte@tocline@numbox}{\@nameuse{scr@tso@#1@numberformat}{##1}}%
19060   \global\scr@dte@tocline@numberwidth
19061   \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
19062   \ifdim \scr@dte@tocline@numberwidth
19063     >\@nameuse{scr@dte@#1@maxnumwidth}\relax
19064     \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
19065   \fi
19066   \@nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
19067     \ifdim \scr@dte@tocline@numberwidth
19068       >\dimexpr \@nameuse{scr@tso@#1@numwidth}\%
19069         +\@nameuse{scr@tso@#1@numsep}\relax
19070     \PackageWarning{tocbasic}%
19071   }{%
19072     number width of #1 toc entries should be
19073     increased!\MessageBreak
19074     Currently used number width =
19075     \the\wd\scr@dte@tocline@numbox,\MessageBreak
19076     Wanted number separation
19077     \space\space\space =
19078     \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
19079     Reserved number width \space\space\space\space\space\space =
19080     \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
19081   }%
19082 \fi
19083 }%
19084 \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
19085 \@nameuse{Ifscr@tso@#1@breakafternumber}{}{%
19086   {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
19087 }{%
19088 }%
19089 \@nameuse{scr@tso@#1@entryformat}{}{%
19090   #2%
19091   \nobreak
19092 }{%
19093   \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}\%
19094   \nobreak
19095   \@nameuse{scr@tso@#1@pagenumberbox}{}{%
19096     \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
19097   }%
19098 }{%
19099   \par
19100 }{%
19101 }%
19102 }%
19103 \tocbasic@SetPenaltyByTOCLevel{#1}%
19104 \fi
19105 }%
19106

```



```

19107 \bidi@undef\scr@dte@def@l@tocline
19108 \bidi@undef\scr@dte@tocline@init
19109 \DeclareTOCEntryStyle{tocline}{[%
19110   \DefineTOCEntryLengthOption{beforeskip}%
19111   {scr@tso@}{@beforeskip}{vertical skip before the entry}%
19112   \DefineTOCEntryIfOption{breakafternumber}%
19113   {scr@tso@}{@breakafternumber}{line break after number flag}%
19114   \DefineTOCEntryIfOption{dynnumwidth}%
19115   {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
19116   \DefineTOCEntryCommandOption{entryformat}%
19117   {scr@tso@}{@entryformat}[1]{entry format}%
19118   \DefineTOCEntryCommandOption{entrynumberformat}%
19119   {scr@tso@}{@numberformat}[1]{entry number format}%
19120   \DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
19121   {scr@tso@}{@linefill}{filling between text and page number}%
19122   \DefineTOCEntryLengthOption{numsep}%
19123   {scr@tso@}{@numsep}{entry number separation}%
19124   \DefineTOCEntryCommandOption{onstarthigherlevel}%
19125   {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
19126   \DefineTOCEntryCommandOption{onstartlowerlevel}%
19127   {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
19128   \DefineTOCEntryCommandOption{onstartsamelevel}%
19129   {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
19130   \DefineTOCEntryCommandOption{pagenumberbox}%
19131   {scr@tso@}{@pagenumberbox}[1]{page number box}%
19132   \DefineTOCEntryCommandOption{pagenumberformat}%
19133   {scr@tso@}{@pagenumberformat}[1]{page number format}%
19134   \DefineTOCEntryOption{raggedentrytext}[true]{%
19135     \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
19136     \ifx\FamilyKeyState\FamilyKeyStateProcessed
19137       \if@tempswa
19138         \expandafter\let\csname ragged\scr@dte@current entry\endcsname
19139           \raggedright
19140       \else
19141         \expandafter\let\csname ragged\scr@dte@current entry\endcsname
19142           \relax
19143       \fi
19144     \fi
19145   }%
19146   \DefineTOCEntryIfOption{raggedpagenumber}%
19147   {scr@tso@}{@raggedpage}{page number ragged flag}%
19148   \DefineTOCEntryLengthOption{indent}%
19149   {scr@tso@}{@indent}{entry indent}%
19150   \DefineTOCEntryLengthOption{numwidth}%
19151   {scr@tso@}{@numwidth}{entry number width}%
19152   \scr@ifundefinedorrelax{\#1tocdepth}{%
19153     \ifstrrstart{\#1}{sub}{%
19154       \scr@ifundefinedorrelax{\scr@dte@nosub{\#1}tocdepth}{}{%
19155         \expandafter\edef\csname #1tocdepth\endcsname{%
19156           \the\numexpr \noexpand\nameuse{\scr@dte@nosub{\#1}tocdepth}+\@ne\relax

```



```

19157      }%
19158      }%
19159      }{ }%
19160      }{ }%
19161      \Qifundefined{\#1tocdepth}{%
19162          \ifstr{#1}{part}{\Qnamedef{\#1tocdepth}{-1}}{%
19163              \ifstr{#1}{chapter}{\Qnamedef{\#1tocdepth}{0}}{%
19164                  \ifstr{#1}{section}{\Qnamedef{\#1tocdepth}{1}}{%
19165                      \ifstr{#1}{subsection}{\Qnamedef{\#1tocdepth}{2}}{%
19166                          \ifstr{#1}{subsubsection}{\Qnamedef{\#1tocdepth}{3}}{%
19167                              \ifstr{#1}{paragraph}{\Qnamedef{\#1tocdepth}{4}}{%
19168                                  \ifstr{#1}{subparagraph}{\Qnamedef{\#1tocdepth}{5}}{%
19169                                      \ifstr{#1}{figure}{\Qnamedef{\#1tocdepth}{1}}{%
19170                                          \ifstr{#1}{table}{\Qnamedef{\#1tocdepth}{1}}{%
19171                                              \expandafter\let\csname #1tocdepth\expandafter\endcsname
19172                                              \csname #1numdepth\endcsname
19173                                              }%
19174                                              }%
19175                                              }%
19176                                              }%
19177                                              }%
19178                                              }%
19179                                              }%
19180                                              }%
19181                                              }%
19182      }{ }%
19183      \scr@ifundefinedorrelax{\scr@tso@#1@indent}{%
19184          \Qifundefined{\scr@#1@tocindent}{%
19185              \ifstrstart{#1}{sub}{%
19186                  \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{#1}@indent}{%
19187                      \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{#1}@numwidth}{%
19188                          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19189                              \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{#1}@numwidth}%
19190                              \relax
19191                          }%
19192                          }%
19193                      }{%
19194                          \scr@ifundefinedorrelax{\scr@tso@\scr@dte@nosub{#1}@numwidth}{%
19195                              \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19196                                  \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{#1}@indent}%
19197                                  \relax
19198                                  }%
19199                          }{%
19200                              \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19201                                  \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{#1}@indent}%
19202                                  +\noexpand\@nameuse{\scr@tso@\scr@dte@nosub{#1}@numwidth}%
19203                                  \relax
19204                                  }%
19205                                  }%
19206                                  }%

```



```

19207     }{ }%
19208   }{ %
19209     \cnamedef{scr@tso@#1@indent}{\cnameuse{scr@#1@tocindent}}%
19210   }%
19211   }{ }%
19212 \cifundefined{scr@tso@#1@indent}{%
19213   \ifstr{#1}{figure}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
19214     \ifstr{#1}{table}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
19215       \ifstr{#1}{part}{\cnamedef{scr@tso@#1@indent}{0em}}{%
19216         \ifstr{#1}{chapter}{\cnamedef{scr@tso@#1@indent}{0em}}{%
19217           \scr@ifundefinedorrelax{l@chapter}{%
19218             \ifstr{#1}{section}{\cnamedef{scr@tso@#1@indent}{0pt}}{%
19219               \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
19220                 \ifstr{#1}{subsubsection}{%
19221                   \cnamedef{scr@tso@#1@indent}{3.8em}}%
19222               }{ %
19223                 \ifstr{#1}{paragraph}{%
19224                   \cnamedef{scr@tso@#1@indent}{7em}}%
19225               }{ %
19226                 \ifstr{#1}{subparagraph}{%
19227                   \cnamedef{scr@tso@#1@indent}{10em}}%
19228               }{ %
19229             }{ %
19230           }{ %
19231         }{ %
19232       }{ %
19233     }{ %
19234   }{ %
19235     \ifstr{#1}{section}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
19236       \ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@indent}{3.8em}}{%
19237         \ifstr{#1}{subsubsection}{%
19238           \cnamedef{scr@tso@#1@indent}{7.0em}}%
19239         }{ %
19240           \ifstr{#1}{paragraph}{%
19241             \cnamedef{scr@tso@#1@indent}{10em}}%
19242         }{ %
19243           \ifstr{#1}{subparagraph}{%
19244             \cnamedef{scr@tso@#1@indent}{12em}}%
19245           }{ %
19246         }{ %
19247       }{ %
19248     }{ %
19249   }{ %
19250 }{ %
19251 }{ %
19252 }{ %
19253 }{ %
19254 }{ %
19255 }{ %
19256 }{ }%

```



```

19257 \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
19258   \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
19259     \ifstrstart{\#1}{sub}{%
19260       \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{\#1}@numwidth}{%}
19261         \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
19262           \glueexpr \noexpand\nameuse{scr@tso@\scr@dte@nosub{\#1}@numwidth}%
19263             +.9em%
19264           \relax
19265         }%
19266       }%
19267     }{}%
19268   }{}%
19269   \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
19270   }%
19271 }{}%
19272 \@ifundefined{scr@tso@#1@numwidth}{%
19273   \ifstr{\#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19274     \ifstr{\#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19275       \ifstr{\#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19276         \scr@ifundefinedorrelax{chapter}{%
19277           \ifstr{\#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19278             \ifstr{\#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19279               \ifstr{\#1}{subsubsection}{%
19280                 \@namedef{scr@tso@#1@numwidth}{3.2em}%
19281               }{}%
19282               \ifstr{\#1}{paragraph}{%
19283                 \@namedef{scr@tso@#1@numwidth}{4.1em}%
19284               }{}%
19285               \ifstr{\#1}{subparagraph}{%
19286                 \@namedef{scr@tso@#1@numwidth}{5m}%
19287               }{}%
19288             }{}%
19289           }{}%
19290         }{}%
19291       }{}%
19292     }{}%
19293   }{}%
19294   \ifstr{\#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19295     \ifstr{\#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
19296       \ifstr{\#1}{subsubsection}{%
19297         \@namedef{scr@tso@#1@numwidth}{3.1em}%
19298       }{}%
19299       \ifstr{\#1}{paragraph}{%
19300         \@namedef{scr@tso@#1@numwidth}{5em}%
19301       }{}%
19302       \ifstr{\#1}{subparagraph}{%
19303         \@namedef{scr@tso@#1@numwidth}{6em}%
19304       }{}%
19305     }{}%
19306   }%

```



```

19307      }%
19308      }%
19309      }%
19310      }%
19311      }%
19312      }%
19313      }%
19314  }{%
19315  \expandafter\renewcommand%
19316  \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
19317  \expandafter\renewcommand%
19318  \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
19319  \expandafter\renewcommand%
19320  \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
19321  \@ifundefined{scr@tso@#1@beforeskip}{%
19322    \ifstr{#1}{part}{%
19323      \namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \oplus \p@ \relax}%
19324    }{%
19325      \ifstr{#1}{chapter}{%
19326        \namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
19327      }{%
19328        \ifstr{#1}{section}{%
19329          \scr@ifundefinedorrelax{l@chapter}{%
19330            \namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
19331          }{%
19332        }{%
19333      }{%
19334    }{%
19335    \expandafter\renewcommand\expandafter*%
19336    \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@ \relax}%
19337  }{%
19338  \@ifundefined{scr@dte@#1@maxnumwidth}{%
19339    \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
19340    \setlength{\nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
19341  }{%
19342    \renewcommand*\scr@dte@donumwidth{}%
19343    \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
19344    \expandafter\renewcommand\expandafter*%
19345    \csname scr@tso@#1@numsep\endcsname{.4em}%
19346    \expandafter\renewcommand%
19347    \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
19348    \ifstr{#1}{part}{%
19349      \expandafter\renewcommand%
19350      \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
19351    }{%
19352      \ifstr{#1}{chapter}{%
19353        \expandafter\renewcommand%
19354        \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
19355    }{%
19356      \scr@ifundefinedorrelax{l@chapter}{%

```



```

19357     \ifstr{#1}{section}{%
19358         \expandafter\renewcommand%
19359         \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
19360     }{}%
19361 }{}%
19362     \expandafter\renewcommand%
19363     \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
19364 }%
19365 }%
19366 \expandafter\renewcommand%
19367 \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
19368 \@ifundefined{scr@tso@#1@linefill}{%
19369     \ifstr{#1}{part}{%
19370         \namedef{scr@tso@#1@linefill}{\hfill}%
19371     }{%
19372         \ifstr{#1}{chapter}{%
19373             \namedef{scr@tso@#1@linefill}{\hfill}%
19374         }{%
19375             \scr@ifundefinedorrelax{l@chapter}{%
19376                 \ifstr{#1}{section}{%
19377                     \namedef{scr@tso@#1@linefill}{\hfill}%
19378                 }{}%
19379             }{}%
19380             \expandafter\renewcommand%
19381             \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
19382         }%
19383     }%
19384 }{%
19385 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
19386 \ifstr{#1}{part}{%
19387     \expandafter\renewcommand%
19388     \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
19389 }{%
19390     \expandafter\renewcommand%
19391     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
19392         {\normalfont\normalcolor ##1}}%
19393 }%
19394 \expandafter\renewcommand%
19395 \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
19396     \hb@xt@0\pnumwidth{\hfil ##1}}%
19397 \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
19398 }]{%
19399     \scr@dte@tocline{#1}{##1}{##2}%
19400 }
19401

```

7.119 tocstyle-xetex-bidi.def

```

19402 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
19403 \renewcommand*{\tocstyle@dottedtocline}[5]{%

```



```

19404 \let\numberline\tocstyle@numberline
19405 \ifnum #1>\c@tocdepth \else
19406   \if@tocstyle@penalties
19407     \begingroup
19408       \tempcnta 20010
19409       \advance \tempcnta by -#1
19410       \ifnum \tempcnta>\lastpenalty
19411         \aftergroup\penalty\aftergroup\relax\lowpenalty
19412       \fi
19413     \endgroup
19414   \fi
19415   \edef\tocstyledepth{\#1}%
19416   \tocstyle@activate@features
19417   \ifx\tocstyle@feature@entryvskip\relax
19418     \vskip \z@ \relax .2\p@
19419   \else
19420     \addvspace{\tocstyle@feature@entryvskip}%
19421   \fi
19422   \%
19423   \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else\rightskip\fi
19424   \tocstyle@feature@raggedhook
19425   \tempdima #3\relax
19426   \tempdimb #2\relax
19427   \typeout{m (\tocstyleTOC, \tocstyledepth): \the\tempdima}%
19428   \ifnum #1>\z@\relax
19429     \tempcnta #1\relax \advance\tempcnta \m@ne
19430     \ifcsname tocstyle@skipwidth@\tocstyleTOC \the\tempcnta\endcsname
19431       \ifcsname tocstyle@numwidth@\tocstyleTOC \the\tempcnta\endcsname
19432         \tempdimb
19433         \csname tocstyle@skipwidth@\tocstyleTOC \the\tempcnta\endcsname
19434         \advance\tempdimb
19435         \csname tocstyle@numwidth@\tocstyleTOC \the\tempcnta\endcsname
19436       \fi
19437     \fi
19438   \fi
19439   \typeout{C (\tocstyleTOC, \tocstyledepth): \the\tempdimb}%
19440   \ifcsname tocstyle@skipwidth@\tocstyleTOC \#1\endcsname
19441     \ifdim \tempdimb>
19442       \csname tocstyle@skipwidth@\tocstyleTOC \#1\endcsname\relax
19443       \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
19444         \#1\endcsname{\the\tempdimb}%
19445     \fi
19446   \else
19447     \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
19448       \#1\endcsname{\the\tempdimb}%
19449   \fi
19450   \iftocstyle@autolength
19451     \ifcsname tocstyle@maxskipwidth@\tocstyleTOC \#1\endcsname
19452       \tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC \#1\endcsname
19453       \relax

```



```

19454 \fi
19455 \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
19456   \atempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
19457   \relax
19458 \fi
19459 \typeout{a (\tocstyleTOC, \tocstyledepth): \the\atempdima}%
19460 \typeout{A (\tocstyleTOC, \tocstyledepth): \the\atempdima}%
19461 \else
19462   \atempdimb #2\relax
19463   \typeout{M (\tocstyleTOC, \tocstyledepth): \the\atempdimb}%
19464 \fi
19465 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
19466   \ifdim \atempdima>
19467     \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
19468     \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
19469     @\endcsname{\the\atempdima}%
19470   \fi
19471 \else
19472   \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
19473   @\endcsname{\the\atempdima}%
19474 \fi
19475 \ifcase\tocstyle@indentstyle\relax\else
19476   \atempdimb \z@%
19477   \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
19478     \atempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
19479     \relax
19480   \fi
19481   \typeout{s (\tocstyleTOC, \tocstyledepth): \the\atempdima}%
19482   \typeout{S (\tocstyleTOC, \tocstyledepth): \the\atempdimb}%
19483 \fi
19484 \advance\parindent \atempdimb\@afterindenttrue
19485 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
19486 \advance\if@RTL\leftskip\else\rightskip\fi \tocrmarg
19487 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19488 \ifx\tocstyle@feature@parfillskip\relax\else
19489   \advance\parfillskip \tocstyle@feature@parfillskip\relax
19490 \fi
19491 \interlinepenalty\@M
19492 \leavevmode
19493 \advance\if@RTL\rightskip\else\leftskip\fi \atempdima
19494 \null\nobreak
19495 \iftocstyle@indentnotnumbered\else
19496   \hskip -\if@RTL\rightskip\else\leftskip\fi
19497 \fi
19498 \tocstyle@feature@entryhook
19499 {#4}\nobreak
19500 \ifx\tocstyle@feature@leaders\relax
19501   \leaders\hbox{$\m@th
19502     \mkern \dotsep mu\hbox{\tocstyle@feature@dothook .}%
19503     \mkern \dotsep mu$}\hfill

```



```

19504     \else
19505         \tocstyle@feature@leaders
19506     \fi
19507     \nobreak
19508     \ifx\tocstyle@feature@pagenumberbox\relax
19509         \hb@xt@\cnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
19510     \else
19511         \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
19512     \fi
19513     \par
19514 }
19515 \if@tocstyle@penalties
19516     \bgroup
19517         \tempcnta 20009
19518         \advance\tempcnta by -#1
19519         \edef\reserved@a{\egroup\penalty\the\tempcnta\relax}%
19520         \reserved@a
19521     \fi
19522 \fi}
19523 \renewcommand*\tocstyle@numberline[1]{%
19524     \begingroup
19525         \ifx\tocstyle@feature@spaceafternumber\relax
19526             \settowidth\tempdima{\tocstyle@numberline[#1]\enskip}%
19527         \else
19528             \settowidth\tempdima{\tocstyle@numberline[#1]}%
19529             \advance\tempdima\tocstyle@feature@spaceafternumber\relax
19530         \fi
19531     \ifcsname tocstyle@numwidth\@tocstyleTOC\@tocstyledepth\endcsname
19532         \ifdim\tempdima >
19533             \csname tocstyle@numwidth\@tocstyleTOC\@tocstyledepth\endcsname\relax
19534             \expandafter\xdef\csname tocstyle@numwidth\@tocstyleTOC
19535                 @tocstyledepth\endcsname{\the\tempdima}%
19536         \fi
19537     \else
19538         \expandafter\xdef\csname tocstyle@numwidth\@tocstyleTOC
19539             @tocstyledepth\endcsname{\the\tempdima}%
19540         \fi
19541     \endgroup
19542 \iftocstyle@indentnotnumbered
19543     \hskip -\if@RTL\rightskip\else\leftskip\fi
19544 \fi
19545 \ifcase\tocstyle@indentstyle
19546     \hb@xt@\tempdima{\tocstyle@numberline[#1]\hfil}%
19547 \or
19548     \hb@xt@\tempdima{\tocstyle@numberline[#1]\hfil}%
19549 \else
19550     \ifx\tocstyle@feature@spaceafternumber\relax
19551         \hbox{\tocstyle@numberline[#1]\enskip}%
19552 \else
19553         \hbox{\tocstyle@numberline[#1]\hskip

```



```

19554      \tocstyle@feature@spaceafternumber\relax}%
19555      \fi
19556      \fi
19557 }
19558 \AtBeginDocument{%
19559     \ifcsname l@part\endcsname
19560         \ifcsname l@chapter\endcsname
19561             \setbox\@tempboxa\vbox{\hsize\maxdimen
19562                 \l@part{\tocstyle@l@define{part}{-1}}{}}
19563         \else
19564             \setbox\@tempboxa\vbox{\hsize\maxdimen
19565                 \l@part{\tocstyle@l@define{part}{0}}{}}
19566         \fi
19567     \fi
19568     \ifcsname l@chapter\endcsname
19569         \setbox\@tempboxa\vbox{\hsize\maxdimen
19570             \l@chapter{\tocstyle@l@define{chapter}{0}}{}}
19571     \fi
19572     \ifcsname l@section\endcsname
19573         \setbox\@tempboxa\vbox{\hsize\maxdimen
19574             \l@section{\tocstyle@l@define{section}{1}}{}}
19575     \fi
19576     \ifcsname l@subsection\endcsname
19577         \setbox\@tempboxa\vbox{\hsize\maxdimen
19578             \l@subsection{\tocstyle@l@define{subsection}{2}}{}}
19579     \fi
19580     \ifcsname l@subsubsection\endcsname
19581         \setbox\@tempboxa\vbox{\hsize\maxdimen
19582             \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}
19583     \fi
19584     \ifcsname l@paragraph\endcsname
19585         \setbox\@tempboxa\vbox{\hsize\maxdimen
19586             \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}
19587     \fi
19588     \ifcsname l@ subparagraph\endcsname
19589         \setbox\@tempboxa\vbox{\hsize\maxdimen
19590             \l@ subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}
19591     \fi
19592     \ifcsname l@table\endcsname
19593         \setbox\@tempboxa\vbox{\hsize\maxdimen
19594             \l@table{\tocstyle@l@define{table}{1}}{}}
19595     \fi
19596     \ifcsname l@figure\endcsname
19597         \setbox\@tempboxa\vbox{\hsize\maxdimen
19598             \l@figure{\tocstyle@l@define{figure}{1}}{}}
19599     \fi
19600     \def\@tempa#1#2#3#4#5{%
19601         \ifnum #1>\c@tocdepth \else
19602             \vskip \z@ \oplus .2\p@
19603             {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \c@tocrm}

```



```

19604 \parindent #2\relax\@afterindenttrue
19605 \interlinepenalty\@M
19606 \leavevmode
19607 \tempdima #3\relax
19608 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \tempdima \nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi \tempdima
19609 \#4}\nobreak
19610 \leaders\hbox{$\m@th
19611 \mkern \dotsep mu\hbox{.}\mkern \dotsep
19612 mu$\hfill
19613 \nobreak
19614 \hbox{\@pnumwidth{\hfil \normalfont \normalcolor #5}}%
19615 \par}%
19616 \fi}%
19617 \ifx\@dottedtocline\@tempa\else
19618 \tocstyle@macrochangelwarning\@dottedtocline
19619 \fi
19620 \let\tocstyle@saved@dottedtocline\@dottedtocline
19621 \def\@tempa#1{\hbox{\@tempdima{\#1\autodot\hfil}}%
19622 \ifx\@tempa\else
19623 \def\@tempa{\hbox{\@tempdima{\#1\hfil}}%
19624 \ifx\@tempa\else
19625 \tocstyle@macrochangelwarning\@tempa
19626 \fi
19627 \fi
19628 \let\tocstyle@saved@numberline\@tempa
19629 }
19630 \renewcommand*{\tocstyle@l@define}[2]{%
19631 \advance\if@RTL\rightskip\else\leftskip\fi -\tempdima
19632 \edef\@tempa{%
19633 \noexpand\global\noexpand\let
19634 \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
19635 \expandafter\noexpand\csname l@#1\endcsname
19636 \noexpand\gdef
19637 \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
19638 \noexpand\@dottedtocline{\#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\tempdima}}%
19639 \noexpand\gaddto@macro\noexpand\tocstyle@activate@all@{%
19640 \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
19641 \expandafter\noexpand\csname tocstyle@l@#1\endcsname
19642 }%
19643 }%
19644 \PackageInfo{tocstyle}{prepare \expandafter\string
19645 \csname l@#1\endcsname\space for redefinition}%
19646 \@tempa
19647 }

```

7.120 todonotes-xetex-bidi.def

```

19648 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes package]
19649 \newif\if@bidi@todonotes@textdirection@RTL
19650 \newif\if@bidi@todonotes@figposition@right

```



```

19651 \newcommand{\@bidi@todonotes@align}{\relax}
19652 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}
19653 \newcommand{\@bidi@todonotes@textdirection}{\relax}
19654 \define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,
19655   \ifcase\bidi@todonotes@tempb\relax
19656     \@bidi@todonotes@textdirection@RTLtrue
19657     \let\@bidi@todonotes@textdirection\RLE
19658   \or
19659     \@bidi@todonotes@textdirection@RTLfalse
19660     \let\@bidi@todonotes@textdirection\LRE
19661   \fi}
19662 \define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right, left,
19663   \ifcase\bidi@todonotes@tempb\relax
19664     \@bidi@todonotes@figposition@righttrue
19665   \or
19666     \@bidi@todonotes@figposition@rightfalse
19667   \fi}
19668 \if@todonotes@disabled%
19669 \else % \if@todonotes@disabled
19670 \renewcommand{\@todonotes@drawInlineNote}{%
19671   \if@todonotes@dviStyle%
19672     {\par\noindent\begin{tikzpicture}[remember picture]%
19673       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
19674     \if@todonotes@authorgiven%
19675       {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
19676     \else%
19677       {\noindent \@todonotes@sizecommand \@todonotes@text}%
19678     \fi
19679     {\par\noindent\begin{tikzpicture}[remember picture]%
19680       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
19681   \else%
19682     {\par\noindent\begin{tikzpicture}[remember picture]%
19683       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
19684         \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@align]{}%
19685         \if@todonotes@authorgiven%
19686           {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
19687         \else%
19688           {\noindent \@todonotes@sizecommand \@todonotes@text}%
19689         \fi;}%
19690     \end{tikzpicture}\par}%
19691   \fi}%
19692 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
19693 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
19694   \node [coordinate] (inText) {};%
19695 \end{tikzpicture}%
19696 \marginpar[{\% Draw note in left margin
19697   \@todonotes@drawMarginNote\%
19698   \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi\%
19699 }]\{\% Draw note in right margin
19700   \@todonotes@drawMarginNote\%

```



```

19701      \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
19702 }%
19703 }%
19704 \renewcommand{\@todonotes@drawMarginNote}{%
19705 \if@todonotes@dviStyle%
19706     \begin{tikzpicture}[remember picture]%
19707         \draw node[notestyle] {};% 
19708     \end{tikzpicture}\%
19709     \begin{minipage}{\@todonotes@textwidth}%
19710         \if@todonotes@authorgiven%
19711             \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
19712         \else%
19713             \@todonotes@sizecommand \@todonotes@text%
19714         \fi%
19715     \end{minipage}\%
19716     \begin{tikzpicture}[remember picture]%
19717         \draw node[notestyle] (inNote) {};% 
19718     \end{tikzpicture}%
19719 \else%
19720     \let\originalHbadness\hbadness%
19721     \hbadness 100000%
19722     \begin{tikzpicture}[remember picture,baseline=(X.base)]%
19723         \if@bidi\@todonotes@textdirection@RTL\setRTL\fi%
19724         \node(X){\vphantom{X}};%
19725         \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi\@todonotes@text]{\@todonotes@text};%
19726         \if@todonotes@authorgiven%
19727             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi\@todonotes@text]{\@todonotes@author};%
19728             \node(Y)[below=of X]{};%
19729             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi\@todonotes@text]{\@todonotes@text};%
19730         \else%
19731             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi\@todonotes@text]{\@todonotes@text};%
19732         \fi%
19733     \else%
19734         \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi\@todonotes@text]{\@todonotes@text};%
19735     \fi%
19736     \fi%
19737     \end{tikzpicture}%
19738     \hbadness \originalHbadness%
19739 \fi}%
19740 \renewcommand{\missingfigure}[2][]{%
19741 \setkeys{todonotes}{#1}%
19742 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
19743 \par
19744 \noindent
19745 \begin{tikzpicture}
19746 \draw[fill=\@todonotes@currentfgcolor, draw = black!40, line width=2pt]
19747     (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
19748 \if@bidi\@todonotes@figposition@right%
19749 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
19750 \fi%

```



```

19751 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
19752     (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
19753 \if@bidi@todonotes@figposition@right%
19754 \end{scope}
19755 \begin{scope}[xshift=-3.8cm]
19756 \fi%
19757 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
19758 \draw (2, -0.3) node[right, text
19759     width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {\#2};
19760 \if@bidi@todonotes@figposition@right%
19761 \end{scope}
19762 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
19763 \fi%
19764 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
19765 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
19766 \if@bidi@todonotes@figposition@right%
19767 \end{scope}
19768 \fi%
19769 \end{tikzpicture}\hfill
19770 }% Ending \missingfigure command
19771 \fi % Ending \@todonotes@ifdisabled
19772 \presetkeys%
19773     {todonotes}%
19774     {align=left,%
19775     textdirection=lefttoright,%
19776     figposition=left}{})%

```

7.121 wrapfig-xetex-bidi.def

```

19777 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package fo
19778 \let\WF@@everypar\bidi@n@everypar
19779 \def\WF@putfigmaybe{%
19780 \ifinner
19781   \vskip-\parskip \global\WF@floatfalse
19782   \let\pagetotal\maxdimen % kludge flag for "not top of page"
19783 \else % outer page
19784   \tempdima\pagedepth % save page depth
19785   {\advance\parskip\tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
19786   \penalty\interlinepenalty % update pg. parameters
19787   \tempdimb\pagegoal\advance\tempdimb-\pagetotal % room left on page
19788   \ifdim\tempdimb<\z@ % \WF@info{Page overfull already;}%
19789     \global\WF@floatfalse
19790     \ifdim-\tempdimb>\pageshrink \else \pagebreak \fi
19791 \else
19792   \ifdim\WF@size>\tempdimb
19793     \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
19794     \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
19795     \ifdim\pagefilstretch>\z@ \dimen@\tempdimb \fi
19796     \ifdim\pagefillstretch>\z@ \dimen@\tempdimb \fi
19797     \advance\dimen@.5\baselineskip

```



```

19798      \ifdim\dimen@>\tempdimb % \WF@info{Page nearly full; can stretch}%
19799          \global\WF@floatfalse \pagebreak
19800      \fi
19801      \else % \WF@info{Fits in \the\tempdimb;}%
19802          \global\WF@floatfalse
19803      \fi\fi
19804      \vskip\tempdima\relax % (return erased page depth)
19805 \fi
19806 \noindent
19807 \ifWF@float
19808     \WF@flmes
19809 \else % putting here;
19810     \WF@info{Put \WF@wfname here:}%
19811     {\ifodd\if@twoside\c@page\else\ne\fi % assign l/r to i/o placement
19812         \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
19813         \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
19814     \hbox to\z@{%
19815         \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
19816         \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
19817         \hbox to\wd\WF@box \tempdimb\WF@ovh
19818         \advance\tempdima-\tempdimb \advance\tempdima\columnsep
19819         \tempdimb\hsize \advance\tempdimb-\tempdima
19820         \xdef\WF@adjlw{\the\tempdima}%
19821         \ifnum `l=\WF@place % fig on left
19822             \if@RTL%
19823                 \kern\tempdimb \kern\columnsep
19824                 \def\tempa{\hss}% position to left of the gap
19825             \else%
19826                 \hss % figure overlaps space to the left
19827                 \def\tempa{\kern\columnsep}% position to left of the gap
19828             \fi%
19829         \else % fig on right
19830             \if@RTL%
19831                 \hss
19832                 \tempdima\z@
19833                 \def\tempa{\kern\columnsep}
19834             \else%
19835                 \tempdima\z@ % no left indentation
19836                 \kern\tempdimb \kern\columnsep
19837                 \def\tempa{\hss}% figure overlaps space to the right
19838             \fi
19839             \ifdim\tempdimb<\hsize
19840                 \xdef\WF@wrapil{\the\tempdima \the\tempdimb}% indentation and length
19841                 \xdef\WF@adjtlm{\the\tempdima}%
19842             \else
19843                 \xdef\WF@wrapil{\z@ \the\hsize}%
19844                 \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
19845             \fi
19846             \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
19847                 \global\advance\WF@size-\intextsep
19848             \else % \WF@info{Putting \WF@wfname in middle of page}%

```



```

19848      \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
19849      \fi \dp\WF@box\z@\box\WF@box \attempa
19850  }% end \hbox to Opt
19851  \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
19852 \fi}

```

7.122 xcolor-xetex-bidi.def

```

19853 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for ]
19854 \long\def\color@b@x#1#2#3%
19855  {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
19856  \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
19857  \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
19858  \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
19859  {\#1\#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}\ifmmode\else\if@RTL\endL\fi\fi}
19860 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
19861 \DeclareRobustCommand\color
19862  {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
19863 \def\@undeclaredcolor[#1]#2%
19864  {\begingroup
19865  \let\@c@cls\@empty
19866  \XC@getmodclr12{#1}{#2}{}}%
19867  \ifblendcolors
19868  \ifx\colorblend\@empty\else
19869  \edef\@c@mix{\expandafter\gobble\colorblend}\@tempswafalse
19870  \XC@coremodel\@mod\@c@clr\@xcolor@{}{}\@mod\@c@clr
19871  \fi
19872  \fi
19873  \ifconvertcolorsU
19874  \edef\@tmp{\XC@tgt\@mod\{@mod}}%
19875  \convertcolorspec\@mod\@c@clr\@tmp\@c@clr \let\@mod\@tmp
19876  \fi
19877  \ifmaskcolors
19878  \convertcolorspec\@mod\@c@clr\XC@mmod\@c@clr
19879  \let\@mod\XC@mmod
19880  \XC@inflate\@mod\XC@mclr\@c@clr\@tmp
19881  \expandafter\XC@mul\@tmp,\@c@clr
19882  \fi
19883  \edef\@tmp{\noexpand\XC@undeclaredcolor\{@mod\}@c@clr}%
19884  \expandafter\endgroup\@tmp}
19885 \def\@declaredcolor#1%
19886  {\XC@edef\XC@tmp{#1}\XC@tstfalse
19887  \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
19888  \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
19889  \ifconvertcolorsU\XC@tsttrue\fi
19890  \fi
19891  \ifXC@tst
19892  \expandafter\XC@declaredcolor\else
19893  \expandafter\XC@declaredcolor\fi}
19894 \def\XC@undeclaredcolor#1#2%

```



```

19895  {\@ifundefined{model}{#1}%
19896    {\c@lor@error{model `#1'}}%
19897    {\@nameuse{color@#1}\current@color{#2}%
19898      \edef\XC@current@color{\noexpand\xcolor@{}\{\current@color}{#1}{#2}}%
19899      \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
19900 \def\XC@declaredc@lor
19901 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
19902 \edef\current@color{\XC@current@color}%
19903 \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
19904 \DeclareRobustCommand\bidi@color
19905 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}%
19906 \def\@bidiundeclaredcolor[#1]#2%
19907 {\begingroup
19908 \let\@cls\@empty
19909 \XC@getmodclr12{#1}{#2}{}%
19910 \ifblendcolors
19911   \ifx\colorblend\@empty\else
19912     \edef\@@mix{\expandafter\gobble\colorblend}\@tempswafalse
19913     \XC@coremodel\@mod\@clr\@xcolor@{}{}\@mod\@clr
19914     \fi
19915   \fi
19916   \ifconvertcolorsU
19917     \edef\@@tmp{\XC@tgt@mod{\@mod}}%
19918     \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
19919   \fi
19920   \ifmaskcolors
19921     \convertcolorspec\@mod\@clr\XC@mmod\@clr
19922     \let\@mod\XC@mmod
19923     \XC@inflate\@mod\XC@mclr\@clr\@tmp
19924     \expandafter\XC@mul\@tmp,\@clr
19925   \fi
19926   \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
19927   \expandafter\endgroup\@tmp}%
19928 \def\XC@bidiundeclaredcolor#1#2%
19929 {\@ifundefined{model}{#1}%
19930   {\c@lor@error{model `#1'}}%
19931   {\@nameuse{color@#1}\current@color{#2}%
19932     \edef\XC@current@color{\noexpand\xcolor@{}\{\current@color}{#1}{#2}}%
19933     \XC@display}%
19934 \def\@bidideclaredcolor#1%
19935 {\XC@edef\XC@@tmp{#1}\XC@tstfalse
19936 \ifcase\XC@type\XC@@tmp\relax \XC@tsttrue\or \relax\else
19937   \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
19938   \ifconvertcolorsU\XC@tsttrue\fi
19939 \fi
19940 \ifXC@tst
19941   \expandafter\XC@bidideclaredcolor\else
19942   \expandafter\XC@bidideclaredc@lor\fi}
19943 \def\XC@bidideclaredcolor
19944 {\XC@split\XC@@tmp

```



```

19945 \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
19946 \expandafter\endgroup\@@tmp}
19947 \def\XC@bidideclaredcolor{%
19948 {\XC@let@Nc\XC@current@color{\string\color@XC@@tmp}%
19949 \edef\current@color{\XC@current@color}%
19950 \XC@display}
19951 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
19952 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
19953 \def\color@fb@x#1#2#3#4%
19954 {\color@b@x{\fboxsep z@\bidicolor#1{#2}\XC@fbox}%
19955 {\@ifempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
19956 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.123 latex-xetex-bidi.def

```

19957 \ProvidesFile{latex-xetex-bidi.def}[2017/05/06 v1.2.9 bidi adaptations for `latex.ltx' for Xe
19958 \newcommand{\TeXeTOn}{\TeXeTstate=1 }
19959 \newcommand{\TeXeTOff}{\TeXeTstate=0 }
19960 \TeXeTOn
19961 \def\bidi@RTL@everypar{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@}
19962 \let\bidi@o@everypar=\everypar
19963 \newtoks\bidi@n@everypar
19964 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
19965 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
19966 \let\everypar=\bidi@n@everypar
19967 \def\moreLRE{\brace{text \aftergroup\endL \beginL\@RTLfalse}
19968 \def\moreRLE{\brace{text \aftergroup\endR \beginR\@RTLtrue}
19969 \protected\def\hboxR{\hbox\bgroup
19970 \everyhbox{%
19971 \aftergroup\egroup
19972 \everyhbox{}%
19973 \beginR
19974 \hboxRconstructtrue
19975 \bgroup
19976 \aftergroup\endR
19977 \aftergroup\egroup
19978 }\hbox}
19979 \protected\def\hboxL{\hbox\bgroup
19980 \everyhbox{}%
19981 \aftergroup\egroup
19982 \everyhbox{}%
19983 \beginL
19984 \hboxRconstructfalse
19985 \bgroup
19986 \aftergroup\endL
19987 \aftergroup\egroup
19988 }\hbox}
19989 \protected\def\vboxR{\vbox\bgroup
19990 \everyvbox{}%
19991 \aftergroup\egroup

```



```

19992 \everyvbox{}%
19993 \@RTLtrue
19994 \@RTLtabtrue
19995 \bgroup
19996 \aftergroup\egroup
19997 }\vbox}
19998 \protected\def\vboxL{\vbox\bgroup
19999 \everyvbox{}%
20000 \aftergroup\egroup
20001 \everyvbox{}%
20002 \@RTLfalse
20003 \@RTLtabfalse
20004 \bgroup
20005 \aftergroup\egroup
20006 }\vbox}
20007 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
20008 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
20009 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hspace\linewidth\parshape\z@}
20010 \def\endLTR{\par}
20011 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hspace\linewidth\parshape\z@}
20012 \def\endRTL{\par}
20013 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
20014 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}
20015 \let\unsetRTL=\setRTL
20016 \let\unsetLTR=\setRTL
20017 \let\LR=\LRE
20018 \let\RL=\RLE
20019 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
20020 \def\@ensure@LTR#1{\if@RTL\LR{#1}\else#1\fi}
20021 \let\@ensure@RL=\@ensure@RTL
20022 \let\@ensure@LR=\@ensure@LTR
20023 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
20024 \let\@ensure@maindir=\@ensure@dir
20025 \def\@RTL{\RTL}
20026 \def\@LTR{\LTR}
20027 \def\save@dir{\if@RTL\gdef\saved@dir{\RTL}\else\gdef\saved@dir{\LTR}\fi}
20028 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi\fi}
20029 \let\@TeX\TeX
20030 \def\TeX{\@ensure@LTR{\@TeX}}
20031 \let\@LaTeX\LaTeX
20032 \def\LaTeX{\@ensure@LTR{\@LaTeX}}
20033 \let\@LaTeXe\LaTeXe
20034 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
20035 \long\def\bidi@reflect@box#1{%
20036 \leavevmode
20037 \setbox\z@\hbox{\#1}%
20038 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}%
20039 \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
20040 }
20041 \bidi@newrobustcmd*\{XeTeX\}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex}}}
```



```

20042 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}$$}
20043 \bidi@newrobustcmd*\{XeLaTeX\}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
20044 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}$$}}
20045 \let\setRTL=\setRTL
20046 \let\setLR=\setLTR
20047 \let\unsetRL=\setLTR
20048 \def\bidi@tabular@RTLcases{\let@\halign@\empty\@bidi@tabular@RTLcases}
20049 \ifpackageloaded{array}{%
20050 \def@\bidi@tabular@RTLcases{\@RTLtabtrue%
20051 \leavevmode
20052 \hbox \bgroup $ \left.\col@sep\right.\!\! \tabcolsep \let\d@llarbegin\begin{group}
20053 \let\d@llarend\endgroup
20054 \let\tabarray}
20055 \def\endbidi@tabular@RTLcases{\endarray \right\rbrace \egroup}
20056 }{%
20057 \def@\bidi@tabular@RTLcases{\@RTLtabtrue%
20058 \leavevmode \hbox \bgroup
20059 $ \left.\let\@acol\@tabacol
20060 \let\@classz\@tabclassz
20061 \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
20062
20063 \def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
20064 \left.\egroup\right\rbrace \egroup}
20065 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
20066 \ialign{$##\hfil\&\quad\hfil\crcr#1\crcr}\right.\left.\right\rbrace}
20067 \renewenvironment{RTLcases}{%
20068 \bidi@matrix@check{RTLcases}\env@RTLcases
20069 }{%
20070 \endbidi@tabular@RTLcases%
20071 }
20072 \def\env@RTLcases{%
20073 \let@\ifnextchar\bidi@new@ifnextchar
20074 \def\arraystretch{1.2}%
20075 \bidi@tabular@RTLcases{@{}r@{\quad}r@{}%}
20076 }
20077 \def\SepMark#1{\gdef\@SepMark{#1}}
20078 \SepMark{.}
20079 \def@\thmcOUNTERsep{\@SepMark}
20080 \def\setRTLbibitemstrue{\@RTLbibitemstrue\@RTLbibitemsfalse}
20081 \def\setLTRbibitemstrue{\@RTLbibitemstrue\@RTLbibitemsfalse}
20082 \def\setdefaultbibitemstrue{\@RTLbibitemstrue\@RTLbibitemsfalse}
20083 \newcommand*{\bidi@@thebibliography}{\font@hook{}}
20084 \def\list#1#2{%
20085 \ifnum \listdepth >5\relax
20086 \else
20087 \global\advance\listdepth\@ne
20088 \fi
20089 \rightmargin\z@
20090 \listparindent\z@
20091 }
```



```

20092 \itemindent\z@
20093 \csname @list\romannumeral\the\@listdepth\endcsname
20094 \def\@itemlabel{\#1}%
20095 \let\makelabel\@mklab
20096 \onmbrlistfalse
20097 #2\relax
20098 \@trivlist
20099 \parskip\parsep
20100 \parindent\listparindent
20101 \advance\linewidth -\rightmargin
20102 \advance\linewidth -\leftmargin
20103 \if@bidi@list@minipage@parbox
20104 \if@RTL
20105 \advance\@totalleftmargin \leftmargin
20106 \else
20107 \advance\@totalleftmargin \rightmargin
20108 \fi
20109 \else
20110 \if@hboxRconstruct
20111 \if@bidi@list@minipage@parbox@not@nob
20112 \if@RTL
20113 \advance\@totalleftmargin \rightmargin
20114 \else
20115 \advance\@totalleftmargin \leftmargin
20116 \fi
20117 \else
20118 \if@RTL
20119 \advance\@totalleftmargin \leftmargin
20120 \else
20121 \advance\@totalleftmargin \rightmargin
20122 \fi\fi
20123 \else
20124 \if@RTL
20125 \advance\@totalleftmargin \rightmargin
20126 \else
20127 \advance\@totalleftmargin \leftmargin
20128 \fi\fi\fi
20129 \parshape \one \@totalleftmargin \linewidth
20130 \ignorespaces}
20131 \long\def\@iiiparbox#1#2[#3]#4#5{%
20132 \leavevmode
20133 \pboxswfalse
20134 \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
20135 \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
20136 \setlength\@tempdima{#4}%
20137 \begin\tmpboxa\vbox{\hsize\@tempdima\parboxrestore#5\@par}%
20138 \ifx\relax#2\else
20139 \setlength\@tempdimb{#2}%
20140 \edef\@parboxto{\to\the\@tempdimb}%
20141 \fi

```



```

20142     \if#1b\vbox
20143     \else\if #1t\vtop
20144     \else\ifmmode\vcenter
20145     \else@pboxswtrue \$\vcenter
20146     \fi\fi\fi
20147     \parboxto{\let\hss\vss\let\unhbox\unvbox
20148         \csname bm@\#3\endcsname}%
20149     \if@pboxsw \m@th$\fi
20150     \end@tempboxa}
20151 \def\bidi@lrbox#1{%
20152     \edef\reserved@a{%
20153         \endgroup
20154         \setbox#1\hbox{%
20155             \begingroup\aftergroup}%
20156             \def\noexpand{@currenvir{@currenvir}}%
20157             \def\noexpand@currenvline{\on@line}}%
20158     \reserved@a
20159     \@endpefalse
20160     \color@begingroup
20161         \ignorespaces}
20162 \def\endbidi@lrbox{\unskip\color@endgroup}
20163 \newenvironment{LTRitems}
20164     {\par\@RTLfalse\@RTLtabfalse
20165     \if@bidi@list@minipage@parbox
20166         \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
20167         \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20168             \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20169             \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20170             \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20171                 \ignorespaces}{\vskip\z@}
20172 \newenvironment{RTLitems}
20173     {\par\@RTLtrue\@RTLtabtrue
20174     \if@bidi@list@minipage@parbox
20175         \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20176         \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20177             \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20178             \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20179             \else \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20180                 \ignorespaces}{\vskip\z@}
20181 \newenvironment{LTRbibitems}
20182     {\par\@RTLfalse\@RTLtabfalse
20183     \if@bidi@list@minipage@parbox
20184         \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
20185         \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20186             \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20187             \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20188             \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20189                 \ignorespaces}{\vskip\z@}
20190 \newenvironment{RTLbibitems}
20191     {\par\@RTLtrue\@RTLtabtrue

```



```

20192           \if@bidi@list@minipage@parbox
20193             \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20194             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20195               \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20196               \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20197             \else \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20198               \ignorespaces}{\vskip\z@}
20199 \def\raggedright{%
2020   \let\\@centercr@rightskip\@flushglue \rightskip\@rightskip
2021   \leftskip\z@skip
2022   \parindent\z@\parfillskip\z@skip}
2023 \let\bidi@orig@raggedleft\raggedleft
2024 \let\bidi@orig@raggedright\raggedright
2025 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRcon
2026 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRcon
2027 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
2028 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
2029 \def\centerline#1{%
2030   \if@RTL@@line{\hss\beginR#1\endR\hss}
2031   \else@@line{\hss#1\hss}\fi}
2032 \def\leftline#1{%
2033   \if@RTL@@line{\beginR#1\endR\hss}
2034   \else@@line{\#1\hss}\fi}
2035 \def\rightline#1{%
2036   \if@RTL@@line{\hss\beginR#1\endR}
2037   \else@@line{\hss#1}\fi}
2038 \let\bidi@orig@leftline\leftline
2039 \let\bidi@orig@rightline\rightline
2040 \def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\i
2041 \def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\i
2042 \def\bidiirlap#1{\hb@xt@z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
2043 \def\bidiillap#1{\hb@xt@z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
2044 \def@hangfrom#1{\setbox@tempboxa\hbox{[#1]}%
2045   \hangindent \if@RTL-\else\fi\wd@tempboxa\noindent\box@tempboxa}
2046 \def\narrower{%
2047   \advance\if@RTL\rightskip\else\leftskip\fi\parindent
2048   \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
2049 \def\underline#1{%
2050   \relax
2051   \ifmmode@@underline{#1}%
2052   \else
2053     \if@RTL $@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
2054   \else
2055     $@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
2056 \if@compatibility
2057   \let\undertext=\underline
2058 \fi
2059 \def@tabular{%
2060   \leavevemode \hbox \bgroup \if@RTL\beginR\fi
2061   $\let@acol@tabacol
```



```

20242     \let\@classz\@tabclassz
20243     \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
20244 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
20245             \egroup $\if@RTLtab\endR\fi\egroup}
20246 \expandafter \let \csname endtabular*\endcsname = \endtabular
20247 \def\@array[#1]#2{%
20248   \if #1\vtop \else \if#1b\vbox \else \vcenter \fi\fi
20249   \bgroup
20250   \setbox\@arstrutbox\hbox{%
20251     \vrule \height\arraystretch\ht\strutbox
20252         \depth\arraystretch \dp\strutbox
20253         \width\z@}%
20254   \mkpream{#2}%
20255   \edef\@preamble{%
20256     \ialign \noexpand\@halignto
20257       \bgroup \@arstrut \preamble \tabskip\z@skip \cr}%
20258 \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
20259 \let\tabularnewline\\%
20260   \let\par\@empty
20261   \let\sharp##%
20262   \set@typeset@protect
20263   \lineskip\z@skip\baselineskip\z@skip
20264   \ifhmode \preamerr\z@ \@@par\fi
20265   \if@RTLtab\hbox\bgroup\beginR\@boxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
20266   \preamble}
20267 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
20268 \let\@classiv\@arrayclassiv
20269 \let\\@\arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
20270 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
20271   \ifnum \@lastchclass=3 5 \else
20272   \z@ \if #1c\@chnum \z@ \else
20273     \if \if@RTLtab#1r\else#1l\fi\@chnum \one \else
20274     \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
20275     \@chclass \if #1|\one \else
20276     \if #1@tw@ \else
20277     \if #1p3 \else \z@ \preamerr 0\fi
20278   \fi \fi \fi \fi \fi
20279 \fi}
20280 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
20281 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
20282 \def\bm@t{\unhbox\@tempboxa\hss}
20283 \def\bm@b{\hss\unhbox\@tempboxa}
20284 \def\@dottedtocline#1#2#3#4#5{%
20285   \ifnum #1>\c@tocdepth \else
20286     \vskip \z@ \pplus.2\p@
20287     \if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \tocrmarg
20288     \parindent #2\relax\@afterindenttrue
20289     \interlinepenalty\@M
20290     \leavevmode
20291     \tempdima #3\relax

```



```

20292     \advance\if@RTL\righskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\righ
20293     {#4}\nobreak
20294     \leaders\hbox{$\m@th
20295         \mkern \dotsep mu\hbox{.}\mkern \dotsep
20296         mu$\}\hfill
20297         \nobreak
20298         \hbox{\pnumwidth{{\hfil\normalfont \normalcolor #5}}%
20299         \par}%
20300     \fi}
20301
20302 \newcount\bidi@column@check@number
20303
20304 \def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}
20305
20306 \def\bidi@set@column@status#1#2{%
20307     \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}
20308
20309 \if@twocolumn
20310 \newcommand{\DetectColumn}[3][1]{%
20311     \ifx\bidi@firstcolumn@status@write\relax
20312         \PackageError{bidi}{%
20313             {Option 'DetectColumn' not selected}%
20314             {\string\DetectColumn\space
20315                 requires the use of the 'DetectColumn'
20316                 option on the package}%
20317     \fi
20318     \global\advance\bidi@column@check@number\@ne
20319     \edef\bidi@column@type{\expandafter\ifx
20320         \csname bidi@column-\the\bidi@column@check@number\endcsname\relax
20321             0\else
20322             \csname bidi@column-\the\bidi@column@check@number\endcsname
20323         \fi}%
20324     \ifcase\bidi@column@type\relax
20325         \ifcase #1\or #2\or #3\fi % 0 not known use first column as default
20326     \or
20327         #2% 1 First column
20328     \or
20329         #3% 2 Second (Last column)
20330     \else
20331         \ERROR
20332     \fi
20333     \edef\next{\write\auxout
20334         {\string\bidi@set@column@status{bidi@column-\the\bidi@column@check@number}%
20335             {\bidi@column@type}}}%
20336     \next
20337 }
20338
20339 \AtEndDocument{\def\bidi@set@column@status#1#2{%
20340     \ifnum #2=\bidi@current@column@status\else
20341         \tempswattrue

```



```

20342      \fi}%
20343 }
20344 \fi
20345
20346 \def\RTL@outputdblcol{%
20347   \if@firstcolumn
20348     \global\@firstcolumnfalse
20349     \global\setbox\@leftcolumn\copy\@outputbox
20350     \splitmaxdepth\maxdimen
20351     \vbadness\maxdimen
20352     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
20353     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
20354     \toks@\expandafter{\topmark}%
20355     \xdef\@firstcoltopmark{\the\toks@}%
20356     \toks@\expandafter{\splitfirstmark}%
20357     \xdef\@firstcolfirstmark{\the\toks@}%
20358     \ifx\@firstcolfirstmark\@empty
20359       \global\let\@setmarks\relax
20360     \else
20361       \gdef\@setmarks{%
20362         \let\firstmark\@firstcolfirstmark
20363         \let\topmark\@firstcoltopmark}%
20364       \fi
20365   \else
20366     \global\@firstcolumntrue
20367     \setbox\@outputbox\vbox{%
20368       \hb@xt@{\textwidth}{%
20369         \hskip \columnwidth
20370         \hfil
20371         {\normalcolor\vrule \@width\columnseprule}%
20372         \hfil
20373         \hb@xt@{\columnwidth}{%
20374           \bidi@firstcolumn@status@write}%
20375           \box\@leftcolumn \hss}%
20376         \hskip -\textwidth
20377         \hb@xt@{\columnwidth}{%
20378           \bidi@lastcolumn@status@write}%
20379           \box\@outputbox \hss}%
20380         \hskip \columnsep
20381         \hskip \columnwidth }}}%
20382   \combinedblfloats
20383     \@setmarks
20384     \@outputpage
20385     \begingroup
20386       \dblfloatplacement
20387       \startdblcolumn
20388       \whilesw\if@fcolmade \fi{\@outputpage
20389         \startdblcolumn}%
20390       \endgroup
20391     \fi}%

```



```

20392 \def\LTR@outputdblcol{%
20393   \if@firstcolumn
20394     \global\@firstcolumnfalse
20395     \global\setbox\@leftcolumn\copy\@outputbox
20396     \splitmaxdepth\maxdimen
20397     \vbadness\maxdimen
20398     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
20399     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
20400     \toks@\expandafter{\topmark}%
20401     \xdef\@firstcoltopmark{\the\toks@}%
20402     \toks@\expandafter{\splitfirstmark}%
20403     \xdef\@firstcolfirstmark{\the\toks@}%
20404     \ifx\@firstcolfirstmark\empty
20405       \global\let\@setmarks\relax
20406     \else
20407       \gdef\@setmarks{%
20408         \let\firstmark\@firstcolfirstmark
20409         \let\topmark\@firstcoltopmark}%
20410       \fi
20411     \else
20412       \global\@firstcolumntrue
20413       \setbox\@outputbox\vbox{%
20414         \hb@xt@\textwidth{%
20415           \hb@xt@\columnwidth{%
20416             \bidi@firstcolumn@status@write}%
20417             \box\@leftcolumn \hss}}%
20418         \hfil
20419         {\normalcolor\vrule \@width\columnseprule}%
20420         \hfil
20421         \hb@xt@\columnwidth{%
20422           \bidi@lastcolumn@status@write}%
20423           \box\@outputbox \hss}}}%
20424     \fi
20425   \combinedblfloats
20426     \@setmarks
20427     \@outputpage
20428     \begingroup
20429       \cdblfloatplacement
20430       \startdblcolumn
20431       \whilesw\if@fcolmade \fi{\@outputpage
20432         \startdblcolumn}%
20433       \endgroup
20434     \fi}%
20435
20436
20437 \renewcommand{\outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
20438 \newcommand{\RTLdblcol}{\renewcommand{\outputdblcol}{\RTL@outputdblcol}}
20439 \newcommand{\LTRdblcol}{\renewcommand{\outputdblcol}{\LTR@outputdblcol}}
20440 \def\LTRmarginpar{%
20441   \ifhmode

```



```

20442     \@bsphack
20443     \@floatpenalty -\@Mii
20444 \else
20445     \@floatpenalty-\@Mii
20446 \fi
20447 \ifinner
20448     \parmmoderr
20449     \@floatpenalty\z@
20450 \else
20451     \next@\currbox\@freelist{}{}%
20452     \next@\marbox\@freelist{\global\count\@marbox\m@ne}%
20453     {\@floatpenalty\z@
20454     \@fltofv\def\currbox{\@tempboxa}\def\marbox{\@tempboxa}}%
20455 \fi
20456 \ifnextchar [ \@LTrxmpar\@LTrympar}
20457 \long\def\@LTrxmpar[#1]#2{%
20458   \CLTRsavemarbox\@marbox{#1}%
20459   \CLTRsavemarbox\@currbox{#2}%
20460   \xmpar}
20461 \long\def\@LTrympar#1{%
20462   \CLTRsavemarbox\@marbox{#1}%
20463   \global\setbox\currbox\copy\@marbox
20464   \xmpar}
20465 \long\def \@LTrsavemarbox #1#2{%
20466   \global\setbox #1%
20467   \color@vbox
20468     \vtop{%
20469       \hsize\marginparwidth
20470       \parboxrestore
20471       \CLTRmarginparreset
20472       #2%
20473       \minipagefalse
20474       \outer@nobreak
20475       }%
20476     \color@endbox
20477 }
20478 \def \CLTRmarginparreset {%
20479   \reset@font
20480   \normalsize
20481   \minipagetrue
20482   \everypar{\minipagefalse\everypar{}\beginL}%
20483 }
20484 \def\RTLmarginpar{%
20485   \ifhmode
20486     \@bsphack
20487     \@floatpenalty -\@Mii
20488   \else
20489     \@floatpenalty-\@Mii
20490   \fi
20491 \ifinner

```



```

20492     \@parmoderr
20493     \@floatpenalty\z@
20494 \else
20495     \@next\@currbox\@freelist{}{}%
20496     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
20497         \{@floatpenalty\z@
20498             \@fltofv\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
20499 \fi
20500     \@ifnextchar [\@RTLxmpar\@RTLympar}
20501 \long\def\@RTLxmpar[#1]#2{%
20502     \@RTLsavemarbox\@marbox{#1}%
20503     \@RTLsavemarbox\@currbox{#2}%
20504     \@xmpar}
20505 \long\def\@RTLympar#1{%
20506     \@RTLsavemarbox\@marbox{#1}%
20507     \global\setbox\@currbox\copy\@marbox
20508     \@xmpar}
20509 \long\def \@RTLsavemarbox #1#2{%
20510     \global\setbox #1%
20511     \color@vbox
20512         \vtop{%
20513             \hsize\marginparwidth
20514             \parboxrestore
20515             \@RTLmarginparreset
20516             #2%
20517             \minipagetrue
20518             \outer@nobreak
20519             }%
20520     \color@endbox
20521 }
20522 \def \@RTLmarginparreset {%
20523     \reset@font
20524     \normalsize
20525     \minipagetrue
20526     \everypar{\minipagetrue\everypar{}{\beginR}}%
20527 }
20528 \def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
20529     \@cons\@freelist\@currbox}\@latebug\@tempcnta\@ne
20530     \if@twocolumn
20531         \if@firstcolumn \@tempcnta\m@ne \fi
20532     \else
20533         \if@mparswitch
20534             \ifodd\c@page \else\@tempcnta\m@ne \fi
20535         \fi
20536         \if@reversemargin \@tempcnta -\@tempcnta \fi
20537     \fi
20538     \ifnum\@tempcnta < \z@ \global\setbox\@marbox\box\@currbox \fi
20539     \tempdima\@parbottom
20540     \advance\tempdima -\@pageht
20541     \advance\tempdima\ht\@marbox

```



```

20542   \ifdim\@tempdima >\z@
20543     \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
20544   \else
20545     \c@tempdima\z@
20546   \fi
20547   \global\c@parbottom\c@pageht
20548   \global\advance\c@parbottom\@tempdima
20549   \global\advance\c@parbottom\dp\@marbox
20550   \global\advance\c@parbottom\marginparpush
20551   \advance\@tempdima -\ht\@marbox
20552   \global\setbox\c@marbox
20553     \vbox {\vskip \c@tempdima
20554       \box \c@marbox}%
20555   \global \ht\@marbox \z@
20556   \global \dp\@marbox \z@
20557   \kern -\pagedp
20558   \nointerlineskip
20559   \hb@xt@\columnwidth
20560     {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
20561       \hskip\columnwidth \hskip\marginparsep
20562     \else
20563       \hskip -\marginparsep \hskip -\marginparwidth
20564     \fi
20565       \box\c@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else\endL\fi
20566     \nointerlineskip
20567     \hbox{\vrule \c@height\z@ \c@width\z@ \c@depth\pagedp}}
20568 \long\def\c@mpar#1{%
20569   \c@savemarbox\c@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar\@RTLtrue\else\@RTLfalse\fi}
20570   \global\setbox\c@currbox\copy\c@marbox
20571   \c@xmpar}
20572 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
20573 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
20574 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
20575 \def\c@stopline{\unskip\c@stopfield\if@c@rjfield \global\c@rjfieldfalse
20576   \c@tempdima\c@totallleftmargin \advance\c@tempdima\c@linewidth
20577   \hbox to\c@tempdima{\if@RTL\beginR\fi\c@itemfudge\hskip\c@dimen\c@curtabmar
20578     \box\c@curline\hfil\box\c@curfield\if@RTL\endR\fi}\else\c@addfield
20579   \hbox to\c@linewidth{\if@RTL\beginR\fi\c@itemfudge
20580     \hskip\c@dimen\c@curtabmar\box\c@curline\hfil\if@RTL\endR\fi}%
20581 \fi}
20582
20583 \newcommand*\c@bidi@font@{\outputpage}{}
20584
20585 \def\c@outputpage{%
20586 \begingroup % the \endgroup is put in by \aftergroup
20587   \let \protect \noexpand
20588   \c@resetactivechars
20589   \global\let\c@if@newlist\if@newlist
20590   \global\c@newlistfalse
20591   \c@parboxrestore

```



```

20592 \shipout \vbox{%
20593   \set@typeset@protect
20594   \aftergroup \endgroup
20595   \aftergroup \set@typeset@protect
20596           % correct? or just restore by ending
20597           % the group?
20598 \if@specialpage
20599   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
20600 \fi
20601 \if@twoside
20602   \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
20603     \if@RTLmain
20604       \let\@themargin\evensidemargin
20605     \else
20606       \let\@themargin\oddsidemargin
20607     \fi
20608   \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
20609     \if@RTLmain
20610       \let\@themargin\oddsidemargin
20611     \else
20612       \let\@themargin\evensidemargin
20613     \fi
20614   \fi
20615   \ifx\@thehead\@empty \let\@thehead\hfil \fi
20616   \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
20617   \else %% not @twoside
20618   \ifx\@oddhead\@empty \let\@thehead\hfil \fi
20619   \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
20620 \fi
20621 \reset@font
20622 \normalsize
20623 \bidi@font@@outputpage
20624 \normalsfcodes
20625 \let\label@gobble
20626 \let\index@gobble
20627 \let\glossary@gobble
20628 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
20629   \@begindvi
20630   \vskip \topmargin
20631   \moveright\@themargin \vbox {%
20632     \setbox\@tempboxa \vbox to\headheight{%
20633       \vfil
20634       \color@hbox
20635         \normalcolor
20636         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@%
20637         \color@endbox
20638       }%                                %% 22 Feb 87
20639       \dp\@tempboxa \z@
20640       \box\@tempboxa
20641       \vskip \headsep

```



```

20642     \box\@outputbox
20643     \baselineskip \footskip
20644     \color@hbox
20645         \normalcolor
20646         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RT
20647     \color@endbox
20648 }
20649 }
20650 \global\let\if@newlist\@@if@newlist
20651 \global \colht \textheight
20652 \stepcounter{page}%
20653 \let\firstmark\botmark
20654 }
20655 \long\def\@makecaption#1#2{%
20656   \vskip\abovecaptionskip
20657   \sbox\@tempboxa{#1: #2}%
20658   \ifdim \wd\@tempboxa >\hsize
20659     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
20660   \else
20661     \global \minipagefalse
20662     \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
20663   \fi
20664   \vskip\belowcaptionskip}
20665 \let\bidi@saved@eqno=\eqno
20666 \let\bidi@saved@leqno=\leqno
20667 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
20668 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
20669 \ifpackageloaded{amsmath}{}{
20670 \def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
20671 }
20672 \input{footnote-xetex-bidi.def}
20673 \if@twocolumn
20674   \let\autofootnoterule\relax
20675   \let\leftfootnoterule\relax
20676   \let\rightfootnoterule\relax
20677   \textwidthfootnoterule
20678 \fi
20679 \if@bidi@csundef{@idxitem}{}{%
20680 \renewcommand{@idxitem}{\par\hangindent \if@RTL-\fi40\p@}%
20681 }
20682 \ifpackageloaded{tocbasic}{}\input{tocbasic-xetex-bidi.def}{}%
20683 \ifclassloaded{article}\{@ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}%
20684 \ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}%
20685 \ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}%
20686 \ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}%
20687 \ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}%
20688 \ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}%
20689 \ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}%
20690 \ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}%
20691 \ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}%

```



```

20692 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
20693 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
20694 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
20695 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
20696 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
20697 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
20698 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
20699 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
20700 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
20701 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
20702 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
20703 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
20704 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
20705 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
20706 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
20707 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
20708 \@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
20709 \@ifpackageloaded{amsmath}{}{%
20710 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}%
20711 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}%
20712 }%
20713 \@ifpackageloaded{mathtools}{\RequirePackage{graphicx}}{}%
20714 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}%
20715 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}%
20716 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}%
20717 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}%
20718 \@ifpackagewith{algorithm2e}{algonl}{}%
20719 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{AlgoLine}}%
20720 }%
20721 \@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}%
20722 \@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}%
20723 \@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}%
20724 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}%
20725 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}%
20726 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}%
20727 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}%
20728 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}%
20729 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}%
20730 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}%
20731 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}%
20732 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}%
20733 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}%
20734 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}%
20735 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}%
20736 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}%
20737 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}%
20738 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}}{}%
20739 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}%
20740 \@ifpackageloaded{xltxttra}{\input{xltxttra-xetex-bidi.def}}{}%
20741 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}}{}%

```



```

20742 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
20743 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
20744 \@ifpackageloaded{hvfload}{\input{hvfload-xetex-bidi.def}}{}
20745 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
20746 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
20747 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
20748 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
20749 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
20750 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
20751 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
20752 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
20753 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
20754 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
20755 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
20756 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
20757 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
20758 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
20759 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
20760 \@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
20761 \@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
20762 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
20763 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
20764 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
20765 \@ifpackageloaded{media9}{\RequirePackage[bidi-media9]}{}
20766 \@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
20767 \@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
20768 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
20769 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
20770 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
20771 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
20772 \@ifpackagewith{sidecap}{innercaption}{%
20773 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
20774   \isSC@ODD{##2}\hspace{\sidecaptionsep}##1} {##1\hspace{\sidecaptionsep}##2}}%
20775 \renewcommand*{\SC@justify@caption}{%
20776   \isSC@ODD{\RaggedRight}\{\RaggedLeft}\else%
20777   \renewcommand*{\SC@FLOAT}[2]{%
20778     \isSC@ODD{##1}\hspace{\sidecaptionsep}##2} {##2\hspace{\sidecaptionsep}##1}}%
20779 \renewcommand*{\SC@justify@caption}{%
20780   \isSC@ODD{\RaggedLeft}\{\RaggedRight}\fi%
20781 }{}%
20782 \@ifpackagewith{sidecap}{rightcaption}{%
20783   \if@RTL\renewcommand*{\SC@FLOAT}[2]{##1\hspace{\sidecaptionsep}##2}%
20784   \def\SC@justify@caption{\RaggedLeft}\else%
20785   \renewcommand*{\SC@FLOAT}[2]{##2\hspace{\sidecaptionsep}##1}%
20786   \def\SC@justify@caption{\RaggedRight}\fi%
20787 }{}%
20788 \@ifpackagewith{sidecap}{leftcaption}{%
20789 \if@RTL \renewcommand*{\SC@FLOAT}[2]{##2\hspace{\sidecaptionsep}##1}%
20790 \def\SC@justify@caption{\RaggedRight}\else%
20791 \renewcommand*{\SC@FLOAT}[2]{##1\hspace{\sidecaptionsep}##2}}%

```



```

20792 \def\SC@justify@caption{\RaggedLeft}\fi%
20793 }{}
20794 \@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
20795 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
20796 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
20797 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
20798 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
20799 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
20800 \@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
20801 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
20802 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
20803 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
20804 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
20805 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
20806 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
20807 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
20808 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
20809 \@ifpackageloaded{tbls}{\input{tbls-xetex-bidi.def}}{}
20810 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
20811 \@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
20812 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
20813 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}={}
20814 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}={}
20815 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}={}
20816 \@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}

```

7.124 *xltextra-xetex-bidi.def*

```

20817 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package for
20818 \let\@@XeTeX\XeTeX
20819 \def\XeTeX{\@ensure@LTR{\@@XeTeX}}
20820 \let\@@XeLaTeX\XeLaTeX
20821 \def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}

```

8 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols			
\#	2805, 2851, 2960, 2968	\-	1688, 11280, 13221, 15108, 15122
\%	11161	\.	93, 306, 589, 721, 984, 1234,
\'	11281, 13222, 15109, 15123	\(1687, 6156, 6344,
\(13323	\)	6656, 8058, 8332,
\)	13324	\,	10385, 12475, 14510, 15257,
\,	4962, 11415, 15689, 15732, 19675, 19686, 20066	\,	15651, 15848,
			16051, 16459, 17039, 17722, 18380
			\vee 1855
			\: 13365, 13424
			\; 184, 203
			\< 18017
			\= 11281, 13222, 15109, 15123
			\> 18018
			\@ 2875



\@C	18196, 18198	\@Cif@newlist .	10707,	\@False	6679, 6681
\@C@bidi@AfterClass	3648, 3653	\@Cinput	3546, 3563	\@LTrbibitemsfalse	20080, 20082
\@C@bidi@AfterPackage	3693, 3697	\@Citaliccorr .	346, 6700	\@LTrbibitemstrue .	20081
\@CH@footnotetext	8374, 8389	\@Cline	8637,	\@LTrbidiuftesidenote@ sidenote	5078, 5137, 5141
\@CH@mpfootnotetext	8377, 8395	8641, 16077,	16086, 16124,	\@LTrbidiuftesidenotemarginparreset	4713, 4720
\@CHLTr@LTrfootnotetext	8375, 8391	16135, 20210,	20211, 20213,	\@LTrbidiuftesidenotesavemarbox	4700,
\@CHLTr@mpLTrfootnotetext	8378, 8397	20214, 20216, 20217	\@Cmakecaption	4701, 4704, 4707	
\@CHRTL@RTLfootnotetext	8376, 8393	\@Cmakefnmark	16501, 16580,	\@LTrbidiuftesidenotexmpar	4698, 4699
\@CHRTL@mpRTLfootnotetext	8379, 8399	16602, 17081,	\@LTrbidiuftesidenoteypar	4698, 4703	
\@CLTR	14972, 14974, 20026, 20028	17160, 17182,	\@LTrfootnotetext	64, 81,	
\@LaTeX	20031, 20032	17764, 17843, 17865	155, 156, 157, 276,		
\@LaTeXe	20033, 20034	\@Cmath	294, 1991, 2113,		
\@RTL	14971, 14974, 20025, 20028	\@Cmix	5007, 5090, 5097,		
\@TeX	14975, 14976, 20029, 20030	\@Cmod	5813, 5824, 6037,		
\@XeLaTeX	20820, 20821	19870, 19874,	6051, 7649, 7650,		
\@XeTeX	20818, 20819	19875, 19878,	8375, 8390, 8391,		
\@author	5578, 5581, 5584	19879, 19880,	8445, 8501, 8509,		
\@bidi@AfterClass	3647, 3664	19883, 19913,	8653, 8804, 8948,		
\@bidi@AfterPackage	3692, 3707	19917, 19918,	9099, 9250, 9401,		
\@bidi@PreventPackageFromLoading	3738, 3740, 3742	19921, 19922,	9552, 9703, 9854,		
\@bidi@pop	3356, 3359, 3360, 3363, 3365	19923, 19926, 19945	10047, 10947,		
\@clr	3356, 3359, 3360	\@Cpar	10953, 10997,		
\@cls	19870, 19875, 19878, 19880,	13220, 15107,	11023, 11081,		
\@date	19881, 19883, 19913, 19918,	15121, 15684,	11106, 11112,		
\@end	19921, 19923, 19924, 19926, 19945	15727, 16206,	11914, 11942,		
\@endbox	19865, 19908	16213, 16755,	12021, 12040,		
\@endbox	5579, 5582, 5585	17333, 17454,	12234, 12238,		
\@endbox	3049, 3050	17461, 18305,	12258, 12259,		
\@endbox	13105, 18093, 18131, 20258	18307, 20137, 20264	13165, 13278,		
\@endbox	18093, 18131, 20258	\@Cprotect	14401, 14402,		
\@endbox	18131, 20258	13104, 18093, 18131, 20258	14403, 16188,		
\@endbox	18131, 20258	\@Ctitle	16194, 16507,		
\@endbox	20258	5577, 5580, 5583	16508, 16518,		
\@endbox	20258	\@Ctmp	16737, 16743,		
\@endbox	20258	19874, 19875, 19880,	17087, 17088,		
\@endbox	20258	19881, 19883,	17098, 17436,		
\@endbox	20258	19884, 19917,	17442, 17770,		
\@endbox	20258	19918, 19923,	17771, 17781,		
\@endbox	20258	19924, 19926,	18162, 18179, 18271		
\@endbox	20258	19927, 19945, 19946	\@LTrmarginparfalse		
\@endbox	20258	\@Cunderline	20572, 20574		
\@endbox	20258	20231, 20233, 20235	\@LTrmarginparreset		
\@endbox	20258	\@DEBUGfalse	20471, 20478		



\@LTrmarginpartrue		\@Mii	2068,	10032,	10374,
.....	20573	4643,	4687,	10965,	10998,
\@LTRsavemarbox	...	4731,	20445, 20489	11041,	11055,
.....	20458,	\@RTL@footnotefalse		12469,	12727,
20459,	20462, 20465	... 1644, 10790,		12750,	12754,
\@LTrxmpar	20456, 20457	10957,	14955,	12761,	12770,
\@LTrmpar	20456, 20461	14960,	20009, 20014	13211,	14019,
\@M . . . 6, 92, 105, 211,		\@RTL@footnotetrue		14501,	14671,
235,	305, 561,	... 1642, 10790,		14719,	14917,
625,	626, 650,	10956,	14957,	14951,	14955,
754,	877, 932,	14959,	20011, 20013	14960,	14996,
933,	1006, 1126,	\@RTLbibitemsfalse		15246,	15640,
1127,	1133, 1256,	... 20081, 20082		15834,	16037,
1918,	1923, 5309,	\@RTLbibitemstrue	20080	16437,	17017,
6077,	6078, 6084,	\@RTLbidituftesidenote@sidenote	17700,	18366,	
6198,	6254, 6255,	... 5107, 5138, 5142		19967,	20002,
6261,	6375, 6425,	\@RTLbidituftesidenotemarginparreset@	20569,	20014,	
6620,	6628, 6695,	... 4757, 4764	20636, 20646	20164,	20182,
8025,	8038, 8295,	\@RTLbidituftesidenotesavemarbox			
8304,	8637, 8641,	... 4744,	\@RTLfootnotetext .		
10351,	10359,	4745,	4748, 4751	48, 80,
10680,	12474,	\@RTLbidituftesidenotexmpar		159,	160, 161, 261,
12488,	12512,	... 4742, 4743		293,	1992, 2114,
14266,	14278,	\@RTLbidituftesidenoteypar		5025,	5119, 5126,
14290,	15047,	... 4742, 4747		5814,	5825, 6038,
15155,	15156,	\@RTLcolumnfootnotesfalse		6052,	7670, 7671,
15180,	15290,	... 8517		8376,	8392, 8393,
15429,	15552,	\@RTLcolumnfootnotestrue		8429,	8502, 8510,
15605,	15606,	... 8516		8654,	8805, 8949,
15667,	15668,	\@RTLfalse .. 36, 66,		9100,	9251, 9402,
16022,	16030,	87, 249, 278, 300,		9553,	9704, 9855,
18187,	18291,	575,	710, 973,	10048,	10938,
18332,	18466,	1223,	1602, 1608,	10944,	10981,
18497,	18520,	1626,	2361, 6145,	11022,	11082,
18537,	18554,	6333,	6642, 6661,	11121,	11127,
18571,	18588,	6673,	6686, 8047,	11913,	11931,
18605,	18623,	8318,	8415, 8447,	12006,	12041,
18642,	18662,	8462,	8475, 8665,	12233,	12237,
18697,	19030,	8675,	8710, 8722,	12255,	12256,
19491,	19605, 20289	8816,	8825, 8858,	13166,	13279,
\@MM . . . 41, 55, 71, 254,		8869,	8960, 8970,	14405,	14406,
268,	283, 7647,	9005,	9017, 9111,	14407,	16189,
7668,	7715, 7722,	9121,	9156, 9168,	16198,	16509,
7767,	7774, 8590,	9262,	9272, 9306,	16510,	16520,
10970,	10987, 11003	9318,	9413, 9423,	16738,	16747,
\@Mi	6691, 13179	9457,	9469, 9564,	17089,	17090,
\@Mii	2066, 4641, 4685,	9574,	9609, 9621,	17100,	17437,
4729,	7170, 7179,	9715,	9725, 9760,	17446,	17772,
7189,	7344, 7353,	9772,	9866, 9876,	17773,	17783,
7363,	20443, 20487	9911,	9923, 10021,	18163,	18180, 18272



\@RTLmainfalse .	1581, 1585, 1735, 1739	14918, 14957, 14959,	13912, 13915, 13917,
\@RTLmaintrue	1584, 1738	15246, 15834,	13918, 14544, 14552,
\@RTLmarginparfalse 20573, 20574	16037, 16437,	14554, 15261,
\@RTLmarginparreset 20515, 20522	17700, 19968,	15262, 15263,
\@RTLmarginpartrue 20572	20011, 20173,	15264, 15265,
\@RTLsavemarbox 20502, 20503, 20506, 20509	20013, 20191,	15267, 15269,
\@RTLtabfalse 412, 1570, 1614, 20003, 20009, 20014, 20164, 20182, 20269	20569, 20636, 20646 \@RTLxmpar 20500, 20501 \@RTLympar 20500, 20505 \@SepMark ... 19, 20,	15271, 15272, 15627, 15628,
\@RTLtabtrue 1569, 1612, 19994, 20011, 20013, 20050, 20057, 20173, 20191	21, 22, 168, 224, 225, 226, 227, 344, 353, 549, 550, 551, 552, 703, 704, 705, 706, 957, 958, 959, 960, 1216, 1217, 1218, 1219, 6171, 6172, 6173, 6174, 6175, 6177, 6179, 6181, 6348, 6349, 6350, 6351, 6352, 6354, 6356, 6358, 6599, 6601, 6603, 6605, 6606, 6607, 6608, 6609, 8158, 8159, 8160, 8161, 8274, 8276, 8278, 8280, 8281, 8282, 8283, 8284, 10477, 10478, 10479, 10480, 10481, 10483, 10485, 10487, 10647, 10653, 10760, 10762, 10764, 10766, 10767, 10768, 10769, 10770, 10773, 10775, 10777, 10779, 10780, 10781, 10782, 10783, 12525, 12526, 12527, 12528, 12787, 13906, 13908, 13910,	15629, 15630, 15632, 15634, 15636, 15821, 15823, 15825, 15826, 15827, 15828, 15829, 15830, 16003, 16005, 16007, 16009, 16010, 16011, 16012, 16013, 16411, 16412, 16414, 16416, 16418, 16959, 16962, 16964, 16968, 16970, 16972, 16974, 16978, 16980, 16986, 16988, 16994, 16996, 17658, 17660, 17663, 17665, 17667, 17669, 17672, 17676, 17680, 18440, 18684, 20077, 20079, 20719 \@True .. 6674, 6680, 6712 \@Undottedtocline 14273 \@Undottedtoclinep 14285 \@acci 11281, 13222, 15109, 15123 \@accii 11281, 13222, 15109, 15123 \@acciii 11281, 13222, 15109, 15123 \@acol 1440, 1448, 2000, 13101, 18077, 20059, 20241, 20267 \@acolampacol . 1438, 1440, 1446, 1448



\@addamp . . .	1439, 1447	975, 982, 1216,	15827, 15828,
\@addfield . . .	20578	1217, 1218, 1219,	15829, 15830,
\@addmarginpar .	20528	1225, 1232, 2373,	15836, 15843,
\@address .	2253, 7504,	6147, 6154, 6171,	16003, 16005,
	7505, 7602, 7604	6172, 6173, 6174,	16007, 16008,
\@addresscolour .	2222,	6175, 6177, 6179,	16009, 16010,
	2239, 7503, 7601	6181, 6335, 6342,	16011, 16012,
\@addtofilelist .	3546, 3562	6348, 6349, 6350,	16013, 16039,
	6351, 6352, 6354,	16046, 16412,
\@addtopreamble .	1411, 1474, 6773	6356, 6358, 6599,	16414, 16416,
\@addtoreset .	342, 10650,	6601, 6603, 6604,	16418, 16440,
	14542, 14548, 14550	6605, 6606, 6607,	16456, 16966,
\@addviper .	7117	6608, 6609, 6644,	16968, 16970,
\@afterheading .	571, 1901, 1911,	6651, 8049, 8056,	16972, 16974,
	8035, 8043, 13234	8158, 8159, 8160,	16982, 16990,
\@afterindentfalse .	1901, 1911, 13233	8161, 8274, 8276,	16998, 17020,
\@afterindenttrue .	650, 877, 1133,	8278, 8279, 8280,	17036, 17661,
	5308, 6084, 6261,	8281, 8282, 8283,	17663, 17665,
	14265, 14277,	8284, 8320, 8327,	17667, 17669,
	14289, 15180,	10376, 10383,	17673, 17677,
	15552, 18465,	10477, 10478,	17681, 17703,
	18496, 18519,	10479, 10480,	17719, 18368, 18375
	18536, 18553,	10481, 10483,	\@argdef 2696
	18570, 18587,	10485, 10487,	\@array 387, 408, 1373,
	18604, 18622,	10760, 10762,	1374, 18114, 20247
	18641, 18661,	10764, 10765,	\@arrayacol 20267
	18696, 19029,	10766, 10767,	\@arrayclassiv . . . 20268
	19484, 19604, 20288	10768, 10769,	\@arrayclassz
\@algocf@finish .	190	10770, 10773,	. 1438, 18118, 20267
\@algocf@post@boxed .	172	10775, 10777,	\@arraycr
\@algocf@post@boxruled .	174	10778, 10779,	. 407, 13110, 20269
\@algocf@pre@boxed .	171	10780, 10781,	\@arrayleft 400
\@algocf@pre@boxruled .	173	10782, 10783,	\@arrayparboxrestore
\@algocf@start .	175	12787, 12789,	. 13168, 15104, 15118
\@algoinsideskip .	187, 191	13906, 13908,	\@arrayright 409
\@algoskip .	176, 199	13910, 13912,	\@arrayrule 1393, 1394,
\@ampacol .	1438, 1446	13914, 13917,	1395, 1431, 1432, 1433
\@arabic .	168, 549,	13918, 13919,	\@carstdepth
	550, 551, 552,	15248, 15255,	. 18111, 18116, 18134
	577, 584, 703,	15261, 15262,	\@carstheight 18116, 18134
	704, 705, 706,	15263, 15264,	\@carstrut 397,
	712, 719, 957,	15265, 15267,	13124, 18092, 20257
	958, 959, 960,	15269, 15271,	\@carstrutbox . . . 390,
		15626, 15627,	13112, 13169,
		15628, 15629,	18085, 18126,
		15630, 15632,	18130, 18134, 20250
		15634, 15636,	\@author 431, 445, 481,
		15642, 15649,	502, 765, 767,
		15821, 15823,	785, 830, 849,
		15825, 15826,	1017, 1019, 1037,



1082, 1101, 1267, 1269, 1287, 1332, 1352, 1363, 1800, 5510, 5512, 5581, 6209, 6211, 6229, 6386, 6388, 6406, 6481, 6495, 6531, 6552, 8085, 8097, 8131, 8150, 8180, 8194, 8230, 8251, 10404, 10416, 10450, 10469, 13875, 15301, 15303, 15321, 15366, 15385, 15440, 15442, 15462, 15509, 15531, 15542, 15698, 15712, 15753, 15774, 15885, 15899, 15935, 15956, 16280, 16343, 16394, 16829, 16892, 16943, 17528, 17591, 17642 \@auxout 1666, 5984, 20333 \@badmath .. 10612, 10626 \@begin@tempboxa 11424, 11520, 11527, 20137 \@begindvi 10678, 20629 \@beginparpenalty 1914, 1923, 10615, 10629 \@bib@break 16432, 17012, 17695 \@biblabel 89, 302, 577, 578, 712, 713, 975, 976, 1225, 1226, 6147, 6148, 6335, 6336, 6644, 6645, 8049, 8050, 8320, 8321, 10376, 10377, 12471, 14503, 15248, 15249, 15642, 15643, 15836,	15837, 16039, 16040, 16440, 16442, 17020, 17022, 17703, 17705, 18368, 18369 \@bibsetup \@bibtitlestyle 84, 297, 12466 \@bidi@AfterClass 3648, 3669, 3674, 3681 \@bidi@AfterPackage 3693, 3712, 3716, 3723 \@bidi@EqualStringX .. 3151, 3152, 3153 \@bidi@PreventPackageFromLoading .. 3733, 3734, 3736 \@bidi@UnPreventPackageFromLoading .. 3825, 3826, 3829 \@bidi@after@Hy@hyperfootnotes .. 8384, 8514, 8662, 8813, 8957, 9108, 9259, 9410, 9561, 9712, 9863, 10056 \@bidi@append@to@cslist .. 3298, 3302, 3308 \@bidi@append@to@list .. 3302, 3304, 3306, 3309, 3316 \@bidi@before@Hy@hyperfootnotes .. 8370, 8507, 8651, 8802, 8946, 9097, 9248, 9399, 9550, 9701, 9852, 10045 \@bidi@copy@stacktop .. 3362, 3365 \@bidi@emptytoks .. 2397, 2402, 2426 \@bidi@envbody 2396, 2398, 2400, 2401, 2402, 2422, 2424, 2425, 2426 \@bidi@fi 3232, 3233, 3234, 3235, 3239, 3240, 3244, 3245, 3249, 3250, 3255, 3256, 3260, 3261 \@bidi@ifnxtc 3199, 3202, 3203	\@bidi@info 1509, 1533, 1535, 1701, 1725, 1727 \@bidi@list@minipage@parbox@not@nobtrue 11070, 20134 \@bidi@list@minipage@parboxtrue 11071, 20135 \@bidi@lst@makecaption 12724, 12740, 12741, 12772, 12773, 12774, 12778, 12780 \@bidi@mfd@RTLtrue 13210 \@bidi@patch@AfterPackage 4018, 4021 \@bidi@prepend@to@cslist 3300, 3348, 3350 \@bidi@removefromreset 2523, 2524, 2526 \@bidi@replacefilewithext 3610, 3614, 3617 \@bidi@saveprimitive 2384 \@bidi@strip@v@bidiversion 1536, 1538, 1544, 1550 \@bidi@tabular@RTLcases 20048, 20050, 20057 \@bidi@todonotes@align 19651, 19652, 19684, 19725, 19728, 19731, 19734, 19759, 19764, 19765 \@bidi@todonotes@figposition@rightfalse 19666 \@bidi@todonotes@figposition@righttrue 19664 \@bidi@todonotes@textdirection 19653, 19657, 19660, 19764, 19765 \@bidi@todonotes@textdirection@RTLfalse 19659 \@bidi@todonotes@textdirection@RTLtrue 19656 \@bidi@unreplacefilewithext 3619, 3625, 3628 \@bidi@w@w 3281 \@bidi@ww 3275
--	---	--



\@bidideclaredcolor 6825, 6832, 19905, 19934	\@bidituftefloat@float@tex 4315, 4344	\@biditufteheading@orig@cr 4418, 4422
\@biditufteLTRsidenote@normal@cite 4256, 4271 4952, 5072, 5101, 5130, 5152, 5161, 5170	\@bidituftefloat@fps 4193, 4194, 4294	\@bidituftesidenote@LTRcitation@font 4780, 4789, 4879
\@biditufteRTLsidenote@normal@cite 4256, 4271 4953, 5073, 5102, 5131, 5153, 5162, 5171	\@bidituftefloat@fullwidth 4186, 4192, 4193, 4194, 4294	\@bidituftesidenote@LTrmarginfont 4771, 4774, 4777, 4780
\@bidituftefloat@justification 4892, 4953, 5073, 5102, 5131, 5153, 5162, 5171	\@bidituftefloat@justifyca 4154 4094, 4224	\@bidituftesidenote@LTrmarginnote@font 4777, 4786, 5158 4774, 4783
\@bidituftefloat@caption 4246, 4279	\@bidituftefloat@label 4253, 4280	\@bidituftesidenote@RTLcitation@font 4781, 4790
\@bidituftefloat@caption@box 4238, 4303, 4314, 4315, 4338, 4573, 4578	\@bidituftefloat@margin@f 4202, 4205, 4216 4124, 4211	\@bidituftesidenote@RTLmarginfont 4772, 4775, 4778, 4781
\@bidituftefloat@caption@font 4187, 4196, 4197, 4578	\@bidituftefloat@margin@par 4151, 4152	\@bidituftesidenote@RTLsidenote@font 4775, 4784
\@bidituftefloat@caption@justification 4152, 4153, 4207, 4404, 4575, 4581, 4594	\@bidituftefloat@orig@caption 4277, 4305, 4335 4240, 4318, 4569	\@bidituftesidenote@add@citation 4914, 4947
\@bidituftefloat@caption@vertical@offset 4094, 4210, 4404	\@bidituftefloat@orig@float 4299, 4292, 4568 4069, 4070, 4072	\@bidituftesidenote@check@multiple@sidenotes 4972, 4980
\@bidituftefloat@caption@vertical@overhang 4241, 4242, 4250, 4314, 4315, 4342	\@bidituftefloat@overhang 4286, 4306, 4336	\@bidituftesidenote@citation@font 4779, 4788, 4860, 4898, 4926
\@bidituftefloat@checkbox@page 4169, 4266	\@bidituftefloat@checkbox 4189, 4190, 4388, 4237, 4296, 4314, 4315, 4337	\@bidituftesidenote@citations 4913, 4915, 4916, 4918, 4923, 4932, 5051, 5080, 5109, 5148, 5157, 5166
\@bidituftefloat@figure@box 4258, 4294, 4295, 4297	\@bidituftefloat@stored@cap 4244, 4251, 4305, 4340	\@bidituftesidenote@info@note@cite 4946,
\@bidituftefloat@float@deb 4227, 4233, 4235, 4236, 4268, 4269, 4272, 4274, 4275, 4352, 4359, 4366, 4367, 4370, 4371	\@bidituftefloat@stored@label 4245, 4254, 4306, 4322, 4324, 4341	5050, 5079, 5108, 5147, 5156, 5165 4791,
\@bidituftefloat@float@generalstructure@reset@per 4226, 4228, 4229, 4230, 4327, 4334	\@bidituftefloat@stored@sh 4243, 4248, 4249, 4305, 4339	\@bidituftesidenote@justification@autodetect 4792, 4793, 4794 4795, 4928, 4995, 5013, 5031, 5149, 5158, 5167
\@bidituftefloat@float@full 4314, 4362	\@biditufteheading@newline 4411, 4413	\@sp@t@esidenote@marginnote@font 4776, 4785, 5149



\@bidiutfesidenote@margin	note@justification	19945	\@cftl@subfig 18634		
.....	4792,	\@bscontmark 13898	\@cftl@subtab 18654	
5149,	5158,	5167	\@bsmarkseries 13879	\@chapapp	6420, 6615, 8290, 10347, 16018
\@bidiutfesidenote@normal	\@chtitleempty 13867	\@chapterlistsgap@off 14536		
....	4854, 4951,	\@bsphack 2065,	\@chapterlistsgap@on 14543, 14551	
5071,	5100,	5129,	4640, 4684,	\@chclass	... 355, 367, 378, 1380, 1392, 1405, 1425, 1430, 18215, 18231, 18242, 20270, 20275	
5151,	5160,	5169	4728, 20442, 20486	\@checkend	... 2415, 2439, 3903, 3904	
\@bidiutfesidenote@print	\@chthmsheadpost	13881	\@chnum	356, 363, 374, 1381, 1388, 1401, 1411, 1427, 1428, 1429, 1442, 1450, 1476, 6775, 18216, 18223, 18238, 20272, 20273, 20274		
....	4920,	\@chthmsheadpre	13881	\@circlefnt 10506	
5070,	5099,	5128,	\@caption 1002,		
5150,	5159,	5168 4395, 14001, 14004	\@classiv	13102, 18079, 20061, 20243, 20268	
\@bidiutfesidenote@sidenote	\@captionabovefalse 16620, 17200, 17883	\@classx	1408, 1467, 6769		
....	5049, 5136,	5140	\@classz	1408, 1467, 1501, 1502, 2001, 6769, 13102, 18078, 18118, 20060, 20242, 20267		
\@bidiutfesidenote@sidenote	\@captionbelowtrue 16618, 17198, 17881	\@cleartopmattertags 129, 12548		
....	4945 16618, 17198, 17881	\@cliptoboxdim 18245		
\@bidiutfesidenote@sidenote	\@cftpype 2005,	\@clsextension	3617, 3628, 3644, 3654, 3663, 3666, 3675		
....	4773, 4782,	2053, 2101, 4208,	\@clubpenalty		
4958,	4959,	4962	13994, 13998,	587, 6654, 8330, 15846, 16049, 18378		
\@bidiutfesidenote@sidenote@justify	\@cftl@subtab	16616, 16104	\@colht 7194, 7195, 7205, 7206, 7213, 7228, 7262, 7265, 7287, 7288, 7357, 7369, 7370, 7380, 7381, 7388,		
....	4791, 4958,	4959	18284, 18313, 20200	7405, 7409, 10253, 10701, 13194, 13195,		
\@bidiutfesidenote@sidenote@vertical	\@cftasnum 18470,				
....	5046,	10287, 10297,				
5047, 5053,	5055,	13183, 13188, 13200				
5061, 5068,	5082,	\@cclvi 10063,			
5084, 5090,	5097,	10065, 10180, 10182	10065,			
5111, 5113,	5119,	\@centercr 10182			
5126						
\@bidiutfesidenote@trim@b 5382, 15055,					
....	4824, 4831	15068, 15081,				
\@bidiutfesidenote@trim@c 18284, 18313, 20200					
....	4828, 4831, 4836	\@cftasnum 18470,			
\@bidiutfesidenote@trim@spaces 18501,	18524,				
....	4813,	18541, 18558,				
4816,	4865,	18575, 18592,				
4884,	4886,	18609, 18627,				
4905,	4935,	18646, 18666, 18701				
\@bidiutfesidenote@margin	\@cftasnum 18471,				
....	4669, 4676	18502, 18525,				
\@bidiutfesidenotesavemarbox 18542,	18559,				
....	4656,	18576, 18593,				
4657,	4660,	18610, 18628,				
\@bidiutfesidenotexmpar 18647,	18667, 18702				
....	4654, 4655	\@cftbsnum 18469,			
\@bidiutfesidenote@ympar 18500,	18523,				
....	4654, 4659	18540, 18557,				
\@bidiuftetoc@lof@line 18574,	18591,				
....	5301, 5317	18608, 18626,				
\@bidiuftetoc@pkgname 18645,	18665, 18700				
....	5177, 5178	\@cftdopartfalse 18443			
\@bidiundeclaredcolor 6825,	\@cftdoparttrue 18446, 18450			



14042,	14045,	\@contfield	8863, 8875, 8886,
14047,	14049,	.. 6001, 6016, 6048	8912, 8924, 8964,
14054,	14055,	\@contfinal	8974, 8984, 9010,
14056,	14075,	.. 13937, 13949,	9023, 9035, 9062,
14076,	14077,	13955, 13961, 13965	9075, 9115, 9125,
14081,	14142,	\@contfmark 13936, 13939	9135, 9161, 9174,
14145,	14147,	\@contfnote 13935, 13938	9186, 9213, 9226,
14149,	14154,	\@contindw	9266, 9276, 9286,
14155,	14156,	\@contnfont	9312, 9325, 9337,
14175,	14176,	.. 13937, 13948,	9364, 9377, 9417,
14177,	14181,	13952, 13959, 13964	9427, 9437, 9463,
\@colourfalse 2165		\@contpost	9476, 9488, 9515,
\@colourgreenfalse		\@contpre	9528, 9568, 9578,
7422, 7520		13947, 13953, 13958, 13963	9588, 9614, 9627,
\@colourgreentrue		\@conttfont	9639, 9666, 9679,
7423, 7521		.. 13937, 13949,	9719, 9729, 9739,
\@colourgreyfalse		13955, 13961, 13965	9765, 9778, 9790,
7426, 7524		\@curfield ... 6000,	9817, 9830, 9870,
\@colourgreytrue		6015, 6035,	9880, 9890, 9916,
7427, 7525		6049, 6059, 20578	9929, 9941, 9968,
\@colourorangefalse		\@curline 5998,	9981, 10075,
7420, 7518		6013, 20578, 20580	10087, 10099,
\@colourorangeredtrue		\@currbox 2073, 2104,	10125, 10139,
7421, 7519		2108, 4605, 4608,	10153, 10193,
\@colourredfalse		4649, 4652, 4657,	10207, 10972,
7424, 7522		4661, 4693, 4696,	10989, 11005,
\@colourredtrue		4701, 4705, 4737,	11033, 11047, 11061
7425, 7523		4740, 4745, 4749,	\@currentlabelname
\@colourtrue 2164		20451, 20454,	12001,
\@colroom 7183,		20459, 20463,	12016, 12031,
7206, 7209, 7211,		20495, 20498,	12090, 12128,
7212, 7381, 7384,		20503, 20507,	12161, 12192, 12223
7386, 7387, 7682,		20529, 20538, 20570	\@currenvir
7739, 13194, 13203		\@currentHlabel 2401, 2404,
\@combinedblfloats ..		11999, 12014, 12029	2405, 2425, 2428,
7038, 7097,		\@currentHref	2429, 2456, 20156
10565,		.. 12000, 12015,	\@currenvline 20157
10682,		12030, 12089,	\@currlist 20528
11343,		12127, 12160,	\@curtabmar 20577, 20580
11395,		12191, 12222,	\@cvtheme ... 2245, 2248
14203, 20382, 20425		12444, 12455, 12457	\@cvthemeoptions
\@combinefloats .. 10248		\@currentlabel .. 43, 2246, 2248
\@compactenum@ ... 5364		57, 73, 256, 270,	\@date 434,
\@cons 20528, 20529		285, 4997, 5015,	446, 482, 505,
\@contcshortstyle 13949		5033, 8421, 8437,	773, 775, 787,
\@contcstyle		8453, 8466, 8479,	832, 852, 1025,
13954, 13960, 13965		8492, 8669, 8679,	1027, 1039, 1084,
\@contcwidth 13943, 13944		8689, 8715, 8728,	1104, 1275, 1277,
\@contdelim		8740, 8767, 8780,	1289, 1334, 1355,
.. 13937, 13948,		8820, 8829, 8838,	1364, 1801, 5528,
13952, 13959, 13964			



5582, 6217, 6219,	18127, 20252, 20567	4543, 4544, 4545,
6231, 6394, 6396,	\@dgroup 6673	4546, 4547, 4548,
6408, 6484, 6496,	\@dischyp 11280,	4549, 4550, 4551,
6532, 6555, 8088,	13221, 15108, 15122	6712, 7648, 7669,
8098, 8132, 8153, 2344	7675, 7710, 7712,
8183, 8195, 8231,	\@displaypagenumbersfalse	7714, 7720, 7732,
8254, 8339, 8344, 2343	7762, 7764, 7766,
10407, 10417,	\@displaypagenumberstrue	7772, 18146, 18148
10451, 10472, 2343	\@email . 2257, 7510, 7608
12557, 12562,	\@dmath 6661, 6690	\@emathdisplay . 188, 204
13876, 15309,	\@docolbox 10740	\@empty .. 86, 115, 134,
15311, 15323,	\@dodynamicthefoot 10679	136, 299, 407,
15368, 15388,	\@dodynamicthehead 10679	444, 445, 446,
15448, 15450,	\@filelist	447, 480, 481,
15464, 15511,	... 3914, 3915, 3917	482, 483, 583,
15534, 15543,	\@dotsep 19502,	718, 784, 785,
15701, 15713,	19503, 19611, 20295	786, 787, 829,
15754, 15776,	\@dottedtocline ...	830, 831, 832,
15888, 15900,	.. 19617, 19618,	981, 1036, 1037,
15936, 15959,	19620, 19638, 20284	1038, 1039, 1081,
16284, 16344,	\@dseries 6686	1082, 1083, 1084,
16398, 16833,	\@eha 2392, 18688	1231, 1286, 1287,
16893, 16947,	\@ehc 2495,	1288, 1289, 1331,
17414, 17415,	2497, 2503, 2505,	1332, 1333, 1334,
17418, 17423,	2511, 2513, 2519,	1799, 1800, 1801,
17532, 17592, 17646	2521, 2712, 3487,	1802, 2060, 2372,
\@datefield 17354	12693, 12700,	2381, 2413, 2437,
\@dblarg 14001	13181, 14248, 14254	3317, 3730, 3743,
\@dblfloatplacement	\@ehd 13995	3744, 3750, 3773,
.... 7042, 7101,	\@eightcol@footgroupv@r	3803, 3811, 3830,
10566, 10605, 9557	3833, 3844, 3848,
10689, 11347,	\@eightcolLTrfootfmt	3858, 3864, 3865,
11399, 14110,	.. 9581, 9602, 9630	3866, 3879, 3891,
14207, 20386, 20429	\@eightcolLTrfootnotetext	3895, 3962, 3973,
\@declaredcolor 6810, 9552, 9574	4856, 4875, 4894,
6811, 19862, 19885	\@eightcolRTLfootfmt	4915, 4922, 5510,
\@dedication 9591, 9605, 9642	5577, 5578, 5579,
.. 16300, 16302,	\@eightcolRTLfootnotetext	6153, 6228, 6229,
16353, 16401, 9553, 9584	6230, 6231, 6341,
16403, 16849,	\@eightcolfootfmt ..	6405, 6406, 6407,
16851, 16902,	.. 9571, 9599, 9617	6408, 6494, 6495,
16950, 16952,	\@eightcolfootnotetext	6496, 6497, 6530,
17548, 17550, 9551, 9564	6531, 6532, 6533,
17601, 17649, 17651	\@elt 2525, 2528,	6650, 6676, 7006,
\@dedicatory 333	4493, 4494, 4495,	7069, 7709, 7761,
\@defaultskiptotal 202	4496, 4497, 4498,	8055, 8096, 8097,
\@definitionfileextension	4499, 4500, 4501,	8098, 8099, 8130,
.... 2470, 2473	4502, 4503, 4504,	8131, 8132, 8133,
\@depth ... 392, 13114,	4534, 4535, 4536,	8193, 8194, 8195,
18058, 18087,	4537, 4538, 4539,	8196, 8229, 8230,
	4540, 4541, 4542,	



8231, 8232, 8326,	16344, 16345,	19908, 19911,
8337, 8353, 8357,	16346, 16347,	20048, 20260,
10071, 10083,	16348, 16349,	20269, 20358,
10095, 10120,	16350, 16351,	20405, 20615,
10134, 10148,	16352, 16353,	20616, 20618, 20619
10247, 10382,	16371, 16375,	\@emptycol 7198, 7201,
10415, 10416,	16383, 16389,	7217, 7220, 7373,
10417, 10418,	16401, 16425,	7376, 7392, 7395
10449, 10450,	16455, 16480,	\@emptytoks 6675
10451, 10452,	16481, 16754,	\@end@tempboxa 11431,
10545, 10581,	16807, 16812,	11525, 11542, 20150
11117, 11132,	16819, 16825,	\@endalgoln 184
11322, 11370,	16849, 16891,	\@endfloatbox 2125
11408, 11409,	16892, 16893,	\@endmodernpoem . . .
11410, 11411,	16894, 16895, 6011, 6031
11412, 12001,	16896, 16897,	\@endparenv . . . 5915,
12016, 12031,	16898, 16899,	6028, 14577, 14597
12090, 12128,	16900, 16901,	\@endparpenalty 1918,
12161, 12192,	16902, 16920,	1927, 10616, 10630
12223, 12468,	16924, 16932,	\@endpbox 1418,
12534, 12555,	16938, 16950,	1419, 1460, 1484,
12745, 12751,	17004, 17035,	1485, 1486, 6783,
12774, 12778,	17060, 17061,	6784, 6785,
12780, 13128,	17327, 17355,	13099, 13105,
13873, 13874,	17356, 17357,	18093, 18131, 20258
13875, 13876,	17358, 17359,	\@endpefalse 20159
14035, 14135,	17360, 17361,	\@endtraditionalpoem
14530, 15013,	17362, 17366, 5895, 5967
15254, 15320,	17372, 17378,	\@ensure@LR 14968, 20022
15321, 15322,	17384, 17390,	\@ensure@LTR . . . 14966,
15323, 15365,	17396, 17402,	14968, 14976,
15366, 15367,	17408, 17414,	20020, 20022,
15368, 15461,	17423, 17453,	20030, 20032,
15462, 15463,	17506, 17511,	20034, 20819, 20821
15464, 15508,	17518, 17524,	\@ensure@RL 14967, 20021
15509, 15510,	17548, 17590,	\@ensure@RTL . . . 14965,
15511, 15648,	17591, 17592,	14967, 20019, 20021
15711, 15712,	17593, 17594,	\@ensure@dir . . . 14969,
15713, 15714,	17595, 17596,	14970, 20023, 20024
15752, 15753,	17597, 17598,	\@ensure@maindir . .
15754, 15755,	17599, 17600, 14970, 20024
15842, 15898,	17601, 17619,	\@enumctr . . . 5365, 5366
15899, 15900,	17623, 17631,	\@eqnnum
15901, 15934,	17637, 17649,	10637, 12551, 20670
15935, 15936,	17687, 17718,	\@evenfoot
15937, 16045,	17743, 17744,	1763, 10672, 20608
16205, 16258,	18016, 18133,	\@evenhead 10671, 20608
16263, 16270,	18181, 18374,	\@expandtwoargs . . . 3849
16276, 16300,	18674, 18676,	\@extrafootnotefeaturesfalse
16342, 16343,	19865, 19868, 1656



\@extrafootnotefeaturestrue	1654	14139, 20357, 20358, 20362, 20404, 20405, 20409	2576, 2589, 2597, 2603, 2607, 2615, 2621, 2624, 2627, 2641, 2648, 2821, 2839, 2845, 2869, 2896, 2926, 2986, 2996, 3554, 14511
\@extrainfo	2258, 7511, 7609	\@firstcoltopmark .	\@fivecol@footgroupv@r
\@extratitle	16258, 16259, 16347, 16371, 16372, 16807, 16808, 16896, 16920, 16921, 17506, 17507, 17595, 17619, 17620	7003, 7011, 7066, 7074, 10542, 10550, 10578, 10586, 11319, 11327, 11367, 11375, 14032, 14040, 14132, 14140, 20355, 20363, 20402, 20410 9104
\@familyname ..	2190, 2192, 2193, 2251, 7485, 7575, 7596	\@firstcolumnfalse 6996, 7059, 7413, 10536, 10572, 10696, 11310, 11358, 14025, 14125, 20348, 20395	\@fivecolLTRfootfmt .. 9128, 9149, 9177
\@familynamecolour ..	2220, 2237	\@firstcolumntrue .	\@fivecolLTRfootnotetext .. 9099, 9121
\@fancyfoot ..	10527	7014, 7077, 7367, 10552, 10589, 10660, 11331, 11379, 14084, 14184, 20366, 20413	\@fivecolfootfmt .. 9138, 9152, 9189
\@fancyhead ..	10521	\@firstdetailselementfalse .. 7590	\@fivecolfootnotetext .. 9100, 9131
\@fancyvbox ..	10522, 10528	\@firstdetailselementtrue .. 7587	\@fivecolfootfmt .. 9118, 9146, 9164
\@fax ..	2256, 7509, 7607	\@firstfooterelementfalse .. 7509, 7510, 7511	\@fivecolfootnotetext .. 9098, 9111
\@ff@do@allframes ..	10681, 10686	\@firstfooterelementtrue .. 7506, 7507, 7508, 7509, 7510, 7511	\@float .. 4239, 4568
\@ff@fbox ..	10749	7491	\@floatboxreset .. 2123
\@ff@setoffset ..	10746	\@firstname .. 2190, 2192, 2193, 2250, 7485, 7575, 7596	\@floatpenalty .. 2066, 2068,
\@ffbackground ..	10736	\@firstnamecolour .. 2210, 2236	2071, 4641, 4643, 4647, 4651, 4685, 4687, 4691, 4695, 4729, 4731, 4735, 4739, 20443, 20445, 20449, 20453, 20487, 20489, 20493, 20497
\@filebordercolor ..	12302, 12304	\@firstfooterelementtrue .. 3019, 3026, 3032, 3045, 3051, 4016, 12426, 12427, 12428, 12429, 13999, 16580, 17160, 17843	\@fltovf .. 2106, 4652, 4696, 4740, 20454, 20498
\@filecolor ..	12320	\@firstname .. 2190, 2192, 2193, 2250, 7485, 7575, 7596	\@flushglue .. 5797, 5798, 13227, 15115, 15810, 19032, 19036, 19040, 19086, 20200
\@filef@und ..	3546, 3563	\@firstnamecolour .. 2210, 2236	\@fnsymbol .. 456, 748, 807, 1000, 1059, 1250, 1309, 1787, 6192, 6369, 6506, 8108, 8205, 10427, 15284, 15343, 15423, 15484, 15680, 15723,
\@finalstrut ..	8426, 8442, 8458, 8472, 8485, 8498, 10977, 10994, 11010, 11037, 11051, 11065	\@firststofone .. 3019, 3026, 3032, 3045, 3051, 4016, 12426, 12427, 12428, 12429, 13999, 16580, 17160, 17843	
\@firststampfalse ..	1440, 1448	\@firststoftwo .. 1539, 1545, 1551, 2534, 2542, 2546, 2554, 2558, 2566, 2572,	
\@firstcolfirstmark ..	7005, 7006, 7010, 7068, 7069, 7073, 10544, 10545, 10549, 10580, 10581, 10585, 11321, 11322, 11326, 11369, 11370, 11374, 14034, 14035, 14039, 14134, 14135,		



15910, 16255, 16319, 16804, 16868, 17503, 17567	4857, 4862, 4876, 4881, 4895, 4900, 4923, 4932, 6974	10716, 10717, 13996, 16506, 16508, 16510,
\@footgroupv@r 8580, 8630, 8658, 8809, 8953, 9104, 9255, 9406, 9557, 9708, 9859, 10052	\@fourcol@footgroupv@r 8953 \@fourcolLTRfootfmt .. 8977, 8998, 9026	17086, 17088, 17090, 17769, 17771, 17773, 19869, 19912, 20625, 20626, 20627
\@footnote 5459	\@fourcol@footnotetext 8948, 8970	\@gobbletwo
\@footnotemark 2033, 2041, 2049, 4968, 5061, 5068, 5090, 5097, 5119, 5126, 5949, 5956, 5963, 10938, 10944, 10947, 10953, 12042, 12231, 12235, 12249, 12250	\@fourcolRTLfootfmt .. 8987, 9001, 9038	... 2483, 2484, 2487, 2488, 12599
\@footnotetext .. 34, 79, 151, 152, 153, 247, 292, 1990, 2112, 4989, 5061, 5068, 5812, 5823, 6036, 6050, 7628, 7629, 8374, 8388, 8389, 8413, 8500, 8508, 8652, 8803, 8947, 9098, 9249, 9400, 9551, 9702, 9853, 10046, 10964, 11021, 11080, 11912, 11920, 11991, 12039, 12232, 12236, 12252, 12253, 13164, 13277, 14397, 14398, 14399, 16187, 16190, 16505, 16506, 16516, 16736, 16739, 17085, 17086, 17096, 17435, 17438, 17768, 17769, 17779, 18161, 18178, 18268, 18270	\@fourcolfootnotetext 8949, 8980	\@gtempa 2665, 2666
\@footstartv@r ... 8580	\@fourcolfootnotetext 8947, 8960	\@haligno 396, 411, 18091, 18129, 20048, 20256, 20269
\@for 3771, 3832, 3845, 3867, 3871	\@fps 2054, 2055, 2057, 2060, 2077	\@hangfrom ... 10533, 16545, 16547, 17113, 17125, 17127, 17796, 17808, 17810, 20224
	\@fpsadddefault ...	\@hboxRconstructfalse 14934, 19984
	\@freelist ... 2073, 4493, 4534, 4649, 4650, 4693, 4694, 4737, 4738, 10246, 20451, 20452, 20495, 20496, 20528, 20529	\@hboxRconstructtrue 407, 14924, 18098, 18137, 19974, 20265
	\@fs@capt 4582, 4595, 4603	\@height
	\@fs@cfont ... 4575, 4581, 4591, 4594, 4602, 10641, 10642	391, 1498, 6797, 11261, 13113, 13169, 13247, 16233, 16240, 16782, 16789, 17481, 17488, 18058, 18086, 18127, 20251, 20567
	\@fs@iftopcapt 4586, 4599, 4612	\@highpenalty
	\@fs@mid 4585, 4598, 4610 6098, 6114, 6121, 6131, 6275, 6291, 6298, 6308, 6562, 6577, 6587, 8261, 10315, 10330, 10340, 15194, 15210, 15217, 15227, 15566, 15582, 15589, 15599, 15782, 15796, 15806, 15966, 15981, 15991, 18456, 18491
	\@fs@post 4584, 4597, 4611	
	\@fs@pre 4583, 4596, 4604	
	\@g@tnextcol ... 10658	
	\@getcirc 10502	
	\@gnewline ... 15057, 15070, 15083, 15094	
	\@gobble 1536, 1970, 2412, 2436, 2458, 2463, 2949, 2950, 2951, 2952, 2953, 3021, 3034, 3038, 3065, 3079, 3091, 3105, 3760, 3895, 4072, 5632, 5697, 10715	



<code>\@chintcolour . 2227, 2243</code>	<code>18880, 18900, 18988</code>	
<code>\@holdpg 7128,</code>	<code>3737, 4654, 4698,</code>	<code>20769, 20770,</code>
<code> 7134, 7141, 7152,</code>	<code>4742, 6810, 6825,</code>	<code>20771, 20794,</code>
<code> 7162, 7262, 7263,</code>	<code>10936, 10945,</code>	<code>20795, 20796,</code>
<code> 7265, 7268, 7272,</code>	<code>11104, 11119,</code>	<code>20797, 20798,</code>
<code> 7277, 7282, 7286,</code>	<code>11497, 12239,</code>	<code>20799, 20800,</code>
<code> 7294, 7306,</code>	<code>12263, 14409,</code>	<code>20801, 20802,</code>
<code> 7319, 7327, 7335</code>	<code>14581, 14601,</code>	<code>20803, 20804,</code>
<code>\@hyper@launch . 12325</code>	<code>19862, 19905,</code>	<code>20805, 20806,</code>
<code>\@idxitem 102,</code>	<code>20073, 20456, 20500</code>	<code>20807, 20808,</code>
<code> 107, 232, 237,</code>	<code>\@ifpackagelater .</code>	<code>20809, 20810,</code>
<code> 606, 621, 870,</code>	<code>. 4056, 4061, 10807</code>	<code>20811, 20812,</code>
<code> 1122, 5423, 5430,</code>	<code>\@ifpackageloaded .</code>	<code>20813, 20814, 20816</code>
<code> 6073, 6250, 6461,</code>	<code>1457, 2882, 3720,</code>	<code>\@ifpackagewith . .</code>
<code> 12485, 12490,</code>	<code>3780, 4015, 4033,</code>	<code>... 6951, 18385,</code>
<code> 15151, 15406,</code>	<code>4055, 4060, 4561,</code>	<code>20718, 20721,</code>
<code> 15866, 18436, 20680</code>	<code>4566, 4619, 7960,</code>	<code>20722, 20723,</code>
<code>\@ifclasslater 4058, 4063</code>	<code>7961, 8634, 10019,</code>	<code>20772, 20782, 20788</code>
<code>\@ifclassloaded . . .</code>	<code>12036, 12056,</code>	<code>\@ifstar . 2806, 3646,</code>
<code> . . . 3678, 4057,</code>	<code>12134, 12433,</code>	<code>3691, 3733, 3825,</code>
<code> 4062, 4092, 5472,</code>	<code>12767, 12890,</code>	<code>4411, 7964, 11500</code>
<code> 5474, 6463, 8515,</code>	<code>13141, 13975,</code>	<code>\@iftagsloaded . . .</code>
<code> 10758, 10771,</code>	<code>16588, 17168,</code>	<code>. 2472, 20710, 20711</code>
<code> 20683, 20684,</code>	<code>17851, 18360,</code>	<code>\@iftexfileloaded .</code>
<code> 20685, 20686,</code>	<code>20049, 20669,</code>	<code>2474, 20766, 20767</code>
<code> 20687, 20688,</code>	<code>20682, 20695,</code>	<code>\@ifundefined . . 340,</code>
<code> 20689, 20690,</code>	<code>20705, 20709,</code>	<code>341, 2347, 2493,</code>
<code> 20691, 20692,</code>	<code>20713, 20714,</code>	<code>2496, 2501, 2504,</code>
<code> 20693, 20694,</code>	<code>20715, 20716,</code>	<code>2509, 2512, 2517,</code>
<code> 20695, 20696,</code>	<code>20717, 20724,</code>	<code>2520, 3635, 3639,</code>
<code> 20697, 20698,</code>	<code>20725, 20726,</code>	<code>3789, 3882, 4803,</code>
<code> 20699, 20700,</code>	<code>20727, 20728,</code>	<code>5286, 5294, 5409,</code>
<code> 20701, 20702,</code>	<code>20729, 20730,</code>	<code>5411, 5416, 5506,</code>
<code> 20703, 20704,</code>	<code>20731, 20732,</code>	<code>5523, 6812, 6819,</code>
<code> 20705, 20706,</code>	<code>20733, 20734,</code>	<code>6827, 6833,</code>
<code> 20707, 20708,</code>	<code>20735, 20736,</code>	<code>10644, 10854,</code>
<code> 20732, 20813, 20814</code>	<code>20737, 20738,</code>	<code>12436, 12437,</code>
<code>\@ifdefinable . 2653,</code>	<code>20739, 20740,</code>	<code>12703, 12714,</code>
<code> 2656, 2659, 2668,</code>	<code>20741, 20742,</code>	<code>12777, 12779,</code>
<code> 2699, 2714, 10861</code>	<code>20743, 20744,</code>	<code>12784, 14690,</code>
<code>\@ifdefinitionfileloaded</code>	<code>20745, 20746,</code>	<code>18675, 18679,</code>
<code> 2473, 20815</code>	<code>20747, 20748,</code>	<code>18755, 18777,</code>
<code>\@ifempty . . 7, 212, 12513</code>	<code>20749, 20750,</code>	<code>18778, 18826,</code>
<code>\@ifl@aded</code>	<code>20751, 20752,</code>	<code>18827, 18910,</code>
<code> . . 2472, 2473, 2474</code>	<code>20753, 20754,</code>	<code>18932, 18933,</code>
<code>\@ifnextchar . . . 163,</code>	<code>20755, 20756,</code>	<code>19161, 19184,</code>
<code> 408, 1938, 1968,</code>	<code>20757, 20758,</code>	<code>19212, 19272,</code>
<code> 1983, 2689, 3647,</code>	<code>20759, 20760,</code>	<code>19321, 19338, 19368</code>
<code> 3648, 3692, 3693,</code>	<code>20761, 20762,</code>	<code>\@ifundefinedmodel</code>
	<code>20763, 20764,</code>	<code> 19895, 19929</code>
	<code>20765, 20768,</code>	<code>\@ifxempty 19955</code>



\@ignoretrue	6697		10558, 10573,		\@makefnmark	457,
\@iiiminipage	11067		10594, 11311,		808, 1310, 1788,	
\@iiiparbox			11336, 11359,		4964, 4975, 6507,	
. 8617, 11098, 20131			11388, 14026,		7633, 7654, 8109,	
\@indextitlestyle			14085, 14098,		8206, 10428,	
. 100, 230, 12483			14126, 14185,		12500, 13880,	
\@inlabelfalse	6664		14194, 20349,		15344, 15485,	
\@insertfalse	7119, 7227		20375, 20396, 20418		15681, 15724,	
\@inserttrue	7192, 7366		\@let@token	2449, 2452	15911, 16256,	
\@iprintcites	15049		\@letrine	12577	16257, 16320,	
\@itemfudge	20577, 20579		\@listI	4109	16321, 16805,	
\@itemlabel	20094		\@listdepth		16806, 16869,	
\@ixpt	5323	 10920, 11083,		16870, 17504,	
\@keywords	334		11285, 11289,		17505, 17568, 17569	
\@kludgeins	10250		20085, 20088, 20093		\@makefntext	45,
\@komalatexfalse			\@listi 4109, 4117, 5327		59, 75, 258,	
. 16588, 17168, 17851			\@loadwithoptions	3570, 3572, 3579	272, 287, 458,	
\@lastchclass			\@lowertitleback	16297,	745, 810, 997,	
. 356, 357,			16352, 16846,		1060, 1247, 1312,	
358, 359, 361,			16901, 17545, 17600		1789, 4962, 5001,	
1381, 1382, 1383,			\@lowpenalty	1914, 19411	5019, 5037, 6189,	
1384, 1386, 1425,			\@m 93, 306,		6366, 6508, 8110,	
1426, 1438, 1446,			589, 721, 984,		8207, 8424, 8440,	
18216, 18217,			1234, 6156, 6344,		8456, 8470, 8483,	
18218, 18219,			6656, 8058, 8332,		8496, 10429,	
18221, 20270, 20271			10385, 11312,		10976, 10993,	
\@lastvipertrue	7203,		11360, 12475,		11009, 11036,	
. 7222, 7378, 7397			14510, 15257,		11050, 11064,	
\@latex@error			15651, 15848,		11413, 13882,	
. 2391, 3754,			16051, 16459,		15281, 15346,	
13995, 14248, 14254			17039, 17722, 18380		15420, 15487,	
\@latex@warning	95,		\@mainaux 14641		15683, 15726,	
308, 591, 723,			\@mainmatterfalse	5659,	15912, 16203,	
986, 1236, 2377,			5689, 6638, 8314		16752, 17326, 17451	
6158, 6346, 6658,			\@mainmattertrue	5656, 5672	\@makeother 2805,	
8060, 8334,			4406, 6758,		2851, 2960, 2968	
10387, 12477,			13932, 13982,		\@makeschapterhead 6069,	
15259, 15653,			14014, 16574,		6246, 6435, 6456,	
15850, 16053,			17154, 17837, 20655		6624, 8300,	
16463, 16470,			\@makechapterhead		10355, 15147,	
17043, 17050,		 311, 6415, 6610,		15402, 15861,	
17726, 17733, 18382			8285, 10343,		16026, 18407, 18412	
\@latex@warning@no@line			15040, 16014, 18401		\@makespecialcolbox 10251	
. 7196, 7214,			\@makecol 10306,		\@maketitle 120, 326,	
7371, 7389, 20543			10307, 13189, 13201		330, 463, 465,	
\@latexbug	20529				470, 479, 489,	
\@leftcolumn	6997,				814, 816, 821, 828,	
. 7023, 7060, 7082,					838, 1066, 1068,	
7235, 7263, 7269,						
7278, 10537,						



1073, 1080, 1090, 1316, 1318, 1323, 1330, 1340, 1792, 1798, 6513, 6515, 6520, 6529, 6539, 8115, 8117, 8122, 8129, 8139, 8212, 8214, 8219, 8228, 8238, 10434, 10436, 10441, 10448, 10458, 12539, 13885, 13887, 13894, 15350, 15352, 15357, 15364, 15374, 15491, 15493, 15498, 15507, 15517, 15735, 15737, 15742, 15751, 15761, 15917, 15919, 15924, 15933, 15943, 16324, 16326, 16331, 16341, 16366, 16873, 16875, 16880, 16890, 16915, 17572, 17574, 17579, 17589, 17614	7923, 7931, 7938 \@mathsemicolon 184, 203 \@maxdepth 8578, 10262, 10275, 10294, 10305 \@memtempa 13932, 13934, 13948, 13955, 13959, 13964 \@menubordercolor 12396, 12398 \@menucolor 12407 \@midlist . . 10246, 10247 \@minipagefalse 2127, 4671, 4680, 4715, 4724, 4759, 4768, 8614, 11095, 12736, 13988, 16564, 17144, 17827, 20473, 20482, 20517, 20526, 20661 \@minipagerestore 11084 \@minipagetrue 4679, 4723, 4767, 20481, 20525 \@minus 2294, 2380, 4105, 4107, 4114, 4116, 4118, 4119, 5324, 5326, 5328, 5329, 11199, 11237, 14507, 16687, 16697, 16707, 16717, 16727, 17276, 17286, 17296, 17306, 17316, 17959, 17969, 17979, 17989, 17999, 18023	\@mkpream 395, 13118, 18089, 18121, 20254 \@mobile 2254, 7507, 7605 \@modernpoem . 5987, 6031 \@mpLTrfootnotetext 8378, 8396, 8397, 8474, 8504, 8512, 8660, 8811, 8955, 9106, 9257, 9408, 9559, 9710, 9861, 10054, 11039, 11081, 11942, 11957, 11980, 12044, 13278, 18271 \@mpRTLfootnotetext 8379, 8398, 8399, 8487, 8505, 8513, 8661, 8812, 8956, 9107, 9258, 9409, 9560, 9711, 9862, 10055, 11025, 11082, 11931, 11956, 11969, 12045, 13279, 18272 \@mparbottom 20539, 20547, 20548, 20549, 20550 \@mpargs 8617, 11073, 11098 \@mparswitchfalse 4088 \@mparswitchtrue . 4083 \@mpeightcol@footgroupv _r 9563 \@mpeightcollTRfootnotetext 9559, 9620 \@mpeightcolRTLfootnotetext 9560, 9633 \@mpeightcolfootnotetext 9558, 9608 \@mpfivecol@footgroupv _r 9110 \@mpfivecollTRfootnotetext 9106, 9167 \@mpfivecolRTLfootnotetext 9107, 9180 \@mpfivecolfootnotetext 9105, 9155 \@mpfn 2008, 2011, 2014, 2030, 2038, 2046,
\@mathmargin . . 7916, \@mklab 20095		



5059, 5065, 5088,	11053, 11080,	\@mp tencolRTLfootnotetext
5094, 5117, 5123,	11920, 11955, 9862, 9935
5926, 5929, 5932,	11958, 12043,	\@mp tencolfootnotetext
5946, 5953, 5960,	13277, 18268, 18270 9860, 9910
10936, 10941,	\@mp fourcol@footgroupv@r	\@mp threecol@footgroupv@r
10945, 10950, 8959 8815
11079, 11109,	\@mp fourcolLTRfootnotetext	\@mp threecolLTRfootnotetext
11124, 11917, 8955, 9016 8811, 8868
11928, 11939,	\@mp fourcolRTLfootnotetext	\@mp threecolRTLfootnotetext
12139, 12170, 8956, 9029 8812, 8880
12201, 12264,	\@mp fourcolfootnotetext	\@mp threecolfootnotetext
13274, 18203, 18210 8954, 9004 8810, 8857
\@mp footins ..	\@mp listdepth ..	\@mp two col@footgroupv@r
8462, 10920, 11083 8664
8463, 8475, 8476,	\@mp ninecol@footgroupv@r	\@mp two colLTRfootnotetext
8488, 8489, 8598, 9714 8660, 8721
8607, 8608, 8611,	\@mp ninecolLTRfootnotetext	\@mp two colRTLfootnotetext
11027, 11028,	\@mp ninecolfootnotetext 8661, 8734
11041, 11042, 9710, 9771	\@mp two colfootnotetext
11055, 11056,	\@mp ninecolRTLfootnotetext 8659, 8709
11089, 11090, 9711, 9784	\@namedef 3639, 3790,
11093, 13263, 13268	\@mp ninecolfootnotetext	5984, 8619, 8650,
\@mp footins v@r 9709, 9759	8757, 8758, 8786,
8597,	\@mp para@footgroupv@r	8791, 8796, 8801,
8631, 8710, 8711, 10058	8902, 8903, 8935,
8722, 8723, 8735,	\@mp paraLTRfootnotetext	8940, 8945, 9052,
8736, 8858, 8859, 10054, 10132	9053, 9081, 9086,
8869, 8870, 8881,	\@mp paraRTLfootnotetext	9091, 9096, 9203,
8882, 9005, 9006, 10055, 10146	9204, 9232, 9237,
9017, 9018, 9030,	\@mp parafootnotetext	9242, 9247, 9354,
9031, 9156, 9157, 10053, 10118	9355, 9383, 9388,
9168, 9169, 9181,	\@mp seven col@footgroupv@r	9393, 9398, 9505,
9182, 9307, 9308, 9412	9506, 9534, 9539,
9319, 9320, 9332,	\@mp seven colLTRfootnotetext	9544, 9549, 9656,
9333, 9458, 9459, 9408, 9469	9657, 9685, 9690,
9470, 9471, 9483,	\@mp seven colRTLfootnotetext	9695, 9700, 9807,
9484, 9609, 9610, 9409, 9482	9808, 9836, 9841,
9621, 9622, 9634,	\@mp seven colfootnotetext	9846, 9851, 9958,
9635, 9760, 9761, 9407, 9457	9959, 9987, 9992,
9772, 9773, 9785,	\@mp six col@footgroupv@r	9997, 10044,
9786, 9911, 9912, 9261	10171, 10172,
9923, 9924, 9936,	\@mp six colLTRfootnotetext	10173, 10221,
9937, 10119, 9257, 9318	10230, 10238,
10122, 10133,	\@mp six colRTLfootnotetext	18690, 18729,
10136, 10147, 10150 9258, 9331	18730, 18731,
\@mp footnotetext ..	\@mp six colfootnotetext	18732, 18733,
... 8377, 8394, 9256, 9306	18734, 18735,
8395, 8461, 8503,	\@mp tencol@footgroupv@r	18736, 18737,
8511, 8659, 8810, 9805	18738, 18756,
8954, 9105, 9256,	\@mp tencolLTRfootnotetext	18757, 18758,
9407, 9558, 9709, 9861, 9922	
9860, 10053,		



18759,	18760,	19370, 19373, 19377	9820, 9825, 9826,
18761,	18762,	\@nameuse 3636, 5982,	9828, 9831, 9833,
18763,	18764,	7846, 7896, 7899,	9838, 9839, 9843,
18779,	18780,	7945, 8754, 8756,	9844, 9848, 9849,
18781,	18782,	8757, 8758, 8763,	9955, 9957, 9958,
18784,	18785,	8765, 8768, 8770,	9959, 9964, 9966,
18787,	18790,	8775, 8776, 8778,	9969, 9971, 9976,
18793,	18801,	8781, 8783, 8788,	9977, 9979, 9982,
18802,	18804,	8789, 8793, 8794,	9984, 9989, 9990,
18807,	18810,	8798, 8799, 8899,	9994, 9995, 9999,
18823,	18828,	8901, 8902, 8903,	10000, 10168,
18829,	18830,	8908, 8910, 8913,	10170, 10171,
18832,	18833,	8915, 8919, 8920,	10172, 10173,
18835,	18838,	8922, 8925, 8927,	10178, 10189,
18841,	18849,	8932, 8933, 8937,	10191, 10194,
18850,	18852,	8938, 8942, 8943,	10197, 10202,
18855,	18858,	9049, 9051, 9052,	10203, 10205,
18870,	18911,	9053, 9058, 9060,	10208, 10211,
18912,	18913,	9063, 9065, 9070,	10218, 10219,
18914,	18915,	9071, 9073, 9076,	10222, 10227,
18916,	18917,	9078, 9083, 9084,	10231, 10235,
18918,	18919,	9088, 9089, 9093,	10243, 10664,
18934,	18935,	9094, 9200, 9202,	16961, 16977,
18936,	18937,	9203, 9204, 9209,	16985, 16993,
18939,	18940,	9211, 9214, 9216,	18419, 18691,
18942,	18945,	9221, 9222, 9224,	18692, 18693,
18948,	18956,	9227, 9229, 9234,	18696, 18699,
18957,	18959,	9235, 9239, 9240,	18704, 18705,
18962,	18965,	9244, 9245, 9351,	18710, 18714,
18978,	19162,	9353, 9354, 9355,	18715, 18717,
19163,	19164,	9360, 9362, 9365,	18718, 18720,
19165,	19166,	9367, 9372, 9373,	18721, 18723,
19167,	19168,	9375, 9378, 9380,	18724, 18726,
19169,	19170,	9385, 9386, 9390,	18727, 18734,
19209,	19213,	9391, 9395, 9396,	18739, 18740,
19214,	19215,	9502, 9504, 9505,	18823, 18870,
19216,	19218,	9506, 9511, 9513,	18874, 18875,
19219,	19221,	9516, 9518, 9523,	18887, 18894,
19224,	19227,	9524, 9526, 9529,	18895, 18978,
19235,	19236,	9531, 9536, 9537,	18982, 18983,
19238,	19241,	9541, 9542, 9546,	19002, 19017,
19244,	19269,	9547, 9653, 9655,	19020, 19022,
19273,	19274,	9656, 9657, 9662,	19025, 19028,
19275,	19277,	9664, 9667, 9669,	19045, 19046,
19278,	19280,	9674, 9675, 9677,	19048, 19049,
19283,	19286,	9680, 9682, 9687,	19059, 19061,
19294,	19295,	9688, 9692, 9693,	19063, 19064,
19297,	19300,	9697, 9698, 9804,	19066, 19068,
19303,	19323,	9806, 9807, 9808,	19069, 19078,
19326,	19330,	9813, 9815, 9818,	19080, 19084,



19085,	19089,	20275, 20318, 20529	6108, 6285, 6572,
19093,	19095,	\@newlistfalse	8270, 10325,
19096,	19156, 10708, 20590	15204, 15576,
19189,	19196,	\@next 2073,	15791, 15976,
19201,	19202,	4649, 4650, 4693,	18478, 18482, 19010
19209,	19262,	4694, 4737, 4738,	\@nobreaktrue .. 522,
19269,	19340,	20451, 20452,	674, 918, 1157,
19897,	19931, 20599	20495, 20496, 20528	6107, 6284, 6571,
\@ne	137, 142, 356,	\@nextchar 362,	8269, 10324,
365,	368, 462,	364, 365, 366,	15203, 15575,
813,	1065, 1315,	368, 369, 370,	15790, 15975,
1381,	1390, 1393,	371, 372, 375,	18477, 18481, 19009
1394,	1395, 1428,	376, 377, 1387,	\@nocnterr 341
1431,	1432, 1433,	1389, 1390, 1391,	\@nocounterr 340
1683,	1689, 1690,	1393, 1394, 1395,	\@nodocument 2052
2083,	3217, 3368,	1396, 1397, 1398,	\@noitemerr 95, 308,
3439,	3500, 3997,	1399, 1402, 1403,	590, 722, 985,
4006,	6512, 6962,	1404, 1416, 1418,	1235, 2377, 6157,
8114,	8211, 10433,	1419, 1484, 1485,	6345, 6657, 8059,
11026,	11040,	1486, 6783, 6784,	8333, 10386,
11054,	11299,	6785, 18222,	12477, 14517,
12272,	12273,	18224, 18225,	15258, 15652,
12278,	12679,	18226, 18227,	15849, 16052,
12691,	12698,	18228, 18229,	16462, 16469,
12707,	12718,	18230, 18232,	17042, 17049,
13120,	13884,	18233, 18234,	17725, 17732, 18381
13961,	14224,	18235, 18236,	\@nonlatinfalse 1565,
14580,	14600,	18239, 18240, 18241	1618, 12725, 12769
15349,	15490,	\@nil 1469,	\@nonlatintrue 1566,
15687,	15730,	1470, 1472, 1473,	1620, 12725, 12769
15734,	15916,	6772, 7676, 7733,	\@normalcr 13230
16209,	16323,	12439, 12448,	\@notprerr .. 3021, 3034
16758,	16872,	12450, 12462, 18334	\@nx 124, 125,
17331,	17457,	\@ninecol@footgroupv@r	344, 12543, 12544
17571,	18151, 9708	\@nxtcol
18155,	18216,	\@ninecolLTRfootfmt	10656, 10658, 10699
18225,	18232,	.. 9732, 9753, 9781	\@oddfoot 1758, 10669,
18531,	18874,	\@ninecolLTRfootnotetext	10676, 20602, 20619
18875,	18982, 9703, 9725	\@oddhead 10668,
18983,	19156,	\@ninecolRTLfootfmt	10675, 20602, 20618
19811,	20088,	.. 9742, 9756, 9793	\@oldmakefnmark
20129,	20166,	\@ninecolRTLfootnotetext	10256,
20168,	20169, 9704, 9735	16257, 16320,
20170,	20175,	\@ninecolfootfmt ..	16321, 16805,
20177,	20178,	.. 9722, 9750, 9768	16806, 16869,
20179,	20184,	\@ninecolfootnotetext	16870, 17504,
20186,	20187, 9702, 9715	17505, 17568, 17569
20188,	20193,	\@nmbrlistfalse . 20096	\@onefilewithoptions
20195,	20196,	\@nobreakfalse . 523,	.. 3586, 3587, 3594
20197,	20273,	675, 919, 1158,	



\@onelevel@sanitize	2055	\@outputdblcol 10655, 20437, 20438, 20439	\@parafootnotetext	10046, 10070
\@onlypreamble	3809, 3819, 3823	\@outputpage .. 7040, 7044, 7099, 7103, 10565, 10568, 10603, 10607, 10683, 10687, 10692, 10703, 11345, 11349, 11397, 11401, 13190, 13202, 14108, 14113, 14205, 14210, 14638, 14639,	\@parboxrestore .. 42, 56, 72, 255, 269, 284, 2122, 4400, 4668, 4712, 4756, 6702, 8465, 8478, 8491, 8593, 8714, 8726, 8739, 8779, 8862, 8873, 8885, 8923, 9009, 9021, 9034, 9074, 9160, 9172, 9185, 9225, 9311, 9323, 9336, 9376, 9462, 9474, 9487, 9527, 9613, 9625, 9638, 9678, 9764, 9776, 9789, 9829, 9915, 9927, 9940, 9980, 10124, 10138, 10152, 10206, 10225, 10708, 10971, 10988, 11004, 11032, 11046, 11060, 11078, 14009, 14223, 20137, 20470, 20514, 20591	
\@openbib@code	581, 716, 979, 1229, 2370, 2381, 6151, 6339, 6648, 8053, 8324, 10380, 15252, 15646, 15840, 16043, 16445, 17025, 17708, 18372	20384, 20388, 20427, 20431, 20585	\@parboxto 20140, 20147	
\@otarlinesep 18111, 18117		\@ovbtrue	10491	
\@outerparskip 5912, 6025		\@ovdx	10504, 10512	
\@outputbox .. 6997,	7000, 7001, 7015, 7027, 7032, 7034, 7060, 7063, 7064, 7078, 7088, 7091, 7093, 8577, 8579, 10253, 10255, 10256, 10261, 10274, 10276, 10287, 10297, 10537, 10540, 10553, 10562, 10573, 10576, 10590, 10600, 10681, 10686, 10725, 11311, 11316, 11317, 11332, 11342, 11359, 11364, 11365, 11380, 11392, 14026, 14029, 14030, 14060, 14085, 14088, 14090, 14102, 14126, 14129, 14130, 14160, 14185, 14188, 14190, 14200, 14649, 14652, 14661, 20349, 20352, 20353, 20367, 20379, 20396, 20399, 20400, 20414, 20424, 20642	\@ovdy	10505, 10513	
	7099, 7103, 10565, 10568, 10603, 10607, 10683, 10687, 10692, 10703, 11345, 11349, 11397, 11401, 13190, 13202, 14108, 14113, 14205, 14210, 14638, 14639, 20384, 20388, 20427, 20431, 20585	\@ovhorz	10510, 10511	
		\@ovltrue	10491	
		\@ovri	10503	
		\@ovro 10503, 10512, 10513		
		\@ovrtrue	10491	
		\@ovttrue	10491	
		\@ovvert .. 10508, 10509		
		\@ovxx	10493, 10494, 10497, 10504, 10509, 10510, 10514, 10515	
		\@ovyy .. 10495, 10496, 10497, 10505, 10511		
		\@pagedp .. 20557, 20567		
		\@pageht	7120, 7229, 20540, 20547	
		\@par	19099	
		\@para@footgroupv@r ..		
		\@paraLTRfootfmt ..	10052	
		\@paraLTRfootnotetext ..	10091, 10110, 10143	
		\@paraLTRfootnotetext ..	10047, 10082	
		\@paraRTLfootfmt ..	10103, 10114, 10157	
		\@paraRTLfootnotetext ..	10048, 10094	
		\@parafootRTLfalse ..	8412	
		\@parafootRTLtrue ..	8411	
		\@parafootfmt ..	10079, 10106, 10129	



\@plus	24, 103, 233, 513, 530, 605, 620, 649, 652, 665, 683, 690, 869, 876, 879, 892, 909, 927, 1121, 1132, 1135, 1148, 1166, 1174, 2294, 2380, 4105, 4106, 4107, 4114, 4115, 4116, 4118, 4119, 5324, 5325, 5326, 5328, 5329, 5395, 6072, 6083, 6086, 6099, 6115, 6122, 6249, 6260, 6263, 6276, 6292, 6299, 6460, 6563, 6578, 7993, 8007, 8262, 10108, 10112, 10116, 10217, 10316, 10331, 11199, 11237, 12486, 12506, 14275, 14287, 14507, 15150, 15179, 15182, 15195, 15211, 15218, 15405, 15551, 15554, 15567, 15583, 15590, 15783, 15797, 15865, 15967, 15982, 16231, 16238, 16262, 16285, 16303, 16374, 16399, 16487, 16492, 16645, 16664, 16687, 16688, 16697, 16698, 16707, 16708, 16717, 16727, 16780, 16787, 16811, 16834, 16852, 16923, 16948, 17067, 17072, 17225, 17244, 17276, 17277,	17286, 17287, 17296, 17297, 17306, 17316, 17479, 17486, 17510, 17533, 17551, 17622, 17647, 17750, 17755, 17908, 17927, 17959, 17960, 17969, 17970, 17979, 17980, 17989, 17999, 18022, 18285, 18314, 18435, 18710, 18878, 18881, 18885, 18986, 18989, 18993, 19026, 19323, 19326, 19330, 19418, 19602, 20286	15598, 15785, 15786, 15788, 15800, 15801, 15805, 15970, 15971, 15973, 15985, 15986, 15990, 18341, 18350, 18352, 18740, 18889, 18890, 18898, 18997, 18998, 19004, 19396, 19509, 19614, 20298	\@preamble 396, 397, 407, 409, 1441, 1449, 13124, 18090, 18092, 18099, 18129, 18130, 18138, 20255, 20257, 20266
\@pnumwidth	13, 15, 218, 220, 516, 517, 519,	533, 534, 538, 668, 669, 671, 693, 694, 698, 895, 896, 900, 912, 913, 915, 1151, 1152, 1154, 1177, 1178, 1182, 6102, 6103, 6105, 6125, 6126, 6130, 6279, 6280, 6282, 6302, 6303, 6307, 6566, 6567, 6569, 6581, 6582, 6586, 6847, 6852, 6853, 7996, 7997, 8001, 8010, 8011, 8013, 8264, 8265, 8267, 10319, 10320, 10322, 10334, 10335, 10339, 12519, 12521, 14295, 15198, 15199, 15201, 15221, 15222, 15226, 15570, 15571, 15573, 15593, 15594,	... 9594, 9600, 9603, 9606, 9686	\@preameightfmt
				\@preamerr
					378, 1405, 1435, 18242, 20264, 20277
				\@preamfivefmt
				 9141, 9147, 9150, 9153, 9233
				\@preamfntext	. 8419, 8435, 8451, 8588, 8668, 8678, 8688, 8766, 8819, 8828, 8837, 8911, 8963, 8973, 8983, 9061, 9114, 9124, 9134, 9212, 9265, 9275, 9285, 9363, 9416, 9426, 9436, 9514, 9567, 9577, 9587, 9665, 9718, 9728, 9738, 9816, 9869, 9879, 9889, 9967, 10074, 10086, 10098, 10192
				\@preamfourfmt
					... 8990, 8996, 8999, 9002, 9082
				\@preamninefmt
				 9745, 9751,



9754, 9757, 9837	\@reffalse 17354	\@rights skip
\@preamsevenfmt	\@reftrue 17355,	. . . 13226, 15059,
... 9443, 9449,	17356, 17357,	15060, 15072,
9452, 9455, 9535	17358, 17359,	15073, 15085,
\@preamsixfmt	17360, 17361, 17362	15086, 15096,
... 9292, 9298,	\@regtocline . . . 646,	15097, 15114, 20200
9301, 9304, 9384	684, 701, 873,	\@rjfieldfalse . . . 20575
\@preamtenfmt	903, 928, 1129,	\@runbordercolor 12336, 12338
... 9896, 9902,	1167, 1185, 6080,	\@runcolor 12352
9905, 9908, 9988	6116, 6134, 6257,	\@s@size 18124
\@preamthreefmt	6293, 6311, 15176,	\@s@bidi@AfterClass
... 8843, 8849,	15212, 15230, 3646,
8852, 8855, 8931	15548, 15584, 15602	3655, 3667, 3676
\@preamtwofmt	\@rememsize 18121, 18124	\@s@bidi@AfterPackage
... 8695, 8701,	\@removefromreset 14526, 14528 3691,
8704, 8707, 8787	\@reqcolroom 7120, 7121, 7122,	3699, 3710, 3718
\@printcites 15051	7123, 7183, 7228,	\@sarray 18083
\@pstrickserr 15005	7229, 7230, 7231,	\@savemarbox 20569
\@ptsize . . 2158, 2159,	7232, 7233, 7357	\@secondoftwo
2160, 2161, 2168	\@resetactivechars 10706, 20588 1541, 1547,
\@publisher . . 5487, 5540	\@resetdyn@mics . . . 10694	1553, 2536, 2540,
\@publishers	\@resetst@tics . . . 10693	2548, 2552, 2560,
... 16286, 16350,	\@restonecolfalse 98,	2564, 2570, 2578,
16400, 16835,	228, 595, 611,	2591, 2600, 2609,
16899, 16949,	860, 1112, 6063,	2618, 2624, 2627,
17534, 17598, 17648	6240, 6450,	2638, 2643, 2650,
\@quote . . . 2261, 7487,	12481, 15141,	2812, 2822, 2823,
7489, 7616, 7618	15396, 15855, 18393	2824, 2825, 2831,
\@quotebox 15050	\@restonecoltrue 98,	2840, 2846, 2870,
\@quotecolour	228, 597, 613,	2898, 2926, 2975,
... 2223, 2240, 2350	862, 1114, 6065,	2987, 2988, 2997,
\@rc@msize 18124	6242, 6452,	3551, 3679, 3721
\@raggedtwoe@everyselectfont	12481, 15143,	\@secpenalty . . 5, 210,
. 15064,	15398, 15857, 18395	512, 529, 664,
15077, 15090, 15101	\@resumename . . 2193, 2249	682, 689, 891,
\@raggedtwoe@gnewline	\@revlabeltrue . . 746,	908, 926, 1147,
15057, 15070, 15083	998, 1248, 6190,	1165, 1173, 7992,
\@raggedtwoe@raggedrightboxes@op#5398	6367, 15282, 15421	8006, 12511,
. 15103, 15132	\@rightcolumn . . 14052,	18326, 18458,
\@raggedtwoe@savemode@gnnewline	14057, 14058,	18513, 18877,
. 15094	14067, 14068,	18884, 18985, 18992
\@raggedtwoe@savedcr	14076, 14080,	\@sectiontitlecolour
. 15054,	14086, 14152, 2224, 2241
15067, 15080, 15093	14157, 14158,	\@seesize . . . 18121, 18124
\@raggedtwoe@spaceskipfalse	14167, 14168,	\@setcol 10700
. 15100	14176, 14180, 14186	\@setcolbox . . 10661, 10697
\@raggedtwoe@spaceskiptrue		\@setcopyright . . 112, 12531
15063, 15076, 15089		\@setfontsize . . 4104,
\@rc@ifdefinable . .		4113, 5323, 5333,
. 2668, 2714		



5334, 5335, 5336,	\@sixcolLTRfootnotetext	16384, 16819,
5337, 5338, 5339 9250, 9272	16820, 16898,
\@setfpsbit	\@sixcolRTLfootfmt	16932, 16933,
.. 2087, 2090, 2093	.. 9289, 9303, 9340	17518, 17519,
\@setmarks 7007, 7009,	\@sixcolRTLfootnotetext	17597, 17631, 17632
7039, 7070, 7072, 9251, 9282	\@subsectioncolour
7098, 10546,	\@sixcolfootfmt 2226, 2242
10548, 10565,	.. 9269, 9297, 9315	\@subtitle
10582, 10584,	\@sixcolfootnotetext	.. 16276, 16346,
10602, 11323, 9249, 9262	16389, 16825,
11325, 11344,	\@skip@bove 18115, 18117	16895, 16938,
11371, 11373,	\@spaces	17524, 17594, 17637
11396, 14036,	. 18153, 18194, 18199	\@tabacol 2000, 13101,
14038, 14107,	\@spart	18077, 20059, 20241
14136, 14138,	\@specialpagefalse	\@tabarray . 384, 408,
14204, 20359, 10663, 20599	412, 2002, 13088,
20361, 20383,	\@specialstyle	13090, 20054,
20406, 20408, 20426 10664, 20599	20061, 20243, 20269
\@setminipage . 4402,	\@stabarray	\@tabclassiv
11085, 11293, 14011	\@stabular 2002, 13102,
\@setpar	\@star@or@long 2663,	18079, 20061, 20243
15684, 15727,	2684, 2708, 2719	\@tabclassz .. 1446,
16206, 16213,	\@startdblcolumn ..	2001, 13102,
16755, 16762,	... 7043, 7045,	18078, 20060, 20242
17328, 17333,	7102, 7104, 10566,	\@tabcr
17454, 17461	10568, 10606,	5995, 6005
\@settab	10607, 10690,	\@tabminus
5992	10692, 11348,	5993
\@sevencol@footgroupv@r	11350, 11400,	\@tabplus
..... 9406	11402, 14111,	5992
\@sevencolLTRfootfmt	14114, 14208,	\@tabular 380, 1988, 20239
.. 9430, 9451, 9479	14211, 20387,	\@tabularcr
\@sevencolLTRfootnotetext	20389, 20430, 20432	... 2002, 13106,
..... 9401, 9423	\@startfield	18079, 20061, 20243
\@sevencolRTLfootfmt	6034	\@tagsextension ..
.. 9440, 9454, 9491	\@startpbox 2469, 2472
\@sevencolRTLfootnotetext	1418,	\@tarlinesep .. 18117,
..... 9402, 9433	1419, 1484, 1485,	18118, 18119,
\@sevencolfootfmt .	1486, 6783, 6784,	18120, 18123, 18125
.. 9420, 9448, 9466	6785, 13103,	\@temp@bibkey . 4857,
\@sevencolfootnotetext	13104, 13110,	4876, 4895, 4923
..... 9400, 9413	18093, 18131, 20258	\@temp@bibkeyx 4862,
\@sharp	\@startsection 23, 12505	4863, 4865, 4866,
403, 1443, 1444,	\@startttoc .. 5290, 5298	4867, 4868, 4881,
1445, 1451, 1452,	\@stopfield	4882, 4884, 4885,
1453, 12439, 12445,	... 5999, 6014,	4886, 4887, 4900,
13116, 18095,	6018, 6046, 20575	4901, 4903, 4904,
18130, 18136, 20261	\@stopline . 6018, 20575	4905, 4906, 4932,
\@sixcol@footgroupv@r	\@strip	4933, 4935,
..... 9255	334	4936, 4937, 4938
\@sixcolLTRfootfmt	\@subject 16270, 16271,	\@temp@last@bibkey
.. 9279, 9300, 9328	16349, 16383, 4856,
		4857, 4863,



4875, 4876, 4882,	19622, 19623,	16560, 16565,
4894, 4895, 4901,	19632, 19646,	16570, 17091,
4922, 4923, 4933	19822, 19825,	17105, 17109,
\@tempa 123, 126,	19831, 19835, 19849	17111, 17134,
133, 134, 135, 136,	\@tempb 2385,	17135, 17137,
793, 795, 797,	2386, 2388, 2389,	17138, 17140,
801, 1045, 1047,	11462, 11463,	17145, 17150,
1049, 1053, 1295,	11503, 11505,	17774, 17788,
1297, 1299, 1303,	11533, 11535,	17792, 17794,
2385, 2386, 2389,	11536, 11538,	17817, 17818,
2492, 2493, 2496,	11541, 14533,	17820, 17821,
2498, 2500, 2501,	14534, 14540,	17823, 17828,
2504, 2506, 2508,	14541, 14546, 14547	17833, 18176,
2509, 2512, 2514,	\@tempboxa 4652,	18196, 19561,
2516, 2517, 2520,	4696, 4740, 7143,	19564, 19569,
2522, 10492,	7167, 7176, 7235,	19573, 19577,
11462, 11463,	7279, 7320, 7341,	19581, 19585,
11464, 11465,	7350, 7699, 7700,	19589, 19593,
11502, 11505,	7701, 7702, 7704,	19597, 20224,
11506, 11512,	7753, 7754, 7755,	20225, 20280,
11523, 11524,	7756, 7758, 8617,	20281, 20282,
11530, 11535,	10503, 10507,	20283, 20454,
11536, 11538,	10515, 10516,	20498, 20632,
11541, 11598,	10641, 10642,	20639, 20640,
11599, 11600,	10643, 11074,	20657, 20658, 20662
11601, 12058,	11098, 11136,	\@tempc . 11504, 11506,
12062, 12065,	11181, 11188,	11512, 12609, 12614
12077, 12096,	11198, 11201,	\@tempcnta 1409, 1468,
12100, 12103,	11205, 11207,	1469, 1470, 1472,
12115, 12542,	11213, 11247,	1473, 2075, 2081,
12545, 13171,	11249, 11255,	2083, 2096, 2097,
13172, 13174,	11268, 11272,	2103, 2104, 6770,
13175, 14529,	11273, 11428,	6772, 7674, 7731,
14530, 14531,	11524, 11541,	12646, 12648,
14534, 14541,	11690, 11871,	12651, 12674,
14547, 15329,	11873, 12632,	12675, 12679,
15331, 15333,	12633, 12728,	14605, 14607,
15337, 15470,	12733, 12737,	14608, 14614,
15472, 15474,	13133, 13134,	14618, 14631,
15478, 16061,	13137, 13937,	14688, 14690,
16062, 16104,	13940, 13944,	14694, 14697,
16105, 16205,	13946, 13952,	14699, 16309,
16447, 16450,	13954, 13955,	16311, 16504,
16754, 17027,	13984, 13985,	16523, 16858,
17030, 17327,	13989, 14782,	16860, 17084,
17453, 17710,	14783, 14786,	17103, 17557,
17713, 18202,	16511, 16525,	17559, 17767,
18204, 18209,	16529, 16531,	17786, 18189,
18211, 19600,	16554, 16555,	19408, 19409,
19617, 19621,	16557, 16558,	19410, 19429,



19430,	19431,	7813, 7815, 7822,	16756, 16757,
19433,	19435,	7846, 7847, 7852,	16758, 16763,
19517,	19518,	7853, 7854, 7855,	16764, 16767,
19519,	20529,	7856, 7971, 7973,	17108, 17109,
20531,	20534,	7975, 7994, 7999,	17134, 17135,
20536,	20538, 20560	8009, 10062,	17136, 17138,
\@tempcntb		10063, 10066,	17329, 17330,
2101,	2102, 2103,	10067, 10179,	17331, 17334,
14606,	14607,	10180, 10183,	17335, 17338,
14614,	14618,	10184, 10263,	17455, 17456,
14631,	16504,	10265, 10318,	17457, 17462,
16522,	17084,	10332, 10337,	17463, 17466,
17102,	17767, 17785	10504, 10505,	17791, 17792,
\@tempdima 8,		10508, 10509,	17817, 17818,
10,	12, 14, 213,	11072, 11076,	17819, 17821,
215,	217, 219, 388,	11521, 11523,	18122, 18125,
389,	391, 514, 531,	11528, 11530,	18127, 18190,
536,	654, 667,	11531, 11533,	18249, 18250,
691,	696, 881,	11546, 11551,	18251, 18468,
882,	893, 898,	11556, 11560,	18472, 18499,
911,	1137, 1150,	12514, 12516,	18503, 18522,
1175,	1180, 1463,	12518, 12520,	18526, 18539,
1464,	1496, 1497,	12624, 12630,	18543, 18556,
1498,	2155, 2157,	12631, 12637,	18560, 18573,
5311,	5312, 6088,	12638, 12643,	18577, 18590,
6101,	6123, 6128,	12644, 12649,	18594, 18607,
6265,	6278, 6300,	13098, 13108,	18611, 18625,
6305,	6564, 6579,	13113, 14055,	18629, 18644,
6584,	6795, 6796,	14059, 14155,	18648, 18664,
6797,	6845, 6850,	14159, 14220,	18668, 18699,
7124,	7193, 7194,	14245, 14268,	18703, 18887,
7208,	7209, 7213,	14280, 14281,	18893, 18995,
7290,	7368, 7369,	14292, 14293,	19045, 19048,
7383,	7384, 7388,	14609, 15184,	19049, 19053,
7404,	7405, 7645,	15197, 15219,	19425, 19427,
7646,	7647, 7648,	15224, 15556,	19456, 19459,
7666,	7667, 7668,	15569, 15591,	19466, 19469,
7669,	7675, 7677,	15596, 15685,	19473, 19478,
7678,	7682, 7683,	15686, 15687,	19481, 19493,
7684,	7685, 7686,	15728, 15729,	19526, 19528,
7694,	7698, 7701,	15730, 15798,	19529, 19532,
7702,	7703, 7717,	15803, 15968,	19535, 19539,
7718,	7719, 7732,	15983, 15988,	19546, 19548,
7734,	7735, 7739,	16106, 16107,	19607, 19608,
7740,	7741, 7742,	16207, 16208,	19621, 19623,
7743,	7749, 7752,	16209, 16214,	19631, 19638,
7755,	7756, 7757,	16215, 16218,	19784, 19785,
7769,	7770, 7771,	16528, 16529,	19804, 19815,
7796,	7798, 7799,	16554, 16555,	19816, 19817,
7800,	7804, 7811,	16556, 16558,	19818, 19830,



19833,	19839,	19790,	19792,	\@testpach
19840,	20136,	19795,	19796,	1425, 18215, 20270
20137,	20291,	19798,	19801,	\@texfileextension
20292,	20539,	19815,	19816, 2471, 2474
20540,	20541,	19817,	19821,	\@textbottom
20542,	20545,	19834,	19838,	.. 10258, 16231,
20548,	20551,	19839,	20139, 20140	16238, 16487,
20553, 20576, 20577		\@tempdimc		16492, 16780,
\@tempdimb ...	6764,	... 6765, 16204,		16787, 17067,
	7126, 7129, 7130,	16211, 16212,		17072, 17479,
	7131, 7132, 7135,	16222, 16753,		17486, 17750, 17755
	7136, 7137, 7138,	16760, 16761,		\@textsuperscript .
	7139, 7140, 7141,	16771, 17452, 457,	
	7292, 7295, 7296,	17459, 17460, 17470	460, 747, 809,	
	7298,	\@tempskipa	811, 999, 1063,	
	7300,	5911, 5912, 5913,	1249, 1311, 1313,	
	7303, 7307, 7310,	6024, 6025, 6026	1788, 1791, 4962,	
	7313, 7317, 7319,	\@tempswafalse 3826,	4964, 6191, 6368,	
	7645, 7646, 7666,	3873, 7686, 7743,	6507, 6510, 8109,	
	7667, 7718, 7720,	11469, 19869, 19912	8112, 8206, 8209,	
	7723, 7770, 7772,	\@tempswattrue	10428, 10431,	
	7775, 7802, 7804,	... 3825, 3870,	13880, 15283,	
	7817, 7818, 7819,	7680, 7737, 20341	15345, 15347,	
	7820, 7822, 7849,	\@temptokena 121, 125,	15422, 15486,	
	7852,	12540, 12544, 14674	15488, 15682,	
	10065,	\@tempx	15689, 15725,	
	10066,	5926,	15732, 15911, 15914	
	10181,	5927, 12136, 12148	\@texttop	10254
	10183,	\@tempxi	\@tfor	2076, 10492
	10497,	5929,	\@thanks	436,
	10498,	5930, 12167, 12179	444, 472, 480,	
	10500,	\@tempxii	778, 784, 823,	
	10502,	5932,	829, 1030, 1036,	
	11522,	5933, 12198, 12210	1075, 1081, 1280,	
	11529,	\@tempy	1286, 1325, 1331,	
	11532,	2008, 2009	1793, 1799, 6222,	
	12644,	\@tempyi	6228, 6399, 6405,	
	12645,	2011, 2012	6486, 6494, 6522,	
	12647,	\@tempyii	6530, 8090, 8096,	
	14245,	2014, 2015	8124, 8130, 8185,	
	16216,	\@tencol@footgroupv@r	8193, 8221, 8229,	
	16217, 9859	10409, 10415,	
	16765,	\@tencolLTRfootfmt	10443, 10449,	
	16766,	.. 9883, 9904, 9932	11100, 11114, 11117,	
	16767,	\@tencolLTRfootnotetext	13873, 13896,	
	17337, 9854, 9876	15314, 15320,	
	17464,	\@tencolRTLfootfmt	15359, 15365,	
	17465,	.. 9893, 9907, 9944	15453, 15461,	
	17466,	\@tencolRTLfootnotetext	15500, 15508,	
	18125, 9855, 9886	15703, 15711,	
	19426,	\@tencolfootfmt ...		
	19434,	.. 9873, 9901, 9919		
	19441,	\@tencolfootnotetext		
	19448, 9853, 9866		
	19460,	\@testopt		
	19463,	2686,		
	19482,	2704, 13095, 13096		
	19787,			



15744,	15752,	10951,	10973,	758,	786,	831,
15890,	15898,	10990,	11006,	844,	1008,	1010,
15926,	15934,	11034,	11048,	1038,	1083,	1096,
16289,	16333,	11062,	11105,	1258,	1260,	1288,
16342,	16838,	11110,	11120,	1333,	1347,	1358,
16882,	16891,	11125,	11415,	1802,	2191,	2252,
17537,	17581,	11918,	11929,	5495,	5580,	6200,
\@thefnmark .	44, 58,	11940,	11951,	6202,	6230,	6377,
74,	257,	12069,	12107,	6379,	6407,	6476,
457,	460,	12140,	12171,	6497,	6533,	6547,
809,	811,	12202,	12265,	7597,	8080,	8099,
1063,	1249,	12502,	15283,	8133,	8145,	8175,
1313,	1788,	15345,	15347,	8196,	8232,	8246,
2031,	2039,	15422,	15486,	10399,	10418,	
4962,	4964,	15488,	15682,	10452,	10464,	
5016,	5034,	15689,	15725,	13874,	15292,	
5066,	5089,	15732,	15911,	15294,	15322,	
5118,	5124,	15911,	15914	15367,	15380,	
5954,	5961,	\@thefoot	10669,	15431,	15433,	
6368,	6507,	10672,	10676,	15463,	15510,	
8109,	8112,	20602,	20608,	15526,	15537,	
8209,	8422,	20616,	20619,	15693,	15714,	
8454,	8467,	20616,	20646	15755,	15769,	
8493,	8537,	\@thehead	10668,	15880,	15901,	
8543,	8549,	10671,	10675,	15937,	15951,	
8555,	8561,	20602,	20608,	16274,	16345,	
8567,	8670,	20615,	20618,	16387,	16823,	
8690,	8716,	20636		16894,	16936,	
8741,	8821,	11566,	11568,	17522,	17593,	17635
8839,	8864,	11573,	11575,	\@titlecolour	2221,	2238
8887,	8965,	11579,	11581,	\@titlehead		
8985,	9011,	20604,	20606,	.. 16263,	16265,	
9036,	9116,	20610,	20612,	16348,	16375,	
9136,	9162,	20612,	20631	16377,	16812,	
9187,	9267,	\@thm	14562,	16814,	16897,	
9287,	9313,	14583		16924,	16926,	
9338,	9418,	\@thmcntersep . . .		17511,	17513,	
9438,	9464,	353,	20079	17596,	17623,	17625
9489,	9569,	8809		\@tocextra		
9589,	9615,	\@threecol@footgroupv@r		.. 18419,	18420,	
9640,	9720,	.. 8809		18424,	18426,	18429
9740,	9766,	\@threecolLTRfootfmt		\@tocline .	2,	207,
9791,	9871,	.. 8832,	8851,	12508		
9891,	9917,	8878		\@tocpagenum		
9942,	9930,	.. 8804,	8825	.. 15,	220,	12521
10088,	10100,	\@threecolfootfmt .		\@tocrmarg . . .	14264,	
10126,	10140,	.. 8823,	8848,	14276,	14288,	
10154,	10428,	8866		18463,	18494,	
10431,	10937,	\@threecolfootnotetext		18517,	18534,	
10942,	10946,	.. 8803,	8816	18551,	18568,	
		\@title .	330,	18585,	18602,	
		426,	447,			
		483,	497,			
		756,				



18620, 18639,	8121, 8218, 10440,	\@undeclaredcolor .
18659, 18694,	12530, 13893, 6810, 6818, 19862, 19863
18745, 19023,	15356, 15497,	\@undefined
19486, 19603, 20287	15741, 15923,	. 2005, 13100, 13994
\@todonotes@MissingFigureDown	16330, 16879, 17578	\@undottedtocline 14261
..... 19765	\@topsep ... 14576, 14596	\@unexpandable@protect
\@todonotes@MissingFigureTe	\@topsepadd 2737, 3985
..... 19742	. 1919, 14577, 14597	\@unrecurse 18112, 18115
\@todonotes@MissingFigureUp	\@totallleftmargin .	\@uppertitleback .
..... 19764	.. 11283, 11287, 16293, 16351, 16842, 16900, 17541, 17599
\@todonotes@author	11290, 11299,	\@urlbordercolor .
..... 19675,	13225, 14579, 12367, 12369
19686, 19711, 19729	14580, 14599,	\@urlcolor 12381
\@todonotes@currentfgcolor	14600, 15113,	\@viiipt 4113, 5333, 14617, 14630
..... 19746	15127, 20105,	\@viiipt 5333, 14617, 14630
\@todonotes@currentfigheight	20107, 20113,	\@viper 7046,
..... 19747	20115, 20119,	7048, 7050, 7105, 7107, 7109, 7122, 7186, 7232, 7360,
\@todonotes@currentfigwidth	20121, 20125,	7409, 14221, 14236, 14238, 14243
..... 19747,	20127, 20129,	\@viperoutput 7052, 7111
19749, 19759, 19762	20166, 20168,	\@vipt 5334
\@todonotes@drawInlineNote	20169, 20170,	\@vpt 5334
..... 19670	20175, 20177,	\@whilenum 12675
\@todonotes@drawLineToLeftMargin	20178, 20179,	\@whilesw 7044, 7103, 10567, 10607,
..... 19698, 19701	20184, 20186,	10691, 11349, 11401, 14112, 14209, 20388, 20431
\@todonotes@drawLineToRightMargin	20187, 20188,	\@wholewidth
..... 19698, 19701	20193, 20195,	10494, 10496, 10514
\@todonotes@drawMarginNote	20196, 20197, 20576	\@width 31, 245, 393, 543, 728, 963, 1208, 1498, 6163, 6316, 6592, 6797, 7019, 7084, 7159, 7333, 7627, 8064, 8363, 8410, 10365, 10596, 10884, 10886, 11261, 11338, 11384, 12499, 12570, 13115, 13169, 13247, 14094, 14196,
19697, 19700, 19704	\@traditionalpoem .	
\@todonotes@drawMarginNoteWithLine 5868, 5967	
..... 19692	\@trivlist	
\@todonotes@ifdisabled	14573, 14593, 20098	
..... 19771	\@twocol@footgroupv@r	
\@todonotes@sizecommand 8658	
..... 19675,	\@twocolLTRfootfmt	
19677, 19684,	.. 8682, 8703, 8731	
19686, 19688,	\@twocolLTRfootnotetext	
19711, 19713, 8653, 8675	
19725, 19728,	\@twocolRTLfootfmt	
19729, 19731, 19734	.. 8692, 8706, 8743	
\@todonotes@text ..	\@twocolRTLfootnotetext	
.. 19675, 19677, 8654, 8685	
19686, 19688,	\@twocolfootfmt ...	
19711, 19713,	.. 8672, 8700, 8718	
19726, 19732, 19735	\@twocolfootnotetext	
\@todonotes@textwidth 8652, 8665	
..... 19709	\@twosidefalse ... 4088	
\@toodeep	\@twosidetrue 4083	
\@topnum ... 111, 324,	\@typeset@protect .	
469, 820, 1072, 1947,	
1322, 5573, 6519,	1953, 1959, 1974	



14339, 14427, 15658, 15996, 16488, 17068, 17751, 18127,	14353, 15235, 15814, 16233, 16782, 17481, 18088, 20253,	\@xp 121, 318, 343, 344, 6711, 12540 \@xpt 4104 \@xthm 14581, 14601 \@xtitle 330 \@xxpt 5338 \@xxxii 2102 \@xympar 4658, 4662, 4702, 4706, 4746, 4750, 20460, 20464, 20504, 20508, 20571 \@yargdef 2706 \@ympar 20568 \@ythm 14581, 14601 \@{ 5992, 10611	20061, 20200, 20243, 20259, 20269 \{ 1864, 13367, 13411 \} 1865, 13367, 20066 \] 188, 204, 5993, 10621 \^ 1700, 5768, 5769, 5771, 5772 _ 11281, 13222, 15109, 15123 \ 11160, 11161, 11276
\@x 5984, 5985	\@x@sf 4971, 4976, 4982, 4985		Numbers
\@xLTRfootnote 1996, 2118, 5818, 5829, 6042, 6056, 10945, 10948	\@xLTRfootnotenext 1995, 2117, 5817, 5828, 6041, 6055, 11104, 11107, 11937, 18162		\@0 1689
\@xRTLfootnote 1998, 2120, 5820, 5831, 6044, 6058, 10936, 10939	\@xRTLfootnotenext 1997, 2119, 5819, 5830, 6043, 6057, 11119, 11122, 11926, 18163		\@1 13309, 13360, 13412
\@xaddress 331	\@xauthor 331		\@9 1689
\@xcolor@ . . . 19870, 19913	\@xcurraddr 332		
\@xemail 332	\@xfloat 2051		\@{ 1589,
\@xfootnote . . . 1994, 2116, 5816, 5827, 6040, 6054, 12263	\@xfootnotemark . . . 11948		1743, 4864, 4868,
\@xfootnotemark . . . 11948	\@xfootnotenext 1993, 2115, 5815, 5826, 6039, 6053, 11915, 18161		4883, 4887, 4902,
\@xiipt 5336	\@xipt 5335		4906, 4934, 4938,
\@xivpt 313, 5337	\@xmakefntext . . . 810, 1312, 15346, 15487		11153, 11155, 17423
			A
			\abovecaptionskip 12726,
			13157, 13159,
			13933, 13983,
			16578, 16582,
			16597, 16605,
			17158, 17162,
			17177, 17185,
			17841, 17845,
			17860, 17868, 20656
			\abovedisplayshortskip 4106, 4115, 5325
			\abovedisplayskip 4105,
			4108, 4114, 4121,
			4155, 5324, 5331
			\abstractname . . . 632,
			638, 641, 939,
			945, 947, 1101,
			1197, 1200, 6139,
			6327, 15162,
			15168, 15171,
			15612, 15618, 15621
			\Acrobatmenu 12386
			\active 5768,
			5769, 5771, 5772
			\add@strip 14245



\addcontentsline	556, 558, 2296, 4397, 8020, 8022, 12757, 12762, 14006, 18402, 18409, 18426, 19742	7584, 7585, 7855, 11623, 11624, 12627, 12631, 12633, 12635, 12636, 12637, 12638, 12657, 12659, 12660, 12662, 12663, 12665, 12666, 12667, 12677, 12678, 16208, 16211, 16212, 16215, 16217, 16555, 16556, 16757, 16760, 16761, 16764, 16766, 17135, 17136, 17330, 17335, 17337, 17456, 17459, 17460, 17463, 17465, 17818, 17819, 18345, 18346, 19026, 19032, 19036, 19040	\adl@activate 1376, 1459 \adl@argarraydashrule 1395, 1433 \adl@array .. 1373, 1378 \adl@arraydashrule 1394, 1432 \adl@arrayinit ... 1375 \adl@arrayrestore 1370 \adl@arrayrule 1393, 1431 \adl@box . 1416, 1418, 1419 \adl@class@iiiorvii 1422, 1455 \adl@class@start 1421, 1454 \adl@CT@setup 1458, 1461, 1462 \adl@depth 1465 \adl@endarray 1370 \adl@endmbox 1417 \adl@everyvbox 1374, 1375 \adl@extract@arc . 1470 \adl@extract@dgc . 1473 \adl@extract@drsc . 1471 \adl@height 1464 \adl@inactivate 1376, 1458 \adl@LT@array 12437 \adl@noalign 1377 \adl@org@activate 1459 \adl@org@classz .. 1502 \adl@org@endpbox . 1460 \adl@org@inactivate 1458 \adl@putlrc 1413, 1414, 1415, 1443, 1444, 1445, 1451, 1452, 1453 \adl@startmbox 1416 \advance 12, 90, 217, 303, 321, 389, 536, 580, 696, 715, 882, 898, 978, 1180, 1228, 1463, 1497, 1689, 1690, 1761, 1766, 2083, 2097, 2103, 2369, 3217, 3368, 3374, 3384, 3439, 3456, 3465, 3997, 4606, 5312, 5387, 5738, 5746, 5747, 5912,
\address 331, 2253		
\addresscolour	2222,		
	7437, 7535, 7541, 7547, 7553, 7559		
\addressfont	.. 2231, 2239, 2350, 7475, 7503, 7567, 7601		
\addresssymbol 2213, 7505, 7604		
\addressstyle 2239		
\addtocontents	... 18742		
\addtocounter 12671, 12672		
\addtolength	... 183, 2173, 2174, 2175, 2176, 2177, 2178, 2276, 2277, 2279, 2281, 2282, 2285, 4190, 4193, 4194, 4197, 5348, 7583,		
		\adjmc@inner 134 \adjmc@outer 136 \adjmc@page@sofar@orig 164 \adjmult@cols 163 \adjmulticols 132 \adl@act@classz .. 1501 \adl@act@CT@setup 1459, 1466	



6025, 6128, 6150,	14598, 14599,	20540, 20541,
6305, 6338, 6584,	14607, 14699,	20548, 20549,
6647, 6796, 6804,	14721, 14749,	20550, 20551, 20576
6805, 6845, 6957,	14756, 14798,	\afterassignment ..
7122, 7123, 7132,	14803, 14804,	1591, 1593, 1745,
7193, 7194, 7209,	14805, 14834,	1747, 2738, 3448,
7229, 7232, 7233,	14835, 14861,	4836, 18185, 18186
7242, 7244, 7250,	14872, 15014,	\aftergroup 1901, 1911,
7251, 7254, 7257,	15016, 15021,	3655, 3657, 3667,
7260, 7303, 7368,	15024, 15047,	3669, 3679, 3681,
7369, 7384, 7404,	15224, 15251,	3699, 3701, 3710,
7405, 7635, 7645,	15596, 15645,	3712, 3721, 3723,
7646, 7656, 7666,	15686, 15729,	4820, 4835, 6808,
7667, 7683, 7684,	15803, 15839,	6810, 6817, 6823,
7685, 7702, 7711,	15988, 16042,	6842, 10710,
7718, 7740, 7741,	16107, 16444,	10712, 14917,
7742, 7756, 7763,	17024, 17427,	14918, 14921,
7770, 7799, 7800,	17707, 18040,	14926, 14927,
7813, 7815, 7818,	18111, 18125,	14931, 14936,
7819, 7820, 7999,	18135, 18155,	14937, 14941,
8052, 8323, 8644,	18250, 18285,	14945, 14949,
8646, 10337,	18301, 18314,	14953, 18319,
10379, 10494,	18318, 18350,	19411, 19851,
10496, 10498,	18351, 18371,	19860, 19862,
10504, 10505,	18472, 18503,	19899, 19903,
10512, 10513,	18526, 18543,	19956, 19967,
10514, 10684,	18560, 18577,	19968, 19971,
10685, 11156,	18594, 18611,	19976, 19977,
11170, 11183,	18629, 18648,	19981, 19986,
11184, 11216,	18668, 18703,	19987, 19991,
11221, 11222,	18744, 18893,	19996, 20000,
11225, 11234,	18894, 19002,	20005, 20155,
11298, 11426,	19053, 19409,	20586, 20594, 20595
12272, 12282,	19429, 19434,	\AlFnt 185
12472, 12548,	19484, 19485,	\ALG@floatstyle ...
12645, 12648,	19486, 19489,	.. 4621, 4622, 4623
12649, 12679,	19493, 19518,	\algocf@algobox ... 177
13108, 13120,	19529, 19608,	\algocf@algoframe ..
13186, 14047,	19631, 19785,	.. 171, 172, 173, 174
14049, 14076,	19787, 19797,	\algocf@endline ... 188
14077, 14080,	19816, 19817,	\algocf@float 20719
14147, 14149,	19846, 19857,	\algocf@makethealgo 198
14176, 14177,	19858, 20088,	\algocf@within
14180, 14234,	20101, 20102, 166, 168,
14235, 14236,	20105, 20107,	20721, 20722, 20723
14237, 14246,	20113, 20115,	\algomargin ... 180, 183
14268, 14281,	20119, 20121,	\algowidth . 178, 180, 201
14293, 14306,	20125, 20127,	\alignL 6743
14574, 14578,	20227, 20228,	\alignR 6750
14579, 14594,	20292, 20318,	



\allowbreak	7641, 7662, 8702, 8705, 8708, 8789, 8850, 8853, 8856, 8933, 8997, 9000, 9003, 9084, 9148, 9151, 9154, 9235, 9299, 9302, 9305, 9386, 9450, 9453, 9456, 9537, 9601, 9604, 9607, 9688, 9752, 9755, 9758, 9839, 9903, 9906, 9909, 9990	15905, 15941, 16364, 16913, 17612	\AtPageUpperLeft 7789, 7803, 7821
\Andify 116, 12535	\Andname .. 799, 1051, 1301, 15335, 15476	\AtTextUpperLeft 7793, 7809
\Andname	.. 799, 1051, 1301, 15335, 15476	\Andnext .. 13872	\author .. 331, 449, 485, 789, 834, 1041, 1086, 1291, 1336, 1804, 5479, 5511, 6233, 6410, 6499, 6535, 8101, 8135, 8198, 8234, 10420, 10454, 15325, 15370, 15466, 15513, 15716, 15757
\AppendToList 3316	\AppendToList .. 3316	15903, 15939, 16354, 16903, 17602
\Arabic	19, 20, 21, 22, 86, 224, 225, 226, 227, 299, 339, 10647, 10653, 12468, 12525, 12526, 12527, 12528, 18684, 20719	\Arabic .. 19, 20, 21, 22, 86, 224, 225, 226, 227, 299, 339, 10647, 10653, 12468, 12525, 12526, 12527, 12528, 18684, 20719	\auto@footnoterule 10900, 10911
\Array 410, 20267	\Array .. 410, 20267	\autodot .. 16411, 16959, 17658, 19621
\Arraycolsep 410	\Arraylinesep .. 18118	\autofootnoterule .. 1630, 7621, 8404, 10909, 11411, 20674
\Arraylinesep 18118	\Arrayrulecolor .. 1470	B
\Arrayrulecolor	.. 1470	\Arrayrulewidth .. 18135	\backmatter 5683, 6632, 8308
\Arrayrulewidth	.. 18135	\Arraystretch 391, 392, 1895, 1906, 13113, 13114, 18086, 18087, 18122, 20074, 20251, 20252	\baselineskip .. 405, 727, 729, 733, 735, 1207, 1209, 1213, 1215, 2678, 4132, 4134, 4137, 4139, 4141, 4144, 4299, 4929, 4996, 5014, 5032, 5149, 5158, 5167, 5248, 5255, 5262, 5269, 5276, 5376, 5433, 5776, 5837, 5901, 5907, 6162, 6164, 6168, 6170, 6315, 6317, 6321, 6323, 6958, 6959, 6976, 6980, 7195, 7370, 10718, 11171, 12624, 12643, 12651, 13129, 13139, 13228, 13245, 14796
\At@ViperColsBreak	.. 7271, 7281, 7285	\AtBeginCaption .. 12768	
\AtBeginCaption	.. 12768	\AtBeginDocument ..	
\AtBeginDocument 1582, 2188, 2248, 2345, 3025, 4050, 4199, 4426, 4560, 4565, 4618, 5429, 5629, 5694, 7514, 7628, 7649, 7670, 7959, 11013, 11887, 12776, 12783, 12864, 18101, 19558	
\AtBeginPackage	.. 13976	\AtBeginPackage .. 13976	
\AtEndDocument	2352,	\AtEndDocument .. 2352, 3038, 3902, 5921, 5977, 13352, 13403, 13421, 20339	
\AtEndOfClass 2187	\AtEndOfClass .. 2187	
\AtPageLowerLeft	.. 7789	\AtPageLowerLeft .. 7789	



14799,	14813,	9998,	10060,	7944, 8071, 8079,
14837,	14841,	10072,	10084,	8084, 8143, 8149,
14846,	14850,	10096,	10121,	8164, 8174, 8179,
14862,	14873,	10135,	10149,	8242, 8250, 8342,
14900,	15116,	10177,	10190,	10390, 10398,
15130,	15234,	10204,	10226, 10234	10403, 10462,
15236,	15240,	\BCmd	1900	10468, 10614,
15242,	15657,	\BDefaboveskip	...	11638, 11643,
15659,	15663,	...	1915, 1930, 1933	11661, 11764,
15665,	17421,	\BDefbelowskip	...	11766, 11780,
17424,	17426,	...	1919, 1931, 1934	11782, 12560,
17431,	18097,	\BDefinlineskip	...	14021, 14614,
18136,	19785,	...	1924, 1932, 1935	15275, 15288,
19793,	19797,	\begin{	171,	15299, 15378,
20263,	20628, 20643	173, 177, 415, 425,		15384, 15412,
		430,	493, 501,	15427, 15438,
		739,	752, 763,	15522, 15530,
		842,	848, 991,	15539, 15541,
		1004,	1015, 1094,	15542, 15672,
		1100,	1241, 1254,	15692, 15697,
		1265,	1345, 1351,	15773, 15869,
		1360,	1362, 1363,	15879, 15884,
		1894,	1896, 1905,	15947, 15955,
		1907,	1910, 2303,	16244, 16264,
		2307,	2309, 2311,	16269, 16279,
		2313,	2317, 2325,	16292, 16296,
		2328,	2363, 2408,	16376, 16382,
		2412,	2432, 2436,	16393, 16435,
		2463,	3058, 3064,	16793, 16813,
		3086,	3090, 3759,	16818, 16828,
		4205,	4206, 4219,	16841, 16845,
		4222,	4296, 4297,	16925, 16931,
		4303,	4304, 4311,	16942, 17015,
		4312,	4337, 4338,	17492, 17512,
		4375,	4378, 4381,	17517, 17527,
		4384,	4388, 4389,	17540, 17544,
		4573,	4574, 5192,	17624, 17630,
		5248,	5255, 5262,	17641, 17698,
		5269,	5276, 5289,	18364, 19672,
		5297,	5419, 5424,	19679, 19682,
		5557,	5604, 5627,	19693, 19706,
		6009,	6183, 6196,	19709, 19716,
		6207,	6360, 6373,	19722, 19745,
		6384,	6428, 6440,	19749, 19755, 19762
		6405,	6475, 6480,	\begin{bidi@stack} .
		6543,	6551, 6861,	2402, 2412, 2413,
		6871,	6884, 6894,	2426, 2436, 2437
		6907,	6917, 6930,	\begingroup 6, 119, 211,
		6940,	7489, 7595,	312, 325, 382,
		7600,	7618, 7878,	394, 455, 515,



532, 666, 692, 806, 894, 910, 1058, 1149, 1176, 1308, 1489, 1786, 2029, 2037, 2045, 2384, 2403, 2427, 2646, 2665, 2804, 2850, 2857, 2887, 2903, 2919, 2959, 2967, 3000, 3023, 3298, 3300, 3322, 3332, 3342, 3472, 3549, 3573, 3588, 3654, 3665, 3677, 3698, 3708, 3719, 3869, 3983, 3995, 4030, 4399, 4818, 5064, 5093, 5122, 5496, 5513, 5529, 5541, 5574, 5878, 5945, 5952, 5959, 5989, 6100, 6124, 6277, 6301, 6505, 6565, 6580, 6669, 6788, 6842, 6851, 7041, 7100, 7794, 7810, 7995, 8008, 8107, 8204, 8263, 10059, 10176, 10317, 10333, 10426, 10566, 10604, 10688, 10704, 10940, 10949, 11108, 11123, 11130, 11182, 11215, 11346, 11398, 11451, 11467, 11637, 11916, 11927, 11938, 11949, 12047, 12067, 12105, 12138, 12169, 12200, 12434, 12449, 12512, 12538, 12592, 12760, 13117, 13878, 14008, 14109, 14206, 14410, 14414,	14418, 14670, 14718, 14996, 15196, 15220, 15342, 15483, 15568, 15592, 15722, 15784, 15799, 15909, 15969, 15984, 16318, 16434, 16527, 16867, 17014, 17107, 17566, 17697, 17790, 18184, 18298, 18322, 18461, 18888, 18996, 19407, 19524, 19864, 19907, 19956, 20052, 20155, 20385, 20428, 20586 \beginL 2350, 4680, 4724, 6773, 6802, 6808, 6810, 6842, 8675, 8727, 8825, 8874, 8970, 9022, 9121, 9173, 9272, 9324, 9423, 9475, 9574, 9626, 9725, 9777, 9876, 9928, 10079, 10091, 10129, 10143, 10507, 10648, 10633, 10785, 11417, 11423, 11432, 11452, 11468, 11478, 12271, 12729, 14719, 14911, 14917, 14933, 14996, 16154, 16165, 16172, 16182, 18252, 19855, 19860, 19862, 19956, 19961, 19967, 19983, 20482, 20560, 20636, 20646 \beginR 346, 351, 382, 407, 1475, 1999,	4680, 4768, 6700, 6774, 6803, 6808, 6817, 6823, 6842, 7787, 8637, 8641, 10079, 10103, 10129, 10157, 10643, 11419, 11424, 11481, 11520, 11527, 11896, 11904, 12286, 12322, 12354, 12383, 12409, 12415, 12422, 12553, 12729, 13133, 13197, 13200, 13293, 13301, 13492, 13818, 13984, 13986, 14786, 14911, 14918, 14923, 14992, 14993, 14994, 16148, 16158, 16169, 16176, 16570, 17150, 17833, 18076, 18098, 18137, 18259, 19856, 19860, 19899, 19903, 19956, 19961, 19968, 19973, 20210, 20213, 20216, 20233, 20240, 20265, 20526, 20560, 20577, 20579, 20636, 20646, 20659, 20662, 20670 \belowcaptionskip 12739, 13157, 13159, 13974, 13991, 16576, 16584, 16595, 16607, 17156, 17164, 17175, 17187, 17839, 17847, 17858, 17870, 20664 \belowdisplayshortskip
--	--	--



	... 4107, 4116, 5326	
\belowdisplayskip	.	
 4108,	
	4121, 4156, 5331	
\bf 14782, 14784	
\bfseries 25,	
	313, 519, 535,	
	564, 567, 671,	
	695, 897, 915,	
	1154, 1179, 1850,	
	2320, 5556, 6105,	
	6127, 6282, 6304,	
	6429, 6441, 6569,	
	6583, 6615, 6621,	
	6629, 7998, 8013,	
	8028, 8031, 8040,	
	8267, 8290, 8296,	
	8305, 10322,	
	10336, 10347,	
	10352, 10360,	
	12507, 15201,	
	15223, 15573,	
	15595, 15769,	
	15788, 15802,	
	15973, 15987,	
	16018, 16023,	
	16031, 18892,	
	19001, 19350,	
	19354, 19359, 19388	
\bgroup	179, 180, 382,	
	397, 402, 407,	
	640, 1199, 1475,	
	1595, 1749, 1989,	
	2111, 5810, 6035,	
	6049, 6702, 6774,	
	10618, 10619,	
	10633, 11074,	
	11235, 13121,	
	13123, 13163,	
	13197, 13200,	
	13212, 14221,	
	14730, 14919,	
	14925, 14929,	
	14935, 14939,	
	14944, 14947,	
	14952, 15170,	
	15620, 18076,	
	18084, 18092,	
	18098, 18129,	
	18133, 18137,	
	19516, 19969,	\bidi@@convert@dimen@t@pt
	19975, 19979, 2584
	19985, 19989,	\bidi@@convert@dimen@t@unit
	19995, 19998, 2581
	20004, 20052,	\bidi@@end .. 3049, 3053
	20058, 20240,	\bidi@@footnotetext@font
	20249, 20257, 20265	.. 38, 251, 4994,
\bib@after@hook	.	10960, 10967, 11058
 16479,	\bidi@@loadwithoptions
	16481, 17059, 3568,
	17061, 17742, 17744	3575, 3578, 3582
\bib@before@hook	.	\bidi@@LTRfootnotetext@font
 16429,	.. 68, 280, 5012,
	16480, 17009,	10961, 11000, 11044
	17060, 17692, 17743	\bidi@@null .. 3190, 3191
\bib@beginhook	16422,	\bidi@@onefilewithoptions
	16428, 17002,	.. 3590, 3593, 3596
	17008, 17685, 17691	\bidi@@patchcmd ..
\bib@endhook 2852, 2854
	16483, 17063, 17746	\bidi@@RTLfootnotetext@font
\bib@heading 52, 265, 5030,
	16424, 17007, 17690	10962, 10984, 11030
\bibcleanup 14521	\bidi@@thebibliography@font@hook
\bibentry	4866, 4868,	.. 88, 301, 576,
	4885, 4887, 4904,	711, 974, 1224,
	4906, 4936, 4938	2362, 6146, 6334,
\bibfont 14500	6643, 8048, 8319,
\bibindent	.. 2354, 2355	10375, 12470,
\bibitem@fin 14515	14020, 14502,
\biblio@font	85, 298, 12467	15247, 15641,
\bibliographyitemlabel 2356, 2363	15835, 16038,
\bibname	.. 5412, 5413,	16438, 17018,
	6143, 6144, 6331,	17701, 18367, 20083
	6332, 6640, 6641,	\bidi@@addto@envbody
	8316, 8317, 10372,	.. 2398, 2416, 2418
	10373, 15244,	\bidi@@addto@long@envbody
	15245, 15638,	.. 2422, 2440, 2442
	15639, 15832,	\bidi@@AfterAtEndOfClass
	15833, 16035, 16036 3657, 3662
\bibpostamble 14516	\bidi@@AfterAtEndOfPackage
\bibpreamble 3701, 3705
	.. 14499, 16425,	\bidi@@AfterClass .. 3645
	16426, 17004,	\bidi@@AfterEndDocument
	17005, 17687, 17688	.. 3040, 3045, 3051
\bibsection	\bidi@@afterenddocumenthook
	.. 5407, 5410, 3040,
	5412, 5413, 14018,	3041, 3046, 3052
	14497, 18361, 18363	\bidi@@AfterEndEnvironment
	 3095, 3105



\bidi@AfterEndPreamble 3028, 3032, 3034, 3038, 4054, 5570, 5593	\bidi@BeforePackage 3688	\bidi@csname
\bidi@afterendpreamblehook 3028, 3029, 3033, 3035	\bidi@bswitch	3249, 3251 3131, 3282, 3288, 3325, 3359
\bidi@AfterFile	3642, 16587, 17167, 17850	\bidi@CharsBefore 3164, 3166, 3167, 3172, 3176, 3177, 3182	\bidi@cspreto 2793
\bidi@AfterPackage	3690	\bidi@CharsBeforeNC	3165	\bidi@csprotect .. 3428
\bidi@AfterPreamble 3025, 3026	\bidi@collect@@body 2404, 2411	\bidi@csuse
\bidi@AfterReadingMainAux 3972, 3975	\bidi@collect@body	2399	... 2727, 3060, 3074, 3087, 3100
\bidi@append	2961, 3011	\bidi@collect@long@@body 2428, 2435	\bidi@cswitch 3244, 3246
\bidi@append@cslist@to@cs 3307, 3376	\bidi@collect@long@body 2423	\bidi@csxappto 2787, 2789
\bidi@append@list@to@list 3305, 3385	\bidi@column@check@number 20302, 20318, 20320, 20322, 20334	\bidi@csxpreto 2796, 2798
\bidi@append@to@list 3286, 3304	\bidi@column@status 1663, 1667, 20304	\bidi@current@column@status 20304, 20307, 20340
\bidi@append@toks@cs@to@list 3309	\bidi@column@type 20319, 20324, 20335	\bidi@dash@charclass 1686, 1688, 1693, 1694
\bidi@appto	.. 2740, 2784, 3031, 4012	\bidi@copy@stacktop	3361	\bidi@dbg@fail 2812, 2822, 2823, 2824, 2825, 2831, 2840, 2846, 2953, 2975, 2987, 2988, 2997
\bidi@apptocmd	2957, 2958	\bidi@cs@a	.. 3192, 3193	\bidi@dbg@info
\bidi@are@these@correct 3283, 3286	\bidi@cs@e 3355, 3356, 3358, 3359, 3362, 3364 2813, 2815, 2818, 2820, 2821, 2832, 2834, 2836, 2838, 2839, 2841, 2843, 2845, 2951, 2976, 2978, 2980, 2983, 2989, 2991
\bidi@AtBeginEnvironment 3055, 3065	\bidi@cs@lista	3328, 3329, 3330, 3331, 3340, 3341	\bidi@dbg@init 2810, 2829, 2950, 2973
\bidi@AtEndEnvironment 3069, 3079	\bidi@cs@listb	3325, 3327	\bidi@dbg@succ
\bidi@AtEndPreamble 3014, 3019, 3021, 3026, 4052, 4850, 12742	\bidi@cs@liste 2856, 2952, 2984, 2992, 2994
\bidi@autofootnoterulefalse	10888, 10892, 10895	\bidi@csarg 3119, 3135, 3209, 3216, 3234, 3239, 3244,	\bidi@dbg@trce
\bidi@autofootnoteruletrue 10910	\bidi@csappto	3249, 3255, 3260, 3302, 3314, 3319, 3330, 3340, 3349, 2803, 2849, 2949, 2958, 2966
\bidi@backslash 3107, 3108	\bidi@csdefcs	3359, 3363, 3367	\bidi@default . 3234, 3239, 3244, 3249, 3255, 3260
\bidi@BeforeBeginEnvironment 3083, 3091	\bidi@cseappto 2652	\bidi@del@tok@from@list 3322
\bidi@BeforeClass	3643	\bidi@csepreto	2785, 2788	\bidi@digits
\bidi@BeforeClosingMainAux 3935, 3946, 3950, 3953, 3961, 3964	\bidi@csgappto 2794, 2797	.. 1682, 1689, 1690
\bidi@BeforeFile	. 3641	\bidi@csgpreto 2786, 3056, 3070, 3084, 3096	\bidi@digits@charclass 1684, 1689, 1690, 1691, 1692, 1693, 1694
		\bidi@cslet 2795	\bidi@dot@charclass 1685, 1687, 1691, 1692
		\bidi@csletcs 2658	
		\bidi@csletcs 2655	



\bidi@dummies	9246, 9262, 9272, 9282, 9292, 9297, 9300, 9303, 9306, 9318, 9331, 9343, 9358, 9370, 9382, 9387, 9392, 9397, 9413, 9423, 9433, 9443, 9448, 9451, 9454, 9457, 9469, 9482, 9494, 9509, 9521, 9533, 9538, 9543, 9548, 9564, 9574, 9584, 9594, 9599, 9602, 9605, 9608, 9620, 9633, 9645, 9660, 9672, 9684, 9689, 9694, 9699, 9715, 9725, 9735, 9745, 9750, 9753, 9756, 9759, 9771, 9784, 9796, 9811, 9823, 9835, 9840, 9845, 9850, 9866, 9876, 9886, 9896, 9901, 9904, 9907, 9910, 9922, 9935, 9947, 9962, 9974, 9986, 9991, 9996, 10001, 10009, 10016, 10020, 10031, 10040, 10042, 10043, 10070, 10082, 10094, 10106, 10110, 10114, 10118, 10132, 10146, 10160, 10187, 10200, 10214, 10220, 10229, 10237, 10245, 10249, 10260, 10261	\bidi@EqualStringX 3150 \bidi@error 2672, 2712, 3219, 3318, 3487 \bidi@everyjob 1534, 1535, 1726, 1727 \bidi@excludedpackages 3729, 3730, 3750, 3786, 3803, 3811, 3821, 3843, 3844, 3852, 3853, 3858, 3871 \bidi@expandonce 2732, 2743, 2747, 2751, 2755, 2765, 2769, 2773, 2777, 2995 \bidi@ff@box 10736, 10754 \bidi@firstcolumn@status@write 1661, 1669, 7022, 7081, 10557, 10593, 11335, 11387, 14097, 14193, 20311, 20374, 20417 \bidi@font@@outputpage 20583, 20623 \bidi@footdir@footnote 79, 292, 11015, 11017, 11021 \bidi@fswitch 3260, 3262 \bidi@gappto 2748, 2786, 3014, 3028, 3040 \bidi@gobbleopt 3892, 3901 \bidi@gpreto . 2770, 2795 \bidi@hook@acma 3916, 3960, 3973, 3974, 3979 \bidi@hook@bcma 3910, 3959, 3962, 3963, 3969 \bidi@hooktocmd 2961, 2969, 2971 \bidi@hooktocmd@i 2985, 2999 \bidi@hop@ES . 3153, 3155 \bidi@ifblank@i 2624, 2625, 2627
-----------------------	---	---



\bidi@ifdefmacro ..	12815,	12816,	13020,	13023,
..... 2630,	12817,	12818,	13026,	13029,
2632, 2633, 2634	12819,	12820,	13032,	13035,
\bidi@ifdefparam ..	12821,	12822,	13038,	13041,
..... 2931,	12823,	12824,	13044,	13047,
2933, 2934, 2935	12825,	12826,	13050,	13053,
\bidi@ifdefprotected	12827,	12828,	13056,	13059,
..... 2940,	12829,	12830,	13062,	13065,
2942, 2943, 2944	12831,	12832,	13068, 13071, 13074	
\bidi@ifEmpty 3192	12833,	12834,	\bidi@lastcolumn@status@write	
\bidi@ifempty 3190	12835,	12836,	1665, 1670, 7026,	
\bidi@ifEmptyX 3191	12837,	12838,	7087, 10561,	
\bidi@ifhashcheck ..	12839,	12840,	10599, 11341,	
.. 2817, 2902, 2982	12841,	12842,	11391, 14101,	
\bidi@ifhashcheck@i	12843,	12844,	14199, 20378, 20423	
..... 2906, 2908	12845,	12846,	\bidi@leftskip	
\bidi@ifhashcheck@ii	12847,	12848,	.. 18893, 18894,	
..... 2910,	12849,	12850,	18895, 19002,	
2913, 2914, 2915	12851,	12852,	19022, 19053,	
\bidi@ifNextChar . 3200	12853,	12854,	19054, 19086, 20007	
\bidi@ifpatchable ..	12855,	12856,	\bidi@length@of@csstack	
.. 2806, 2808, 2855	12857,	12858,	.. 3367, 3368, 3371	
\bidi@ifpatchable@i	12859,	12860,	\bidi@length@of@stack	
..... 2806, 2827	12861,	12862, 3367, 3381	
\bidi@ifpattern ..	12863,	12866,	\bidi@load@hook 3561,	
..... 2819, 2918	12869,	12872,	3564, 3597, 3634	
\bidi@ifscanable ..	12875,	12878,	\bidi@loadwithoptions	
..... 2816,	12881,	12884,	.. 3569, 3570, 3575	
2837, 2886, 2981	12887,	12891,	\bidi@local@in@front@of@list	
\bidi@in@front@of@cslist	12894,	12897, 3335, 3352	
..... 3331, 3332	12900,	12903,	\bidi@local@push@onto	
\bidi@in@front@of@list	12906,	12909, 3351	
..... 3330	12912,	12915,	\bidi@looprepeat@comp	
\bidi@info 2674	12918,	12921,	.. 3445, 3481, 3486	
\bidi@invert@csstack	12924,	12927,	\bidi@looprepeat@csarg	
..... 3371	12930,	12933, 3423, 3475	
\bidi@IsEmptyList 3193	12936,	12939,	\bidi@looprepeat@csargromannumerical	
\bidi@isloaded	12942,	12945,	.. 3425, 3440,	
... 2878, 12792,	12948,	12951,	3441, 3442, 3443,	
12793, 12794,	12954,	12957,	3444, 3447, 3452,	
12795, 12796,	12960,	12963,	3453, 3454, 3455,	
12797, 12798,	12966,	12969,	3456, 3458, 3464,	
12799, 12800,	12972,	12975,	3477, 3479, 3480,	
12801, 12802,	12978,	12981,	3481, 3488, 3489,	
12803, 12804,	12984,	12987,	3491, 3496, 3504	
12805, 12806,	12990,	12993,	\bidi@looprepeat@csromannumerical	
12807, 12808,	12996,	12999, 3424,	
12809, 12810,	13002,	13005,	3448, 3456,	
12811, 12812,	13008,	13011,	3459, 3475, 3503	
12813, 12814,	13014,	13017,		



\bidi@looprepeat@depth ... 3424, 3425, 3427, 3439, 3465	\bidi@multicol@align@columns 14321, 14375, 14378, 14380	3166, 3167, 3169, 3171, 3172, 3174, 3179, 3181, 3182, 3184
\bidi@looprepeat@dxbody 3448, 3452	\bidi@n@everypar 14913, 14914, 14915, 14916, 19778, 19963,	\bidi@NextChar ... 3197 \bidi@notblank 2626, 2634, 2935, 2944
\bidi@looprepeat@setup 3445, 3471	19964, 19965, 19966	\bidi@nxt@a 3198, 3201, 3203
\bidi@looprepeat@sign .. 3445, 3456, 3486	\bidi@namelongdef 2661, 8753, 8755, 8762, 8774, 8898, 8900, 8907,	\bidi@nxt@b 3198, 3201, 3204
\bidi@looprepeat@tmp 3446, 3447, 3474, 3476, 3479, 3484, 3491, 3494, 3496, 3499	8918, 8930, 9048, 9050, 9057, 9069, 9199, 9201, 9208, 9220, 9350, 9352,	\bidi@nxt@c 3199, 3202, 3203
\bidi@looprepeat@traceexit 3430, 3465	9359, 9371, 9501, 9503, 9510, 9522, 9652, 9654, 9661, 9673, 9803, 9805,	\bidi@nxt@ch 3198, 3201, 3203
\bidi@looprepeat@traceinit 3430, 3438	9812, 9824, 9954, 9956, 9963, 9975, 10167, 10169, 10188, 10201, 10215	\bidi@o@everypar 14912, 14914, 14915, 19962, 19964, 19965
\bidi@looprepeat@zero .. 3445, 3464, 3502	\bidi@oldwbuskip 3317, 3320	
\bidi@lrbox .. 20151	\bidi@onefilewithoptions .. 3585, 3586, 3590	
\bidi@lst@caption@direction 12691, 12692, 12704, 12707	\bidi@orig@leftline 20218, 20220, 20221	
\bidi@lst@caption@script 12698, 12699, 12715, 12718	\bidi@orig@raggedleft 20203, 20205, 20206	
\bidi@lst@ensure@caption@direction 12702, 12727, 12729, 12731, 12750, 12754, 12761, 12770	\bidi@orig@raggedright 20204, 20205, 20206	
\bidi@lst@ensure@caption@script 12713, 12725, 12769	\bidi@orig@rightline 20219, 20220, 20221	
\bidi@makecolbf 10295, 10307	\bidi@oswitch ... 3239	
\bidi@matrix@check 2455, 20068	\bidi@p@ftn .. 1943, 2006, 2008, 2009, 2011, 2012, 2014, 2015, 2019, 2022, 2025, 2130	
\bidi@matrix@error 2457, 2461	\bidi@p@ftntext 1990, 2007, 2112	
\bidi@mopfn@bottom ... 8620, 10266, 10277, 10308, 10309	\bidi@p@LTRftntext ... 1991, 2010, 2113	
\bidi@mopfootnotebf 10273, 10301	\bidi@p@RTLftntext ... 1992, 2013, 2114	
\bidi@mpfootnoterule ... 10792, 11026, 11040, 11054, 11092, 13267, 18278	\bidi@p@xfootnote 1994, 2028, 2116	
\bidi@mswitch 3255, 3257	\bidi@next 1993, 2018, 2033, 2115	



\bidi@p@xLTRfootnote .. 1996, 2036, 2118	\bidi@pop@cs@into 3355, 3374	\bidi@raggedleft 2297, 2304,
\bidi@p@xLTrftntext 1995, 2021, 2041, 2117	\bidi@pop@into 3358, 3384 \bidi@prepend 2969, 3012	2309, 2328, 7485, 7601, 10525, 10531, 11680, 20208
\bidi@p@xRTLfootnote .. 1998, 2044, 2120	\bidi@preto 2762, 2793, 3017	\bidi@raggedright 10523, 10529,
\bidi@p@xRTLftntext 1997, 2024, 2049, 2119	\bidi@pretocmd 2965, 2966, 3086	14431, 14434, 14436, 14439,
\bidi@patch@@AfterPackage 4024, 4029	\bidi@PreventPackageFromLoading 3732, 3746, 3776, 3809	14441, 14443, 14446, 14448,
\bidi@patch@Add 4011, 4040	\bidi@process@envbody 2401, 2405, 2406, 2420, 2425, 2429, 2430, 2444	14450, 14452, 14455, 14457, 14459, 14461, 14463, 14466,
\bidi@patch@AfterPackage 4014, 4962, 4964, 4967, 4988, 5139, 5189, 5245, 5489	\bidi@protected 2735, 2757, 2758, 2779, 2780, 2788, 2789, 2797, 2798	14468, 14471, 14473, 14476, 14478, 14480, 14483, 14485,
\bidi@patch@counter 3992, 3996, 3999, 4005, 4006, 4025	\bidi@protected@cseappto 2788	14487, 14490, 14492, 14494, 20207
\bidi@patch@gtemp 4032, 4039	\bidi@protected@csepreno 2797	\bidi@ redefine@newpage 3926, 3966
\bidi@patch@list 4010, 4012, 4050, 4052, 4059	\bidi@protected@csxappto 2789	\bidi@reflect@box 14977, 14984, 20035, 20042, 20044
\bidi@patch@OrgIfClassLater 4058, 4063	\bidi@protected@csxpreto 2798	\bidi@renew@command .. 2708, 2710, 2724
\bidi@patch@OrgIfClassLoaded 4057, 4062	\bidi@protected@eappto 2757	\bidi@renewrobustcmd 2708
\bidi@patch@OrgIfPackageLater 4056, 4061	\bidi@protected@epreno 2779	\bidi@ReplaceClass 3616
\bidi@patch@OrgIfPackageLoaded 4055, 4060	\bidi@protected@immediate .. 3965, 3976, 3982	\bidi@replacefile@msg 3553, 3577, 3592, 3630
\bidi@patch@stepcounter .. 3994, 4004, 4023	\bidi@protected@xappto 2758	\bidi@ReplaceInput 3600
\bidi@patch@temp 4022, 4026	\bidi@protected@xpreto 2780	\bidi@ReplacePackage 3613
\bidi@patch@try 4041, 4044	\bidi@provide@command 2719, 2721	\bidi@RequirePackage .. 3752, 3812, 3863
\bidi@patchcmd 2848, 2849, 3043, 3058, 3072, 3098, 4283, 11564, 12743, 12756, 18267, 18275	\bidi@providerobustcmd 2719	\bidi@ResetPreventPackageFromLoading 3804, 3810, 3819, 3858
\bidi@patchcmd@scantoks .. 2866, 2872, 3007	\bidi@push@begins 2408, 2409, 2412	\bidi@resrvda .. 2858, 2859, 2860, 2863, 2864, 2865, 2866, 2867, 2868, 2873, 2876, 2888, 2889,
\bidi@pickescape .. 3140	\bidi@push@cs@onto@cs 3348, 3375	2890, 2891, 2892, 2894, 2895, 2904, 2906, 2920, 2921,
	\bidi@push@long@begins .. 2432, 2433, 2436	
	\bidi@push@onto .. 3349	
	\bidi@push@onto@cs .. 3349, 3350	



2923, 2925, 2926, 3001, 3002, 3003, 3004, 3005, 3006, 3007, 3008, 3009 \bidi@resrvdb 2860, 2861 \bidi@restore@newpage .. 3911, 3928, 3958 \bidi@restorecatcode 3124 \bidi@rightskip 1889, 18997, 19023, 19024, 19032, 19036, 19040, 20008 \bidi@RTL@everypar .. 10071, 10083, 10095, 10120, 10134, 10148, 14911, 14915, 18016, 19961, 19965 \bidi@s@tfftextcol 10733, 10737 \bidi@saved@checkend .. 3903, 3906, 3924 \bidi@saved@clearpage .. 3908, 3909, 3912 \bidi@saved@dfilist 3914, 3917, 3918, 3925 \bidi@saved@eqno 14988, 14990, 14991, 20665, 20667, 20668 \bidi@saved@leqno 14989, 14990, 14991, 20666, 20667, 20668 \bidi@saved@newpage 3927, 3938 \bidi@saved@RequirePackage 3731, 3751, 3762, 3814, 3816, 3894 \bidi@set@column@status 20306, 20334, 20339 \bidi@set@cslist 3341, 3342 \bidi@set@list ... 3340 \bidi@set@load@hook 3638, 3641, 3642,	3644, 3663, 3675, 3689, 3706, 3717 \bidi@SOUL@ulleaders 18057, 18063 \bidi@stack@length 3366, 3368, 3369, 3373, 3374, 3383, 3384 \bidi@storecatcode 3117 \bidi@StorePreventPackageFromLoading 296, 3324, 3326 \bidi@undef .. 2868, 2947, 3009, 3022, 3035, 18748, 18749, 18905, 18906, 19107, 19108 \bidi@undefined .. 2947 \bidi@undefinedcs 3209, 3216, 3271, 3275, 3281, 3285, 338 \bidi@UnPreventPackageFromLoading .. 3824 \bidi@UnReplaceClass .. 3627 \bidi@UnReplaceInput .. 3604 \bidi@UnReplacePackage .. 3624 \bidi@w@w 3271 \bidi@warning 2673, 3063, 3077, 3089, 3103 \bidi@willbeunhskip .. 3311, 3317, 3320 \bidi@x@stack@to@list .. 3381 \bidi@xappto 2752, 2758, 2787 \bidi@xargdef 2690, 2698 \bidi@xpreto 2774, 2780, 2796 \bicolor ... 6768, 6824, 6839, 6841, 10734, 19904, 19951, 19954, 19955 \bidics 3108 \bididate ... 1505, 1507, 1521, 1696, 1713 \bidiGscale@@box 11500, 11501
---	--



\bidiGscale@box . . .		\bidiopem@p@xLTRfootnote . . .		\bm@l 20280
. 11477, 11478, 11497		. 5818, 5829,		\bm@r 20281
\bidiGscale@box@dd . . .	11509, 11513, 11519	5951, 6042, 6056		\bm@t 20282
\bidiGscale@box@dddd	11515, 11526	5817, 5828, 5938,		\bool . . . 13293, 13301,
\bidillap 20223		5956, 6041, 6055		13432, 13449,
\bidipoem@chvlen	5734, 5740,	\bidiopem@p@xRTLfootnote . . .		13450, 13494,
	5743, 5746, 5755	. 5820, 5831,		13500, 13515,
\bidipoem@half@verses	5760, 5761, 5764	5958, 6044, 6058		13538, 13541,
\bidipoem@half@verses@next	5760, 5761, 5762	\bidiopem@p@xRTLftntext . . .		13561, 13566,
\bidipoem@hvind	5734, 5737, 5738, 5746,	. 5819, 5830, 5941,		13578, 13595,
	5747, 5750, 5753	5963, 6043, 6057		13596, 13599,
\bidipoem@hvlen	5733, 5738, 5740,	\bidiopem@set@verse . . .		13616, 13641,
	5740, 5751, 5753	. 5740, 5743, 5745		13648, 13654,
\bidipoem@hvsep	5733, 5746, 5747,	\bidiopem@set@versel . . .		13660, 13670,
\bidipoem@next 5739, 5740	5754	. 5739, 5742		13677, 13699,
\bidipoem@openbox	5778, 5783	\bidiopem@spreadbox		13811, 13814,
\bidipoem@p@ftn	5785, 5795, 5926, 5927, 5929,	. 5729, 5751,		13822, 13823,
	5930, 5932, 5933, 5936, 5939, 5942,	5753, 5754, 5755		14645, 14647, 14660
	6047, 12137, 12147, 12168,	\bidiopem@p@xftntext		\boolean 181, 186, 194,
	12178, 12199, 12209	. 5812, 5823,		4071, 4131, 4133,
\bidipoem@p@ftntext	5925, 6036, 6050, 12135	5925, 6036, 6050,		4136, 4140, 4143,
\bidipoem@p@LTRftntext	5813, 5824, 5928, 6037, 6051, 12166	\bidiopem@p@xfootnote		4146, 4171, 4267,
\bidipoem@p@RTLftntext	5814, 5825, 5931, 6038, 6052, 12197	. 5816, 5827,		4282, 4293, 4313,
\bidipoem@p@xfootnote	5944, 6040, 6054	5944, 6040, 6054		4320, 4328, 4345,
\bidipoem@p@xftntext	5815, 5826, 5935, 5949, 6039, 6053	\bidiopem@p@xfootnote		4365, 4369, 4387,
		\bidiopem@p@xfootnote		4388, 4391, 4392,
		. 5816, 5827,		4427, 4436, 4447,
		5944, 6040, 6054		5192, 5196, 5244,
		\bidiopem@p@xfootnote		5457, 5594, 5663,
		. 5816, 5827,		5674, 10748, 14676
		5944, 6040, 6054		\botmark . . . 10730, 20653
		\bidiopem@p@xfootnote		\bidiopem@p@xfootnote
		. 5816, 5827,		172, 174, 4608, 6675,
		5944, 6040, 6054		6739, 6807, 6964,
		\bidiopem@p@xfootnote		6967, 6984, 6988,
		. 5816, 5827,		7023, 7027, 7033,
		5944, 6040, 6054		7034, 7082, 7088,
		\bidiopem@p@xfootnote		7092, 7093, 7149,
		. 5816, 5827,		7152, 7157, 7162,
		5944, 6040, 6054		7186, 7325, 7327,
		\bidiopem@p@xfootnote		7331, 7335, 7360,
		. 5816, 5827,		7642, 7663, 7679,
		5944, 6040, 6054		7736, 8635, 8640,
		\bidiopem@p@xfootnote		10013, 10028,
		. 5816, 5827,		10038, 10287,
		5944, 6040, 6054		10297, 10558,
		\bidiopem@p@xfootnote		10562, 10594,
		. 5816, 5827,		10600, 10643,
		5944, 6040, 6054		10725, 10751,
		\bidiopem@p@xfootnote		10756, 11249,
		. 5816, 5827,		
		5944, 6040, 6054		



11256,	11259,	7639, 7655, 7660, 7687, 7744, 8578, 10262, 10275, 10490, 11202, 11204	\bx@f . . . 4472, 4500, 4541 \bx@FF 4513, 4547 \bx@G 4494, 4535 \bx@g . . . 4473, 4500, 4541 \bx@GG 4514, 4547
11273,	11336,	\br 14817, 14819, 14821, 14822, 14823, 14827, 14883, 14889, 14897	\bx@H 4494, 4535 \bx@h . . . 4474, 4500, 4541 \bx@HH 4515, 4547 \bx@I 4494, 4535 \bx@i . . . 4475, 4500, 4541 \bx@II 4516, 4547 \bx@J 4494, 4535 \bx@j . . . 4476, 4500, 4541 \bx@JJ 4517, 4547
11342,	11388,	\BR@b@bibitem . 4843, 4844 \BR@bibitem . 4846, 4847 \BR@c@bibitem . . . 4848	\bx@K 4495, 4536 \BreakBibliography 16431, 16464, 16466, 16472, 17011, 17044, 17046, 17052, 17694, 17727, 17729, 17735
11392,	11428,	\break 13094	\bx@KK 4518, 4548 \bx@L 4495, 4536 \bx@l . . . 4478, 4501, 4542 \bx@LL 4519, 4548 \bx@M 4495, 4536 \bx@m . . . 4479, 4501, 4542 \bx@MM 4520, 4548 \bx@N 4495, 4536 \bx@n . . . 4480, 4501, 4542 \bx@NN 4521, 4548
11445,	11448,	\breaklooprepeat 3409, 3411, 3463, 3464, 3482, 3493, 3498, 3512	\bx@O 4496, 4537 \bx@o . . . 4481, 4502, 4543 \bx@OO 4522, 4549 \bx@P 4496, 4537 \bx@p . . . 4482, 4502, 4543 \bx@PP 4523, 4549 \bx@Q 4496, 4537 \bx@q . . . 4483, 4502, 4543 \bx@QQ 4524, 4549 \bx@R 4496, 4537 \bx@r . . . 4484, 4502, 4543 \bx@RR 4525, 4549 \bx@S 4457, 4459, 4497, 4538
11491,	11494,	\bs 1860, 1861, 1863	\bx@S 4457, 4459, 4497, 4538 \bx@C 4493, 4534 \bx@cc 4510, 4546 \bx@D 4493, 4534 \bx@dd 4470, 4499, 4540 \bx@E 4493, 4534 \bx@e 4471, 4499, 4540 \bx@EE 4512, 4546 \bx@F 4494, 4535
11524,	11541,		\bx@U 4461, 4497, 4538 \bx@u 4487, 4503, 4544 \bx@UU 4528, 4550 \bx@V 4462, 4497, 4538 \bx@v 4488, 4503, 4544
12737,	13137,		
13191,	13197,		
13511,	13769,		
13780,	13785,		
13819,	13820,		
13821,	13822,		
13824,	13955,		
13989,	14098,		
14102,	14194,		
14200,	14337,		
14343,	14361,		
14369,	14644,		
14652,	14661,		
14786,	14790,		
14806,	14840,		
14844,	14849,		
14853,	14865,		
14876,	14890,		
14893,	14897,		
14902,	14981,		
15026,	15029,		
16079,	16088,		
16126,	16137,		
16560,	16570,		
17140,	17150,		
17370,	17376,		
17382,	17388,		
17394,	17400,	\bx@A 4493, 4534	
17406,	17412,	\bx@a . . . 4467, 4499, 4540	
17418,	17823,	\bx@AA . . . 4506, 4508, 4546	
17833,	18259,	\bx@B 4493, 4534	
18302,	18320,	\bx@b 4468, 4499, 4540	
19848,	19849,	\bx@BB 4509, 4546	
19859,	20039,	\bx@C 4493, 4534	
20225,	20375,	\bx@cc 4469, 4499, 4540	
20379,	20418,	\bx@CC 4510, 4546	
20424,	20538,	\bx@D 4493, 4534	
20554,	20565,	\bx@dd 4470, 4499, 4540	
20578,	20580,	\bx@E 4493, 4534	
20640,	20642, 20662	\bx@e 4471, 4499, 4540	
\boxdef . . .	1892, 1894, 1900, 1905, 1910	\bx@EE 4512, 4546	
\boxmaxdepth . . .	7634,	\bx@F 4494, 4535	



\bx@VV	4529, 4550	\c@curpg	16319, 16804, 16868, 17503, 17567
\bx@W . . .	4463, 4498, 4539	\c@DFNsloppiness	\c@Hy@AnnotLevel
\bx@w . . .	4489, 4504, 4545	7632, 7653	12272, 12273, 12278, 12282
\bx@WW	4530, 4551	\c@enumiv	\c@L@depth
\bx@X . . .	4464, 4498, 4539	577, 584, 712, 719,	12672
\bx@x . . .	4490, 4504, 4545	975, 982, 1225,	\c@L@lines
\bx@XX	4531, 4551	1232, 2373, 6147,	\c@ll@chapseci
\bx@Y . . .	4465, 4498, 4539	6154, 6335, 6342,	6849
\bx@y . . .	4491, 4504, 4545	6644, 6651, 8049,	\c@ll@chapsecii
\bx@YY	4532, 4551	8056, 8320, 8327,	\c@lofdepth
\bx@Z . . .	4466, 4498, 4539	10376, 10383,	\c@lor@error
\bx@z . . .	4492, 4504, 4545	15248, 15255,	6813, 6820, 6828,
\bx@ZZ	4533, 4551	15642, 15649,	6834, 19896, 19930
\bystep . . .	3391, 3403, 3487, 3500, 3510, 3523, 3536, 3537	15836, 15843, 16039, 16046, 16440, 16449, 16456, 17020,	\c@lotdepth
C		17029, 17036, 17703, 17712, 17719, 18368, 18375	\c@lstlisting
\c	13495, 13496, 13510, 13567, 13772, 13853	\c@equation	12787, 12789
\c@abspage	10823	6177, 6354, 6599, 7888, 7957, 8274, 10483, 10760, 10773,	\c@LT@chunks
\c@addvipersep	14042, 14060, 14065, 14087, 14117, 14142, 14160, 14165, 14187, 14214	13917, 15267, 15636, 15821, 16003, 16998, 17681	13120
\c@algocf	168	\c@figure	\c@mpfootnote
\c@chapter	6177, 6179, 6181, 6354, 6356, 6358, 6599, 6601, 6603, 6604, 8274, 8276, 8278, 8279, 10483, 10485, 10487, 10760, 10762, 10764, 10765, 10773, 10775, 10777, 10778, 12787, 13917, 14544, 15267, 15269, 15271, 15632, 15634, 15636, 15821, 15823, 15825, 16003, 16005, 16007, 16008	6179, 6356, 6601, 8276, 10485, 10762, 10775, 13918, 15269, 15632, 15823, 16005, 16982, 17673 11026, 11040, 11054, 11079, 13276
\c@colht	14042, 14054, 14080, 14081, 14142, 14154, 14180, 14181	\c@footnote	\c@NAT@ctr
		128, 328, 456, 748, 807, 1000, 1059, 1250, 1309, 1787, 6192, 6369, 6506, 8108, 8205, 10427, 11101, 11115, 11950, 12060, 12068, 12098, 12106, 12547, 13171, 13174, 15284, 15343, 15423, 15484, 15680, 15723, 15910, 16255,	\c@page
			5601, 7795, 7812, 10657, 10684, 19811, 20534
			\c@paragraph
		 551, 705, 959, 1218, 6174, 6351, 6608, 8160, 8283, 10480, 10769, 10782, 13912, 15264, 15629, 15829, 16012, 16416, 16972, 17667
			\c@poem@no
			5920, 5971, 5982
			\c@secnumdepth
		 314, 554, 563, 6418, 6613, 8018, 8027, 8288, 10346, 15043, 16017
			\c@section
			6171, 6348, 6605, 8280, 10477, 10766, 10779, 13906, 14554, 15261, 15626, 15826, 16009, 16966, 17661
			\c@subparagraph
		 552, 706, 960, 1219, 6175, 6352,



6609, 8161, 8284, 10481, 10770, 10783, 13914, 15265, 15630, 15830, 16013, 16418, 16974, 17669	15980, 18444, 18448, 18490, 18509, 18531, 18548, 18565, 18582, 18874, 18982, 19017, 19405, 19601, 20285	\cals@setup@alignment 6716, 6731 \cals@table@alignment 6721, 6722 \cals@tbreak@tokens 6726 \cals@tfoot@height 6727 \cals@tfoot@tokens 6725, 6742 \cals@thead@tokens 6724 \cals@vfillAdd 6717, 6719, 6745, 6754 \cals@vfillDrop ... 6718, 6719, 6747, 6749, 6752, 6756 \CAny 1881 \CAny 1889 \cap@indent 16537, 16540, 16545, 16547, 16548, 17117, 17120, 17125, 17127, 17128, 17800, 17803, 17808, 17810, 17811
\c@subsection 549, 703, 957, 1216, 6172, 6349, 6606, 8158, 8281, 10478, 10767, 10780, 13908, 15262, 15627, 15827, 16010, 16412, 16968, 17663	\c@twb 6974 \c@twcompctr 6955 \c@twcomppdctr .. 6971 \c@twfirst ... 6956, 6962, 6969, 6973, 6982, 6985 \c@twlftside 6960 \c@twlspec 6974, 6977, 6981	\cals@twprune ... 6960, 6961, 6977, 6981 \c@twrounds .. 6972, 6975, 6978, 6990 \c@twrtside 6961 \c@twslicea 6958, 6960, 6964, 6967, 6976, 6977, 6984, 6988
\c@table 6181, 6358, 6603, 8278, 10487, 10764, 10777, 13919, 15271, 15634, 15825, 16007, 16990, 17677	\c@twsliceb 6959, 6961, 6964, 6967, 6980, 6981, 6984, 6988 \c@twinlines 6957, 6970 \c@zabspage ... 10823	\cals@activate@rtl 6723 \cals@AtBeginTable 6740 \cals@AtEndTable . 6742 \cals@backup@row . 6739 \cals@borderB 6738 \cals@borderL 6735 \cals@borderR 6736 \cals@borderT 6737 \cals@current@context 6729
\c@tocdepth . 3, 208, 511, 528, 647, 663, 681, 874, 907, 925, 1130, 1146, 1164, 6081, 6097, 6113, 6258, 6274, 6290, 6561, 6576, 7991, 8005, 8260, 10314, 10329, 12509, 14262, 14274, 14286, 15177, 15193, 15209, 15549, 15565, 15581, 15781, 15795, 15965,	\cals@last@context 6728 \cals@paddingL 6745, 6747, 6752, 6754 \cals@paddingR 6749, 6756 \cals@set@tohsize 6732 \cals@setcellprevdepth 6732 \cals@setpadding . 6732	\cals@font 16512, 16533, 16538, 16543, 16547, 16566, 16570, 17092, 17113, 17118, 17123, 17127, 17146, 17150, 17775, 17796, 17801, 17806, 17810, 17829, 17833 \caplabelfont . 16513, 16534, 16539,



16544,	16549,	17797,	17802,	\cftchapnumwidth ..
16567,	17093,	17807,	17812, 17830 18499, 18744
17114,	17119,	\captionlabelfalse	12778	\cftchappresnum . 18500
17124,	17129,	\catcode	1698,	\cftchapterprecistoc
17147,	17776,	1751,	2875, 3120, 18742
17797,	17802,	3121,	3122, 3162,	\cftdot
17807,	17812, 17830	4815,	4837, 5768,	18440
\caption	4276,	5769,	5771, 5772,	\cftdotfill
	4277, 4279, 4335,	11160,	11161, 11276	18734
	11653,	11671,	\Centering	\cftdotsep
	13097,	13993, 13995	15053	18733
\caption@@make 13158	\centering	313,	\cftfigaftersnum 18609
\caption@@par 6760	7489,	7502, 7618,	\cftfigaftersnumb 18610
\caption@begin 13154	10524,	10530,	\cftfigfillnum ... 18613
\caption@end 13160	11683,	11768,	\cftfigfont
\caption@hangindent	6761	11784,	13940,	18612
\caption@iftop 13157, 13159	13942,	13944,	\cftfigindent
\caption@LT@make 13143	16302,	16851, 17550 18601, 18604
\caption@LT@setup	13150	\CenteringLeftskip	15058	\cftfignumwidth .. 18607
\caption@makecaption 6758, 12772	\CenteringParfillskip	15061	\cftfigpresnum .. 18608
\caption@normalsize 13155	\CenteringParindent 15062	\cftparaaftersnum 18575
\caption@parindent	6761	\CenteringRightskip 15059	\cftparaaftersnumb 18576
\caption@prepare@stepcounter 13153	\centerline 317, 11256,	\cftparafillnum .. 18579	
\caption@setautoposition 13151	11273, 14992, 20209	\cftparafont	
\caption@setoptions 13148, 13149	\cftbeforechapskip	18492	\cftparaindent
\caption@settype	13144	\cftbeforefigskip	18600	18567, 18570
\caption@starfalse 12773, 13152	\cftbeforeparaskip	18566	\cftparanumwidth .. 18573
\caption@startrue 12774, 12780, 13152	\cftbeforepartskip	18460	\cftparapresnum .. 18574
\captionabove	16618,	\cftbeforesecskip 18511, 18514	\cftpartaftersnum .. 18470
	16623,	17198,	\cftbeforesubfigskip	\cftpartaftersnumb 18471
	17203,	17881, 17886 18637	\cftpartfillnum .. 18474
\captionbelow	16620,	\cftbeforesubparaskip 18583	\cftpartfont
	16625,	17200, 18532 18462, 18465
	17205,	17883, 17888	\cftbeforesubsubsecskip	\cftpardnumwidth .. 18468
\captionformat	16513, 18549	\cftpartpresnum ..	\cftpartpresnum .. 18469, 18473
	16534,	16539,	\cftbeforesubsubskip	\cftsecaftersnum .. 18524
	16544,	16549,	\cftbeforetabskip	\cftsecaftersnumb 18525
	16567,	17093,	\cftchapafersnum 18501	\cftsecfillnum .. 18528
	17114,	17119,	\cftchapafersnumb 18502	\cftsecfont
	17124,	17129,	\cftchapfillnum .. 18505	18527
	17147,	17776,	\cftchapfont	\cftsecindent 18516, 18519
			18504	\cftseignumwidth .. 18522
			\cftchapindent	\cftsecpresnum .. 18523
			18493, 18496, 18743	\cftsubfigaftersnum .. 18646
				\cftsubfigafersnum .. 18647
				\cftsubfigfillnum .. 18650
				\cftsubfigfont .. 18649
				\cftsubfigindent ..
			 18638, 18641
				\cftsubfignumwidth .. 18644
				\cftsubfigpresnum .. 18645



\cftsubparaafersnum 18592	\cfttabnumwidth . 18625	\cleardoubleemptypage
\cftsubparaafersnumb 18593	\cfttabpresnum . 18626 16259,
\cftsubparafillnum	18596	\chapnumfont 15042	16304, 16808,
\cftsubparafont	18595	\chapter 5190,	16853, 17507, 17552
\cftsubparaindent 18584, 18587	5218, 5288, 5296,	\cleardoublepage ..
\cftsubparanumwidth 18590	5412, 5418, 6143,	... 5554, 5599,
\cftsubparapresnum	18591	6331, 6640, 8316,	5601, 5658, 5671,
\cftsubsecaftersnum 18541	10372, 15244,	5685, 6634, 8310
\cftsubsecaftersnumb 18542	15638, 15832, 16035	\clearpage 607,
\cftsubsecfillnum	18545	\chapterheadendvskip	623, 872, 1124,
\cftsubsecfont	... 18544 15048	3908, 3909, 3912,
\cftsubsecindent 18533, 18536	\chapterheadstartvskip	4554, 5566, 5601,
\cftsubsecnumwidth	18539 15040	5687, 6075, 6252,
\cftsubsecpresnum	18540	\chaptermark 5675, 18403	6462, 6636, 8312,
\cftsubsubsecaftersnum 18558	\chaptername . 318, 13926	15153, 15408,
\cftsubsubsecaftersnumb 18559	\chapterstyle 13921	15867, 16367,
\cftsubsubsecfillnum 18562	\char 1695, 1864, 1865, 3108	16916, 17615, 18437
\cftsubsubsecfont	18561	\chardef 3107,	\clipbox@0 15028
\cftsubsubsecindent 18550, 18553	11160, 12691,	\CloneTOCEntryStyle
\cftsubsubsecnumwidth 18556	12692, 12698, 12699 16635,
\cftsubsubsecpresnum 18557	\check@floats 7207, 7382	16648, 16667,
\cftsubtabaftersnum 18666	\CheckCommand . 3544,	16673, 17215,
\cftsubtabaftersnumb 18667	12057, 12095, 15104	17228, 17247,
\cftsubtabfillnum	18670	\checkoddpage 4170	17253, 17898,
\cftsubtabfont	.. 18669	\CIIIAny 1882	17911, 17930, 17936
\cftsubtabindent 18658, 18661	\ciiiAny 1890	\closing ... 8350, 17426
\cftsubtabnumwidth	18664	\circle 6863,	\clubpenalty 92,
\cftsubtabpresnum	18665	6866, 6873, 6876,	305, 586, 587,
\cfttabaftersnum	18627	6886, 6889, 6896,	720, 983, 1233,
\cfttabaftersnumb	18628	6899, 6909, 6912,	2374, 5886, 6155,
\cfttabfillnum	18631	6919, 6922, 6932,	6343, 6653, 6654,
\cfttabfont	18630	6935, 6942, 6945	8057, 8329,
\cfttabindent 18619, 18622	\cite 4852,	8330, 10384,
		4944, 4950, 4951,	12474, 14509,
		5045, 5050, 5071,	15256, 15650,
		5079, 5100, 5108,	15845, 15846,
		5129, 5147, 5151,	16048, 16049,
		5156, 5160, 5165,	16458, 17038,
		5169, 14512, 14513	17721, 18377, 18378
		\citeasnoun 14513	\coffeefont 14282
		\citeN 14512	\col@number ... 132,
		\cites 4945	137, 139, 142,
		\cl@ckpt 18147	143, 150, 462,
		\ClassInfo 5632, 5697,	813, 1065, 1315,
		16629, 17209, 17892	6512, 8114, 8211,
		\ClassWarning	10433, 13884,
		16312, 16861, 17560	14224, 14306,
		\ClassWarningNoLine	14311, 14347,
	 13977	14382, 14383,
		\clear 3949	14385, 14388,



14389, 14396,	10975, 10992,	\color@hbox
15349, 15490,	11008, 11035,	.. 16148, 16158,
15734, 15916,	11049, 11063,	16176, 20634, 20644
16323, 16872, 17571	11075, 13213, 20160	\color@setgroup
\col@sep 382, 410, 6764,	\color@block 6806, 19859	6842, 19956
6765, 13109, 20052	\color@box . 6839, 19951	\color@vbox
\color 181, 1821, 1822,	\color@endbox .. 2131,	2109, 4665, 4709,
1823, 1824, 2297,	4674, 4718, 4762,	4753, 20467, 20511
6809, 6812, 6815,	16151, 16161,	\colorA . 6420, 6429, 6441
6833, 6836, 7483,	16179, 20476,	\colorB 6426,
7486, 7496, 7614,	20520, 20637, 20647	6432, 6438, 6444
12598, 13239, 19861	\color@endgroup 5004,	\colorblend .. 19868,
\color@ 19901, 19948	5022, 5040, 6047,	19869, 19911, 19912
\color@bx	8427, 8443, 8459,	\colorbox 1937, 1939, 1940
6801, 6839, 6841,	8473, 8486, 8499,	\columncolor . 1469, 6772
19854, 19951, 19954	8615, 8673, 8683,	\columnsep 99,
\color@begingroup .	8693, 8719, 8732,	229, 600, 616,
... 5000, 5018,	8744, 8771, 8784,	865, 1117, 1770,
5036, 6045, 6059,	8824, 8833, 8842,	2206, 6068, 6245,
8423, 8439, 8455,	8867, 8879, 8890,	6455, 7028, 7153,
8468, 8481, 8494,	8916, 8928, 8968,	7328, 10563,
8671, 8681, 8691,	8978, 8988, 9014,	11393, 12482,
8717, 8730, 8742,	9027, 9039, 9066,	14104, 14221,
8769, 8782, 8822,	9079, 9119, 9129,	14314, 14363,
8831, 8840, 8865,	9139, 9165, 9178,	15146, 15401,
8877, 8888, 8914,	9190, 9217, 9230,	15860, 19816,
8926, 8966, 8976,	9270, 9280, 9290,	19821, 19825,
8986, 9012, 9025,	9316, 9329, 9341,	19831, 19834, 20380
9037, 9064, 9077,	9368, 9381, 9421,	\columnseprule .. 99,
9117, 9127, 9137,	9431, 9441, 9467,	229, 599, 615,
9163, 9176, 9188,	9480, 9492, 9519,	864, 1116, 1771,
9215, 9228, 9268,	9532, 9572, 9582,	2207, 6067, 6244,
9278, 9288, 9314,	9592, 9618, 9631,	6454, 7019, 7084,
9327, 9339, 9366,	9643, 9670, 9683,	7147, 7159, 7324,
9379, 9419, 9429,	9723, 9733, 9743,	7333, 10555,
9439, 9465, 9478,	9769, 9782, 9794,	10596, 11338,
9490, 9517, 9530,	9821, 9834, 9874,	11384, 12482,
9570, 9580, 9590,	9884, 9894, 9920,	14094, 14196,
9616, 9629, 9641,	9933, 9945, 9972,	14339, 14353,
9668, 9681, 9721,	9985, 10080,	15145, 15400,
9731, 9741, 9767,	10092, 10104,	15859, 20371, 20420
9780, 9792, 9819,	10130, 10144,	\columnseprulecolor
9832, 9872, 9882,	10158, 10198,	.. 14338, 14352
9892, 9918, 9931,	10212, 10272,	\columnwidth 28, 41, 55,
9943, 9970, 9983,	10283, 10978,	71, 242, 254, 268,
10078, 10090,	10995, 11011,	283, 543, 547,
10102, 10128,	11038, 11052,	734, 968, 1214,
10142, 10156,	11066, 11096, 20162	2121, 6169, 6322,
10196, 10210,	\color@fb@x 19952, 19953	6592, 6596, 6704,
10268, 10279,	\color@fbox 6840, 19952	7017, 7021, 7025,



7029, 7080, 7086,	16240, 16488,	20349, 20396,
7146, 7148, 7151,	16493, 16789,	20463, 20507, 20570
7154, 7156, 7161,	17068, 17073,	\cor@height .. 14049,
7323, 7325, 7327,	17348, 17352,	14050, 14077,
7329, 7331, 7335,	17488, 17751,	14078, 14117,
7632, 7653, 8064,	17756, 20369,	14149, 14150,
8068, 8363, 8367,	20373, 20377,	14177, 14178, 14214
8410, 8420, 8436,	20381, 20416,	\count ... 2104, 3418,
8452, 8465, 8478,	20422, 20559, 20561	4650, 4694, 4738,
8491, 8714, 8726,	\contentslabel	8627, 8656, 8760,
8739, 8779, 8862,	... 5249, 5256,	8807, 8905, 8951,
8873, 8885, 8923,	5263, 5270, 5277	9055, 9102, 9206,
9009, 9021, 9034,	\contentsline 11888	9253, 9357, 9404,
9074, 9160, 9172,	\contentsmargin .. 18342	9508, 9555, 9659,
9185, 9225, 9311,	\contentspush 18346	9706, 9810, 9857,
9323, 9336, 9376,	\convertcolorspec .	9961, 10050,
9462, 9474, 9487, 19875,	10175, 10667,
9527, 9613, 9625,	19878, 19918, 19921	11312, 11360,
9638, 9678, 9764,	\Coord 1878	11565, 11571,
9776, 9789, 9829,	\coord 1883	20452, 20496, 20602
9915, 9927, 9940,	\CoordIII 1880	\count@ .. 1409, 1468,
9980, 10064,	\coordiii 1885	2476, 2481, 3996,
10124, 10138,	\Coordn 1879	3997, 3999, 6770,
10152, 10181,	\coordin 1884	14301, 14302,
10206, 10365,	\Coordx .. 1875, 1878,	14304, 14306,
10369, 10554,	1879, 1880, 1881,	14313, 14334,
10556, 10560,	1882, 1883, 1884,	14335, 14337,
10564, 10592,	1885, 1889, 1890	14357, 14358,
10598, 10881,	\coordx 1886	14361, 14610,
10884, 10886,	\Coordy .. 1876, 1878,	14618, 14631, 18186
10971, 10988,	1879, 1880, 1881,	\counterwithout ...
11004, 11031,	1882, 1883, 1884, 13922,
11045, 11059,	1885, 1889, 1890	13923, 13924, 13925
11077, 11291,	\coordy 1887	\cr .. 398, 5833, 5840,
11298, 11334,	\Coordz .. 1877, 1880,	5896, 8638, 8642,
11340, 11382,	1882, 1885, 1890	8644, 13124,
11386, 11390,	\coordz 1888	18092, 18130, 20257
11394, 11625,	\copy 4661, 4705,	\crcr 409, 2003, 5836,
11626, 12496,	4749, 6708, 6997,	18080, 18110,
12570, 12574,	7060, 7128, 7134,	20063, 20066, 20244
13216, 14092,	7294, 7306, 7643,	\CROP@llc 6905
14096, 14100,	7664, 10537,	\CROP@lrc 6928
14103, 14102,	10573, 11311,	\CROP@ulc 6859
14198, 14221,	11359, 11436,	\CROP@urc 6882
14250, 14256,	11482, 13188,	\CROP@execpt 6952
14412, 14416,	13200, 13204,	\cs 13350, 13401,
14420, 14424,	14026, 14126,	13419, 13473,
15241, 15664,	14910, 14980,	13488, 13776,
15814, 15818,	15050, 20038,	13778, 14638, 14639
15996, 16000,		\cs@a 3193



\csname .	8, 44, 58, 74, 166, 168, 213, 257, 271, 286, 343, 344, 386, 1372, 1966, 1967, 1981, 1982, 2008, 2011, 2014, 2030, 2038, 2046, 2101, 2404, 2405, 2428, 2429, 2456, 2483, 2487, 2498, 2506, 2514, 2522, 2524, 2526, 2530, 2531, 2595, 2637, 2647, 2653, 2654, 2656, 2657, 2659, 2660, 2662, 2705, 2706, 2729, 2784, 2785, 2786, 2787, 2793, 2794, 2795, 2796, 2879, 2880, 2883, 2884, 3059, 3061, 3073, 3075, 3126, 3131, 3135, 3151, 3169, 3171, 3179, 3181, 3190, 3191, 3271, 3275, 3306, 3314, 3315, 3328, 3336, 3338, 3365, 3386, 3423, 3424, 3425, 3441, 3442, 3443, 3444, 3550, 3553, 3557, 3574, 3577, 3579, 3589, 3592, 3594, 3601, 3606, 3611, 3621, 3637, 3640, 3654, 3666, 3698, 3709, 3793, 3796, 3836, 3885, 4025, 4046, 4397, 4398, 4405, 4406, 4998, 5016, 5034, 5065, 5094, 5123, 5365, 5891, 5926, 5929, 5932, 5946, 5953, 5960, 5968, 5969, 6007, 6032, 6033, 6815, 6821, 6829, 6836, 7408, 8422, 8438, 8454,	8467, 8480, 8493, 8670, 8680, 8690, 8716, 8729, 8741, 8759, 8760, 8768, 8781, 8821, 8830, 8839, 8864, 8876, 8887, 8904, 8905, 8913, 8925, 8965, 8975, 8985, 9011, 9024, 9036, 9054, 9055, 9063, 9076, 9116, 9126, 9136, 9162, 9175, 9187, 9205, 9206, 9214, 9227, 9267, 9277, 9287, 9313, 9326, 9338, 9356, 9357, 9365, 9378, 9418, 9428, 9438, 9464, 9477, 9489, 9507, 9508, 9516, 9529, 9569, 9579, 9589, 9615, 9628, 9640, 9658, 9659, 9667, 9680, 9720, 9730, 9740, 9766, 9779, 9791, 9809, 9810, 9818, 9831, 9871, 9881, 9891, 9917, 9930, 9942, 9960, 9961, 9969, 9982, 10076, 10088, 10100, 10126, 10140, 10154, 10174, 10175, 10194, 10208, 10492, 10645, 10646, 10651, 10652, 10742, 10743, 10744, 10745, 10747, 10749, 10750, 10751, 10752, 10754, 10755, 10756, 10813, 10837, 10855, 10941, 10950, 10973, 10990, 11006, 11034, 11048, 11062,	11109, 11124, 11890, 11893, 11895, 11899, 11903, 11917, 11928, 11939, 12139, 12170, 12201, 12514, 12602, 12605, 12977, 13043, 14006, 14007, 14014, 16192, 16196, 16200, 16638, 16640, 16642, 16645, 16651, 16660, 16662, 16664, 16670, 16741, 16745, 16749, 17218, 17220, 17222, 17225, 17231, 17239, 17241, 17244, 17250, 17440, 17444, 17448, 17901, 17903, 17905, 17908, 17914, 17922, 17924, 17927, 17933, 18082, 18108, 18110, 18142, 18164, 18166, 18182, 18183, 18203, 18210, 18420, 18683, 18684, 18700, 18701, 18702, 18709, 18711, 18712, 18765, 18766, 18920, 18921, 19031, 19035, 19039, 19138, 19141, 19155, 19171, 19172, 19188, 19195, 19200, 19261, 19316, 19318, 19320, 19336, 19339, 19345, 19347, 19350,
-----------	--	--	--



19354,	19359,	\cvlanguage 2327	7419, 7421, 7423,
19363,	19367,	\cvline 2301,	7425, 7427, 7428,
19381,	19385,	2302, 2307, 2311,	7517, 7519, 7521,
19388,	19391,	2313, 2319, 2328	7523, 7525, 7526
19395,	19397,	\cvlistdoubleitem 2312	\DeclareRobustCommand
19433,	19435,	\cvlistitem 2310 1863,
19442,	19443,	\cvtheme 2244, 2247	1864, 1865, 1866,
19447,	19452,	D	1867, 1868, 1869,
19456,	19467,	\d 13320	4410, 4417, 6809,
19468,	19472,	\dollarbegin	6824, 19861, 19904
19478,	19533,	.. 382, 411, 1413,	\DeclareSectionCommand
19534,	19538,	1414, 1415, 1478, 16675,
19634,	19635,	1481, 1482, 6777,	16683, 16693,
19637,	19640,	6780, 6781, 20052	16703, 16713,
19641,	19645,	\dollarend	16723, 17255,
20093,	20148,	.. 383, 411, 1413,	17264, 17272,
20246,	20307,	1414, 1415, 1480,	17282, 17292,
20320,	20322, 20719	1481, 1482, 6779,	17302, 17312,
\CT@do@color	6767	6780, 6781, 20053	17938, 17947,
\CT@cell@color	1493, 6792	\dashgapcolor 1473	17955, 17965,
\CT@color	6766	\date 450,	17975, 17985, 17995
\CT@column@color	1491, 6790	486, 790, 835,	\DeclareTOCEntryStyle
\CT@do@color	1494, 6767, 6793	1042, 1087, 1292,	18750, 18907, 19109
\CT@extract	1469, 6772	1337, 1805, 5479,	\DecMargin 194
\CT@row@color	1492, 6791	5527, 6234, 6411,	\dedication
\CT@setup	1458, 1459,	6500, 6536, 8102,	. 16362, 16911, 17610
1461, 1462, 1466,	1490, 6763, 6789	8136, 8199, 8235,	\dedicatory 333
\cumpartcl	14814	10421, 10455,	\def 2, 23,
\cumtcl	14814	15326, 15371,	26, 30, 34, 48, 64,
\curraddr	332	15467, 15514,	95, 98, 107, 108,
\current@color	6808, 6814,	15717, 15758,	109, 110, 122, 132,
6821, 6829, 6835,	11138, 11143,	15904, 15940,	133, 135, 171, 172,
19860,	19897,	16363, 16912, 17611	173, 174, 184, 188,
19898,	19902,	\datename 17416	207, 228, 237,
19931, 19932, 19949	5613,	\deadcycles . 3044, 3047	238, 239, 240,
5614, 5615, 5616,	5617, 5637, 5638,	\debugfootnotedirection	244, 247, 261,
5639,	5640, 10800	276, 308, 311,
5641,	7429, 7527	\DeclareOption	323, 329, 346,
\customername	17386	2136, 2139, 2142, 2145,	348, 353, 355,
\CustomFBox	11140	2148, 2151, 2154,	380, 385, 387,
\cvcomputer	2329	2159, 2160, 2161,	408, 409, 410, 411,
\cvdoubleitem	2306, 2330	2162, 2163, 2165,	457, 458, 489,
\cventry	2318	4075, 4077, 4079,	553, 590, 722,
		4082, 4087, 5184,	745, 746, 754,
		5185, 5443, 5444,	793, 794, 796,
		5469, 5470, 5613,	801, 803, 808,
		5614, 5615, 5616,	810, 838, 985,
		5617, 5637, 5638,	997, 998, 1006,
		5639, 5640, 5641,	1045, 1046, 1048,
			1053, 1055, 1060,



1061, 1090, 1235, 1247, 1248, 1256, 1295, 1296, 1298, 1303, 1305, 1310, 1312, 1340, 1360, 1370, 1371, 1374, 1380, 1408, 1421, 1422, 1425, 1438, 1446, 1454, 1455, 1458, 1459, 1462, 1467, 1505, 1506, 1591, 1593, 1594, 1661, 1665, 1696, 1697, 1736, 1744, 1745, 1746, 1747, 1748, 1758, 1763, 1788, 1789, 1871, 1872, 1873, 1875, 1876, 1877, 1878, 1879, 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, 1890, 1895, 1906, 1937, 1938, 1939, 1940, 1947, 1953, 1959, 1967, 1972, 1974, 1982, 1987, 1988, 2003, 2007, 2010, 2013, 2018, 2021, 2024, 2028, 2036, 2044, 2051, 2053, 2054, 2056, 2125, 2219, 2220, 2221, 2222, 2223, 2224, 2226, 2227, 2245, 2246, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2377, 2398, 2399, 2402, 2408, 2411, 2422, 2423, 2426, 2432, 2435, 2446, 2448, 2451, 2455, 2461, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2482, 2483, 2487, 2492, 2500,	2508, 2516, 2523, 2525, 2625, 2633, 2654, 2662, 2663, 2664, 2670, 2672, 2673, 2674, 2684, 2686, 2688, 2694, 2698, 2701, 2710, 2721, 2723, 2724, 2735, 2808, 2827, 2859, 2860, 2861, 2872, 2886, 2889, 2890, 2902, 2914, 2918, 2921, 2934, 2943, 2971, 2999, 3002, 3003, 3011, 3012, 3021, 3034, 3050, 3108, 3117, 3124, 3131, 3135, 3140, 3145, 3150, 3152, 3155, 3158, 3166, 3167, 3169, 3171, 3172, 3179, 3181, 3182, 3189, 3190, 3191, 3192, 3193, 3197, 3198, 3200, 3201, 3203, 3209, 3215, 3233, 3234, 3239, 3244, 3249, 3255, 3260, 3271, 3275, 3281, 3284, 3298, 3300, 3302, 3304, 3305, 3307, 3309, 3314, 3315, 3316, 3317, 3322, 3323, 3330, 3332, 3335, 3340, 3342, 3348, 3349, 3350, 3351, 3355, 3358, 3360, 3361, 3365, 3367, 3368, 3371, 3381, 3423, 3424, 3425, 3428, 3438, 3445, 3447, 3452, 3464, 3471, 3473, 3477, 3478, 3485, 3487, 3490, 3495, 3502, 3504, 3575, 3578, 3587, 3590, 3742, 3753, 3792, 3905, 3915,	3928, 3982, 3992, 3994, 3999, 4004, 4010, 4011, 4014, 4021, 4029, 4044, 4117, 4208, 4229, 4233, 4246, 4326, 4395, 4413, 4419, 4456, 4581, 4583, 4584, 4585, 4594, 4596, 4597, 4598, 4602, 4604, 4610, 4611, 4638, 4652, 4655, 4659, 4663, 4676, 4682, 4696, 4699, 4703, 4707, 4720, 4726, 4740, 4743, 4747, 4751, 4764, 4816, 4831, 4836, 4962, 4964, 4992, 5010, 5028, 5049, 5078, 5107, 5327, 5364, 5372, 5601, 5739, 5740, 5742, 5760, 5761, 5764, 5774, 5775, 5776, 5777, 5783, 5786, 5797, 5798, 5799, 5809, 5835, 5839, 5846, 5868, 5887, 5888, 5889, 5895, 5925, 5928, 5931, 5935, 5938, 5941, 5944, 5951, 5958, 5968, 5969, 5970, 5980, 5984, 5987, 5992, 5993, 5994, 5996, 6005, 6011, 6032, 6033, 6157, 6189, 6190, 6198, 6345, 6366, 6367, 6375, 6415, 6435, 6507, 6508, 6539, 6610, 6624, 6657, 6661, 6673, 6686, 6693, 6697, 6700, 6763, 6766, 6769, 6801, 6808, 6811, 6818, 6826, 6832, 6839, 6840, 6842, 6956, 6969,
--	--	--



6972, 6973, 6978,	10177, 10190,	11980, 11991,
6985, 6990, 6994,	10204, 10226,	12006, 12021,
7057, 7117, 7626,	10234, 10308,	12038, 12064,
7630, 7633, 7651,	10343, 10355,	12081, 12089,
7654, 7672, 7729,	10386, 10428,	12102, 12119,
7787, 7829, 7856,	10429, 10458,	12127, 12135,
7858, 7863, 7894,	10489, 10521,	12152, 12160,
7895, 7968, 8017,	10527, 10534,	12166, 12183,
8036, 8059, 8109,	10570, 10644,	12191, 12197,
8110, 8139, 8206,	10655, 10703,	12214, 12222,
8207, 8238, 8285,	10792, 10879,	12230, 12244,
8300, 8333, 8409,	10883, 10885,	12248, 12262,
8416, 8432, 8448,	10887, 10889,	12270, 12277,
8464, 8477, 8490,	10891, 10893,	12285, 12288,
8519, 8520, 8521,	10894, 10896,	12291, 12325,
8531, 8532, 8533,	10900, 10909,	12357, 12386,
8604, 8666, 8676,	10911, 10918,	12413, 12416,
8686, 8712, 8724,	10919, 10936,	12418, 12421,
8737, 8764, 8777,	10939, 10945,	12430, 12431,
8792, 8797, 8817,	10948, 10956,	12435, 12437,
8826, 8835, 8860,	10957, 10958,	12438, 12439,
8871, 8883, 8909,	10964, 10981,	12441, 12450,
8921, 8936, 8941,	10997, 11025,	12452, 12477,
8961, 8971, 8981,	11039, 11053,	12481, 12490,
9007, 9019, 9032,	11067, 11073,	12491, 12492,
9059, 9072, 9087,	11079, 11086,	12494, 12498,
9092, 9112, 9122,	11099, 11103,	12500, 12505,
9132, 9158, 9170,	11107, 11113, 11118,	12508, 12529,
9183, 9210, 9223,	11122, 11134,	12541, 12577,
9238, 9243, 9263,	11148, 11150,	12598, 12600,
9273, 9283, 9309,	11152, 11154,	12601, 12608,
9321, 9334, 9361,	11162, 11267,	12613, 12673,
9374, 9389, 9394,	11277, 11308,	12724, 12740,
9414, 9424, 9434,	11356, 11413,	12741, 12773,
9460, 9472, 9485,	11417, 11423,	12774, 12778,
9512, 9525, 9540,	11432, 11434,	12780, 13078,
9545, 9565, 9575,	11450, 11461,	13090, 13094,
9585, 9611, 9623,	11462, 11464,	13095, 13096,
9636, 9663, 9676,	11477, 11478,	13103, 13131,
9691, 9696, 9716,	11480, 11496,	13162, 13170,
9726, 9736, 9762,	11498, 11501,	13173, 13178,
9774, 9787, 9814,	11503, 11504,	13208, 13274,
9827, 9842, 9847,	11519, 11526,	13275, 13880,
9867, 9877, 9887,	11586, 11587,	13882, 13932,
9913, 9925, 9938,	11588, 11589,	13934, 13982,
9965, 9978, 9993,	11598, 11600,	13993, 14004,
9998, 10060,	11636, 11888,	14023, 14123,
10072, 10084,	11915, 11926,	14220, 14228,
10096, 10121,	11937, 11948,	14261, 14273,
10135, 10149,	11958, 11969,	14285, 14299,



14332,	14346,	16159,	16167,	20010,	20011,
14382,	14410,	16174,	16177,	20012,	20013,
14414,	14418,	16203,	16205,	20014,	20019,
14422,	14426,	16225,	16409,	20020,	20023,
14517,	14531,	16410,	16462,	20025,	20026,
14533,	14540,	16469,	16618,	20027,	20028,
14546,	14626,	16620,	16752,	20030,	20032,
14679,	14683,	16754,	16774,	20034,	20035,
14687,	14689,	16958,	17042,	20048,	20050,
14705,	14717,	17049,	17198,	20055,	20057,
14731,	14781,	17200,	17326,	20063,	20065,
14788,	14907,	17343,	17347,	20072,	20074,
14908,	14910,	17350,	17354,	20077,	20079,
14911,	14917,	17426,	17451,	20080,	20081,
14918,	14919,	17453,	17473,	20082,	20084,
14929,	14939,	17657,	17725,	20094,	20131,
14947,	14955,	17732,	17881,	20151,	20156,
14956,	14957,	17883,	18015,	20157,	20162,
14958,	14959,	18019,	18036,	20199,	20209,
14960,	14965,	18057,	18060,	20212,	20215,
14966,	14969,	18075,	18080,	20220,	20221,
14971,	14972,	18083,	18106,	20222,	20223,
14973,	14974,	18110,	18114,	20224,	20226,
14976,	14977,	18124,	18140,	20229,	20239,
14983,	14990,	18146,	18154,	20244,	20247,
14991,	14992,	18175,	18184,	20267,	20270,
14993,	14994,	18185,	18201,	20280,	20281,
14996,	14997,	18205,	18208,	20282,	20283,
15136,	15137,	18212,	18215,	20284,	20304,
15258,	15281,	18245,	18287,	20306,	20339,
15282,	15290,	18321,	18343,	20346,	20393,
15329,	15330,	18349,	18352,	20440,	20454,
15332,	15337,	18354,	18357,	20457,	20461,
15339,	15344,	18381,	19034,	20465,	20478,
15346,	15374,	19058,	19600,	20484,	20498,
15420,	15421,	19621,	19623,	20501,	20505,
15429,	15470,	19779,	19822,	20509,	20522,
15471,	15473,	19825,	19831,	20528,	20568,
15478,	15480,	19835,	19854,	20572,	20573,
15485,	15487,	19860,	19863,	20574,	20575,
15517,	15539,	19885,	19894,	20585,	20655,
15652,	15681,	19900,	19906,	20667,	20668,
15683,	15724,	19928,	19934,	20670,	20784,
15726,	15761,	19943,	19947,	20786,	20790,
15849,	15911,	19951,	19952,	20792,	20819, 20821
15912,	15943,	19953,	19956,	\default@color . . .	
16014,	16026,	19961,	19967, 6808, 19860	
16052,	16056,	19968,	19969,	\DefaultFindent .. 12584	
16099,	16146,	19979,	19989,	\DefaultLhang ... 12580	
16149,	16156,	19998,	20009,	\DefaultLoversize 12581	



\DefaultLraise	12582	\descriptionlabel	5405	\dfn@gobble	7631, 7652
\DefaultNindent	12585	\DetectColumn	20310, 20314	\dfn@ins	7639, 7640, 7641,
\DefaultOptionsFile	12590, 12593, 12596	\detokenize	2631, 2633,	7643, 7660, 7661,	
\DefaultSlope	12586		2859, 2861, 2862,	7662, 7664, 7678,	
\deffootnote	16202, 16227, 16751, 16776, 17325, 17345, 17450, 17475		2889, 2904, 2921, 2924, 2932, 2934, 3002, 3003, 3788	7679, 7735, 7736	
\define@choicekey	1598, 1604, 1610, 1616, 1622, 1628, 1640, 1646, 1652, 1659, 19654, 19662	\dfn@afteroutput	7721, 7724, 7773, 7776	\dfn@latex@footnotetext	7628
\define@key	19652	\dfn@boxa	7630, 7635, 7638, 7642, 7643, 7644, 7651, 7656, 7659,	\dfn@latex@LTRfootnotetext	7634, 7649
\definecolor	1812, 1813, 1814, 1815, 1816, 2218, 2225, 7433, 7438, 7441, 7442, 7443, 7445, 7446, 7449, 7450, 7452, 7453, 7456, 7457, 7459, 7460, 7463, 7464, 7466, 7467, 7470, 7471, 7536, 7537, 7542, 7543, 7548, 7549, 7554, 7555, 7560, 7561, 7961		7663, 7664, 7665, 7678, 7685, 7688, 7690, 7697, 7705, 7735, 7742, 7745, 7747, 7751, 7759	\dfn@list	7648, 7669, 7676, 7709, 7711, 7714, 7720, 7733, 7761, 7763, 7766, 7772
\DefineTOCEEntryCommandOption	19116, 19118, 19120, 19124, 19126, 19128, 19130, 19132	\dfn@boxb	7644, 7665, 7682, 7683, 7690, 7695, 7739, 7740, 7747, 7750	\dfn@LTRfootnotetext	7630, 7650
\DefineTOCEEntryIfOption	19112, 19114, 19146	\dfn@countins	7674, 7731	\dfn@LTRmakecol	7729, 7781, 7783
\DefineTOCEEntryLengthOption	18751, 18753, 18908, 19110, 19122, 19148, 19150	\dfn@dima	7635, 7636, 7637, 7648, 7656, 7657, 7658, 7669,	\dfn@makecol	7781, 7782, 7783
\DefineTOCEEntryOption	19134	\dfn@elt	7673, 7690, 7710, 7730, 7747, 7762	\dfn@makefnmark	7633, 7654
\DefNewDummy	3215, 3232	\dfn@elt@getht	7675, 7732	\dfn@RTLfootnotetext	7651, 7671
\delimiter	11131	\dfn@fnht	7646, 7667, 7708, 7711, 7717, 7718, 7719, 7760, 7763,	\dfn@RTLmakecol	7672, 7781, 7782
\DEPTH	18248, 18255		7769, 7770, 7771	\dfn@split	7644, 7665, 7678, 7690, 7735, 7747
\depth	11426, 13821, 13828, 13853	\dfn@fnmaxdp	7634, 7639, 7644, 7655, 7660, 7665, 7687,	\DFNalwaysdouble	7784
\depthof	7836, 7841, 7850, 7851, 7855, 7860	\dfn@footnoterule	7690, 7744, 7747 7728, 7780	\DFNcolumnsep	7693, 7706, 7750
		\dfn@footnotetext	7629	\DFNcolumnwidth	7627, 7632, 7653, 7692, 7694, 7697, 7707, 7749, 7751
				\DigitsDotDashInterCharToks	1691, 1692, 1693, 1694, 1695
				\dim	13495, 13496, 13819, 13820, 13821
				\dimen	8587, 8628, 8645, 8646, 8647, 8655, 8759, 8806, 8904, 8950, 9054,



9101, 9205, 9252, 9356, 9403, 9507, 9554, 9658, 9705, 9809, 9856, 9960, 10049, 10174, 14318, 14325, 14326, 14334, 14335, 14340, 14341, 14357, 14358, 14365, 14366, 20577, 20580	20168, 20169, 20170, 20175, 20177, 20178, 20179, 20184, 20186, 20187, 20188, 20193, 20195, 20196, 20197 \DiscardVskip \display@setup 6662, 6687 \displayindent \displaystyle	7704, 7740, 7756, 7758, 7835, 7840, 7853, 7859, 7973, 7978, 7982, 7985, 8592, 10011, 10255, 10263, 10503, 10516, 10970, 10987, 11003, 11438, 11439, 11442, 11484, 11485, 11488, 12670, 13114, 13253, 13256, 14318, 14334, 14335, 14340, 14341, 14357, 14358, 14365, 14366, 14802, 14803, 14804, 15009, 16065, 16107, 16110, 16164, 16171, 16555, 16558, 17135, 17138, 17818, 17821, 18087, 18122, 18134, 18248, 18250, 19849, 19858, 19859, 20252, 20549, 20556, 20639
\dimen@ 6804, 6805, 10255, 10257, 11170, 11171, 11172, 11182, 11183, 11184, 11187, 11188, 11189, 11195, 11205, 11207, 11216, 11218, 11225, 11226, 11227, 11228, 13185, 13186, 13187, 18038, 18040, 18046, 18052, 19793, 19794, 19795, 19796, 19797, 19798, 19857, 19858	\divide 3533, 5747, 8646, 10065, 10066, 10182, 10183, 10504, 10505, 11425, 11426, 14822, 14823, 18120 \do 329, 330, 331, 332, 333, 334, 2078, 3772, 3832, 3847, 3868, 3871, 4857, 4862, 4876, 4881, 4895, 4900, 4923, 4932, 6974, 10492, 12675, 19343 \do@hvFloat 11586 \document 3017, 3031 \documentclass 3755, 3758 \doloopbody 3393, 3394, 3438, 3511, 3518, 3525, 3528, 3530, 3534, 3536, 3538, 3542 \doubleitemmaincolumnwidth 2267, 2280, 2281, 2282, 2283, 2307, 2309 \doublerulesepcolor 1472 \downtovalue 3391, 3403, 3485, 3524 \dp 40, 54, 70, 253, 267, 282, 392, 1465, 6805, 6806, 7254, 7635, 7656, 7683, 7702,	\dquad 6695, 6697 \draw 19673, 19680, 19684, 19707, 19717, 19725, 19728, 19731, 19734, 19746, 19751, 19758, 19764, 19765 \dseries@display@setup 6687
\dimen@i 18039, 18040, 18045, 18051 \dimen@ii 11220, 11221, 11222, 11228, 11230, 11233, 11234, 11235 \dimexpr 28, 242, 734, 968, 1214, 2582, 2585, 2678, 6169, 6322, 12496, 13245, 13254, 14221, 14424, 15241, 15664, 16230, 16237, 16240, 16779, 16786, 16789, 17478, 17485, 17488, 18895, 19061, 19068, 19078, 19080, 20166,	\doubleitemmaincolumnwidth 2267, 2280, 2281, 2282, 2283, 2307, 2309 \doublerulesepcolor 1472 \downtovalue 3391, 3403, 3485, 3524 \dp 40, 54, 70, 253, 267, 282, 392, 1465, 6805, 6806, 7254, 7635, 7656, 7683, 7702,	E \edef 123, 362, 1387, 1441, 1449, 1509, 1534, 1536, 1701, 1726, 1965, 1980, 2008, 2011, 2014, 2385, 2388, 2401, 2405, 2412, 2425,



2429, 2436, 2629,	19926, 19932,	464, 467, 516,
2632, 2742, 2743,	19945, 19949,	533, 536, 537,
2746, 2747, 2764,	20140, 20152,	557, 560, 575,
2765, 2768, 2769,	20255, 20319, 20333	596, 607, 612,
2858, 2863, 2873,	\EdefEscapeName . 12389	623, 627, 635,
2888, 2891, 2904,	\egroup . 192, 193, 196,	639, 640, 644,
2908, 2913, 2920,	385, 409, 644,	648, 651, 652,
2923, 2930, 2933,	1203, 1370, 1371,	657, 668, 679,
2939, 2942, 2995,	1488, 2003, 2004,	693, 696, 697,
3001, 3004, 3119,	2129, 5836, 6047,	700, 710, 757,
3129, 3207, 3216,	6706, 6787, 8616,	766, 774, 798,
3278, 3325, 3328,	10623, 10624,	802, 804, 815,
3355, 3358, 3362,	10638, 11097,	818, 861, 872,
3446, 3451, 3452,	11242, 11246,	875, 878, 879,
3474, 3479, 3491,	13197, 13200,	885, 895, 898,
3496, 3593, 3601,	14229, 14765,	899, 902, 912,
3611, 3743, 3786,	14775, 14790,	923, 934, 942,
3830, 3852, 3866,	14921, 14927,	946, 955, 973,
3894, 3986, 3998,	14931, 14937,	1009, 1018, 1026,
4005, 4022, 4826,	14941, 14945,	1050, 1054, 1056,
4971, 4982, 5926,	14949, 14953,	1067, 1070, 1113,
5929, 5932, 7885,	15003, 15174,	1124, 1128, 1131,
7888, 10645,	15624, 18080,	1134, 1135, 1140,
10651, 10741,	18081, 18106,	1151, 1162, 1177,
10743, 10744,	18112, 19519,	1180, 1181, 1184,
10745, 10830,	19971, 19977,	1194, 1198, 1199,
10851, 11202,	19981, 19987,	1203, 1223, 1259,
12058, 12065,	19991, 19996,	1268, 1276, 1300,
12096, 12103,	20000, 20005,	1304, 1306, 1317,
12136, 12167,	20055, 20063,	1320, 1357, 1362,
12198, 12542,	20064, 20244, 20245	1363, 1376, 1381,
12676, 12680,	\eightcolumnfootnotes	1382, 1383, 1385,
13171, 13174, 9548	1386, 1389, 1390,
14529, 14674,	\eightcolumnfootstyle	1391, 1393, 1394,
14693, 14696, 9645	1395, 1396, 1397,
14722, 16061,	\eject 7264,	1398, 1399, 1402,
16104, 16447,	11173, 11242, 11262	1403, 1404, 1424,
17027, 17327,	\else 4,	1425, 1426, 1427,
17710, 18090,	12, 13, 25, 36, 87,	1428, 1429, 1431,
18115, 18129,	104, 116, 134, 136,	1432, 1433, 1434,
18147, 18202,	151, 155, 159, 167,	1435, 1540, 1546,
18209, 18222,	184, 209, 217, 218,	1552, 1583, 1585,
18683, 19155,	234, 249, 300,	1594, 1737, 1739,
19188, 19195,	315, 319, 356,	1748, 1949, 1955,
19200, 19261,	357, 358, 360,	1961, 1976, 2059,
19415, 19519,	361, 364, 365,	2067, 2072, 2082,
19632, 19869,	366, 368, 369,	2321, 2322, 2323,
19874, 19883,	370, 371, 372,	2325, 2361, 2387,
19898, 19902,	375, 376, 377,	2390, 2409, 2417,
19912, 19917,	401, 407, 453,	2433, 2441, 2457,



2527, 2535, 2541,	6939, 6964, 6965,	10338, 10345,
2547, 2553, 2559,	6967, 6979, 6984,	10357, 10374,
2565, 2571, 2577,	6986, 6988, 7008,	10424, 10435,
2590, 2598, 2602,	7013, 7031, 7047,	10438, 10497,
2608, 2616, 2620,	7071, 7076, 7090,	10547, 10552,
2642, 2649, 2693,	7106, 7124, 7132,	10583, 10588,
2897, 3140, 3153,	7155, 7173, 7200,	10613, 10626,
3154, 3167, 3168,	7204, 7219, 7226,	10643, 10670,
3170, 3172, 3180,	7245, 7255, 7267,	10674, 10695,
3182, 3204, 3218,	7276, 7290, 7302,	10786, 10790,
3271, 3275, 3281,	7330, 7347, 7375,	10816, 10840,
3287, 3319, 3488,	7379, 7394, 7403,	10922, 10925,
3497, 3552, 3576,	7495, 7577, 7591,	10965, 11016,
3591, 3656, 3668,	7636, 7640, 7642,	11054, 11055,
3700, 3711, 3749,	7657, 7661, 7663,	11071, 11089,
3761, 3762, 3779,	7672, 7677, 7686,	11133, 11151,
3788, 3833, 3848,	7697, 7701, 7709,	11153, 11169,
3851, 3878, 3879,	7729, 7734, 7743,	11174, 11194,
3893, 4174, 4180,	7751, 7755, 7761,	11223, 11229,
4375, 4378, 4381,	7781, 7790, 7797,	11245, 11252,
4384, 4414, 4642,	7814, 7838, 7843,	11257, 11270,
4648, 4680, 4686,	7857, 7874, 7914,	11300, 11324,
4692, 4730, 4736,	7915, 7920, 7921,	11329, 11372,
4915, 5312, 5313,	7922, 7929, 7930,	11377, 11417,
5601, 5686, 5739,	7935, 7936, 7937,	11419, 11422,
5752, 5761, 5851,	7950, 7951, 7952,	11423, 11424,
5872, 5897, 5909,	7953, 7980, 7996,	11430, 11432,
5977, 5997, 5998,	7999, 8000, 8010,	11440, 11446,
6013, 6018, 6022,	8021, 8024, 8037,	11449, 11452,
6064, 6075, 6079,	8047, 8105, 8116,	11459, 11466,
6082, 6085, 6086,	8119, 8202, 8213,	11468, 11474,
6091, 6102, 6111,	8216, 8264, 8287,	11478, 11481,
6125, 6128, 6129,	8302, 8311, 8318,	11486, 11492,
6133, 6145, 6201,	8339, 8340, 8342,	11495, 11508,
6210, 6218, 6241,	8347, 8353, 8355,	11511, 11514,
6252, 6256, 6259,	8359, 8415, 8462,	11520, 11527,
6262, 6263, 6268,	8539, 8542, 8551,	11537, 11550,
6279, 6288, 6302,	8554, 8563, 8566,	11559, 11567,
6305, 6306, 6310,	8580, 8597, 8607,	11574, 11577,
6333, 6378, 6387,	8665, 8710, 8816,	11580, 11599,
6395, 6417, 6428,	8858, 8960, 9005,	11602, 11608,
6430, 6451, 6462,	9111, 9156, 9262,	11609, 11612,
6503, 6514, 6517,	9306, 9413, 9457,	11619, 11621,
6566, 6581, 6584,	9564, 9609, 9715,	11627, 11638,
6585, 6612, 6626,	9760, 9866, 9911,	11646, 11648,
6635, 6642, 6665,	10021, 10032,	11649, 11650,
6695, 6721, 6746,	10079, 10129,	11653, 11658,
6753, 6802, 6807,	10252, 10288,	11664, 11666,
6845, 6846, 6852,	10300, 10319,	11667, 11668,
6870, 6893, 6916,	10334, 10337,	11671, 11681,



11683,	11696,	12865,	12868,	14079,	14083,
11702,	11705,	12871,	12874,	14137,	14153,
11709,	11715,	12877,	12880,	14166,	14179,
11718,	11721,	12883,	12886,	14183,	14239,
11727,	11732,	12889,	12893,	14247,	14253,
11735,	11739,	12896,	12899,	14262,	14264,
11741,	11744,	12902,	12905,	14268,	14269,
11748,	11750,	12908,	12911,	14274,	14276,
11752,	11756,	12914,	12917,	14281,	14286,
11761,	11765,	12920,	12923,	14288,	14293,
11772,	11777,	12926,	12929,	14303,	14316,
11781,	11788,	12932,	12935,	14349,	14381,
11793,	11797,	12938,	12941,	14397,	14401,
11801,	11803,	12944,	12947,	14405,	14501,
11806,	11810,	12950,	12953,	14506,	14539,
11812,	11814,	12956,	12959,	14545,	14553,
11818,	11822,	12962,	12965,	14556,	14580,
11826,	11832,	12968,	12971,	14600,	14615,
11835,	11839,	12974,	12977,	14695,	14719,
11845,	11848,	12980,	12983,	14777,	14785,
11851,	11857,	12986,	12989,	14819,	14845,
11872,	11882,	12992,	12995,	14883,	14884,
11891,	11902,	12998,	13001,	14885,	14911,
11922,	11933,	13004,	13007,	14965,	14966,
11944,	11962,	13010,	13013,	14969,	14973,
11973,	11984,	13016,	13019,	14974,	14990,
11995,	12010,	13022,	13025,	14991,	14996,
12025,	12085,	13028,	13031,	15004,	15013,
12123,	12156,	13034,	13037,	15023,	15029,
12187,	12218,	13040,	13043,	15032,	15039,
12271,	12283,	13046,	13049,	15041,	15047,
12286,	12303,	13052,	13055,	15058,	15060,
12312,	12322,	13058,	13061,	15071,	15073,
12337,	12345,	13064,	13067,	15084,	15086,
12354,	12368,	13070,	13073,	15095,	15097,
12383,	12397,	13081,	13082,	15114,	15136,
12409,	12469,	13083,	13084,	15137,	15142,
12487,	12507,	13107,	13136,	15153,	15157,
12510,	12518,	13145,	13151,	15165,	15169,
12519,	12535,	13182,	13197,	15170,	15174,
12557,	12558,	13199,	13263,	15178,	15181,
12560,	12565,	13886,	13889,	15182,	15187,
12588,	12589,	13900,	13901,	15198,	15207,
12591,	12604,	13902,	13903,	15221,	15224,
12620,	12629,	13904,	13905,	15225,	15229,
12652,	12673,	13934,	13950,	15246,	15293,
12676,	12680,	13956,	13962,	15302,	15310,
12706,	12717,	13987,	13997,	15334,	15338,
12735,	12745,	14019,	14037,	15340,	15351,
12751,	12788,	14053,	14066,	15354,	15397,



15408,	15432,	16546,	16563,	17576,	17619,
15441,	15449,	16577,	16583,	17623,	17631,
15475,	15479,	16596,	16606,	17637,	17649,
15481,	15492,	16624,	16654,	17657,	17686,
15495,	15536,	16758,	16759,	17687,	17700,
15541,	15542,	16767,	16780,	17715,	17731,
15550,	15553,	16787,	16807,	17741,	17750,
15554,	15559,	16812,	16819,	17755,	17758,
15570,	15579,	16825,	16849,	17759,	17760,
15593,	15596,	16856,	16860,	17762,	17787,
15597,	15601,	16874,	16877,	17799,	17804,
15607,	15615,	16920,	16924,	17809,	17826,
15619,	15620,	16932,	16938,	17840,	17846,
15624,	15640,	16950,	16958,	17859,	17869,
15669,	15720,	16963,	16979,	17887,	17917,
15736,	15739,	16987,	16995,	18009,	18012,
15785,	15800,	17003,	17004,	18048,	18065,
15803,	15804,	17017,	17032,	18098,	18111,
15809,	15810,	17048,	17058,	18119,	18132,
15834,	15856,	17067,	17072,	18137,	18216,
15867,	15907,	17075,	17076,	18217,	18218,
15918,	15921,	17077,	17079,	18220,	18221,
15970,	15985,	17104,	17116,	18224,	18225,
15988,	15989,	17121,	17126,	18226,	18227,
16016,	16028,	17143,	17157,	18228,	18229,
16037,	16069,	17163,	17176,	18230,	18232,
16114,	16148,	17186,	17204,	18233,	18234,
16150,	16154,	17234,	17331,	18235,	18236,
16158,	16160,	17332,	17338,	18239,	18240,
16165,	16169,	17355,	17356,	18241,	18301,
16172,	16176,	17357,	17358,	18318,	18325,
16178,	16182,	17359,	17360,	18327,	18332,
16209,	16210,	17361,	17362,	18337,	18338,
16218,	16231,	17366,	17369,	18341,	18346,
16238,	16258,	17372,	17375,	18350,	18351,
16263,	16270,	17378,	17381,	18366,	18390,
16276,	16300,	17384,	17387,	18394,	18404,
16307,	16311,	17390,	17393,	18410,	18416,
16325,	16328,	17396,	17399,	18421,	18427,
16371,	16375,	17402,	17405,	18437,	18449,
16383,	16389,	17408,	17411,	18457,	18462,
16401,	16409,	17414,	17417,	18463,	18464,
16410,	16423,	17422,	17423,	18472,	18479,
16425,	16437,	17429,	17457,	18493,	18494,
16452,	16468,	17458,	17466,	18495,	18503,
16478,	16487,	17479,	17486,	18512,	18516,
16492,	16495,	17506,	17511,	18517,	18518,
16496,	16497,	17518,	17524,	18526,	18533,
16499,	16524,	17548,	17555,	18534,	18535,
16536,	16541,	17559,	17573,	18543,	18550,



18551,	18552,	19911,	19936,	\email 332, 2257
18560,	18567,	19941,	19961,	\emaillink
18568,	18569,	20007,	20008,	.. 2339, 7510, 7608
18577,	18584,	20019,	20020,	\emailsymbol
18585,	18586,	20023,	20027,	.. 2217, 7510, 7608
18594,	18601,	20028,	20087,	\empty 11599, 18018
18602,	18603,	20106,	20109,	\EmptyList 3315
18611,	18619,	20114,	20117,	\end 172, 174, 197,
18620,	18621,	20120,	20123,	432, 435, 438,
18629,	18638,	20126,	20135,	503, 506, 769,
18639,	18640,	20138,	20143,	777, 780, 850,
18648,	18658,	20144,	20145,	853, 1021, 1029,
18659,	18660,	20167,	20168,	1032, 1102, 1105,
18668,	18678,	20170,	20176,	1271, 1279, 1282,
18693,	18694,	20177,	20179,	1353, 1356, 1361,
18695,	18703,	20185,	20186,	1362, 1363, 1898,
18725,	18743,	20188,	20194,	1909, 1910, 2305,
18744,	18745,	20195,	20197,	2307, 2309, 2311,
18883,	18991,	20205,	20206,	2313, 2317, 2325,
19008,	19018,	20207,	20208,	2328, 2378, 2401,
19033,	19037,	20211,	20214,	2409, 2411, 2412,
19140,	19405,	20217,	20220,	2418, 2425, 2433,
19419,	19423,	20221,	20222,	2435, 2436, 2442,
19446,	19461,	20223,	20225,	3072, 3078, 3098,
19471,	19475,	20227,	20228,	3104, 4214, 4215,
19485,	19486,	20232,	20234,	4220, 4223, 4300,
19487,	19488,	20248,	20265,	4301, 4308, 4309,
19493,	19495,	20270,	20271,	4316, 4317, 4337,
19496,	19504,	20272,	20273,	4338, 4376, 4379,
19510,	19527,	20274,	20275,	4382, 4385, 4392,
19537,	19543,	20276,	20277,	4393, 4576, 4577,
19549,	19552,	20280,	20281,	5196, 5252, 5259,
19563,	19601,	20285,	20287,	5266, 5273, 5280,
19603,	19608,	20292,	20321,	5291, 5299, 5426,
19617,	19622,	20330,	20340,	5427, 5563, 5606,
19624,	19631,	20360,	20365,	5628, 6019, 6213,
19638,	19669,	20407,	20412,	6221, 6224, 6390,
19676,	19681,	20437,	20444,	6398, 6401, 6430,
19687,	19698,	20450,	20488,	6442, 6482, 6485,
19701,	19712,	20494,	20532,	6488, 6553, 6556,
19719,	19733,	20534,	20544,	6869, 6879, 6892,
19783,	19790,	20560,	20562,	6902, 6915, 6925,
19791,	19793,	20565,	20569,	6938, 6948, 7489,
19801,	19809,	20578,	20605,	7598, 7610, 7618,
19811,	19812,	20608,	20611,	7882, 7956, 8086,
19823,	19827,	20617,	20636,	8089, 8092, 8151,
19832,	19841,	20646,	20660,	8154, 8181, 8184,
19847,	19855,	20667,	20668,	8187, 8252, 8255,
19859,	19868,	20776,	20784, 20790	8344, 10405,
19887,	19892,	\em 5405		10408, 10411,



10470,	10473,	\endbidi@switch . . .	5034, 5065, 5094,
10625,	11656,	.. 3228, 3232, 3233	5123, 5365, 5891,
11674,	11776,	\endbidi@tabular@RTLcases	5926, 5929, 5932,
11792,	11883, 20055,	5946, 5953, 5960,
12562,	14021,	20063, 20070	5968, 5969, 6007,
14634,	15305,	\endcsname	6032, 6033, 6815,
15313,	15316,	8, 44, 58, 74, 166,	6821, 6829, 6836,
15386,	15389,	168, 213, 257,	7408, 8422, 8438,
15444,	15452,	271, 286, 343,	8454, 8467, 8480,
15455,	15532,	344, 386, 1372,	8493, 8670, 8680,
15535,	15540,	1966, 1967, 1981,	8690, 8716, 8729,
15541,	15542,	1982, 2008, 2011,	8741, 8759, 8760,
15699,	15702,	2014, 2030, 2038,	8768, 8781, 8821,
15705,	15777,	2046, 2101, 2404,	8830, 8839, 8864,
15886,	15889,	2405, 2428, 2429,	8876, 8887, 8904,
15892,	15957,	2456, 2484, 2488,	8905, 8913, 8925,
15960,	16057,	2498, 2506, 2514,	8965, 8975, 8985,
16100,	16266,	2522, 2524, 2526,	9011, 9024, 9036,
16281,	16288,	2530, 2531, 2588,	9054, 9055, 9063,
16294,	16298,	2594, 2595, 2637,	9076, 9116, 9126,
16306,	16378,	2647, 2653, 2654,	9136, 9162, 9175,
16395,	16405,	2656, 2657, 2659,	9187, 9205, 9206,
16433,	16815,	2660, 2662, 2705,	9214, 9227, 9267,
16830,	16837,	2706, 2728, 2729,	9277, 9287, 9313,
16843,	16847,	2784, 2785, 2786,	9326, 9338, 9356,
16855,	16927,	2787, 2793, 2794,	9357, 9365, 9378,
16944,	16954,	2795, 2796, 2879,	9418, 9428, 9438,
17013,	17514,	2880, 2883, 2884,	9464, 9477, 9489,
17529,	17536,	3059, 3061, 3073,	9507, 9508, 9516,
17542,	17546,	3075, 3126, 3131,	9529, 9569, 9579,
17554,	17626,	3135, 3151, 3169,	9589, 9615, 9628,
17643,	17653,	3171, 3179, 3181,	9640, 9658, 9659,
17696,	18171,	3190, 3191, 3271,	9667, 9680, 9720,
18364,	19673,	3275, 3306, 3314,	9730, 9740, 9766,
19680,	19690,	3315, 3328, 3336,	9779, 9791, 9809,
19695,	19708,	3338, 3365, 3386,	9810, 9818, 9831,
19715,	19718,	3423, 3424, 3425,	9871, 9881, 9891,
19737,	19754,	3441, 3442, 3443,	9917, 9930, 9942,
19761,	19767, 19769	3444, 3550, 3553,	9960, 9961, 9969,
\end@dblfloat 16144	3558, 3574, 3577,	9982, 10076,
\end@float	3579, 3589, 3592,	10088, 10100,
.	4240, 4569, 16095	3594, 3601, 3605,	10126, 10140,
\end@rot dbl float	16099	3606, 3611, 3620,	10154, 10174,
\end@rot float	3621, 3637, 3640,	10175, 10194,
	16056, 16097, 16098	3654, 3666, 3698,	10208, 10492,
\endarray 385,	3709, 3794, 3796,	10645, 10647,
	409, 1370, 1371,	3834, 3836, 3842,	10651, 10653,
	18106, 18110, 20055	3885, 4025, 4046,	10742, 10743,
\endBCmd 1900	4397, 4398, 4405,	10744, 10745,
\endbidi@lrbox	.. 20162	4406, 4998, 5016,	10747, 10749,



10750,	10751,	19031,	19035,	2414, 2438, 2646,
10752,	10754,	19039,	19138,	2665, 2809, 2828,
10755,	10756,	19141,	19155,	2873, 2895, 2905,
10813,	10837,	19171,	19172,	2922, 2972, 3018,
10855,	10941,	19188,	19195,	3299, 3301, 3329,
10950,	10973,	19200,	19261,	3334, 3343, 3501,
10990,	11006,	19316,	19318,	3549, 3573, 3588,
11034,	11048,	19320,	19336,	3659, 3671, 3683,
11062,	11109,	19339,	19345,	3703, 3714, 3725,
11124,	11890,	19347,	19350,	3889, 3988, 3998,
11893,	11895,	19354,	19359,	4038, 4407, 4834,
11899,	11903,	19363,	19367,	4836, 5067, 5096,
11917,	11928,	19381,	19385,	5125, 5502, 5519,
11939,	12139,	19388,	19391,	5535, 5546, 5586,
12170,	12201,	19395,	19397,	5905, 5948, 5955,
12514,	12602,	19430,	19431,	5962, 6020, 6109,
12605,	12977,	19433,	19435,	6132, 6286, 6309,
13043,	14006,	19440,	19442,	6523, 6573, 6588,
14007,	14014,	19444,	19448,	6794, 7054, 7113,
14525,	14535,	19451,	19452,	7806, 7824, 8002,
14549,	16192,	19455,	19456,	8015, 8125, 8222,
16196,	16200,	19465,	19467,	8271, 10068,
16638,	16640,	19469,	19473,	10185, 10326,
16642,	16645,	19477,	19478,	10341, 10444,
16651,	16660,	19531,	19533,	10568, 10608,
16662,	16664,	19535,	19539,	10692, 10711,
16670,	16741,	19559,	19560,	10943, 10952,
16745,	16749,	19568,	19572,	11111, 11126, 11145,
17218,	17220,	19576,	19580,	11186, 11217,
17222,	17225,	19584,	19588,	11351, 11403,
17231,	17239,	19592,	19596,	11460, 11475,
17241,	17244,	19634,	19635,	11881, 11919,
17250,	17440,	19637,	19640,	11930, 11941,
17444,	17448,	19641,	19645,	11952, 12053,
17901,	17903,	20093,	20148,	12078, 12116,
17905,	17908,	20246,	20307,	12149, 12180,
17914,	17922,	20320,	20322, 20719	12211, 12440,
17924,	17927,	\enddocument	3043	12451, 12523,
17933,	18082,	\endflushleft	1920, 1928	12546, 12607,
18108,	18110,	\endgraf	13139, 13158,	12764, 13125,
18142,	18164,	16603,	17183, 17866	13897, 14015,
18166,	18182,	\endgroup	17,	14115, 14212,
18183,	18203,	127,	222, 320,	14413, 14417,
18210,	18420,	327,	383, 399,	14421, 14713,
18683,	18684,	473,	525, 539,	14763, 14768,
18700,	18701,	677,	699, 824,	14770, 14773,
18702,	18709,	901,	921, 1076,	14778, 15002,
18711,	18712,	1160,	1183, 1326,	15033, 15205,
18765,	18766,	1495,	1794, 2032,	15228, 15360,
18920,	18921,	2040,	2048, 2395,	15501, 15577,



15600,	15745,	\endmath	6692	\endsideways	16177
15792,	15807,	\endmdf@lrbox	13248	\endsidewaysfigure	16097
15927,	15977,	\endminipage		\endsidewaystable	16098
15992,	16334,	. 8604, 11086, 18264		\endstabular	18080, 18082
16434,	16572,	\endmodernpoem	6033	\endstrip	14228
16883,	17014,	\endpgfpicture	14731	\endtabular	385, 386,
17152,	17582,	\endpspicture	14997	1371, 1372, 2003,	
17697,	17835,	\endR	346, 351, 385,	18106, 18108,	
18185,	18306,	409, 1370, 1371,		18192, 20244, 20246	
18485,	18901,	1488, 2003, 2004,		\endtabularx	
19012,	19413,	6700, 6787, 6803,		. 18143, 18172, 18183	
19541,	19851,	6808, 6810, 6842,		\endtcb@lrbox	
19884,	19927,	7787, 8638, 8642,		. 18264, 18265	
19946,	20053,	10079, 10103,		\endtcb@savebox	18265
20153,	20390,	10129, 10157,		\endtcb@vbox	18275
20433,	20586, 20594	10643, 11419,		\endtitlepage	634,
\endL	1499, 2350,	11424, 11481,		941, 1193, 6141,	
	6798, 6807, 6808,	11520, 11527,		6329, 15164, 15614	
	6817, 6823, 6842,	11896, 11904,		\endtraditionalpoem	
	10079,	12286, 12322,		5969
	10091,	12354, 12383,		\endtrivlist	10639
	10129,	12409, 12419,		\endturn	16149
	10511,	12422, 12553,		\endwindow	14788
	10638,	12731, 13133,		\enskip	19526, 19551
	10785,	13197, 13200,		\enspace	14782, 14784
	11422,	13293, 13301,		\env@RTLcases	
	11430,	13492, 13818,		20068, 20072
	11449,	13984, 13986,		\EQ	7829, 7835, 7836,
	11474,	14786, 14918,		7840, 7841, 7850,	
	12283,	14926, 14992,		7851, 7853, 7855,	
	14777,	14993, 14994,		7856, 7858, 7859,	
	14936,	16150, 16160,		7860, 7861, 7863,	
	15032,	16169, 16178,		7864, 7865, 7877,	
	16154,	16570, 17150,		7880, 7882, 7884,	
	16172,	17833, 18080,		7885, 7887, 7890,	
	18260,	18081, 18106,		7892, 7894, 7895,	
	19860,	18112, 18259,		7897, 7898, 7900,	
	19899,	19856, 19860,		7903, 7904, 7905,	
	19903,	19968, 19976,		7908, 7911, 7919,	
	19967,	20063, 20210,		7926, 7934, 7941,	
	19986,	20213, 20216,		7943, 7946, 7950,	
	20565,	20233, 20244,		7951, 7952, 7953,	
	20636,	20245, 20565,		7965, 7967, 7968	
\endlist	12478,	20578, 20580,		\eq@addpunct	6697
	14520,	20636, 20646,		\EQ@box	6702, 6708
	15654,	20659, 20662, 20670		\eq@group	6665, 6674
	16054,	\endrotate	16159	\eq@GRP@first@dmath	
	17056,	\endRTL	14958, 20012	6674
	17739,	\ends@math	6692	\eq@if	2479, 2480, 2482
	18383			\eq@isIntertext	6712
\endlooprepeat					
	.. 3428, 3457, 3464				
\endLTR	14956, 20010				
\endMakeFramed	11159				



\eq@prelim ..	6665, 6682	15204, 15576,	2572, 2576, 2578,
\eq@setnumber	6668	15791, 15976,	2589, 2591, 2595,
\eq@setup@a	6670	18478, 18482,	2596, 2597, 2599,
\eq@startup	6671	19010, 19962,	2600, 2603, 2607,
\eq@wdCond	6689	19966, 20482, 20526	2609, 2614, 2615,
\eqnewif .	1562, 1563, 1567, 1578, 2475	\everyvbox ... 1374, 1375, 14940,	2617, 2618, 2621,
\eqno	337, 14988, 14990, 20665, 20667	14942, 14948, 14950, 19990,	2630, 2637, 2641,
\eqnumform	6700	19992, 19999, 20001	2643, 2646, 2647,
\eqstyle	6667	\ExecuteOptions ... 2166, 4092, 5473, 5475, 7430, 7528	2648, 2650, 2653,
\equal	2315, 2332, 2336, 2340, 4228, 4262, 4273, 4305, 4306, 4322, 4363, 4621, 4863, 4864, 4882, 4883, 4901, 4902, 4933, 4934, 7597, 10733	\ExecuteOptionsX . 1673 \exhyphenpenalty 626, 933, 1127, 6078, 6255, 15156, 15606, 15668	2654, 2656, 2657,
\errmessage 1595, 1749, 14316	\exp ... 13369, 13372, 13426, 13601, 13655	2659, 2660, 2662,
\ERROR	20331	\expandafter ... 166, 362, 386, 756, 765, 773, 799, 802, 1008, 1017, 1025, 1051, 1054, 1258, 1267, 1275, 1301, 1304, 1372, 1387, 1469, 1470, 1471, 1473, 1536, 1539, 1541, 1545, 1547, 1551, 1553, 1948, 1950, 1954, 1956, 1960, 1962, 1966, 1967, 1975, 1977, 1981, 1982, 2006, 2009, 2012, 2015, 2019, 2022, 2025, 2076, 2077, 2130, 2398, 2400, 2404, 2405, 2409, 2412, 2422, 2424, 2428, 2429, 2433, 2436, 2456, 2458, 2463, 2483, 2484, 2487, 2488, 2524, 2526, 2530, 2534, 2536, 2540, 2542, 2546, 2548, 2552, 2554, 2558, 2560, 2564, 2566, 2570,	2666, 2700, 2701, 2702, 2703, 2704, 2706, 2729, 2733, 2784, 2785, 2786, 2787, 2793, 2794, 2795, 2796, 2879, 2880, 2894, 2895, 2896, 2898, 2905, 2906, 2909, 2924, 2931, 2940, 3121, 3122, 3131, 3135, 3190, 3191, 3203, 3204, 3299, 3301, 3306, 3308, 3309, 3328, 3330, 3333, 3336, 3337, 3338, 3340, 3343, 3348, 3411, 3423, 3425, 3441, 3442, 3443, 3444, 3482, 3493, 3498, 3512, 3549, 3550, 3551, 3554, 3557, 3573, 3574, 3588, 3589, 3601, 3606, 3611, 3621, 3637, 3640, 3666, 3709, 3771, 3780, 3792, 3794, 3795, 3835, 3845, 3846, 3867, 3884, 3895, 3897, 4024, 4025, 4024, 5365, 5795, 5927, 5930, 5933, 5936, 5939, 5942, 5968, 5969, 6032, 6033, 6047, 6200, 6209, 6217, 6377, 6386, 6394, 6662, 6772, 6814, 6835,
\ESO@isMEMOIR	7792		
\evenpage	1755, 1758, 1759, 1760, 1762, 1763, 1764, 1765, 1767		
\evensidemargin 1779, 7815, 11568, 11573, 11581, 20604, 20612		
\everycr	13129		
\everydisplay	6662		
\everyhbox	14920, 14922, 14930, 14932, 10970, 19972, 19980, 19982		
\everyjob	1534, 1535, 1726, 1727		
\everymath	349		
\everypar ..	523, 675, 919, 1158, 4680, 4724, 4768, 6108, 6285, 6572, 8270, 10325, 10519, 14912, 14916, 15111, 15125,		



7002, 7004, 7065,	16074, 16084,	19644, 19869,
7067, 8617, 8759,	16105, 16120,	19881, 19884,
8760, 8904, 8905,	16132, 16637,	19892, 19893,
9054, 9055, 9205,	16639, 16641,	19912, 19924,
9206, 9356, 9357,	16644, 16650,	19927, 19941,
9507, 9508, 9658,	16659, 16661,	19942, 19946,
9659, 9809, 9810,	16663, 16669,	19964, 20246,
9960, 9961, 10174,	17217, 17219,	20307, 20319,
10175, 10541,	17221, 17224,	20354, 20356,
10543, 10577,	17230, 17238,	20401, 20403, 20719
10579, 10645,	17240, 17243,	\ExplSyntaxOff ... 14667
10646, 10651,	17249, 17900,	\ExplSyntaxOn ... 14637
10652, 10734,	17902, 17904,	\extrafeetendmini .
10751, 10756,	17907, 17913, 8596, 8603
10815, 10818,	17921, 17923,	\extrafeetendminihook
10839, 10842,	17926, 17932, 8601, 8602
10855, 10869,	18082, 18108,	\extrafeetins 8575, 8576
10870, 10871,	18141, 18144,	\extrafeetinshook .
10872, 10874,	18164, 18167, 8581, 8582
11098, 11186,	18169, 18171,	\extrafeetminihook 8595
11208, 11209,	18182, 18183,	\extrainfo 2258
11217, 11318,	18191, 18195,	\extrarowheight .
11320, 11366,	18197, 18204,	... 389, 13100, 13108
11368, 11405,	18206, 18211,	\extrarulesep ... 18135
11503, 11504,	18213, 18222,	\extratitle
11921, 11923,	18683, 18684,	16356, 16905, 17604
11932, 11934,	18700, 18701,	
11943, 11945,	18702, 18709,	
12048, 12062,	18711, 18712,	F
12076, 12100,	18765, 18920,	\f@size 350
12114, 12147,	19031, 19035,	\FamilyKeyState ... 19136
12178, 12209,	19039, 19138,	\FamilyKeyStateProcessed
12440, 12441,	19141, 19155, 19136
12448, 12462,	19171, 19188,	\familyname 2251
12602, 12610,	19195, 19200,	\familynamecolour .
12615, 12745,	19261, 19315,	... 2220, 7434, 7532
12746, 12751,	19317, 19319,	\familynamefont 2229,
12752, 13126,	19335, 19339,	2237, 7474, 7568
13172, 13175,	19344, 19346,	\familynamestyle ..
13996, 13999,	19349, 19353, 2237,
14031, 14033,	19358, 19362,	7485, 7575, 7596
14131, 14133,	19366, 19380,	\FamilySetBool ... 19135
14675, 14692,	19385, 19387,	\fancy@oval 10489
14704, 14709,	19390, 19394,	\fancy@reset 10521, 10527
14914, 15292,	19397, 19443,	\fancyfoot ... 2350,
15301, 15309,	19447, 19468,	4448, 4449, 7500
15335, 15338,	19472, 19534,	\fancyhead 4437, 4438,
15431, 15440,	19538, 19634,	4439, 5664, 5665,
15448, 15476,	19635, 19637,	5676, 5677, 5678
15479, 16062,	19640, 19641,	



\fancyhf	2199, 4435, 4444, 4454, 5662, 5673	11152, 11154, 15030, 19856, 19857, 19858, 19954	954, 955, 956, 973, 1001, 1011, 1020, 1028, 1052, 1054, 1069, 1074, 1108, 1115, 1124, 1128, 1134, 1135, 1140, 1143, 1151, 1159, 1161, 1168, 1169, 1177, 1180, 1181, 1186, 1199,
\fancyhfoffset 4428, 4429		\fcbox 1850	
\fancypagestyle	2196, 2349, 4443, 4453, 7499	\FeetAboveFloat 10306, 10310	1202, 1203, 1204, 1223, 1251, 1261, 1270, 1278, 1302, 1304, 1319, 1324, 1362, 1363, 1365, 1368, 1370, 1371, 1376, 1390, 1391,
\FAX	2216	\FeetAtBottom 10308	1405, 1406, 1420, 1428, 1429, 1435, 1436, 1440, 1445, 1448, 1453, 1456, 1464, 1465, 1474, 1475, 1487, 1488, 1499, 1542, 1548, 1554, 1586, 1587, 1594, 1595, 1603, 1609, 1615, 1621, 1627, 1639, 1645, 1651, 1657, 1671, 1681, 1695, 1740, 1741, 1748, 1749, 1951, 1957, 1963, 1978, 1999, 2003, 2004, 2006, 2062, 2063, 2069, 2084, 2085, 2088, 2091, 2094, 2098, 2099, 2107, 2321, 2322, 2323, 2325, 2353, 2361, 2393, 2394, 2409, 2419, 2433, 2443, 2452, 2459, 2529, 2537, 2543, 2549, 2555, 2561, 2567, 2573, 2579, 2592, 2601, 2604, 2610, 2619, 2622, 2644, 2651, 2695, 2730, 2881, 2899, 3140, 3145, 3150,
\fax	2256	\FeetBelowFloat 10307	
\faxsymbol	2216, 7509, 7607	\FeetBelowRagged 10309, 10311	
\fb@adjheight	11173, 11243, 11263	\ff@backcol 10745	
\fb@afterframe	11168, 11193, 11251	\ff@col 10743	
\FB@captype	10650, 10651, 10653	\ff@frametype 10741, 10752	
\fb@frh	11180, 11184, 11199, 11234, 11237	\ff@txtcol	
\fb@put@frame	11162, 11173, 11244, 11264	10733, 10734, 10744	
\fb@putboxa	11167, 11192, 11250, 11267	\fi 12, 13, 18, 25, 36, 87, 98, 104, 107, 108, 109, 117, 134, 136, 142, 150, 154, 158, 162, 169, 184, 217, 218, 223, 228, 234, 237, 238, 239, 249, 300, 315, 319, 338, 346, 351, 365, 366, 378, 379, 382, 385, 401, 407, 409, 466, 471, 509, 516, 524, 526, 533, 536, 537, 540, 559, 560, 566, 575, 598, 607, 614, 623, 627, 640, 643, 644, 645, 651, 652, 657, 660, 668, 676, 678, 685, 686, 693, 696, 697, 702, 710, 749, 759, 768, 776, 800, 802, 817, 822, 856, 863, 872, 878, 879, 885, 888, 895, 898, 899, 904, 912, 920, 922, 929, 930, 934,	
\fb@sizeofframe	11175, 11197		
\fbox	1900, 1910, 6841, 7969, 11695, 11701, 11708, 11714, 11720, 11726, 11734, 11738, 11743, 11747, 11751, 11755, 11770, 11771, 11786, 11787, 11796, 11800, 11805, 11809, 11813, 11817, 11825, 11831, 11838, 11844, 11850, 11856, 15031		
\fboxrule 1848, 11136, 11142, 11148, 11150, 11152, 11154			
\fboxsep	1849, 1916, 1925, 6803, 6804, 6805, 6841, 11136, 11148, 11150,		



3153, 3154, 3155, 3163, 3173, 3175, 3183, 3190, 3193, 3197, 3204, 3209, 3220, 3232, 3233, 3271, 3275, 3282, 3286, 3288, 3319, 3411, 3445, 3483, 3489, 3493, 3498, 3512, 3555, 3581, 3595, 3607, 3622, 3658, 3670, 3702, 3713, 3767, 3769, 3770, 3799, 3801, 3805, 3806, 3815, 3817, 3838, 3839, 3841, 3855, 3856, 3858, 3859, 3874, 3887, 3888, 3896, 3913, 3968, 3978, 3989, 4176, 4182, 4375, 4378, 4381, 4384, 4403, 4414, 4644, 4653, 4680, 4688, 4697, 4732, 4741, 4917, 4974, 4976, 4986, 5312, 5313, 5430, 5431, 5432, 5610, 5688, 5740, 5753, 5761, 5792, 5793, 5848, 5849, 5853, 5860, 5865, 5874, 5903, 5914, 5916, 5919, 5921, 5975, 5977, 5981, 6000, 6002, 6003, 6004, 6015, 6017, 6018, 6027, 6029, 6066, 6075, 6079, 6085, 6086, 6091, 6094, 6102, 6110, 6117, 6118, 6125, 6128, 6129, 6135, 6145, 6177, 6179, 6181, 6193, 6203, 6212, 6220, 6243, 6252, 6256, 6262, 6263, 6268, 6271, 6279, 6287, 6294, 6295, 6302,	6305, 6306, 6312, 6333, 6354, 6356, 6358, 6370, 6380, 6389, 6397, 6417, 6423, 6424, 6428, 6430, 6453, 6462, 6516, 6521, 6559, 6566, 6574, 6581, 6584, 6585, 6589, 6599, 6601, 6603, 6612, 6618, 6619, 6626, 6637, 6642, 6661, 6663, 6664, 6665, 6673, 6684, 6686, 6695, 6700, 6702, 6717, 6718, 6719, 6721, 6723, 6748, 6755, 6761, 6773, 6774, 6786, 6787, 6798, 6802, 6803, 6807, 6808, 6810, 6817, 6823, 6842, 6845, 6846, 6852, 6857, 6880, 6903, 6926, 6949, 6964, 6967, 6968, 6984, 6988, 6989, 6991, 7012, 7037, 7044, 7053, 7055, 7075, 7096, 7103, 7112, 7114, 7124, 7163, 7170, 7179, 7182, 7189, 7202, 7210, 7216, 7221, 7223, 7224, 7225, 7258, 7259, 7275, 7284, 7289, 7290, 7336, 7344, 7353, 7356, 7363, 7377, 7385, 7391, 7396, 7398, 7399, 7400, 7401, 7415, 7450, 7457, 7464, 7471, 7496, 7545, 7551, 7557, 7563, 7577, 7592, 7638, 7641, 7642, 7659, 7662, 7663, 7688, 7704, 7705, 7707, 7716, 7725, 7726, 7745,	7758, 7759, 7768, 7777, 7778, 7781, 7787, 7790, 7801, 7804, 7816, 7822, 7842, 7861, 7862, 7876, 7917, 7918, 7924, 7925, 7926, 7932, 7933, 7939, 7940, 7941, 7942, 7950, 7951, 7952, 7953, 7954, 7955, 7983, 7996, 7999, 8000, 8003, 8010, 8016, 8023, 8024, 8030, 8037, 8047, 8118, 8123, 8157, 8215, 8220, 8258, 8264, 8272, 8274, 8276, 8278, 8287, 8293, 8294, 8302, 8313, 8318, 8339, 8342, 8345, 8347, 8354, 8355, 8359, 8380, 8400, 8415, 8462, 8544, 8545, 8556, 8557, 8568, 8569, 8580, 8600, 8612, 8637, 8638, 8641, 8642, 8644, 8665, 8675, 8710, 8727, 8816, 8825, 8858, 8874, 8960, 8970, 9005, 9022, 9111, 9121, 9156, 9173, 9262, 9272, 9306, 9324, 9413, 9423, 9457, 9475, 9564, 9574, 9609, 9626, 9715, 9725, 9760, 9777, 9866, 9876, 9911, 9928, 10021, 10032, 10041, 10079, 10129, 10259, 10290, 10302, 10319, 10327, 10334, 10337, 10338, 10342, 10345, 10350, 10357, 10374,
--	--	--



10437,	10442,	11603,	11608,	12305,	12314,
10476,	10483,	11612,	11613,	12322,	12334,
10485,	10487,	11623,	11624,	12339,	12347,
10497,	10501,	11629,	11630,	12354,	12365,
10508,	10509,	11631,	11639,	12370,	12376,
10510,	10511,	11648,	11650,	12383,	12394,
10551,	10567,	11651,	11652,	12399,	12409,
10569,	10587,	11653,	11654,	12415,	12419,
10607,	10609,	11666,	11668,	12422,	12450,
10620,	10627,	11669,	11670,	12454,	12469,
10643,	10665,	11671,	11672,	12481,	12487,
10673,	10677,	11677,	11683,	12490,	12491,
10691,	10698,	11684,	11685,	12492,	12507,
10760,	10762,	11698,	11704,	12518,	12519,
10764,	10773,	11711,	11717,	12524,	12536,
10775,	10777,	11723,	11729,	12553,	12557,
10785,	10788,	11730,	11731,	12560,	12563,
10790,	10805,	11736,	11740,	12565,	12588,
10819,	10843,	11745,	11749,	12589,	12606,
10927,	10929,	11753,	11757,	12616,	12622,
10965,	11018,	11758,	11759,	12639,	12654,
11026,	11040,	11760,	11767,	12655,	12673,
11054,	11055,	11775,	11783,	12676,	12680,
11070,	11071,	11791,	11798,	12709,	12710,
11094,	11137,	11802,	11807,	12720,	12721,
11151,	11153,	11811,	11815,	12738,	12747,
11163,	11231,	11819,	11820,	12753,	12787,
11232,	11260,	11821,	11828,	12790,	12867,
11265,	11274,	11834,	11841,	12870,	12873,
11287,	11288,	11847,	11853,	12876,	12879,
11289,	11303,	11859,	11860,	12882,	12885,
11328,	11349,	11861,	11862,	12888,	12892,
11352,	11376,	11863,	11864,	12895,	12898,
11401,	11404,	11865,	11874,	12901,	12904,
11417,	11419,	11879,	11880,	12907,	12910,
11422,	11423,	11884,	11896,	12913,	12916,
11424,	11430,	11904,	11908,	12919,	12922,
11432,	11443,	11909,	11924,	12925,	12928,
11449,	11452,	11935,	11946,	12931,	12934,
11459,	11468,	11966,	11977,	12937,	12940,
11474,	11476,	11988,	12003,	12943,	12946,
11478,	11481,	12018,	12033,	12949,	12952,
11489,	11495,	12092,	12130,	12955,	12958,
11510,	11516,	12163,	12194,	12961,	12964,
11517,	11520,	12225,	12251,	12967,	12970,
11527,	11539,	12254,	12257,	12973,	12976,
11540,	11553,	12260,	12269,	12979,	12982,
11563,	11569,	12271,	12275,	12985,	12988,
11576,	11582,	12281,	12283,	12991,	12994,
11583,	11599,	12286,	12300,	12997,	13000,



13003,	13006,	14276,	14281,	15082,	15084,
13009,	13012,	14284,	14288,	15086,	15095,
13015,	13018,	14293,	14297,	15097,	15114,
13021,	13024,	14305,	14316,	15136,	15137,
13027,	13030,	14330,	14335,	15144,	15153,
13033,	13036,	14341,	14358,	15157,	15170,
13039,	13042,	14366,	14372,	15173,	15174,
13045,	13048,	14381,	14388,	15175,	15181,
13051,	13054,	14396,	14400,	15182,	15187,
13057,	13060,	14404,	14408,	15190,	15198,
13063,	13066,	14501,	14508,	15206,	15213,
13069,	13072,	14527,	14532,	15214,	15221,
13075,	13081,	14537,	14544,	15224,	15225,
13083,	13086,	14554,	14555,	15231,	15246,
13095,	13096,	14558,	14559,	15267,	15269,
13111,	13133,	14560,	14565,	15271,	15285,
13138,	13147,	14570,	14574,	15295,	15304,
13151,	13192,	14580,	14586,	15312,	15336,
13193,	13197,	14591,	14594,	15338,	15353,
13198,	13200,	14600,	14619,	15358,	15392,
13205,	13210,	14632,	14633,	15399,	15408,
13214,	13247,	14684,	14698,	15424,	15434,
13269,	13293,	14706,	14707,	15443,	15451,
13301,	13492,	14711,	14719,	15477,	15479,
13818,	13888,	14734,	14742,	15494,	15499,
13892,	13895,	14777,	14786,	15541,	15542,
13900,	13901,	14787,	14805,	15544,	15547,
13902,	13903,	14809,	14816,	15553,	15554,
13904,	13905,	14817,	14819,	15559,	15562,
13917,	13931,	14821,	14822,	15570,	15578,
13934,	13940,	14823,	14829,	15585,	15586,
13944,	13945,	14854,	14856,	15593,	15596,
13966,	13967,	14867,	14878,	15597,	15603,
13968,	13973,	14885,	14891,	15607,	15620,
13984,	13986,	14893,	14896,	15623,	15624,
13990,	14000,	14897,	14911,	15625,	15632,
14012,	14019,	14965,	14966,	15634,	15636,
14041,	14048,	14969,	14973,	15640,	15669,
14051,	14072,	14974,	14990,	15738,	15743,
14082,	14112,	14991,	14992,	15779,	15785,
14118,	14119,	14993,	14994,	15793,	15800,
14141,	14148,	14996,	14999,	15803,	15804,
14151,	14172,	15007,	15018,	15808,	15809,
14182,	14209,	15023,	15028,	15810,	15821,
14215,	14216,	15031,	15032,	15823,	15825,
14221,	14241,	15039,	15041,	15834,	15858,
14251,	14252,	15045,	15047,	15867,	15920,
14257,	14258,	15056,	15058,	15925,	15963,
14264,	14268,	15060,	15069,	15970,	15978,
14269,	14272,	15071,	15073,	15985,	15988,



15989,	15993,	16958,	16959,	17759,	17760,
16003,	16005,	16962,	16965,	17762,	17789,
16007,	16016,	16978,	16981,	17813,	17814,
16021,	16028,	16986,	16989,	17815,	17833,
16037,	16071,	16994,	16997,	17834,	17842,
16075,	16085,	17006,	17010,	17848,	17861,
16116,	16121,	17017,	17034,	17871,	17889,
16122,	16133,	17055,	17062,	17895,	17919,
16134,	16148,	17067,	17072,	18010,	18013,
16150,	16154,	17075,	17076,	18055,	18071,
16158,	16160,	17077,	17079,	18076,	18080,
16165,	16169,	17106,	17130,	18081,	18098,
16172,	16176,	17131,	17132,	18106,	18112,
16178,	16182,	17150,	17151,	18119,	18126,
16209,	16218,	17159,	17165,	18132,	18137,
16220,	16231,	17178,	17188,	18168,	18225,
16238,	16261,	17206,	17212,	18226,	18242,
16267,	16273,	17236,	17331,	18243,	18259,
16276,	16299,	17338,	17339,	18294,	18301,
16304,	16305,	17355,	17356,	18303,	18318,
16317,	16327,	17357,	17358,	18329,	18332,
16332,	16335,	17359,	17360,	18339,	18340,
16372,	16373,	17361,	17362,	18341,	18346,
16379,	16386,	17369,	17371,	18350,	18351,
16389,	16404,	17375,	17377,	18366,	18389,
16409,	16410,	17381,	17383,	18396,	18414,
16411,	16427,	17387,	17389,	18415,	18431,
16430,	16437,	17393,	17395,	18432,	18433,
16454,	16475,	17399,	17401,	18437,	18438,
16482,	16487,	17405,	17407,	18447,	18451,
16492,	16495,	17411,	17413,	18452,	18453,
16496,	16497,	17417,	17419,	18459,	18462,
16499,	16526,	17423,	17425,	18463,	18464,
16550,	16551,	17429,	17457,	18472,	18483,
16552,	16570,	17466,	17468,	18484,	18486,
16571,	16579,	17479,	17486,	18487,	18493,
16585,	16598,	17509,	17515,	18494,	18495,
16608,	16626,	17521,	17524,	18503,	18506,
16632,	16656,	17547,	17552,	18507,	18515,
16758,	16767,	17553,	17565,	18516,	18517,
16769,	16780,	17575,	17580,	18518,	18526,
16787,	16810,	17583,	17620,	18529,	18533,
16816,	16822,	17621,	17627,	18534,	18535,
16825,	16848,	17634,	17637,	18543,	18546,
16853,	16854,	17652,	17657,	18550,	18551,
16866,	16876,	17658,	17689,	18552,	18560,
16881,	16884,	17693,	17700,	18563,	18567,
16921,	16922,	17717,	17738,	18568,	18569,
16928,	16935,	17745,	17750,	18577,	18580,
16938,	16953,	17755,	17758,	18584,	18585,



18586,	18594,	19661,	19667,	20235,	20238,
18597,	18601,	19678,	19683,	20240,	20244,
18602,	18603,	19689,	19691,	20245,	20248,
18611,	18614,	19698,	19701,	20264,	20265,
18619,	18620,	19714,	19723,	20273,	20274,
18621,	18629,	19736,	19739,	20277,	20278,
18632,	18638,	19750,	19756,	20279,	20280,
18639,	18640,	19757,	19763,	20281,	20287,
18648,	18651,	19768,	19771,	20292,	20300,
18658,	18659,	19785,	19790,	20317,	20323,
18660,	18668,	19793,	19794,	20325,	20332,
18671,	18685,	19795,	19796,	20342,	20344,
18693,	18694,	19800,	19803,	20364,	20388,
18695,	18703,	19805,	19811,	20391,	20411,
18706,	18728,	19812,	19826,	20431,	20434,
18743,	18744,	19836,	19837,	20437,	20446,
18745,	18886,	19844,	19849,	20455,	20490,
18902,	18994,	19852,	19855,	20499,	20531,
19008,	19011,	19856,	19859,	20534,	20535,
19013,	19041,	19860,	19862,	20536,	20537,
19042,	19043,	19871,	19872,	20538,	20546,
19050,	19065,	19876,	19882,	20560,	20564,
19082,	19104,	19888,	19889,	20565,	20569,
19143,	19144,	19890,	19893,	20577,	20578,
19412,	19414,	19899,	19903,	20579,	20580,
19421,	19423,	19914,	19915,	20581,	20600,
19436,	19437,	19919,	19925,	20607,	20613,
19438,	19445,	19937,	19938,	20614,	20615,
19449,	19454,	19939,	19942,	20616,	20618,
19458,	19464,	19956,	19961,	20619,	20620,
19470,	19474,	20007,	20008,	20636,	20646,
19480,	19483,	20019,	20020,	20659,	20662,
19485,	19486,	20023,	20027,	20663,	20667,
19487,	19490,	20028,	20063,	20668,	20670,
19493,	19496,	20089,	20108,	20678,	20680,
19497,	19506,	20116,	20122,	20780,	20786, 20792
19512,	19521,	20128,	20134,	\figcaption	11648, 11666
19522,	19530,	20135,	20141,	\fill 5603, 5607,
19536,	19540,	20146,	20149,	11683,	11878,
19543,	19544,	20169,	20170,	13081,	13083, 13085
19555,	19556,	20178,	20179,	\filright	.. 18281, 18310
19566,	19567,	20187,	20188,	\FirstFrameCommand	
19571,	19575,	20196,	20197,	11150, 11166
19579,	19583,	20205,	20206,	\firstmark	... 7010,
19587,	19591,	20207,	20208,	7073,	10549,
19595,	19599,	20211,	20214,	10585,	10730,
19603,	19608,	20217,	20220,	11326,	11374,
19616,	19619,	20221,	20222,	14039,	14139,
19626,	19627,	20223,	20225,	20362,	20409, 20653
19631,	19638,	20227,	20228,	\firstname 2250



\firstnamecolour ..		\FN@sf@gobble@twobracket ..		\footdir@toks ..	
.. 2219, 7435, 7531	 1969, 1972		.. 10801, 10868,	
\firstnamefont 2228,		\fnch@everypar .. 10519		10869, 10870, 10874	
2236, 7473,		\font .. 18022, 18023		\footdir@write ..	
7474, 7565, 7568		\fontdimen 18022, 18023		10795, 10825, 10864	
\firstnamestyle 2236,		\fontsize ..		\footersymbol .. 7492,	
7485, 7575, 7596		313, 5558, 5560,		7493, 7508,	
\fivecolumnfootnotes ..	9095	5562, 7473, 7565,		7509, 7510, 7511	
\fivecolumnfootstyle ..	9192	12502, 14617, 14630		\footfootmark ..	
\flnew@within ..	10650	\foo .. 14689,		... 8534, 8702,	
\float@newx ..	10644	14691, 14701, 14703		8850, 8997, 9148,	
\floatalignment 4232,		\footdir@abspage ..		9299, 9450, 9601,	
4233, 4274, 4275,	 10830,		9752, 9903, 10109	
4297, 4304,		10833, 10834,		\footfudgefactor ..	
4312, 4363, 4574		10837, 10838, 10841		10012, 10067, 10184	
\FloatBarrier 4204, 4554		\footdir@debug .. 10802,		\footfudgefiddle 10042	
\floatc@bidituftefloatplain ..	4572, 4582,	10810, 10814,		\footins .. 35,	
4589, 4595, 4603		10817, 10827,		49, 65, 248, 262,	
\floatc@bidituftefloatplaintop ..	4589	10834, 10838, 10841		277, 7647, 7668,	
\floatc@bidituftefloated ..	4590	\footdir@debugfalse 1050		7672, 7673, 7684,	
\floatc@plain ..	10641	\footdir@debugtrue ..		7687, 7691, 7715,	
\floatingpenalty ..		\footdir@fntext ..		7721, 7729, 7730,	
. 41, 55, 71, 254,		10848, 10865, 10867		7741, 7744, 7748,	
268, 283, 7647,		\footdir@LeftRightElse ..		7767, 7773, 8414,	
7668, 7715, 7722,		10808, 10824, 10901		8430, 8446, 8587,	
7767, 7774, 8590,		\footdir@name ..		10267, 10271,	
10970, 10987, 11003		10851, 10854, 10855		10278, 10282,	
\floatstyle ..	4623	\footdir@ORG@bidi@amsart@footnotetext ..		10286, 10299,	
\flushleft ..	1917, 1926 79		10997, 11312,	
\FN@sf@@footnote ..		\footdir@ORG@bidi@amsart@LTRfootnotetext .. 360,		\footinsdim ..	
..... 1944, 1948	 81		\footdir@ORG@bidi@amsart@RTLfootnotetext .. 8586, 8587,	
\FN@sf@@footnotemark ..		\footdir@ORG@bidi@amsbook@footnote 80	
..... 1973, 1975	 292		8628, 8655, 8759,	
\FN@sf@@LTRfootnote ..		\footdir@ORG@bidi@amsbook@LTRfootnotetext .. 9403,		8816, 8904, 8950,	
..... 1945, 1954	 294		9054, 9101, 9205,	
\FN@sf@@RTLfootnote ..		\footdir@ORG@bidi@amsbook@RTLfootnotetext .. 9856,		9507, 9554, 9658,	
..... 1946, 1960	 293		9960, 10049, 10174	
\FN@sf@gobble@bracket ..		\footdir@ORG@bidi@footnote ..		\footinsv@r ..	
..... 1984, 1987	 11021	 8580, 8625,	
\FN@sf@gobble@opt ..		\footdir@ORG@bidi@LTRfootnotetext .. 8626, 8627, 8628,		8655, 8656, 8665,	
..... 1950,	 11023		8675, 8685, 8806,	
1956, 1962, 1965		\footdir@ORG@bidi@RTLfootnotetext .. 8807, 8816, 8825,		8834, 8950, 8951,	
\FN@sf@gobble@option 11022		8960, 8970, 8980,	
..... 1977, 1980		\footdir@temp ..		9101, 9102, 9111,	
		.. 79, 80, 81, 292,		9121, 9131, 9252,	
		293, 294, 10860,			
		11021, 11022, 11023			



9253, 9262, 9272,	10916, 10917,	8818, 8850, 8861,
9282, 9403, 9404,	10919, 11412, 18276	8945, 8962, 8997,
9413, 9423, 9433,	\footnotes 4955	9008, 9096, 9113,
9554, 9555, 9564,	\footnotesep 29,	9148, 9159, 9247,
9574, 9584, 9705,	31, 40, 46, 54,	9264, 9299, 9310,
9706, 9715, 9725,	60, 70, 76, 243,	9398, 9415, 9450,
9735, 9856, 9857,	245, 253, 259,	9461, 9549, 9566,
9866, 9876, 9886,	267, 273, 282,	9601, 9612, 9700,
10049, 10050,	288, 7644, 7665,	9717, 9752, 9763,
10070, 10082, 10094	7690, 7747, 8425,	9851, 9868, 9903,
\footmarksep	8441, 8457, 8471,	9914, 10017,
\footmarkstyle 8531, 8570	8484, 8497, 8591,	10044, 10061,
\footmarkwidth	10969, 10977,	10073, 10109, 10123
... 8528, 8535,	10986, 10994,	\forcerectofloat . 4235
8536, 8538, 8540,	11002, 11010,	\forceversofloat . 4236
8543, 8547, 8548,	11037, 11051,	\forvariable .. 3391,
8550, 8552, 8555,	11065, 12497, 12499	3397, 3473, 3509,
8559, 8560, 8562,	\footnotesize . . . 38,	3516, 3521, 3527,
8564, 8567, 8573	52, 68, 106,	3532, 3536, 3537
\footnote . . 420, 494,	236, 251, 265,	\fourcolumnfootnotes
744, 843, 996,	280, 416, 740, 8944
1095, 1246, 1346,	992, 1242, 2328,	\fourcolumnfootstyle
1944, 1947, 5140,	2350, 4112, 4113, 9041
5459, 5490, 6188,	4151, 4770, 4771,	\fp 13590,
6365, 6470, 6544,	4772, 4964, 4994,	13591, 13592, 13593
8076, 8144, 8169,	5012, 5030, 6184,	\fps@figure 11636
8243, 10395,	6361, 6466, 8072,	\framebox
10463, 13935,	8165, 8583, 8584,	. 172, 174, 7483,
13938, 15280,	8585, 10391,	7614, 14250, 14256
15379, 15417,	10960, 10961,	\FrameCommand 11148
15523, 15677,	10962, 10967,	\FrameHeightAdjust 11222
15765, 15874,	10984, 11000,	\FrameRestore . 11156,
15948, 16252,	11030, 11044,	11160, 11276, 11277
16368, 16801,	11058, 12489,	\fromaddress
16917, 17500, 17616	14782, 14784,	. . . 8337, 8343,
\footnotelayout . . .	15276, 15413,	8353, 12555, 12561
... 4958, 4959, 4962	15673, 15870,	\fromname 8358
\footnotemark . 1973,	16248, 16797, 17496	\fromplace 17423
1974, 11099,	\footnotetext . 2008,	\fromsig 8357, 8359, 17430
11113, 13936, 13939	2019, 5926, 5936	\fromvalue 3391, 3477,
\footnoterule . 7626,	\footparindent 8530, 8574	3500, 3522, 3537
7688, 7694, 7699,	\footrule 10528	\frontmatter 5657
7727, 7728, 7745,	\footrulewidth 2198, 4433	\fs@biditufefloatboxed
7749, 7753, 7779,	\footscript . . 8531, 4601
7780, 8409,	8537, 8541, 8543	\fs@biditufefloatplain
8599, 8610, 8624,	\footskip . . 10528, 20643 4580, 4588
10244, 10270,	\foottextfont . . 8418,	\fs@biditufefloatplaintop
10281, 10792,	8425, 8465, 8471, 4588
10889, 10893,	8583, 8650, 8667,	\fs@biditufefloatruled
10896, 10911,	8702, 8713, 8801, 4593



\fslice .	14799, 14800, 14802, 14803, 14806	13546,	13547,	13833, 13836, 13837, 13841, 13842, 13843, 13848, 13855, 14640, 14642, 14651, 14654, 14656, 14657
\ftn@font	16223, 16772, 17471	13548,	13549,	\g@addto@macro 3640, 3884, 3969, 3979, 4230, 4916, 4918, 7877, 7880, 7882, 19343, 19639
\ftn@rule@height ..	16230, 16233, 16237, 16240, 16779, 16782, 16786, 16789, 17478, 17481, 17485, 17488	13550,	13552, 13555, 13556, 13558, 13561, 13563, 13566, 13571, 13579, 13580, 13582, 13583, 13584, 13585, 13586, 13587, 13588, 13590, 13591, 13592, 13593, 13595, 13596, 13606, 13614, 13615, 13616, 13618, 13623, 13624, 13629, 13630, 13634, 13639, 13642, 13649, 13651, 13654, 13655, 13659, 13661, 13662, 13665, 13666, 13667, 13671, 13672, 13676, 13677, 13684, 13699, 13700, 13701, 13703, 13708, 13711, 13712, 13715, 13719, 13720, 13721, 13725, 13726, 13727, 13734, 13735, 13736, 13738, 13739, 13742, 13743, 13748, 13754, 13765, 13770, 13771, 13772, 13776, 13779, 13780, 13781, 13782, 13784, 13792, 13806, 13807, 13808, 13809, 13811, 13814, 13822, 13823, 13826, 13830, 13831,	13841, 13842, 13843, 13848, 13855, 14640, 14642, 14651, 14654, 14656, 14657 \g@mix@page@int .. 13728 \gdef
\ftn@rule@test@values ..	16229, 16236, 16778, 16785, 17477, 17484	13592,	13593, 13595, 13596, 13606, 13614, 13615, 13616, 13618, 13623, 13624, 13629, 13630, 13634, 13639, 13642, 13649, 13651, 13654, 13655, 13659, 13661, 13662, 13665, 13666, 13667, 13671, 13672, 13676, 13677, 13684, 13699, 13700, 13701, 13703, 13708, 13711, 13712, 13715, 13719, 13720, 13721, 13725, 13726, 13727, 13734, 13735, 13736, 13738, 13739, 13742, 13743, 13748, 13754, 13765, 13770, 13771, 13772, 13776, 13779, 13780, 13781, 13782, 13784, 13792, 13806, 13807, 13808, 13809, 13811, 13814, 13822, 13823, 13826, 13830, 13831,	409, 411, 1847, 2219, 2220, 2221, 2222, 2223, 2224, 2226, 2227, 3163, 3165, 3175, 3177, 3486, 3488, 3489, 3963, 3974, 4248, 4249, 4251, 4254, 4334, 4339, 4340, 4341, 4493, 4534, 4913, 5051, 5080, 5109, 5148, 5157, 5166, 5495, 5512, 5528, 5540, 5580, 5581, 5582, 5769, 5772, 6034, 6046, 6048, 7009, 7072, 7831, 7844, 10284, 10295, 10306, 10307, 10548, 10584, 10855, 10915, 11325, 11373, 12603, 12786, 12789, 14038, 14138, 14562, 14583, 14973, 18020, 18282, 18283, 18288, 18311, 18312, 19636, 20027, 20077, 20304, 20361, 20408 \geometry .. 4134, 4137, 4141, 4144, 4148 \Gin@angle
\full@width	14308, 14320, 14371	13659,	13661, 13662, 13665, 13666, 13667, 13671, 13672, 13676, 13677, 13684, 13699, 13700, 13701, 13703, 13708, 13711, 13712, 13715, 13719, 13720, 13721, 13725, 13726, 13727, 13734, 13735, 13736, 13738, 13739, 13742, 13743, 13748, 13754, 13765, 13770, 13771, 13772, 13776, 13779, 13780, 13781, 13782, 13784, 13792, 13806, 13807, 13808, 13809, 13811, 13814, 13822, 13823, 13826, 13830, 13831,	409, 411, 1847, 2219, 2220, 2221, 2222, 2223, 2224, 2226, 2227, 3163, 3165, 3175, 3177, 3486, 3488, 3489, 3963, 3974, 4248, 4249, 4251, 4254, 4334, 4339, 4340, 4341, 4493, 4534, 4913, 5051, 5080, 5109, 5148, 5157, 5166, 5495, 5512, 5528, 5540, 5580, 5581, 5582, 5769, 5772, 6034, 6046, 6048, 7009, 7072, 7831, 7844, 10284, 10295, 10306, 10307, 10548, 10584, 10855, 10915, 11325, 11373, 12603, 12786, 12789, 14038, 14138, 14562, 14583, 14973, 18020, 18282, 18283, 18288, 18311, 18312, 19636, 20027, 20077, 20304, 20361, 20408 \geometry .. 4134, 4137, 4141, 4144, 4148 \Gin@angle
\futurelet .	793, 795, 1045, 1047, 1295, 1297, 2449, 3199, 3202, 15329, 15331, 15470, 15472	13699,	13700, 13701, 13703, 13708, 13711, 13712, 13715, 13719, 13720, 13721, 13725, 13726, 13727, 13734, 13735, 13736, 13738, 13739, 13742, 13743, 13748, 13754, 13765, 13770, 13771, 13772, 13776, 13779, 13780, 13781, 13782, 13784, 13792, 13806, 13807, 13808, 13809, 13811, 13814, 13822, 13823, 13826, 13830, 13831,	409, 411, 1847, 2219, 2220, 2221, 2222, 2223, 2224, 2226, 2227, 3163, 3165, 3175, 3177, 3486, 3488, 3489, 3963, 3974, 4248, 4249, 4251, 4254, 4334, 4339, 4340, 4341, 4493, 4534, 4913, 5051, 5080, 5109, 5148, 5157, 5166, 5495, 5512, 5528, 5540, 5580, 5581, 5582, 5769, 5772, 6034, 6046, 6048, 7009, 7072, 7831, 7844, 10284, 10295, 10306, 10307, 10548, 10584, 10855, 10915, 11325, 11373, 12603, 12786, 12789, 14038, 14138, 14562, 14583, 14973, 18020, 18282, 18283, 18288, 18311, 18312, 19636, 20027, 20077, 20304, 20361, 20408 \geometry .. 4134, 4137, 4141, 4144, 4148 \Gin@angle
G				
\g	7848, 7850, 7854, 7947, 13288, 13293, 13295, 13301, 13303, 13346, 13350, 13351, 13397, 13401, 13402, 13419, 13420, 13457, 13473, 13476, 13482, 13483, 13484, 13485, 13486, 13495, 13496, 13498, 13500, 13501, 13502, 13509, 13510, 13515, 13521, 13530, 13533, 13541, 13542, 13545,			



\Gin@defaultbp . . .	1285, 1286, 1287,	6530, 6531, 6532,
... 11454, 11455,	1288, 1289, 1290,	6533, 6534, 6535,
11456, 11457,	1291, 1292, 1293,	6536, 6537, 6571,
18247, 18248, 18251	1322, 1328, 1329,	6572, 6664, 6674,
\Gin@height . . .	1330, 1331, 1332,	6675, 6676, 6677,
\Gin@esetsize . . .	1333, 1334, 1335,	6678, 6679, 6680,
\Gin@ewidth 14624, 14625	1336, 1337, 1338,	6681, 6689, 6702,
\Gin@exclamation . .	1464, 1465, 1796,	6707, 6711, 6767,
11502, 14624, 14627	1797, 1798, 1799,	6996, 6997, 7007,
\Gin@gridfalse . . .	1800, 1801, 1802,	7014, 7048, 7059,
\Gin@ii . . .	1803, 1804, 1805,	7060, 7070, 7077,
\Gin@iii . . .	1806, 2006, 2009,	7107, 7166, 7174,
\Gin@llx . . .	2012, 2015, 2019,	7184, 7194, 7203,
\Gin@lly . . .	2022, 2025, 2104,	7205, 7206, 7209,
\Gin@outer@scalley	2108, 2130, 2386,	7212, 7222, 7236,
\Gin@outer@scalley	2308, 2422, 2506,	7237, 7239, 7241,
\Gin@scalley . . .	2522, 3299, 3301,	7242, 7244, 7250,
\Gin@scalley . . .	3314, 3315, 3325,	7251, 7254, 7256,
\Gin@urx . . .	3333, 3343, 3456,	7257, 7260, 7263,
\Gin@ury . . .	3475, 3477, 3479,	7268, 7277, 7285,
\Gin@include@graphics	3491, 3496, 4099,	7340, 7348, 7358,
.... 11458, 11470	4233, 4277, 4278,	7367, 7369, 7378,
\Gin@path . . .	4650, 4661, 4664,	7380, 7381, 7384,
\global . . .	4694, 4705, 4708,	7387, 7397, 7405,
441, 442, 443,	4738, 4749, 4752,	7406, 7413, 7639,
444, 445, 446,	4806, 5573, 5770,	7646, 7660, 7667,
447, 448, 449,	5773, 5791, 5795,	7679, 7687, 7691,
450, 451, 469,	5811, 5822, 5848,	7708, 7711, 7719,
475, 476, 477,	5849, 5876, 5889,	7724, 7736, 7744,
478, 479, 480,	5890, 5918, 5927,	7748, 7760, 7763,
481, 482, 483,	5930, 5933, 5936,	7771, 7776, 7957,
484, 485, 486,	5939, 5942, 5974,	8094, 8095, 8096,
487, 522, 523,	5984, 5998, 6000,	8097, 8098, 8099,
674, 675, 782,	6005, 6006,	8100, 8101, 8102,
783, 784, 785,	6012, 6013, 6015,	8103, 8121, 8127,
786, 787, 788,	6035, 6047, 6049,	8128, 8129, 8130,
789, 790, 791,	6107, 6108, 6226,	8131, 8132, 8133,
820, 826, 827,	6227, 6228, 6229,	8134, 8135, 8136,
828, 829, 830,	6230, 6231, 6232,	8137, 8189, 8190,
831, 832, 833,	6233, 6234, 6235,	8191, 8192, 8193,
834, 835, 836,	6284, 6285, 6403,	8194, 8195, 8196,
918, 919, 1034,	6404, 6405, 6406,	8197, 8198, 8199,
1035, 1036, 1037,	6407, 6408, 6409,	8200, 8218, 8224,
1038, 1039, 1040,	6410, 6411, 6412,	8225, 8226, 8227,
1041, 1042, 1043,	6490, 6491, 6492,	8228, 8229, 8230,
1072, 1078, 1079,	6493, 6494, 6495,	8231, 8232, 8233,
1080, 1081, 1082,	6496, 6497, 6498,	8234, 8235, 8236,
1083, 1084, 1085,	6499, 6500, 6501,	8269, 8270, 8462,
1086, 1087, 1088,	6519, 6525, 6526,	8475, 8488, 8644,
1157, 1158, 1284,	6527, 6528, 6529,	8710, 8722, 8735,



8775,	8858,	8869,		13121,	13172,		15326,	15327,
8881,	8919,	9005,		13175,	13194,		15356,	15362,
9017,	9030,	9070,		13195,	13203,		15363,	15364,
9156,	9168,	9181,		13868,	13869,		15365,	15366,
9221,	9307,	9319,		13870,	13871,		15367,	15368,
9332,	9372,	9458,		13872,	13873,		15369,	15370,
9470,	9483,	9523,		13874,	13875,		15371,	15372,
9609,	9621,	9634,		13876,	13893,		15457,	15458,
9674,	9760,	9772,		13988,	14025,		15459,	15460,
9785,	9825,	9911,		14026,	14036,		15461,	15462,
9923,	9936,	9976,		14042,	14045,		15463,	15464,
10003,	10017,			14047,	14049,		15465,	15466,
10119,	10133,			14050,	14052,		15467,	15468,
10147,	10202,			14057,	14065,		15497,	15503,
10247,	10294,			14067,	14075,		15504,	15505,
10305,	10324,			14076,	14077,		15506,	15507,
10325,	10413,			14078,	14080,		15508,	15509,
10414,	10415,			14081,	14084,		15510,	15511,
10416,	10417,			14085,	14116,		15512,	15513,
10418,	10419,			14117,	14125,		15514,	15515,
10420,	10421,			14126,	14136,		15575,	15576,
10422,	10440,			14142,	14145,		15707,	15708,
10446,	10447,			14147,	14149,		15709,	15710,
10448,	10449,			14150,	14152,		15711,	15712,
10450,	10451,			14157,	14165,		15713,	15714,
10452,	10453,			14167,	14175,		15715,	15716,
10454,	10455,			14176,	14177,		15717,	15718,
10456,	10536,			14178,	14180,		15741,	15747,
10537,	10546,			14181,	14184,		15748,	15749,
10552,	10572,			14185,	14213,		15750,	15751,
10573,	10582,			14214,	14220,		15752,	15753,
10589,	10660,			14221,	14233,		15754,	15755,
10663,	10696,			14234,	14235,		15756,	15757,
10699,	10701,			14236,	14237,		15758,	15759,
10707,	10708,			14238,	14240,		15790,	15791,
10727,	11026,			14246,	14318,		15894,	15895,
11027,	11040,			14335,	14341,		15896,	15897,
11041,	11054,			14358,	14366,		15898,	15899,
11055,	11310,			14503,	14721,		15900,	15901,
11311,	11312,			14738,	14739,		15902,	15903,
11313,	11323,			14740,	14741,		15904,	15905,
11331,	11358,			14749,	14756,		15923,	15929,
11359,	11360,			14789,	14813,		15930,	15931,
11361,	11371,			14814,	14815,		15932,	15933,
11379,	12062,			15001,	15051,		15934,	15935,
12076,	12100,			15203,	15204,		15936,	15937,
12114,	12147,			15318,	15319,		15938,	15939,
12178,	12209,			15320,	15321,		15940,	15941,
12272,	12282,			15322,	15323,		15975,	15976,
12736,	13120,			15324,	15325,		16330,	16342,



16343,	16344,	19633,	19781,	16162, 16170, 16180
16345,	16346,	19789,	19799,	\Grot@y 11421,
16347,	16348,	19802,	19846,	11426, 16153,
16349,	16350,	20088,	20307,	16163, 16170, 16181
16351,	16352,	20318,	20348,	\group . . 13469, 13490,
16353,	16354,	20349,	20359,	13777, 13790,
16355,	16356,	20366,	20395,	13795, 13802, 13858
16357,	16358,	20396,	20406,	\grp@aligned 6680
16359,	16360,	20413,	20452,	\GRP@box 6675, 6707, 6709
16361,	16362,	20463,	20466,	\grp@eqs@numbered 6679
16363,	16364,	20496,	20507,	\grp@hasNumber 6684
16564,	16618,	20510,	20538,	\GRP@label 6676
16620,	16879,	20547,	20548,	\grp@linewidth 6678
16891,	16892,	20549,	20550,	\GRP@queue 6675, 6711
16893,	16894,	20552,	20555,	\grp@setnumber 6684
16895,	16896,	20556,	20570,	\grp@shiftnumber 6681
16897,	16898,	20575,	20589,	\grp@wdL 6677
16899,	16900,	20590,	20599,	\grp@wdNum 6678
16901,	16902,	20650,	20651, 20661	\grp@wdR 6677
16903,	16904,	\GlobalSetatBoolean 2515		
16905,	16906,	\GlobalSetBoolean .		
16907,	16908, 2499,		
16909,	16910,	4235, 4236,		
16911,	16912,	4263, 4264, 4268,		
16913,	17144,	4269, 4562, 4563		
17198,	17200,	\glossary . . 10717, 20627		
17578,	17590,	\glueexpr 19189,		
17591,	17592,	19196, 19201,		
17593,	17594,	19262, 19323,		
17595,	17596,	19326, 19330, 19336		
17597,	17598,	\Gm@pageframes 11564		
17599,	17600,	\Gm@vrule 11547,		
17601,	17602,	11548, 11549,		
17603,	17604,	11551, 11552,		
17605,	17606,	11553, 11556,		
17607,	17608,	11557, 11558,		
17609,	17610,	11561, 11562, 11563		
17611,	17612,	\Gm@vrules@mpi 11544		
17827,	17881,	\Gm@vrules@mpii 11554		
17883,	18111,	\grid 14618, 14631		
18115,	18116,	\Grot@box 11422,		
18117,	18134,	11430, 16154,		
18146,	18151,	16165, 16172, 16182		
18155,	18167,	\Grot@box@kv 11423		
18204,	18206,	\Grot@box@std 11417		
18211,	18213,	\Grot@setangle 11418,		
18477,	18478,	11429, 16147,		
18481,	18482,	16157, 16168, 16175		
19009,	19010,	\Grot@x 11420,		
19060,	19064,	11425, 16152,		



238, 239, 650, 877, 1133, 5430, 5431, 5432, 6084, 6261, 6761, 6857, 12490, 12491, 12492, 13954, 13960, 1580, 15552, 20225, 20680	19546, 19548, 19614, 19621, 19623, 20039, 20222, 20223, 20298, 20368, 20373, 20377, 20415, 20416, 20422, 20559, 20636, 20646, 20662	11481, 11482, 11520, 11527, 12496, 12502, 12521, 12574, 13112, 13132, 13137, 13197, 13200, 13474, 13490, 13491, 13509, 13769,
\hb@xt@ . 459, 519, 538, 671, 698, 900, 915, 1062, 1154, 1182, 1790, 6105, 6130, 6282, 6307, 6509, 6569, 6586, 6847, 7016, 7021, 7025, 7079, 7080, 7086, 7144, 7148, 7151, 7156, 7161, 7321, 7325, 7327, 7331, 7335, 8001, 8013, 8111, 8208, 8267, 8536, 8543, 8548, 8555, 8560, 8567, 10322, 10339, 10430, 10591, 10592, 10598, 10618, 10633, 10737, 11333, 11334, 11340, 11381, 11386, 11390, 11445, 11491, 11546, 11551, 11556, 11560, 12551, 12737, 13989, 14091, 14096, 14100, 14191, 14192, 14198, 14295, 15201, 15226, 15573, 15598, 15689, 15732, 15805, 15913, 15973, 15990, 16530, 16570, 17110, 17150, 17793, 17833, 18058, 18740, 18898, 19004, 19396, 19509,	\hb@xt@ . 4605, 7632, 7653, 18187, 18189, 19720, 19721, 19738 \hbox . 15, 28, 180, 220, 242, 348, 382, 390, 407, 547, 657, 734, 885, 968, 1140, 1214, 1416, 1475, 1989, 4209, 4297, 4299, 4304, 4337, 4338, 4347, 4354, 4574, 4607, 4925, 4964, 4991, 5009, 5027, 5149, 5158, 5167, 5602, 5610, 5729, 5779, 5783, 5794, 5811, 5822, 6035, 6049, 6091, 6169, 6268, 6322, 6596, 6708, 6774, 6803, 6963, 6966, 6983, 6987, 7691, 7694, 7697, 7748, 7749, 7751, 7834, 7839, 7845, 8068, 8367, 10010, 10023, 10028, 10033, 10038, 10224, 10233, 10369, 10507, 10521, 10522, 10527, 10529, 10553, 10556, 10560, 10637, 10641, 10643, 10681, 10686, 10881, 11414, 11415, 11419, 11424, 11435, 11436,	\hb@xt@ . 13771, 13781, 13817, 13852, 14268, 14302, 14318, 14320, 14424, 14649, 14651, 14654, 14657, 14733, 14782, 14786, 14806, 14839, 14843, 14848, 14852, 14864, 14875, 14892, 14902, 14919, 14928, 14929, 14938, 14979, 14980, 14981, 14983, 14984, 15010, 15028, 15039, 15187, 15241, 15559, 15664, 15788, 15818, 16000, 16169, 16223, 16225, 16240, 16493, 16601, 16772, 16774, 16789, 17073, 17181, 17342, 17343, 17352, 17368, 17374, 17380, 17386, 17392, 17398, 17404, 17410, 17416, 17471, 17473, 17488, 17756, 17864, 18037, 18085, 18098, 18126, 18137, 18176, 18246, 19501, 19502, 19551,



19553,	19610,	5780, 5782, 5887,	14435, 14438,
19611,	19814,	6105, 6130, 6282,	14439, 14440,
19848,	19850,	6307, 6569, 6586,	14441, 14442,
19856,	19969,	6847, 6964, 6967,	14445, 14446,
19978,	19979,	6984, 6988, 7018,	14447, 14448,
19988,	20037,	7020, 7083, 7085,	14449, 14450,
20038,	20041,	7147, 7158, 7160,	14451, 14454,
20042,	20043,	7324, 7332, 7334,	14455, 14456,
20044,	20052,	8001, 8013, 8267,	14457, 14458,
20058,	20154,	8643, 10322,	14459, 14460,
20224,	20233,	10339, 10555,	14461, 14462,
20235,	20240,	10595, 10597,	14465, 14466,
20250,	20265,	10623, 10636,	14467, 14470,
20294,	20295,	10643, 11337,	14471, 14472,
20567,	20577, 20579	11339, 11383,	14475, 14476,
\hboxL	11256,	11385, 11553,	14477, 14478,
	11273,	14929, 19979	14479, 14482,
\hboxR	14919, 19969	12737, 13137,	14483, 14484,
\head@style	624, 931,	13989, 14093,	14485, 14486,
	1125, 1358, 6076,	14095, 14195,	14489, 14490,
	6253,	14197, 14295,	14491, 14492,
	15537, 15604, 15666	14786, 14840,	14493, 14893,
\headheight	1772, 7819,	14844, 14849,	14897, 16240,
	10522, 10723, 20632	14853, 14865,	16638, 16655,
\headrule	14876, 14902,	16789, 17218,
\headrulewidth	2197, 4432	15201, 15226,	17235, 17370,
\headsep	. 1780, 1783,	15573, 15598,	17376, 17382,
	7820, 10724, 20641	15788, 15805,	17388, 17394,
\headwidth	2287, 10521,	15973, 15990,	17400, 17406,
	10523, 10524,	18740, 18898,	17412, 17488,
	10525, 10527,	19004, 19396,	17901, 17918,
	10529, 10530, 10531	19509, 19546,	18283, 18312,
\height	. 11426, 11500,	19548, 19614,	19370, 19373,
	11708, 11710,	19621, 19623,	19377, 19503,
	11714, 11716,	20066, 20298,	19612, 19769, 20296
	11743, 11744,	20370, 20372,	\hfilneg 8637, 8641
	11747, 11748,	20419, 20421,	\hfuzz . 7832, 18188, 18190
	11805, 11806,	20578, 20580,	\hintcolour 2227
	11809, 11810,	20615, 20616,	\hintfont 2235, 2243,
	11838, 11840,	20618, 20619, 20662	2297, 2304, 2309
	11844, 11846,	\hfill . 180, 193, 1481,	\hintscolumnwidth .
	13820, 13828, 13853	1482, 2308, 2314,	... 2263, 2277,
\hfil 15, 220,	2328, 4366, 4367,	2281, 2289, 2297,
	519, 538, 671,	4370, 4371, 5751,	2303, 2309, 2366
	698, 900, 915,	5761, 6780, 6781,	\hintstyle 2243
	1063, 1154, 1182,	7484, 10523,	\hline 13089, 13091, 13097
	1412, 1413, 1414,	10524, 10529,	\HLOFF 1852
	1415, 1443, 1444,	10530, 14270,	\HLON 1846
	1445, 1451, 1452,	14294, 14430,	\HLTR@LTRfootnotetext
	1453, 1762, 1767,	14433, 14434,	... 8390, 11914,



11945, 12022, 12040, 12082, 12184, 12238, 12258 \HLTR@mpLTRfootnotetext ... 8396, 11943, 11957, 11981, 12044 \hoffset 1776 \hold@viper 7030, 7033, 7089, 7092, 7124, 7165, 7166, 7174, 7175, 7184, 7185, 7193, 7290, 7339, 7340, 7348, 7349, 7358, 7359, 7368, 7404, 7406, 7407 \holder . 14796, 14799, 14808, 14818, 14819, 14837, 14841, 14846, 14850, 14862, 14866, 14873, 14877 \href 2333, 2334, 2337, 2338, 2341, 2342 \HRTL@mpRTLfootnotetext ... 8398, 11932, 11956, 11970, 12045 \HRTL@RTLfootnotetext ... 8392, 11913, 11934, 12007, 12041, 12120, 12215, 12237, 12255 \hrule .. 31, 245, 543, 728, 963, 1208, 4596, 4597, 4607, 4608, 5781, 6163, 6316, 6426, 6432, 6438, 6444, 6592, 7627, 8064, 8363, 8410, 10365, 10884, 10886, 10918, 11261, 12499, 12570, 13247, 14427, 14894, 15235, 15658, 15814, 15996, 16233, 16240, 16488, 16782, 16789, 17068, 17348,	17481, 17488, 17751 \hrulefill . 28, 242, 547, 734, 968, 1214, 6169, 6322, 6596, 8068, 8367, 10369, 10881, 12496, 12574, 14424, 15241, 15664, 15818, 16000, 16493, 17073, 17352, 17756 \hsize . 41, 55, 71, 172, 174, 178, 183, 201, 254, 268, 283, 627, 934, 1128, 2121, 4606, 4607, 4667, 4711, 4755, 5352, 6079, 6256, 6704, 6964, 6967, 6984, 6988, 8420, 8436, 8452, 8465, 8478, 8491, 8636, 8696, 8714, 8726, 8739, 8779, 8844, 8862, 8873, 8885, 8923, 8991, 9009, 9021, 9034, 9074, 9142, 9160, 9172, 9185, 9225, 9293, 9311, 9323, 9336, 9376, 9444, 9462, 9474, 9487, 9527, 9595, 9613, 9625, 9638, 9678, 9746, 9764, 9776, 9789, 9829, 9897, 9915, 9927, 9940, 9980, 10022, 10077, 10089, 10101, 10124, 10127, 10138, 10141, 10152, 10155, 10195, 10206, 10209, 10642, 10643, 10971, 10988, 11004, 11031, 11045, 11059, 11076, 11077, 11156, 11261, 11291,	11294, 11298, 11301, 11302, 12733, 12737, 13123, 13134, 13137, 13167, 13216, 13217, 13224, 13247, 13985, 13989, 14222, 14302, 14304, 14312, 14351, 14355, 14359, 14362, 14367, 14370, 14411, 14415, 14419, 14955, 14957, 15112, 15126, 15157, 15607, 15669, 15685, 15728, 16207, 16214, 16216, 16530, 16531, 16570, 16756, 16763, 16765, 17110, 17111, 17150, 17329, 17334, 17336, 17455, 17462, 17464, 17793, 17794, 17833, 19561, 19564, 19569, 19573, 19577, 19581, 19585, 19589, 19593, 19597, 19817, 19838, 19842, 20009, 20011, 20137, 20469, 20513, 20658, 20662 \hskip 14, 28, 219, 242, 315, 319, 537, 547, 657, 658, 697, 734, 885, 886, 899, 947, 968, 1140, 1141, 1181, 1214, 1361, 1414, 1415, 1453, 1477, 1480, 2380, 5313, 5753, 5797, 5798, 5801,
--	--	--



5803, 5804, 5807,	15188, 15225,	17105, 17120,
6091, 6092, 6129,	15241, 15540,	17125, 17127,
6169, 6268, 6269,	15559, 15560,	17128, 17428,
6306, 6322, 6585,	15597, 15664,	17788, 17803,
6596, 6776, 6779,	15804, 15818,	17808, 17810,
6846, 7017, 7024,	15989, 16000,	17811, 18009,
7028, 7029, 7146,	16078, 16080,	18010, 18288,
7150, 7153, 7154,	16087, 16089,	18300, 20774,
7323, 7326, 7328,	16125, 16127,	20778, 20783,
7329, 7692, 7693,	16136, 16138,	20785, 20789, 20791
7696, 7706, 7707,	16240, 16493,	\hss 460, 519,
7750, 8000, 8068,	16789, 17073,	538, 671, 698,
8367, 10008,	17352, 17488,	900, 915, 1154,
10338, 10369,	17756, 18046,	1182, 1791, 5372,
10554, 10559,	18052, 18064,	6105, 6130, 6282,
10563, 10564,	18069, 18282,	6307, 6510, 6569,
10619, 10635,	18311, 18472,	6586, 6847, 7023,
10881, 11382,	18503, 18526,	7027, 7082, 7088,
11389, 11393,	18543, 18560,	7149, 7152, 7157,
11394, 11546,	18577, 18594,	7162, 7325, 7327,
11548, 11549,	18611, 18629,	7331, 7335, 7695,
11552, 11557,	18648, 18668,	7705, 7750, 7759,
11560, 11562,	18703, 18895,	7834, 7837, 7839,
11563, 12496,	19054, 19086,	7842, 7845, 8001,
12520, 12553,	19496, 19543,	8013, 8112, 8209,
12574, 12684,	19553, 19608,	8267, 8537, 8543,
14092, 14099,	20292, 20369,	8549, 8555, 8561,
14103, 14104,	20376, 20380,	8567, 10322,
14269, 14281,	20381, 20561,	10339, 10431,
14293, 14351,	20563, 20577, 20580	10558, 10562,
14355, 14359,	\hspace{1em} \hss 108, 109, 238,	10594, 10600,
14362, 14363,	239, 556, 2298,	10737, 11336,
14367, 14370,	2303, 2309, 4349,	11342, 11388,
14371, 14424,	4356, 4578, 5256,	11392, 11445,
14430, 14433,	5257, 5263, 5264,	11491, 11549,
14435, 14438,	5270, 5271, 5277,	11563, 13132,
14440, 14442,	5278, 5405, 5431,	13140, 13511,
14445, 14447,	5432, 7614, 8020,	13772, 13853,
14449, 14451,	8354, 8538, 8550,	14098, 14102,
14454, 14456,	8562, 11683,	14194, 14200,
14458, 14460,	11699, 11712,	14338, 14339,
14462, 14465,	11724, 11737,	14352, 14353,
14467, 14470,	11746, 11754,	14764, 14774,
14472, 14475,	11799, 11808,	14981, 14992,
14477, 14479,	11816, 11829,	14993, 14994,
14482, 14484,	11842, 11854,	15201, 15226,
14486, 14489,	11878, 12491,	15573, 15598,
14491, 14493,	12492, 16525,	15689, 15732,
14507, 14750,	16540, 16545,	15788, 15805,
14757, 15187,	16547, 16548,	15914, 15973,



15990,	16223,	13156,	13169,	\hv@figure .	11647, 11665
16601,	16610,	13184,	13186,	\hv@floatObject	11608, 11612
16772,	17181,	13187,	13245,	\hv@floatType .	11638,
17190,	17342,	13252,	13255,	11647, 11665, 11883	
17471,	17864,	14076,	14080,	\hv@Height	11620
17873,	18058,	14085,	14176,	\hv@label	11589
18898,	19004,	14180,	14185,	\hv@Left	11623, 11691
19822,	19824,	14236,	14238,	\hv@longCap	11588
19829,	19835,	14808,	14866,	\hv@Right	11624, 11680
20039,	20147,	14877,	14882,	\hv@shortCap	
20210,	20211,	14883,	14884,	11587, 11653, 11671	
20213,	20214,	14885,	14889,	\hv@Top .	11706, 11742,
20216,	20217,	14904,	15008,	11762, 11804, 11836	
20222,	20223,	15031,	16064,	\hv@Width	11618, 11641
20280,	20281,	16106,	16109,	\hv@Zero	11607, 11870
20282,	20283,	16164,	16171,	\hvAboveCaptionSkip	11786, 11789
20375,	20379,	16554,	16556,	\hvBelowCaptionSkip	11770, 11773
20418,	20424, 20565	16557,	17134,	\hvCaptionBox .	11642,
\ht	388,	17136,	17137,	11659, 11701,	
1463,	1496, 6795,	17817,	17819,	11703, 11714,	
6804,	6806, 7122,	17820,	18086,	11716, 11726,	
7124,	7131, 7137,	18122,	18134,	11728, 11734,	
7138,	7139, 7193,	18249,	19857,	11735, 11743,	
7232,	7250, 7262,	19859,	20251,	11744, 11751,	
7286,	7290, 7300,	20541,	20551, 20555	11752, 11763,	
7308,	7309, 7312,	\ht@strip	14233, 14234,	11764, 11770,	
7313,	7315, 7316,	14235,	14236,	11773, 11779,	
7368,	7404, 7635,	14237,	14240, 14242	11780, 11787,	
7644,	7656, 7665,	\ht@viper	7121,	11790, 11796,	
7673,	7683, 7685,	7126,	7149, 7152,	11797, 11805,	
7701,	7730, 7740,	7157,	7162, 7230,	11806, 11813,	
7742,	7755, 7985,	7231,	7286, 7287,	11814, 11831,	
8645,	8793, 8798,	7288,	7292, 7325,	11833, 11844,	
8937,	8942, 9088,	7327,	7331, 7335	11846, 11856, 11858	
9093,	9239, 9244,	\httplink	2335	\hvCapWidth	11616,
9390,	9395, 9541,	\Huge	5339, 6429, 6441,	11618, 11620,	
9546,	9692, 9697,		6621, 6629, 8296,	11622, 11626,	
9843,	9848, 9994,		8305,	11628, 11643, 11661	
9999,	10012,		10352,	\hvFloat	11590
10503,	11181,		10360,	16023, 16031	
11188,	11205,	\huge	567, 5193,	\hvMaxCapWidth	11601,
11212,	11213,		5195, 5338, 6420,	11602, 11623,	
11226,	11230,		6615, 8031, 8040,	11624, 11625, 11628	
11253,	11438,		8290,	\hvObjectBox	
11439,	11441,		10347,	.. 11605, 11608,	
11484,	11485,		16018,	11610, 11614,	
11487,	11620,		16274,	11620, 11695,	
12626,	12627,	\hv@Bottom	16387,	11697, 11708,	
12633,	12636,	\hv@Center	16823,		
12669,	13098,		16936, 17522, 17635		
			\hv@Bottom		
			\hv@Center		



11710,	11720,	\Hy@bidipoem@LTRfootnotetext	12293, 12308, 12328, 12341, 12346
11722,	11738, 12174, 12183	\Hy@pstringP 12329, 12346
11739,	11747,	\Hy@bidipoem@RTLfootnotetext	\Hy@pstringURI
11748,	11755, 12205, 12214 12360, 12373
11756,	11763,	\Hy@CleanupFile . 12292	\Hy@raisedlink 11963,
11766,	11771,	\Hy@colorlink . 12320,	11974, 11985,
11774,	11779,	12352, 12381, 12407	11996, 12011,
11782,	11786,	\Hy@EndAnnot	12026, 12086,
11789,	11800,	.. 12277, 12323,	12124, 12157,
11801,	11809,	12355, 12384, 12410	12188, 12219, 12456
11810,	11817,	\Hy@endcolorlink . 12279	\Hy@saved@footnotemark
11818,	11825,	\Hy@footnote@currentHlabel 12231, 12250
11827,	11838,	11999, 12014, 12029	\Hy@saved@footnotetext
11840,	11850, 11852	\Hy@footnote@currentHref 12232, 12253
\hvObjectWidth 11961,	\Hy@SetNewWindow ..
... 11614, 11618,		11964, 11972, 12315, 12343
11622, 11623, 11624		11975, 11983,	\Hy@setpdfborder ..
\hvBox		11986, 11994, 12301,
\hvSet@capAngle		11997, 12000,	12335, 12366, 12395
\hvSet@capPos		12009, 12012,	\Hy@tabularx@hook ..
... 11623, 11624,		12015, 12024, 12038, 12050
11691, 11762, 11778		12027, 12030,	\Hy@temp@menu
\hvSet@capVPos 11693,		12073, 12111, 12389, 12402
11706, 11733,		12144, 12175, 12206	\Hy@xspace@end ..
11742, 11795,		\Hy@gtemp . 12049, 12054	... 12286, 12322,
11804, 11823, 11836		\Hy@href@nextactionraw	12354, 12383, 12409
\hvSet@capWidth 11618,	 12316,	\HyLTR@saved@LTRfootnotetext
11620, 11625, 11626		12348, 12377, 12403 12234, 12259
\hvSet@floatCapSep		\Hy@href@page	\HyOrg@maketitle ..
..... 11699,		12311	12229, 12240, 12245
11712, 11724,		\Hy@linkcounter	\HyOrg@TX@endtabularx
11737, 11746,	 7885, 7890 12037
11754, 11799,		\Hy@linktoc	\hyper@anchor 11961,
11808, 11816,		11892	11964, 11972,
11829, 11842, 11854		\Hy@LT@currentHref	11975, 11983,
\hvSet@floatPos .. 11636	 12444, 12455	11986, 11994,
\hvSet@objectAngle		\Hy@LT@LTRfootnotetext	11997, 12009,
..... 11607, 11611	 12072, 12081	12012, 12024,
\hvSet@objectPos ..		\Hy@LT@RTLfootnotetext	12027, 12084,
.. 11680, 11682, 11876	 12110, 12119	12087, 12122,
\hvSet@rotAngle ..		\Hy@MakeRemoteAction	12125, 12155,
.. 11601, 11870, 11873	 12295	12158, 12186,
\Hy@Acrobatmenu .. 12387		\Hy@maketitle@end ..	12189, 12217, 12220
\Hy@backout		12241, 12246, 12248	\hyper@anchorend .. 12457
\Hy@BeginAnnot		\Hy@maketitle@optarg	\hyper@anchorstart 12457
.. 12270, 12290,	 12239, 12244	\hyper@link .. 12285
12327, 12359, 12388		\Hy@pstringD 12294, 12313	\hyper@linkend ..
\Hy@bidipoem@footnotetext		\Hy@pstringdef 11896, 11900,
..... 12143, 12152		\Hy@pstringF	
		.. 12291, 12292,	



11904, 11906, 12286, 12419, 12422 \hyper@linkfile . 12288 \hyper@linkstart . .. 11896, 11900, 11904, 11906, 12286, 12415, 12422 \hyper@linkurl . 12357 \hyper@makecurrent 12443 \hyper@nat@current 12416 \hyper@natlinkbreak 12421 \hyper@natlinkend 12418 \hyper@natlinkstart 12413 \hypersetup 2181, 2189, 5449, 5508, 5525 \hyphenpenalty . 6, 105, 211, 235, 626, 933, 1127, 6078, 6255, 12488, 12512, 15156, 15606, 15668, 15811 \HyRTL@saved@RTLfootnotetext 12233, 12256 \i 3512, 3513, 3525, 3537, 3538 \ialign . 396, 18091, 18129, 20066, 20256 \if 364, 365, 366, 368, 369, 370, 371, 372, 375, 376, 377, 401, 407, 1389, 1390, 1391, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1427, 1428, 1429, 1431, 1432, 1433, 1434, 1435, 2080, 2086, 2089, 2092, 2095, 3216, 3271, 3275, 3281, 3285, 3318, 3401, 3788, 6665, 6684, 6717, 6718, 6719, 7852, 7906, 7914, 7915, 7921, 7922,	7929, 7930, 7936, 7937, 7947, 7949, 10813, 10837, 11071, 12590, 13080, 13082, 13084, 14682, 18098, 18132, 18137, 18224, 18225, 18226, 18227, 18228, 18229, 18230, 18232, 18233, 18234, 18235, 18236, 18239, 18240, 18241, 20135, 20142, 20143, 20248, 20265, 20272, 20273, 20274, 20275, 20276, 20277 \if@allcaps 755, 764, 772, 1007, 1016, 1024, 1257, 1266, 6393, 15291, 15300, 15308, 15430, 15439, 15447 \if@altsecnumformat 16411, 16959, 17658 \if@bib@break@ 16421, 16446, 16461, 16477, 17001, 17026, 17041, 17057, 17684, 17709, 17724, 17740 \if@bibchapter . 18397 \if@bidi@amsmathloaded@ 12865 \if@bidi@amstextloaded@ 12868 \if@bidi@amsthmlloaded@ 12871 \if@bidi@animateloaded@ 12874 \if@bidi@arabxetexloaded@ 13067 \if@bidi@arrayloaded@ 13001	\if@bidi@arydshlnloaded@ 13025 \if@bidi@blank . .. 2623, 2915, 2922 \if@bidi@breqnloaded@ 12877 \if@bidi@calsloaded@ 12880 \if@bidi@captionloaded@ 12883 \if@bidi@colorloaded@ 12889 \if@bidi@colortblloaded@ 12905 \if@bidi@croploaded@ 12886 \if@bidi@csdef 2587, 2636 \if@bidi@csmacro . 2635 \if@bidi@csprimitive 2645 \if@bidi@csundef 2593, 2666, 3993, 4045, 8371, 8372, 8385, 8386, 20679 \if@bidi@cutedloaded@ 12896 \if@bidi@cutwinloaded@ 12893 \if@bidi@dblfnote loaded@ 12899 \if@bidi@def 2605 \if@bidi@defmacro 2628, 2629, 2637, 2814, 2833, 2977 \if@bidi@defparam 2835, 2929, 2930, 2979 \if@bidi@defprimitive 2639 \if@bidi@defprotected 2842, 2938, 2939, 2990 \if@bidi@draftwatermarkloaded@ 12959 \if@bidi@empheqloaded@ 12962 \if@bidi@fancyboxloaded@ 12953
--	--	--



\if@bidi@fancyhdrloaded@ 12956	\if@bidi@multienumloaded@ 13031	\if@bidi@tocstyleloaded@ 13058
\if@bidi@fancyvrbloaded@ 13073	\if@bidi@natbibloaded@ 13037	\if@bidi@todonotes@figposition@right	.. 19650, 19748,
\if@bidi@floatloaded@ 12908	\if@bidi@newfloatloaded@ 13040		19753, 19760, 19766
\if@bidi@floatrowloaded@ 12911	\if@bidi@ntheoremloaded@ 12947	\if@bidi@todonotes@textdirection@RTL 19649,
\if@bidi@flowframloaded@ 12914	\if@bidi@overpicloaded@ 12965		19683, 19723, 19757
\if@bidi@fontspecloaded@ 13064	\if@bidi@patchable 2802, 2803	\if@bidi@undef . . .	2611, 2670, 2711,
\if@bidi@framedloaded@ 12917	\if@bidi@pdfpagesloaded@ 12968		2722, 2741, 2745,
\if@bidi@ftnrightloaded@ 12920	\if@bidi@pgfloaded@ 12983		2749, 2753, 2763,
\if@bidi@geometryloaded@ 12935	\if@bidi@picinparloaded@ 12986		2767, 2771, 2775,
\if@bidi@graphicxloaded@ 12932	\if@bidi@polyglossialoaded@ 13070		2811, 2830, 2974
\if@bidi@hvfload@ 12938	\if@bidi@pstricksloaded@ 12980	\if@bidi@wrapfigloaded@ 12929
\if@bidi@hyperrefloaded@ 12950	\if@bidi@quotchaploaded@ 12989	\if@bidi@xcolorloaded@ 12902
\if@bidi@lettrine@loaded@ 12971	\if@bidi@rotatingloaded@ 13046	\if@bidi@xltxt@loaded@ 12923
\if@bidi@list@minipage@par 1579,	\if@bidi@soulloaded@ 13007	\if@bidi@xtabloaded@ 13019
20103, 20165,		\if@bidi@stabularloaded@ 13004	\if@bidi@xunicode@loaded@ 12926
20174, 20183,		\if@bidi@subfigloaded@ 13010	\if@capbreak . . .	16542, 17122, 17805
20192, 20205,		\if@bidi@subfigureloaded@ 13013	\if@captionabove . .	16575,
20206, 20220, 20221		\if@bidi@supertabularloaded@ 13016		16581, 16594,
\if@bidi@list@minipage@par 1580,	\if@bidi@tablsloaded@ 13049		16604, 17155,
20111, 20167,		\if@bidi@tabularyloaded@ 13052		17161, 17174,
20176, 20185, 20194		\if@bidi@tikzloaded@ 12992		17184, 17838,
\if@bidi@listingsloaded@ 12974	\if@bidi@titlesecloaded@ 12995		17844, 17857, 17867
\if@bidi@longtableloaded@ 13022	\if@bidi@titletocloaded@ 12998	\if@cftdopart . . .	18454
\if@bidi@mdf@RTL 13207, 13214	\if@bidi@tocbasicloaded@ 13055	\if@cfthaschapter .	18445,
\if@bidi@mdframedloaded@ 12941	\if@bidi@tocbindloaded@ 13061		18449, 18455,
\if@bidi@midfloatloaded@ 12944				18476, 18488, 18510
\if@bidi@minitocloaded@ 13034			\if@cfthaspart . . .	18441
\if@bidi@multicolloaded@ 13028			\if@chapterentrywithdots	17232, 17915



\if@coloured .	7424,	\if@inlabel	6664	\if@pboxsw	20149
	7458, 7522, 7552	\if@inltxdoc	18390	\if@ref	17365
\if@compatibility .		\if@insert	7402	\if@restonecol .	607,
.. 521, 673, 749,		\if@komalongtable .		623, 872, 1124,	
917, 1001, 1156,		. 16591, 17171, 17854		6075, 6252,	
1251, 6193, 6370,		\if@LTRbibitems .	87,	6462, 15153,	
15285, 15424,		300, 575, 710,		15408, 15867, 18437	
18480, 19008, 20236		973, 1223, 1573,		\if@reversemargin	20536
\if@contcw .	13941, 13970	2361, 6145, 6333,		\if@rjfield	20575
\if@conthang	13951	6642, 8047,		\if@rl	1563
\if@continent . . .	13957	8318, 10374,		\if@rl@footnote . .	1578
\if@DEBUG	2135	12469, 14019,		\if@rlmain	1562
\if@displaypagenumbers		14501, 15246,		\if@rot@twoside	
..... 2343, 2346		15640, 15834,	 16068,	
\if@donumindex		16037, 16437,		16073, 16083,	
..... 18398, 18417		17017, 17700, 18366		16113, 16119, 16131	
\if@dotocbib	18359	\if@LTRmarginpar		\if@RTL	12,
\if@dotocind .	18405, 18422 1572,		13, 25, 87, 104,	
\if@extrafootnotefeatures		20560, 20565, 20569		107, 108, 109, 217,	
..... 1575, 1679		\if@mainmatter 5656,		218, 234, 237,	
\if@fcolmade		6419, 6614, 8289,		238, 239, 300,	
.... 7044, 7103,		15044, 16962,		315, 319, 516,	
10567, 10607,		16978, 16986, 16994		533, 536, 537,	
10691, 11349,		\if@minipage . 4401, 14010		560, 575, 627,	
11401, 14112,		\if@mparswitch . 20533		640, 651, 652,	
14209, 20388, 20431		\if@newlist .. 10707,		657, 668, 693,	
\if@off@nwpw	10659	10727, 20589, 20650		696, 697, 710,	
\if@firstcolumn . . .		\if@nobreak		878, 879, 885,	
6995, 7058, 7118,		... 3989, 11278,		895, 898, 899,	
7199, 7218, 7374,		13218, 15105, 15119		912, 934, 973,	
7393, 10535,		\if@nonlatin 346, 351,		1128, 1134, 1135,	
10571, 11309,		1564, 1695, 2569,		1140, 1151, 1177,	
11357, 14024,		2575, 6700, 6702		1180, 1181, 1199,	
14124, 14230,		\if@noparlist 5909, 6022		1223, 1362, 1363,	
20347, 20394, 20531		\if@noskipsec		1474, 1475, 1488,	
\if@firstdetailselement		... 6663, 11279,		1499, 1563, 1584,	
..... 7587, 7589		13219, 15106, 15120		1731, 1738, 2361,	
\if@firstfooterelement		\if@oldtoc . 661, 687,		2533, 2539, 5312,	
..... 7491, 7494		889, 905, 1144,		5313, 5430, 5431,	
\if@flushend@auto@baselineskip		1171, 6095, 6119,		5432, 6079, 6085,	
..... 7234		6272, 6296, 15191,		6086, 6091, 6102,	
\if@hboxRconstruct		15215, 15563, 15587		6125, 6128, 6129,	
..... 1568,		\if@openright		6145, 6256, 6262,	
1732, 2557, 2563,		.. 5684, 6633, 8309		6263, 6268, 6279,	
11070, 20110,		\if@ovb	10511	6302, 6305, 6306,	
20134, 20167,		\if@ovl	10509	6333, 6417, 6428,	
20176, 20185,		\if@ovr	10508	6430, 6566, 6581,	
20194, 20205,		\if@ovt	10510	6584, 6585, 6612,	
20206, 20220, 20221		\if@parafootRTL		6626, 6642, 6661,	
\if@ignore ..	3099, 3101	. 1576, 10021, 10032		6673, 6686, 6761	



6802, 6803, 6807,	14281, 14288,	17338, 17423,
6808, 6810, 6817,	14293, 14501,	17429, 17457,
6823, 6842, 6845,	14580, 14600,	17466, 17657,
6846, 6852, 6857,	14615, 14629,	17700, 17758,
6964, 6967, 6984,	14786, 14836,	17759, 17760,
6988, 7833, 7913,	14911, 14965,	17762, 17833,
7928, 7950, 7951,	14966, 14969,	18008, 18011,
7952, 7953, 7976,	14973, 14992,	18041, 18061,
7996, 7999, 8000,	14993, 14994,	18259, 18301,
8010, 8024, 8037,	15039, 15041,	18318, 18338,
8047, 8264, 8287,	15047, 15058,	18341, 18346,
8302, 8318, 8339,	15060, 15071,	18350, 18351,
8342, 8347, 8355,	15073, 15084,	18366, 18462,
10319, 10334,	15086, 15095,	18463, 18464,
10337, 10338,	15097, 15114,	18472, 18493,
10345, 10357,	15136, 15137,	18494, 18495,
10374, 10643,	15157, 15170,	18503, 18516,
10785, 11071,	15181, 15182,	18517, 18518,
11151, 11153, 11417,	15187, 15198,	18526, 18533,
11419, 11422,	15221, 15224,	18534, 18535,
11423, 11424,	15225, 15246,	18543, 18550,
11430, 11432,	15541, 15542,	18551, 18552,
11449, 11452,	15553, 15554,	18560, 18567,
11459, 11468,	15559, 15570,	18568, 18569,
11474, 11478,	15593, 15596,	18577, 18584,
11481, 11495,	15597, 15607,	18585, 18586,
11520, 11527,	15620, 15640,	18594, 18601,
11692, 11794,	15669, 15785,	18602, 18603,
11896, 11904,	15800, 15803,	18611, 18619,
12286, 12322,	15804, 15809,	18620, 18621,
12354, 12383,	15810, 15834,	18629, 18638,
12409, 12415,	15970, 15985,	18639, 18640,
12419, 12422,	15988, 15989,	18648, 18658,
12469, 12487,	16016, 16028,	18659, 18660,
12490, 12491,	16037, 16148,	18668, 18693,
12492, 12507,	16150, 16154,	18694, 18695,
12518, 12519,	16158, 16160,	18703, 18743,
12553, 12557,	16165, 16169,	18744, 18745,
12560, 12565,	16172, 16176,	19423, 19485,
12673, 12676,	16178, 16182,	19486, 19487,
12680, 13133,	16209, 16218,	19493, 19496,
13210, 13293,	16409, 16410,	19543, 19603,
13301, 13492,	16437, 16495,	19608, 19631,
13818, 13900,	16496, 16497,	19638, 19698,
13901, 13902,	16499, 16570,	19701, 19785,
13903, 13904,	16758, 16767,	19820, 19828,
13905, 13984,	16958, 17017,	19855, 19856,
13986, 14019,	17075, 17076,	19859, 19860,
14264, 14268,	17077, 17079,	19862, 19899,
14269, 14276,	17150, 17331,	19903, 19956,



19961,	20007,	9324, 9423, 9475, 9574, 9626, 9725, 9777, 9876, 9928	\if@titlecentered 1344, 15521
20008,	20019,	\if@RTLmain 1562, 1583, 1730, 1737, 6860, 6883, 6906, 6929,	\if@titlepage .. 414, 628, 736, 935, 988, 1187, 1238,
20020,	20023,	7145, 7322, 7781, 7787, 7790, 7804, 7822, 10790,	6464, 8070, 8163, 10389, 15158, 15272, 15409, 15608,
20027,	20104,	11545, 11555, 11572, 11578, 14221, 14381,	15671, 15868, 16243, 16792, 17491
20112,	20118,	20437, 20603, 20609, 20636, 20646	\if@tocstyle@penalties 19406, 19515
20124,	20135,	\if@RTLmarginpar 1571, 20560, 20565, 20569	\if@todonotes@authorgiven 19674, 19685, 19710, 19727
20207,	20208,	\if@RTLtab 365, 366, 382, 385, 407, 409, 1370,	\if@todonotes@disabled 19668, 19669
20210,	20213,	1371, 1390, 1391, 1428, 1429, 1567,	\if@todonotes@dviStyle 19671, 19705
20216,	20220,	1999, 2003, 2004, 2545, 2551, 6721, 6723, 6744, 6751,	\if@ttb@rotate ... 10784
20221,	20222,	6773, 6774, 6787, 6798, 13081, 13083, 13197,	\if@twocolumn 98, 228, 461, 594, 610, 637, 644, 812,
20223,	20225,	13200, 18076, 18080, 18081, 18098, 18106,	859, 944, 955, 1064, 1111, 1196, 1203, 1314, 5610,
20227,	20228,	18112, 18137, 18225, 18226, 20063, 20240,	6062, 6239, 6449, 6511, 8113, 8210, 10432, 12481,
20233,	20280,	20244, 20245, 20265, 20273, 20274	13883, 15140, 15167, 15174, 15348, 15395, 15489, 15617, 15624, 15733,
20281,	20287,	\if@sectionentrywithdots 16652	15854, 15915, 16322, 16871, 17570, 18392, 20309, 20530, 20673
20292,	20560,	\if@sentdir 1733	\if@twoside 5601, 10666,
20565,	20569,	\if@specialpage 10662, 20598	16291, 16304, 16372, 16840,
20577,	20578,	\if@star 15028	16853, 16921, 17539, 17552,
20579,	20580,	\if@tab@rl 1567	17620, 19811, 20601
20659,	20662,	\if@tablecaptionabove 16622, 17202, 17885	\if@vihproof 14249, 14255
20670,	20680,	\if@tempswa	\ifadl@inactive .. 1376
20773,	20783, 20789	... 3831, 3876, 7689, 7746, 19137	\ifadl@usingarypkg 1379
\if@RTL@footnote	36,	\if@thmmarks .. 14563, 14567, 14584, 14588	\ifAM@output 14708
249,	1578, 1734,		
4680,	8415, 8462,		
8665,	8710, 8816,		
8858,	8960, 9005,		
9111,	9156, 9262,		
9306,	9413, 9457,		
9564,	9609, 9715,		
9760,	9866,		
9911,	10079,		
10129,	10965,		
11014,	11054, 11055		
\if@RTLbibitems	. 87,		
300,	575, 710,		
973,	1223, 1574,		
2361,	6145, 6333,		
6642,	8047,		
8318,	10374,		
12469,	14019,		
14501,	15246,		
15640,	15834,		
16037,	16437,		
17017,	17700, 18366		
\if@RTLcolumnfootnotes 1577, 8637,		
8638,	8641, 8642,		
8675,	8727, 8825,		
8874,	8970, 9022,		
9121,	9173, 9272,		



\ifAM@survey	14686	\ifdfn@ruleboth	15004, 15029,
\ifartopt	13920 7700, 7754	16529, 16537,
\ifbidi@autofootnoterule	10791, 11026, 11040, 11054	\ifdfn@trysingle	17109, 17117,
\ifbidi@in@label	3280, 3282	\ifdim 1464, 1465, 1538, 1544, 1550, 4414, 4981, 5750, 5787, 5789, 5848, 5849, 5851, 5857	17369, 17375, 17381, 17387, 17393, 17399,
\IfbidiPackageVersion	1549	5897, 5910, 5917, 5998, 6000, 6013, 6015, 6023, 6694, 7138, 7183, 7195, 7208, 7211, 7213, 7243, 7247, 7248, 7262, 7287, 7312, 7357, 7370, 7383, 7386, 7388, 7636, 7657, 7677, 7686, 7713, 7717, 7734, 7743, 7765, 7769, 8535, 8540, 8547, 8552, 8559, 8564, 10497, 10499, 10642, 11163, 11171, 11187, 11188, 11218, 11226, 11239, 11254, 11287, 11288, 11437, 11444, 11483, 11490, 11535, 11625, 11763, 11779, 12641, 12647, 12733, 13134, 13145, 13184, 13187, 13890, 13933, 13940, 13944, 13946, 13985, 14046, 14054, 14056, 14146, 14154, 14156, 14231, 14242, 14326, 14334, 14340, 14357, 14365, 14736, 14783, 14808, 14866, 14877, 14884, 14889, 14904,	17405, 17411, 17417, 17441, 17800, 18123, 19048, 19062, 19067, 19441, 19466, 19532, 19788, 19790, 19792, 19794, 19795, 19796, 19798, 19838, 19845, 20542, 20658
\ifblendcolors	19867, 19888, 19910, 19937	\ifdfn@fullc@p	16532, 17112, 17795
\ifbool	13232, 13241	\iffalse	2477, 2478, 2480, 11278, 11279, 12784, 13218, 13219, 15105, 15106, 15119, 15120
\ifcase	1411, 1438, 1442, 1446, 1450, 1476, 1599, 1605, 1611, 1617, 1623, 1629, 1641, 1647, 1653, 1660, 6775, 11892, 13151, 18332, 18713, 19475, 19545, 19655, 19663, 19887, 19936, 20324, 20325	\IfFileExists	3545, 3560, 4158, 5630, 5695
\ifcat	1594, 1748, 3166, 3167	\iffootdir@debug	10799, 10803
\ifconvertcolorsU	19873, 19889, 19916, 19938	\ifGin@grid	14616, 14629
\ifcpoddpage	4178	\ifGin@iso	11534
\ifcsname	2588, 2594, 2728, 3605, 3620, 3834, 3842, 14525, 14535, 14549, 19430, 19431, 19440, 19451, 19455, 19465, 19477, 19531, 19559, 19560, 19568, 19572, 19576, 19580, 19584, 19588, 19592, 19596	\ifhbox	10027, 10037, 10041
\ifdefined	2606, 2612	\ifhmode	2064, 4639, 4683, 4727, 4970, 4976, 6808, 6810, 6817, 6823, 6842, 18294, 19860, 19862, 19899, 19903, 19956, 20220, 20221, 20264, 20441, 20485
\defining	3286	\ifhv@fbox	11694, 11700, 11707, 11713, 11719, 11725, 11734, 11738, 11743, 11747, 11751, 11755, 11769, 11785, 11796
\ifdfn@allowcbreak	7642, 7663		



11800,	11805,	12283,	12286,	10764,	10773,
11809,	11813,	12322,	12354,	10775,	10777,
11817,	11824,	12383,	12409,	10923,	11026,
11830,	11837,	14719,	14777,	11040,	11054,
11843,	11849,	14996,	15032,	11287,	11289,
\ifhv@nonFloat	11637,	16148,	16150,	12273,	12278,
11644,	11662,	16154,	16158,	12509,	12625,
11683,	11875,	16160,	16165,	12704,	12707,
\ifhv@onlyText	16169,	16172,	12715,	12718,
....	11645, 11663	16176,	16178,	12787,	13095,
\ifhv@useOBox	11608, 11612	16182,	19855,	13096,	13179,
\ifHy@href@ismap	12374	19859,	20144, 20231	13180,	13884,
\ifHy@hyperfootnotes	.. 8373, 8387, 11911	\ifNAT@openbib	... 14504	13917,	14043,
\ifHy@nesting	\ifnonlatin 2574	14073,	14143,
....	11960, 11971,	\ifnum	... 3, 137, 143,	14173,	14262,
11982,	11993,	208,	314, 356,	14274,	14286,
12008,	12023,	357,	358, 359,	14347,	14383,
12083,	12121,	361,	462, 511,	14389,	14544,
12154,	12185,	528,	554, 563,	14554,	14796,
\ifHy@pdfa	.. 12300,	647,	663, 681,	14802,	14814,
12334,	12365, 12394	813,	874, 907,	14817,	14818,
\ifin@ 3850	925,	1065, 1130,	14819,	14821,
\ifin@label 3288	1146,	1164, 1315,	14822,	14823,
\ifinner	. 2070, 4645,	1381,	1382, 1383,	14824,	14833,
4689, 4733, 11166,	1384,	1386, 1425,	14855,	14860,	
19780,	20447, 20491	1426,	1689, 1690,	14871,	14882,
\ifl@grid 12642	2096,	3140, 3168,	14883,	14889,
\ifl@image 12618	3170,	3178, 3180,	14893,	14896,
\iflatin 2568	3373,	3383, 3481,	14897,	14990,
\ifLettrineImage	12588	3487,	3512, 3527,	14991,	14998,
\ifLettrineOnGrid	12589	3533,	5870, 6081,	15043,	15177,
\ifLtoR 2538	6097,	6113, 6177,	15193,	15209,
\ifLtoRboxconstruct	6179,	6181, 6258,	15267,	15269,
....	2562	6274,	6290, 6354,	15271,	15349,
\ifLtoRtable 2550	6356,	6358, 6418,	15490,	15549,
\ifmaskcolors	. 19877,	6512,	6561, 6576,	15565,	15581,
19888,	19920, 19937	6599,	6601, 6603,	15632,	15634,
\ifmmode 184,	6613,	6695, 6962,	15636,	15734,
6802,	6807,	6970,	6975, 6982,	15781,	15795,
10612,	10622,	7170,	7179, 7189,	15821,	15823,
11417,	11419,	7344,	7353, 7363,	15825,	15916,
11422,	11423,	7577,	7991, 8005,	15965,	15980,
11424,	11430,	8018,	8027, 8114,	16003,	16005,
11432,	11449,	8211,	8260, 8274,	16007,	16017,
11452,	11459,	8276,	8278, 8288,	16311,	16323,
11468,	11474,	8643,	10314,	16860,	16872,
11478,	11481,	10329,	10346,	16961,	16977,
11495,	11520,	10433,	10483,	16985,	16993,
11527,	12271,	10485,	10487,	17559,	17571,
		10760,	10762,	18168,	18216,



18217,	18218,	18789,	18792,	2332,	2336,
18219,	18221,	18801,	18802,	2340,	2348, 4071,
18323,	18325,	18803,	18806,	4131,	4133, 4136,
18444,	18448,	18809,	18828,	4140,	4143, 4146,
18490,	18509,	18829,	18830,	4171,	4228, 4247,
18531,	18548,	18832,	18833,	4262,	4267, 4273,
18565,	18582,	18834,	18837,	4282,	4293, 4299,
18599,	18617,	18840,	18849,	4305,	4306, 4313,
18636,	18656,	18850,	18851,	4320,	4322, 4328,
18691,	18874,	18854,	18857,	4345,	4363, 4365,
18875,	18982,	18911,	18912,	4369,	4387, 4388,
18983,	19007,	18913,	18914,	4391,	4392, 4427,
19017,	19405,	18915,	18916,	4436,	4447, 4457,
19410,	19428,	18917,	18918,	4506,	4621, 4845,
19601,	19819,	18919,	18934,	4863,	4864, 4882,
20085,	20270,	18935,	18936,	4883,	4901, 4902,
20271,	20285,	18937,	18939,	4933,	4934, 5052,
20340,	20538,	18940,	18941,	5057,	5081, 5086,
20560,	20667, 20668	18944,	18947,	5110,	5115, 5192,
\ifodd	2081,	18956,	18957,	5196,	5244, 5457,
	5601, 7795, 7812,	18958,	18961,	5503,	5512, 5520,
	7872,	10667,	18964,	5547,	5594, 5663,
	11565,	11571,	19163,	5674,	7481, 7487,
	19811, 20534, 20602	19165,	19166,	7504,	7507, 7508,
\ifoddpage	4172	19167,	19168,	7509,	7510, 7511,
\ifonelinecaptions	16503, 17083, 17766	19169,	19170,	7597,	7602, 7605,
\ifpgfrememberpicturepositiononpage	15, 14732	19213,	19214,	7606,	7607, 7608,
\ifpoem@started	5844, 5850,	19216,	19216,	7609,	7612, 7616,
	5997, 6004, 6018	19220,	19223,	10733,	10748,
\ifprimitive	2640, 2647	19226,	19235,	14676,	16072, 16117
\ifPst@shift@star	15020	19236,	19237,	\iftocstyle@autolength	19450
\ifrot@messages	16118, 16130	19240,	19243,	\iftocstyle@indentnotnumbered	19495, 19542
\ifRtoL	2532	19273,	19274,	\iftrue	2479,
\ifRtoLhboxconstruct	2556	19275,	19277,		4586, 4599, 4612
\ifRtoLtable	2544	19278,	19279,	\ifttl@label	18299
\ifshowgrid	14998	19282,	19285,	\ifTX@	18158
\ifsomething	3411	19294,	19295,	\ifvbox	10250
\ifstr	18756, 18757,	19296,	19299,	\ifvmode	3989, 4375,
	18758,	18759,	19302,		4378, 4381, 4384,
	18760,	18761,	19322,		13247, 14316,
	18762,	18763,	19325,		14574, 14594, 18110
	18764,	18779,	19348,	\ifvoid	7030,
	18780,	18781,	19352,		7046, 7089, 7105,
	18782,	18784,	19357,		7124, 7132, 7165,
	18785,	18786,	19369,		7290, 7301, 7339,
			19372, 19376, 19386		7640, 7661, 7672,
		\ifstrstart			7697, 7729, 7751,
		19153, 19185, 19259			8580, 8597,
		\iftagsleft@	338, 7830		
		\iftest	3223		
		\ifthenelse	181,		
			186, 194, 2315,		



8607,	10286,	11680,	11682,	17372,	17378,
10299,	11089,	11691,	11693,	17384,	17390,
11247,	11268,	11706,	11733,	17396,	17402,
12450,	12454,	11742,	11762,	17408,	17414,
13197,	13263,	11778,	11795,	17423,	17453,
14301,	14911,	11804,	11823,	17479,	17486,
\ifWF@float	19793,	19807	11836,	11870,	17506,
\iffx .	115,	134,	136,	151,	17518,
	155,	159,	166,	797,	17548,
	801,	1049,	1053,		17619,
	1299,	1303,	1947,		17623,
	1953,	1959,	1974,		17631,
	2005,	2057,	2060,		17637,
	2321,	2322,	2323,		17649,
	2325,	2386,	2389,		17687,
	2409,	2413,	2433,		17750,
	2437,	2452,	2456,		17755,
	2526,	2595,	2613,		18118,
	2691,	2879,	2895,		18334,
	3146,	3152,	3153,		19031,
	3190,	3191,	3192,		19035,
	3193,	3203,	3209,		19039,
	3234,	3239,	3244,		19136,
	3249,	3255,	3260,		19417,
	3440,	3550,	3574,		19488,
	3589,	3654,	3666,		19500,
	3698,	3709,	3744,		19525,
	3750,	3761,	3762,		19550,
	3773,	3803,	3812,		19617,
	3813,	3833,	3848,		19622,
	3858,	3872,	3879,		19624,
	3891,	3907,	3962,		19868,
	3973,	4915,	5739,		19911,
	5760,	5921,	5972,		20028,
	5977,	5979,	7006,		20138,
	7069,	7709,	7761,		20319,
	8337,	8353,	8357,		20358,
	10545,	10581,			20405,
	10920,	11131,			20616,
	11322,	11370,			20618,
	11463,	11505,			20619,
	11506,	11512,			\ifXC@tst .
	11599,	11601,			19891,
	11607,	11618,			19940,
	11620,	11623,			\ignorespaces . . .
	11624,	11641,			46,
	11647,	11648,			60,
	11650,	11653,			76,
	11665,	11666,			122,
	11668,	11671,			259,
					273,
					288,
					346,
					633,
					642,
					940,
					1192,
					1201,
					3036,
					3459,
					3475,
					3477,
					3483,
					3486,
					3489,
					3493,
					3498,
					4398,
					4405,
					4406,
					4415,
					5002,
					5020,
					5038,
					5074,
					5103,
					5132,
					5397,
					5821,
					5832,
					5992,
					5993,
					6140,
					6328,
					6698,
					6704,
					6817,
					6823,
					6831,
					6838,
					8342,
					8356,
					8425,
					8441,
					8457,
					8471,
					8484,
					8497,
					10977,
					10994,
					11010,
					11037,
					11051,
					11065,
					11547,
					11551,
					11556,



11561,	12541,	\indexspace 5433	20808, 20809,
12560,	14007,	\input . . . 1596, 1597, 1680, 1728, 1750, 2168, 5631, 5696,	20810, 20811, 20812, 20813, 20814, 20815, 20816
14014,	15163,	20672, 20682, 20683, 20684, 20685, 20686, 20687, 20688, 20689, 20690, 20691, 20692, 20693, 20694, 20695, 20696, 20697, 20698, 20699, 20700, 20701, 20702, 20703, 20704, 20705, 20706, 20707, 20708, 20710, 20711, 20717, 20724, 20725, 20726, 20727, 20728, 20729, 20730, 20731, 20732, 20733, 20734, 20735, 20736, 20737, 20738, 20739, 20740, 20741, 20742, 20743, 20744, 20745, 20746, 20747, 20748, 20749, 20750, 20751, 20752, 20753, 20754, 20755, 20756, 20757, 20758, 20759, 20760, 20761, 20762, 20763, 20764, 20766, 20767, 20768, 20769, 20770, 20771, 20794, 20795, 20796, 20797, 20798, 20799, 20800, 20801, 20802, 20803, 20804, 20805, 20806, 20807,	\input@path 13488 \InputIfFileExists 3544, 3548, 3557, 12593 \insert 35, 49, 65, 248, 262, 277, 7631, 7647, 7652, 7668, 7715, 7721, 7767, 7773, 8414, 8430, 8446, 8665, 8675, 8685, 8763, 8816, 8825, 8834, 8908, 8960, 8970, 8980, 9058, 9111, 9121, 9131, 9209, 9262, 9272, 9282, 9360, 9413, 9423, 9433, 9511, 9564, 9574, 9584, 9662, 9715, 9725, 9735, 9813, 9866, 9876, 9886, 9964, 10070, 10082, 10094, 10189, 10964, 10981, 10997
\iii	3519	\insert@column	1413, 1414, 1415, 1416, 1418, 1419, 1479, 1481, 1482, 1484, 1485, 1486, 6778, 6780, 6781, 6783, 6784, 6785
\ilg	14805, 14828	\insertpenalties 10928	\int 13521, 13568, 13569, 13573, 13651, 13739, 13742, 13743, 13754, 13792, 13830, 13855, 14640, 14642, 14656
\immediate . . .	3986, 5984	\interfootnotelinepenalty	39, 53, 69, 252, 266, 281, 8589, 10968, 10985, 11001
\in@	3849	\interlinepenalty 39, 53, 69, 252, 266,	
\includegraphics . . .	2356, 7483, 7614, 14604, 14678		
\includemedia	13467, 13797, 13798		
\includepdf	14669		
\IncMargin	186		
\indentedwidth . . .	8355		
\index	3397, 3398, 10716, 20626		
\indexname	601, 602, 603, 617, 648, 866, 867, 1118, 1119, 5417, 5418, 6069, 6070, 6246, 6247, 6456, 6457, 6458, 15147, 15148, 15402, 15403, 15861, 15862, 15863, 18401, 18402, 18403, 18407, 18408, 18409, 18412, 18413, 18419, 18420, 18424, 18425, 18426, 18429, 18430		



<p>281, 561, 625, 650, 877, 932, 1126, 1133, 5309, 6077, 6084, 6254, 6261, 6425, 6620, 6628, 7168, 7177, 7187, 7342, 7351, 7361, 8025, 8038, 8295, 8304, 8589, 10351, 10359, 10968, 10985, 11001, 14266, 14278, 14290, 15047, 15155, 15180, 15552, 15605, 15667, 16022, 16030, 18291, 18332, 18466, 18497, 18520, 18537, 18554, 18571, 18588, 18605, 18623, 18642, 18662, 18697, 19030, 19491, 19605, 19786, 20289 \intermath@penalty 6697 \intextsep 19846, 19848 \InTheoType 7846, 14564, 14566, 14585, 14587 \invoicename 17392 \ior 13571, 13572, 13576 \iow 14641 \isempty 4247, 4845, 5052, 5057, 5081, 5086, 5110, 5115, 5503, 5512, 5520, 5547 \isodd 16072, 16117 \isSC@ODD 18009, 18010, 18012, 18013, 20774, 20776, 20778, 20780 \isundefined 4457, 4506, 7481, 7487, 7504, 7507, 7508, 7509, 7510, 7511, 7602, 7605, 7606, 7607, 7608,</p> <p>\j 3533, 3534, 3538 \juo@ht 14062, 14069, 14162, 14169, 14238, 14245 \juo@pr 14045, 14075, 14145, 14175 \juo@sar 14044, 14074, 14116, 14144, 14174, 14213 \juo@sk 14043, 14073, 14116, 14143, 14173, 14213, 14246 \justifying 4154, 4224, 4794, 15092 \JustifyingParfillskip 15098 \JustifyingParindent 4126, 4797, 5356, 15099</p>	<p style="text-align: center;">J</p> <p>\j 3533, 3534, 3538 \juo@ht 14062, 14069, 14162, 14169, 14238, 14245 \juo@pr 14045, 14075, 14145, 14175 \juo@sar 14044, 14074, 14116, 14144, 14174, 14213 \juo@sk 14043, 14073, 14116, 14143, 14173, 14213, 14246 \justifying 4154, 4224, 4794, 15092 \JustifyingParfillskip 15098 \JustifyingParindent 4126, 4797, 5356, 15099</p>	<p style="text-align: center;">K</p> <p>\keepthetitle 13866 \kern 27, 29, 30, 31, 241, 243, 244, 245, 542, 544, 546, 548, 726, 727, 729, 732, 733, 735, 747, 962, 964, 967, 969, 999, 1206, 1207, 1209, 1212, 1213, 1215, 1249, 1477, 1482, 1878, 1879, 1880, 1881, 1882, 1883, 1884, 1885, 1889, 1890, 1937, 1939, 1940, 4596, 4597, 4607, 4608, 4610, 5075, 5076, 5104, 5105, 5133, 5134, 6161, 6162, 6164, 6167, 6168, 6170, 6191, 6314, 6315, 6317, 6320, 6321, 6323, 6368, 6591, 6593, 6595, 6597, 6776, 6781, 6803, 7626, 7627, 7916, 7923, 7931, 7938, 7977, 7981, 8063, 8065, 8067, 8069, 8362, 8364, 8366, 8368, 8409, 8410, 8526, 8527, 10364, 10366, 10368, 10370, 10508, 10509, 10510, 10737, 10880, 10882, 10883, 10884, 10885, 10886, 10918, 11136, 11200, 11445, 11491, 12495, 12497, 12498, 12499, 12569, 12571, 12573, 12575, 14325, 14423, 14425, 14426, 14427,</p>
---	---	--



14981,	14984,	7922, 7928, 7929,	13569,	13571,
15011,	15027,	7930, 7935, 7936,	13572,	13573,
15233,	15234,	7937, 7946, 7949,	13576,	13580,
15236,	15239,	7957, 13292,	13582,	13583,
15240,	15242,	13294, 13300,	13584,	13585,
15283,	15422,	13302, 13308,	13586,	13587,
15656,	15657,	13309, 13310,	13588,	13590,
15659,	15662,	13311, 13312,	13591,	13592,
15663,	15665,	13313, 13314,	13593,	13595,
15813,	15815,	13315, 13316,	13596,	13597,
15817,	15819,	13317, 13318,	13599,	13600,
15995,	15997,	13320, 13321,	13601,	13604,
15999,	16001,	13323, 13324,	13605,	13606,
16230,	16234,	13325, 13332,	13609,	13642,
16237,	16240,	13333, 13334,	13644,	13647,
16241,	16486,	13336, 13338,	13672,	13674,
16489,	16491,	13341, 13342,	13706,	13710,
16494,	16779,	13349, 13359,	13722,	13723,
16783,	16786,	13360, 13361,	13769,	13779,
16789,	16790,	13362, 13363,	13785,	13797,
17066,	17069,	13364, 13365,	13798,	13817,
17071,	17074,	13366, 13367,	13818,	13819,
17347,	17349,	13368, 13369,	13820,	13821,
17351,	17353,	13370, 13371,	13822,	13823,
17478,	17482,	13372, 13373,	13824,	13825,
17485,	17488,	13377, 13378,	13861,	13862,
17489,	17749,	13379, 13381,	14645,	14647,
17752,	17754,	13383, 13386,	14660	
17757,	18045,	13387, 13389,	\l@	18707
18051,	18305,	13390, 13391,	\L@ante	
19821,	19825,	13400, 13410,	12583,	12658,
19831,	19834,	13411, 13412,	12683	
19856,	20039,	13413, 13414,	\l@chapter	6120,
20042,	20044,	13415, 13416,	6134,	
	20557		6297,	6311,
\keys . . .	13284, 13480,	13417, 13418,	6575,	
	13574,	13424,	10328,	15216,
\keywords	13813,	13427,	15230,	15588,
\kill	13097	13428,	15602,	15794,
\KOMAClassName . . .	16312,	13431,	15979,	18356,
	16629,	13433,	18357,	18489,
	16861,	13435,	19570	
	17209,	13441,	\l@color . . .	12598,
	17560,	13442,	12599	
\KV@do	17892	13444,	\l@figure	5317,
\KV@prefix . . .	12610, 12615	13446,	5318,	18598,
		13451,	19598	
	12608, 12613	13453,	\L@Indent	
		13455,	12584,	12660,
		13474,	12664,	12684
		13490,	12630,	
		13492,	12631,	
		13493,	12633,	
		13511,	12634,	
		13531,	12635,	
		13539,	12636,	
		13544,	12641,	
		13558,	12647,	
		13563,	12649,	
		13567,	12653,	
		13568,	12658,	
			12659,	
			12661,	12662,
			12673	



\L@gridfalse	12589	\L@slope	14465, 14467,
\L@gridtrue	12589	12586, 12677, 12678	14470, 14472,
\L@hang	12580, 12657	\l@subfigure	14475, 14477,
\L@imagefalse	12588	\l@subparagraph	14479, 14482,
\L@imagetrue	12588	18581, 19590	14484, 14486,
\L@lbox	12611, 12612, 12619, 12621, 12626, 12636, 12656, 12657, 12668, 12669, 12670, 12683	\l@subsection	14489, 14491,
\l@LOKeys	12603, 12605, 12610, 12615	18530, 19578	14493, 15251,
\L@lraise	12628, 12634, 12635, 12637, 12638, 12683	\l@subsubsection	15645, 15839,
\L@next	12664, 12665, 12676, 12678	18547, 19582	16042, 16444,
\l@ngrel@x 2691, 2692, 2694	\l@stable	17024, 17707, 18371
\L@Nindent	12585, 12663, 12665, 12667, 12676, 12677	\l@table	\labelwidth . 89, 90,
\L@novskip	12587, 12641, 12645	5318, 18616, 19594	302, 303, 578,
\L@oversize	12581	\L@tbox	579, 713, 714,
\l@paragraph	18564, 19586	12623, 12627, 12685	976, 977, 1226,
\L@parshape	12673, 12676, 12680, 12682	\l@textcolor	1227, 2366, 2368,
\l@part	510, 662, 680, 906, 924, 1145, 1163, 6096, 6112, 6273, 6289, 6560, 8004, 8259, 10313, 15192, 15208, 15564, 15580, 15780, 15964, 18353, 18354, 18442, 19562, 19565	2352, 4276, 4278, 4280, 4284, 4336, 10715, 11655, 11673, 20625	5347, 5348, 6148, 6149, 6336, 6337, 6645, 6646, 8050,
\L@Pindent	12656, 12657, 12659, 12660, 12662, 12663, 12666, 12673	\labelitemi	8051, 8321, 8322,
\L@raise	12582, 12634	746, 998, 1061, 1248, 6190, 6367, 15282, 15421	10377, 10378,
\l@section	527, 688, 701, 890, 903, 1172, 1185, 7990, 18508, 19574	\labelname	11292, 12471,
		14430, 14433, 14435, 14438, 14440, 14442, 14445, 14447, 14449, 14451, 14454, 14456, 14458, 14460, 14462, 14465, 14467, 14470, 14472, 14475, 14477, 14479, 14482, 14484, 14486, 14489, 14491, 14493	12472, 14430, 14433, 14435, 14438, 14440, 14442, 14445, 14447, 14449, 14451, 14454, 14456, 14458, 14460, 14462, 14465, 14467, 14470, 14472, 14475, 14477, 14479, 14482, 14484, 14486, 14489, 14491, 14493, 15249, 15250, 15643, 15644, 15837, 15838, 16040, 16041, 16442, 16443, 17022, 17023, 17705, 17706, 18369, 18370
		\labelsep	\langle 1856
		85, 90, 298, 303, 580, 715, 978, 1228, 2367, 2369, 5346, 5348, 5405, 6150, 6338, 6647, 8052, 8323, 10379, 12467, 12472, 14430, 14433, 14435, 14438, 14440, 14442, 14445, 14447, 14449, 14451, 14454, 14456, 14458, 14460, 14462,	\Larg 1855, 1856, 1857, 1858, 1859
			\Larga 1856
			\Largb 1857
			\LARGE . 426, 497, 754, 844, 1006, 1096,



	1256, 1347, 1358, 5248, 5255, 5337, 5580, 6198, 6375, 6476, 6547, 7566, 8080, 8145, 8175, 8246, 10399, 10464, 15290, 15380, 15429, 15526, 15537, 15693, 15880, 15951	15695, 15701, 15788, 15882, 15888, 15953, 15959, 15973, 19000, 19350, 19388 \Largr 1859 \Largs 1858 \lastbox 7249, 7253, 7279, 10003, 10026, 10036, 10040, 13244, 14911, 19961 \lastbox@a 7249, 7250, 7253, 7254 \LastFrameCommand 11154, 11264 \lastkern 4981, 11239 \lastpenalty 6695, 19410 \lastrule 6742 \lastskip 4414, 5910, 5911, 6023, 6024, 6694, 7236, 7237, 7241, 7242, 7244, 7251, 7256 \lastskip@a 7239, 7243, 7247 \lastskip@b 7237, 7239, 7241, 7243, 7247, 7248 \lastskip@d 7236, 7242, 7244, 7250, 7251, 7254, 7256, 7257, 7260, 7270 \LastTOCLevelWasHigher 19320 \LastTOCLevelWasLower 19316 \LastTOCLevelWasSame 19318 \LaTeX 12431, 20031, 20032, 20044 \LaTeXe 20033, 20034 \LBEG 1860 \lcb 1857, 1860, 1861, 1864 \lccode 3168, 3170, 19812, 19813 \Lcs 1871 \LcsStar 1872 \leaders 16240, 16789, 17488,	18058, 18347, 19501, 19610, 20294 \leavevmode . 14, 219, 315, 381, 518, 535, 656, 670, 695, 747, 884, 897, 914, 999, 1062, 1139, 1153, 1179, 1249, 1989, 2297, 4969, 5310, 5778, 5854, 6090, 6104, 6127, 6191, 6267, 6281, 6304, 6368, 6568, 6583, 6663, 6664, 6802, 6854, 7998, 8012, 8266, 8699, 8847, 8994, 9145, 9296, 9447, 9598, 9749, 9900, 10321, 10336, 10617, 10632, 11068, 11433, 11479, 11499, 12289, 12326, 12358, 12501, 12520, 13239, 13471, 13804, 14267, 14279, 14291, 14910, 14978, 14983, 15029, 15050, 15186, 15200, 15223, 15283, 15422, 15558, 15572, 15595, 15787, 15802, 15972, 15987, 16240, 16789, 17488, 18025, 18076, 18297, 18320, 18467, 18498, 18521, 18538, 18555, 18572, 18589, 18606, 18624, 18643, 18663, 18698, 18891, 18999, 19044, 19492, 19606, 19855, 20036,
--	---	---	---



20041, 20043,	18370, 18371,	14268, 14269,
20051, 20058,	20102, 20105,	14276, 14281,
20132, 20240, 20290	20115, 20119,	14288, 14293,
\left 20052, 20059, 20065	20127, 20166,	15058, 15060,
\left@footnoterule	20168, 20169,	15071, 15073,
30, 244, 418, 541,	20170, 20175,	15084, 15086,
725, 742, 961,	20177, 20178,	15095, 15097,
994, 1205, 1244,	20179, 20184,	15114, 15157,
6160, 6186, 6313,	20186, 20187,	15170, 15181,
6363, 6468, 6590,	20188, 20193,	15182, 15187,
8062, 8074, 8167,	20195, 20196, 20197	15198, 15221,
8361, 10363,	\leftmargini . . . 4117,	15224, 15225,
10393, 10883,	5327, 5340, 5347	15553, 15554,
10889, 10902,	\leftmarginii . . . 5341	15559, 15570,
10904, 11040,	\leftmarginiii . . . 5342	15593, 15596,
11054, 12498,	\leftmarginiv . . . 5343	15597, 15607,
12568, 15232,	\leftmarginv . . . 5344	15620, 15669,
15278, 15415,	\leftmarginvi . . . 5345	15785, 15800,
15655, 15675,	\leftmarginwidth 15809	15803, 15804,
15812, 15872,	\leftmark . . . 5677	15809, 15810,
15994, 16228,	\leftskip . . . 12,	15970, 15985,
16250, 16485,	13, 217, 218, 315,	15988, 15989,
16777, 16799,	319, 516, 533,	18289, 18301,
17065, 17347,	536, 537, 627,	18318, 18339,
17476, 17498, 17748	640, 651, 652,	18341, 18346,
\leftfootnoterule .	657, 668, 693,	18350, 18351,
1632, 7623, 8406,	696, 697, 878,	18462, 18463,
10887, 10890,	879, 885, 895,	18464, 18472,
11128, 11408, 20675	898, 899, 912,	18493, 18494,
\leftline . . . 14993,	934, 1128, 1134,	18495, 18503,
20212, 20218, 20220	1135, 1140, 1151,	18516, 18517,
\leftmargin 90, 303,	1177, 1180, 1181,	18518, 18526,
579, 580, 714,	1199, 5304, 5312,	18533, 18534,
715, 950, 977,	5313, 5884, 6079,	18535, 18543,
978, 1227, 1228,	6085, 6086, 6091,	18550, 18551,
2368, 2369, 4117,	6102, 6125, 6128,	18552, 18560,
5327, 5386, 5387,	6129, 6256, 6262,	18567, 18568,
5394, 5400, 6149,	6263, 6268, 6279,	18569, 18577,
6150, 6337, 6338,	6302, 6305, 6306,	18584, 18585,
6646, 6647, 8051,	6566, 6581, 6584,	18586, 18594,
8052, 8322, 8323,	6585, 6717, 6718,	18601, 18602,
10378, 10379,	6719, 6845, 6846,	18603, 18611,
12472, 15047,	6852, 7996, 7999,	18619, 18620,
15250, 15251,	8000, 8010, 8264,	18621, 18629,
15644, 15645,	8622, 10240,	18638, 18639,
15838, 15839,	10319, 10334,	18640, 18648,
16041, 16042,	10337, 10338,	18658, 18659,
16443, 16444,	12518, 12519,	18660, 18668,
17023, 17024,	13226, 13900,	18693, 18694,
17706, 17707,	13901, 14264,	18695, 18703,



18743,	18744,	1078, 1079, 1080,	3464, 3475, 3570,
18745,	19423,	1081, 1082, 1083,	3586, 3606, 3621,
19485,	19486,	1084, 1085, 1086,	3637, 3730, 3751,
19487,	19493,	1087, 1088, 1095,	3752, 3768, 3811,
19496,	19543,	1122, 1231, 1242,	3814, 3816, 3821,
19603,	19608,	1243, 1244, 1245,	3835, 3843, 3844,
19631,	19638,	1246, 1284, 1285,	3864, 3865, 3892,
20007,	20008,	1286, 1287, 1288,	3903, 3908, 3912,
20201,	20227,	1289, 1290, 1291,	3914, 3917, 3927,
20228,	20287, 20292	1292, 1293, 1328,	3938, 3965, 3976,
\LEND	1861	1329, 1330, 1331,	3985, 4034, 4039,
\LenToUnit		1332, 1333, 1334,	4055, 4056, 4057,
..	7790, 7804, 7822	1335, 1336, 1337,	4058, 4060, 4061,
\leqno . . .	338, 14989,	1338, 1346, 1372,	4062, 4063, 4109,
	14991, 20666, 20668	1373, 1377, 1393,	4239, 4240, 4277,
\let	86, 102, 115,	1394, 1395, 1431,	4278, 4284, 4286,
	152, 153, 156, 157,	1432, 1433, 1458,	4290, 4335, 4336,
	160, 161, 164, 184,	1459, 1460, 1461,	4418, 4420, 4422,
	188, 203, 204,	1466, 1501, 1502,	4568, 4569, 4582,
	232, 299, 329,	1589, 1591, 1593,	4586, 4588, 4589,
	337, 338, 350,	1669, 1670, 1699,	4595, 4599, 4603,
	382, 383, 386,	1743, 1745, 1747,	4612, 4856, 4857,
	403, 407, 411, 416,	1796, 1797, 1798,	4875, 4876, 4894,
	417, 418, 419, 420,	1799, 1800, 1801,	4895, 4922, 4923,
	421, 422, 440,	1802, 1803, 1804,	4951, 4952, 4953,
	441, 442, 443,	1805, 1806, 1944,	5050, 5071, 5072,
	444, 445, 446,	1945, 1946, 1973,	5073, 5079, 5100,
	447, 448, 449,	1990, 1991, 1992,	5101, 5102, 5108,
	450, 451, 475,	1993, 1994, 1995,	5129, 5130, 5131,
	476, 477, 478,	1996, 1997, 1998,	5147, 5151, 5152,
	479, 480, 481,	2000, 2001, 2002,	5153, 5156, 5160,
	482, 483, 484,	2112, 2113, 2114,	5161, 5162, 5165,
	485, 486, 487,	2115, 2116, 2117,	5169, 5170, 5171,
	494, 495, 496,	2118, 2119, 2120,	5318, 5382, 5423,
	583, 606, 621,	2372, 2381, 2386,	5510, 5577, 5578,
	718, 740, 741,	2404, 2428, 2447,	5579, 5769, 5770,
	742, 743, 744,	2452, 2477, 2478,	5772, 5773, 5791,
	782, 783, 784,	2485, 2486, 2489,	5812, 5813, 5814,
	785, 786, 787,	2490, 2524, 2657,	5815, 5816, 5817,
	788, 789, 790,	2660, 2668, 2692,	5818, 5819, 5820,
	791, 826, 827,	2714, 2736, 2737,	5823, 5824, 5825,
	828, 829, 830,	2867, 2947, 2949,	5826, 5827, 5828,
	831, 832, 833,	2950, 2951, 2952,	5829, 5830, 5831,
	834, 835, 836,	2953, 3008, 3019,	5892, 5918, 5968,
	843, 870, 981,	3026, 3032, 3038,	5974, 5995, 6008,
	992, 993, 994,	3045, 3049, 3051,	6018, 6032, 6036,
	995, 996, 1034,	3198, 3201, 3232,	6037, 6038, 6039,
	1035, 1036, 1037,	3311, 3317, 3320,	6040, 6041, 6042,
	1038, 1039, 1040,	3330, 3340, 3351,	6043, 6044, 6050,
	1041, 1042, 1043,	3418, 3428, 3430,	6051, 6052, 6053,



6054, 6055, 6056,	8132, 8133, 8134,	9865, 10046,
6057, 6058, 6073,	8135, 8136, 8137,	10047, 10048,
6153, 6184, 6185,	8144, 8165, 8166,	10052, 10053,
6186, 6187, 6188,	8167, 8168, 8169,	10054, 10055,
6226, 6227, 6228,	8170, 8171, 8189,	10058, 10071,
6229, 6230, 6231,	8190, 8191, 8192,	10083, 10095,
6232, 6233, 6234,	8193, 8194, 8195,	10120, 10134,
6235, 6250, 6341,	8196, 8197, 8198,	10148, 10247,
6361, 6362, 6363,	8199, 8200, 8224,	10309, 10382,
6364, 6365, 6403,	8225, 8226, 8227,	10391, 10392,
6404, 6405, 6406,	8228, 8229, 8230,	10393, 10394,
6407, 6408, 6409,	8231, 8232, 8233,	10395, 10413,
6410, 6411, 6412,	8234, 8235, 8236,	10414, 10415,
6461, 6466, 6467,	8243, 8244, 8245,	10416, 10417,
6468, 6469, 6470,	8326, 8374, 8375,	10418, 10419,
6471, 6472, 6490,	8376, 8377, 8378,	10420, 10421,
6491, 6492, 6493,	8379, 8388, 8389,	10422, 10446,
6494, 6495, 6496,	8390, 8391, 8392,	10447, 10448,
6497, 6498, 6499,	8393, 8394, 8395,	10449, 10450,
6500, 6501, 6525,	8396, 8397, 8398,	10451, 10452,
6526, 6527, 6528,	8399, 8404, 8405,	10453, 10454,
6529, 6530, 6531,	8406, 8407, 8408,	10455, 10456,
6532, 6533, 6534,	8500, 8501, 8502,	10463, 10519,
6535, 6536, 6537,	8503, 8504, 8505,	10546, 10549,
6544, 6545, 6546,	8508, 8509, 8510,	10550, 10582,
6650, 6674, 6676,	8511, 8512, 8513,	10585, 10586,
6679, 6680, 6681,	8515, 8652, 8653,	10668, 10669,
6687, 6692, 6712,	8654, 8658, 8659,	10671, 10672,
6724, 6725, 6726,	8660, 8661, 8664,	10675, 10676,
6728, 6729, 6735,	8803, 8804, 8805,	10705, 10707,
6736, 6737, 6738,	8809, 8810, 8811,	10715, 10716,
6758, 6767, 6808,	8812, 8815, 8947,	10717, 10727,
6814, 6835, 7007,	8948, 8949, 8953,	10730, 10862,
7010, 7011, 7070,	8954, 8955, 8956,	10890, 10916,
7073, 7074, 7621,	8959, 9098, 9099,	10917, 11026,
7622, 7623, 7624,	9100, 9104, 9105,	11040, 11054,
7625, 7628, 7629,	9106, 9107, 9110,	11080, 11081,
7631, 7649, 7650,	9249, 9250, 9251,	11082, 11083,
7652, 7670, 7671,	9255, 9256, 9257,	11117, 11132,
7675, 7710, 7712,	9258, 9261, 9400,	11138, 11143,
7724, 7727, 7728,	9401, 9402, 9406,	11278, 11279,
7732, 7762, 7764,	9407, 9408, 9409,	11280, 11281,
7776, 7779, 7780,	9412, 9551, 9552,	11323, 11326,
8055, 8072, 8073,	9553, 9557, 9558,	11327, 11371,
8074, 8075, 8076,	9559, 9560, 9563,	11374, 11375,
8094, 8095, 8096,	9702, 9703, 9704,	11408, 11409,
8097, 8098, 8099,	9708, 9709, 9710,	11410, 11411, 11412,
8100, 8101, 8102,	9711, 9714, 9853,	11502, 11536,
8103, 8127, 8128,	9854, 9855, 9859,	11538, 11566,
8129, 8130, 8131,	9860, 9861, 9862,	11568, 11573,



11575,	11579,	14036,	14039,	15419,	15457,
11581,	11912,	14040,	14136,	15458,	15459,
11913,	11914,	14139,	14140,	15460,	15461,
11955,	11956,	14375,	14378,	15462,	15463,
11957,	11999,	14398,	14399,	15464,	15465,
12000,	12001,	14402,	14403,	15466,	15467,
12014,	12015,	14406,	14407,	15468,	15503,
12016,	12029,	14511,	14512,	15504,	15505,
12030,	12031,	14513,	14621,	15506,	15507,
12037,	12039,	14622,	14623,	15508,	15509,
12040,	12041,	14624,	14625,	15510,	15511,
12042,	12043,	14627,	14672,	15512,	15513,
12044,	12045,	14677,	14691,	15514,	15515,
12054,	12090,	14723,	14912,	15523,	15524,
12128,	12161,	14916,	14961,	15525,	15648,
12192,	12223,	14962,	14963,	15673,	15674,
12229,	12231,	14964,	14967,	15675,	15676,
12232,	12233,	14968,	14970,	15677,	15678,
12234,	12235,	14975,	14985,	15679,	15707,
12236,	12237,	14986,	14987,	15708,	15709,
12238,	12250,	14988,	14989,	15710,	15711,
12253,	12256,	15051,	15055,	15712,	15713,
12259,	12426,	15057,	15068,	15714,	15715,
12427,	12428,	15070,	15081,	15716,	15717,
12429,	12444,	15083,	15093,	15718,	15747,
12455,	12468,	15094,	15105,	15748,	15749,
12485,	12534,	15106,	15107,	15750,	15751,
12599,	12609,	15108,	15109,	15752,	15753,
12614,	12772,	15119,	15120,	15754,	15755,
12784,	13087,	15121,	15122,	15756,	15757,
13088,	13089,	15123,	15132,	15758,	15759,
13091,	13093,	15134,	15135,	15765,	15766,
13097,	13099,	15151,	15254,	15767,	15842,
13101,	13102,	15276,	15277,	15866,	15870,
13104,	13105,	15278,	15279,	15871,	15872,
13106,	13110,	15280,	15318,	15873,	15874,
13116,	13128,	15319,	15320,	15875,	15876,
13164,	13165,	15321,	15322,	15894,	15895,
13166,	13218,	15323,	15324,	15896,	15897,
13219,	13220,	15325,	15326,	15898,	15899,
13221,	13222,	15327,	15362,	15900,	15901,
13230,	13277,	15363,	15364,	15902,	15903,
13278,	13279,	15365,	15366,	15904,	15905,
13868,	13869,	15367,	15368,	15929,	15930,
13870,	13871,	15369,	15370,	15931,	15932,
13872,	13873,	15371,	15372,	15933,	15934,
13874,	13875,	15379,	15406,	15935,	15936,
13876,	13932,	15413,	15414,	15937,	15938,
13935,	13936,	15415,	15416,	15939,	15940,
13938,	13939,	15417,	15418,	15941,	15948,



15949,	15950,	16905,	16906,	18082,	18093,
16045,	16070,	16907,	16908,	18094,	18095,
16097,	16098,	16909,	16910,	18102,	18103,
16115,	16187,	16911,	16912,	18108,	18117,
16188,	16189,	16913,	16917,	18118,	18119,
16248,	16249,	16918,	16919,	18121,	18124,
16250,	16251,	17035,	17060,	18128,	18131,
16252,	16253,	17061,	17085,	18133,	18136,
16254,	16256,	17086,	17087,	18145,	18148,
16320,	16337,	17088,	17089,	18161,	18162,
16338,	16339,	17090,	17096,	18163,	18178,
16340,	16341,	17097,	17098,	18179,	18180,
16342,	16343,	17099,	17100,	18181,	18182,
16344,	16345,	17101,	17195,	18183,	18185,
16346,	16347,	17197,	17203,	18186,	18189,
16348,	16349,	17205,	17435,	18190,	18264,
16350,	16351,	17436,	17437,	18265,	18268,
16352,	16353,	17496,	17497,	18270,	18271,
16354,	16355,	17498,	17499,	18272,	18284,
16356,	16357,	17500,	17501,	18313,	18342,
16358,	16359,	17502,	17504,	18347,	18353,
16360,	16361,	17568,	17585,	18356,	18374,
16362,	16363,	17586,	17587,	18436,	18440,
16364,	16368,	17588,	17589,	18469,	18470,
16369,	16370,	17590,	17591,	18471,	18500,
16455,	16480,	17592,	17593,	18501,	18502,
16481,	16505,	17594,	17595,	18523,	18524,
16506,	16507,	17596,	17597,	18525,	18540,
16508,	16509,	17598,	17599,	18541,	18542,
16510,	16516,	17600,	17601,	18557,	18558,
16517,	16518,	17602,	17603,	18559,	18574,
16519,	16520,	17604,	17605,	18575,	18576,
16521,	16615,	17606,	17607,	18591,	18592,
16617,	16623,	17608,	17609,	18593,	18608,
16625,	16736,	17610,	17611,	18609,	18610,
16737,	16738,	17612,	17616,	18626,	18627,
16797,	16798,	17617,	17618,	18628,	18645,
16799,	16800,	17718,	17743,	18646,	18647,
16801,	16802,	17744,	17768,	18665,	18666,
16803,	16805,	17769,	17770,	18667,	18700,
16869,	16886,	17771,	17772,	18701,	18702,
16887,	16888,	17773,	17779,	18765,	18920,
16889,	16890,	17780,	17781,	19057,	19138,
16891,	16892,	17782,	17783,	19141,	19171,
16893,	16894,	17784,	17878,	19404,	19620,
16895,	16896,	17880,	17886,	19628,	19633,
16897,	16898,	17888,	18016,	19640,	19657,
16899,	16900,	18017,	18018,	19660,	19720,
16901,	16902,	18021,	18077,	19778,	19782,
16903,	16904,	18078,	18079,	19860,	19865,



19875,	19879,		14849, 14863, 14865	14902,	14955,
19908,	19918,	\line 6864, 6865,	14957,	15112,
19922,	19962,		6867, 6868, 6874,	15126,	16601,
19966,	20015,		6875, 6877, 6878,	17181,	17864,
20016,	20017,		6887, 6888, 6890,	20009,	20011,
20018,	20021,		6891, 6897, 6898,	20101,	20102,
20022,	20024,		6900, 6901, 6910,	20129,	20166,
20029,	20031,		6911, 6913, 6914,	20168,	20169,
20033,	20045,		6920, 6921, 6923,	20170,	20175,
20046,	20047,		6924, 6933, 6934,	20177,	20178,
20048,	20052,		6936, 6937, 6943,	20179,	20184,
20053,	20059,		6944, 6946, 6947,	20186,	20187,
20060,	20061,		14992, 14993, 14994	20188,	20193,
20073,	20095,	\lineskip 202,	20195,	20196,
20147,	20200,		404, 429, 500,	20197,	20576, 20579
20203,	20204,		762, 847, 1014,	\link 2331
20218,	20219,		1099, 1264, 1350,	\list 89, 302, 577,
20237,	20241,		1359, 2201, 6206,		712, 948, 975,
20242,	20243,		6383, 6479, 6550,		1225, 5365, 5383,
20246,	20258,		8083, 8148, 8178,		5392, 5400, 6147,
20259,	20260,		8249, 10402,		6335, 6644, 8049,
20261,	20267,		10467, 10719,		8320, 10376,
20268,	20269,		13129, 13227,		12471, 14503,
20307,	20359,		15115, 15129,		15248, 15642,
20362,	20363,		15298, 15383,		15836, 16039,
20406,	20409,		15437, 15529,		16439, 17019,
20410,	20587,		15538, 15696,		17702, 18368, 20084
20589,	20602,		15772, 15883,	\listdoubleitemmaincolumnwidth	
20604,	20606,		15954, 16278,		2271, 2284, 2285,
20608,	20610,		16392, 16827,		2286, 2313, 2317
20612,	20615,		16941, 17526,	\listfigurename
20616,	20618,		17640, 18097,		5287, 5288
20619,	20625,		18136, 20263, 20628	\listitemmaincolumnwidth	
20626,	20627,	\lineskiplimit		2270,
20650,	20653,		10720, 20628		2278, 2279, 2311
20665,	20666,	\linespacing	.. 24, 12506	\listitemsymbol
20674,	20675,	\linespread 2678		2212, 2269, 2310,
20676,	20818, 20820	\linewidth 2325,		2312, 7432, 7530
\Letter 2217		4312, 10618,	\listitemsymbolwidth	
\lettergroup 5434		10633, 10637,		2268,
\LettrineDepth 12670		11290, 11298,		2269, 2279, 2285
\LettrineFont 12611, 12621		11299, 11301,	\listoffigures 5285
\LettrineFontEPS 12619		11302, 11602,	\listoftables 5293
\LettrineHeight 12669		12661, 12664,	\listparindent
\LettrineTextFont 12623, 12632		12680, 13224,	948, 5385, 5392,	
\LettrineWidth		13940, 13946,	5393, 20091, 20100	
\lftside 12612, 12668		14578, 14580,	\listtablename
			14598, 14600,		5295, 5296
			14800, 14806,	\llap 5372, 7845,
			14892, 14901,		8536, 8548, 8560,



10525,	10531,	13882,	13932,	\lst@caption .
11415,	11547,	13982,	14004,	12745, 12751, 12758, 12763
11549,	11551,	14410,	14414,	\lst@alloverstyle .
11553,	11556,	14418,	14781, 1847, 1853
11558,	11561,	14977,	15281,	\lst@HRefStepCounter
11563,	12683,	15346,	15420, 12745, 12751
18043,	18302, 18320	15487,	15683,	\lst@ifnumberbychapter
\LoadClass .	5619, 5643	15726,	15912, 12784, 12785
\long	34, 48,	16203,	16752,	\lst@Key .
64,	247, 261, 276,	17326,	17426,	12688, 12695
458,	745, 810,	17451,	18015,	\lst@MakeCaption .
997,	1060, 1247,	18201,	18205, 12743, 12756
1312,	1789, 2007,	18208,	18212,	\lst@makecaption .
2010,	2013, 2018,	19854,	20035, 12740, 12773
2021,	2024, 2422,	20131,	20457,	\lst@maketitle 12741,
2423,	2432, 2435,	20461,	20465,	12774, 12778, 12780
2446,	2625, 2629,	20501,	20505,	\lst@title@dropdelim
2662,	2694, 2698,	20509,	20568, 20655 12741
2808,	2827, 2902,	\longindentation .	8354	\lstKV@SwitchCases
2918,	2930, 2939,	\longthickrule 15764, 15770 12689, 12696
2971,	2999, 3011,	\loop	15764,	\lstset 1817
3012,	3298, 3300,	1689,	15770	\LT@ch 13089, 13091
3304,	3316, 3323,	1690,	3373, 3383,	\LT@tabarray
3332,	3335, 3342,	6957,	7127, 7133, 13088, 13092
3360,	3982, 4246,	7238,	7293, 7305,	\LT@array 12435,
4395,	4655, 4659,	10024,	10034,	13078, 16615,
4663,	4699, 4703,	12647,	14798,	16616, 17195,
4707,	4743, 4747,	14834,	14861,	17196, 17878, 17879
4751,	4962, 5049,	14872,	14899, 18156	\LT@bchunk
5078,	5107, 5925,	\looprepeat	3390,	13119, 13126, 13130
5928,	5931, 5935,	3394,	3438, 3509,	\LT@caption 13097,
5938,	5941, 6189,	3516,	3521, 3527,	16617, 16623,
6366,	6508, 6801,	3530,	3532,	16625, 17197,
7630,	7651, 8110,	3536,	3537, 3542	17203, 17205,
8207,	10429,	\lower	14983,	17880, 17886, 17888
10964,	10981,	15017,	15025,	\LT@cols 13132,
10997,	11025,	19848,	20041, 20043	16600, 17180, 17863
11039,	11053,	\lowercase	2492,	\LT@end@pen 13180
11413,	11423,	2500,	2508, 2516	\LT@endpbox 13099
11432,	11478,	\lowertitleback . . .	16361, 16910, 17609	\LT@err 13181
11519,	11526,	\LR .	12427, 14963, 14983,	\LT@foot 12450,
11958,	11969,	20017,	20041, 20043	12454, 13184,
11980,	11991,	\lrb	20017, 20041, 20043	13188, 13197, 13200
12006,	12021,	\LRE .	1859, 1868	\LT@head 13191, 13204
12064,	12081,	1590,	1744, 12426,	\LT@hline 13097
12102,	12119,	14963,	14966,	\LT@kill 13097
12135,	12152,	19660,	20017, 20020	\LT@lastfoot
12166,	12183,	\LRfootnoterule . . .	7625, 8408, 10890	. 13184, 13186, 13197
12197,	12214,	\lsb	1858, 1866	\LT@LL@FM@cr 13106, 13110
12439,	12724,			\LT@make@row 13127



\LT@makecaption . . .	\LTRfootfootmark . . .	11099, 13869, 15418, 15458, 15504, 15524, 15678, 15708, 15748, 15766, 15875, 15895, 15930, 15949, 16253, 16338, 16369, 16802, 16887, 16918, 17501, 17586, 17617
\LT@mcol 13087, 13132, 16600, 17180, 17863	\LTRfootmarkstyle . . .	\ltx@firstofthree . . . 10815, 10839
\LT@no@pgbk 13095, 13096	\LTRfootnote . . . 421,	\ltx@undefined . . . 10809, 10833
\LT@nofcols . . . 13126	495, 1945, 1953, 5141, 5491, 6471, 6545, 8170, 8244, 10945, 15418, 15524, 15678, 15766, 15875, 15949, 16253, 16369, 16802, 16918, 17501, 17617	\ltx@secondofthree . . . 10818, 10842
\LT@output . . . 13178	\LTRfootnotetext . . . 2011, 2022, 5929, 5939, 11101, 11103, 12060, 13171, 18202, 18206	\ltx@thirdofthree . . . 10811, 10828, 10835
\LT@p@ftn . . . 12059, 12062, 12066, 12076, 12097, 12100, 12104, 12114, 13171, 13172, 13174, 13175	\LTRfootscript 8532, 8549, 8553, 8555	M
\LT@p@ftntext . . . 13164	\LTRfoottextfont . . . 8450, 8457, 8478, 8484, 8584, 8677, 8705, 8725, 8827, 8853, 8872, 8972, 9000, 9020, 9123, 9151, 9171, 9274, 9302, 9322, 9425, 9453, 9473, 9576, 9604, 9624, 9727, 9755, 9775, 9878, 9906, 9926, 10085, 10113, 10137	\m@addvipersep . . . 14065, 14165
\LT@p@LRTLftntext . . .	\LTright . . . 13081, 13083, 13085, 13124	\m@m@float@spacing 8521
\LT@p@RTLftntext . . .	\LTrmarginnote . . . 5155	\m@m@footnote@spacing
12095, 12102, 13166, 13173	\LTrmarginpar . . . 20440	8416, 8432, 8448, 8464, 8477, 8490, 8520, 8666, 8676, 8686, 8712, 8724, 8737, 8764, 8777, 8792, 8797, 8817, 8826, 8835, 8860, 8871, 8883, 8909, 8921, 8936, 8941, 8961, 8971, 8981, 9007, 9019, 9032, 9059, 9072, 9087, 9092, 9112, 9122, 9132, 9158, 9170, 9183, 9210, 9223, 9238, 9243, 9263, 9273, 9283, 9309, 9321, 9334, 9361, 9374, 9389, 9394, 9414, 9424, 9434, 9460, 9472, 9485, 9512, 9525, 9540, 9545, 9565, 9575, 9585, 9611, 9623, 9636, 9663, 9676
\LT@rows . . . 13121, 13151	\LTrmulticolcolumns	
\LT@setprevdepth . . . 13122		
\LT@start . . . 12452, 12462		
\LT@startpbox . . .		
. . . 13103, 13110, 13162		
\LT@tabularcr . . . 13093		
\LTcaptype . . .		
. . . 13144, 13153, 13154		
\LTcapwidth . . .		
. . . 13132, 13145, 13146		
\LTleft . . . 13081,		
. . . 13083, 13085, 13123		
\LTR . . . 14955, 20009		
\LTR@column@boxes . . .		
. . . 14332, 14348, 14379, 14381		
\LTR@outputdblcol . . .		
. . . 7057, 10570, 11308, 14123, 20393, 20437, 20439		
\LT@biditufthesidenotemarginpar . . .		
. . . 4682, 5008, 5158		
\LT@cite . . .		
. . . 4952, 5072, 5101, 5130, 5152, 5161, 5170		
\LTRcolumnfootnotes 8517	\LTrsidenote . . . 4877, 5137	
\LTRdblcol . . . 20439	\LTrthanks . . . 421, 441, 476, 495, 5491, 5499, 5516, 5532, 5543, 6471, 6491, 6526, 6545, 8170, 8190, 8225, 8244,	
\LTRdfnmakecol . . . 7783		



9691, 9696, 9716,	\m@make@mpweightcol@footgroup	\m@make@parafootfmt
9726, 9736, 9762,	.. 9562, 9650, 9694 10163, 10214
9774, 9787, 9814,	\m@make@mpweightcolfootnotetext	\m@make@parafootnotetext
9827, 9842, 9847, 9647, 9672 10161, 10187
9867, 9877, 9887,	\m@make@mpfivectrl@footgroup	\m@make@sevencol@footgroup
9913, 9925, 9938,	... 9109, 9197, 9241	.. 9405, 9498, 9538
9965, 9978, 9993,	\m@make@mpfivectrlfootnotetext	\m@make@sevencolfootfmt
9998, 10060, 9194, 9219 9497, 9533
10072, 10084,	\m@make@mpfourcol@footgroup	\m@make@sevencolfootnotetext
10096, 10121,	.. 8958, 9046, 9090 9495, 9509
10135, 10149,	\m@make@mpfourcolfootnotetext	\m@make@sixcol@footgroup
10177, 10190, 9043, 9068	.. 9254, 9347, 9387
10204, 10226, 10234	\m@make@mpninecol@footgroup	\m@make@sixcolfootfmt
\m@m@h 9713, 9801, 9845 9346, 9382
8633,	\m@make@mpninecolfootnotetext	\m@make@sixcolfootnotetext
8635, 9798, 9823 9344, 9358
8637,	\m@make@mppara@footgroup	\m@make@tencol@footgroup
8640,	10057, 10165, 10229	.. 9858, 9951, 9991
8641, 8646	\m@make@mpparafootnotetext	\m@make@tencolfootfmt
\m@m@makecolfloats 10162, 10200 9950, 9986
10245, 10292, 10298	\m@make@mpsevencol@footgroup	\m@make@tencolfootnotetext
\m@m@makecolintro .	.. 9411, 9499, 9543 9948, 9962
10260, 10285, 10296	\m@make@mpsevencolfootnotetext	\m@make@threecol@footgroup
\m@m@makecoltext 9496, 9521	.. 8808, 8895, 8934
10249, 10293, 10304	\m@make@mpsixcol@footgroup	\m@make@threecolfootfmt
\m@m@singlespace . 8519	.. 9260, 9348, 9392 8894, 8929
\m@make@eightcol@footgroup	\m@make@mpsixcolfootnotetext	\m@make@threecolfootnotetext
.. 9556, 9649, 9689 9345, 9370 8892, 8906
\m@make@eightcolfootfmt	\m@make@mptrencol@footgroup	\m@make@twocol@footgroup
..... 9648, 9684	.. 9864, 9952, 9996	.. 8657, 8750, 8790
\m@make@eightcolfootnotetext	\m@make@mptrencolfootnotetext	\m@make@twocolfootfmt
..... 9646, 9660 9949, 9974 8749, 8785
\m@make@fivecol@footgroup	\m@make@mpthreecol@footgroup	\m@make@twocolfootnotetext
.. 9103, 9196, 9236	.. 8814, 8896, 8939 8747, 8761
\m@make@fivecolfootfmt	\m@make@mpthreecolfootnotetext	\m@mdoextrafeet ...
..... 9195, 9231 8893, 8917	\m@mdoextrafeet ..
\m@make@fivecolfootnotetext	.. 8663, 8751, 8795	\m@mdoextrafeetendmini
..... 9193, 9207	\m@make@mptwoocolfootnotetext 8603, 8613
\m@m@make@footstart 8748, 8773	\m@mdoextrafeetmini
.. 8618, 8629,	\m@make@ninecol@footgroup 8594
8752, 8897, 9047,	.. 9707, 9800, 9840	\m@mdosplits .. 8638,
9198, 9349, 9500,	\m@make@ninecolfootfmt	8642, 8643, 8644
9651, 9802, 9953 9799, 9835	\m@minterparanoteglue
\m@make@fourcol@footgroup	\m@make@ninecolfootnotetext 10016, 10018
.. 8952, 9045, 9085 9797, 9811	\m@mipn@skip
\m@make@fourcolfootfmt	\m@make@para@footgroup	10008, 10015, 10017
..... 9044, 9080	10051, 10164, 10220	\m@mmakehboxofhboxes
\m@make@fourcolfootnotetext	\m@make@para@footstart 10020,
..... 9042, 9056 10166, 10237	10031, 10223, 10232



\m@mmp@prepare	8428, 8444, 8460, 8525, 8674, 8684, 8694, 8720, 8733, 8745, 8772, 8784, 8824, 8833, 8842, 8867, 8879, 8890, 8916, 8928, 8969, 8979, 8989, 9015, 9028, 9040, 9067, 9079, 9120, 9130, 9140, 9166, 9179, 9191, 9218, 9230, 9271, 9281, 9291, 9317, 9330, 9342, 9369, 9381, 9422, 9432, 9442, 9468, 9481, 9493, 9520, 9532, 9573, 9583, 9593, 9619, 9632, 9644, 9671, 9683, 9724, 9734, 9744, 9770, 9783, 9795, 9822, 9834, 9875, 9885, 9895, 9921, 9934, 9946, 9973, 9985, 10081, 10093, 10105, 10131, 10145, 10159, 10199, 10213	8943, 9089, 9094, 9240, 9245, 9391, 9396, 9542, 9547, 9693, 9698, 9844, 9849, 9995, 10000 \m@msplitoff . 8643, 8645 \m@mungebox 10009, 10081, 10093, 10105, 10131, 10145, 10159, 10199, 10213 \m@muvxh . . 10001, 10010 \m@ne 314, 554, 563, 2476, 2665, 3118, 3125, 3369, 3374, 3384, 3465, 4650, 4694, 4738, 6418, 6576, 6613, 6957, 8018, 8027, 8288, 10329, 10346, 12282, 14306, 15043, 15795, 15980, 16017, 16679, 17257, 17260, 17940, 17943, 18448, 18490, 19429, 20452, 20496, 20531, 20534 \m@th . 406, 7834, 7839, 7845, 10618, 10633, 13128, 19501, 19610, 20065, 20149, 20233, 20235, 20294 \maincolumnwidth 2266, 2275, 2276, 2277, 2278, 2280, 2284, 2299, 2303, 2328 \mainmatter 5670 \makeatletter . 2874, 2893 \makebox 7833, 7838, 7907, 7910, 7913, 7920, 7928, 7935, 7976, 7980, 14615, 14633 \makefooter 7497, 7498, 7514 \MakeFramed 11156	\makelabel . 5372, 20095 \maketag@@@ 346, 7831, 7844 \makethanksmark . 13882 \maketitle 110, 323, 330, 415, 443, 454, 478, 738, 783, 805, 827, 990, 1035, 1057, 1079, 1240, 1285, 1307, 1329, 1785, 1797, 2292, 5467, 5571, 5595, 6182, 6227, 6359, 6404, 6465, 6493, 6504, 6528, 7479, 7593, 8071, 8095, 8106, 8128, 8164, 8192, 8203, 8227, 10390, 10414, 10425, 10447, 12229, 12230, 12529, 13877, 15274, 15319, 15341, 15363, 15411, 15460, 15482, 15506, 15672, 15710, 15721, 15750, 15869, 15897, 15908, 15932, 16242, 16313, 16340, 16791, 16862, 16889, 17490, 17561, 17588 \maketitledetailsnewline 7588, 7603, 7605, 7606, 7607, 7608, 7609 \maketitledetailswidth 7580, 7582, 7583, 7584, 7585, 7600 \maketitlehookb . 13927 \maketitlehookc . 13929 \maketitlenamefullwidth 7574, 7575, 7577 \maketitlenamemaxwidth 7572, 7573, 7577 \maketitlenamewidth
----------------	---	---	--



.....	7576,	10077,	10089,	\mdf@ignorevbadness
	7577, 7583, 7595	10101,	10127, 13249
\maketitlepage	10141,	10155,	\mdf@lrbbox 13208, 13237
 5553, 5595	10195,	10209,	\mdf@par@local ... 13231
\maketitlepicturewidth	10490,	10538,	\mdf@patchamsthm 13209
	7578,	10539,	10540,	\mdfframedtitleenv 13236
	7579, 7585, 7614	10574,	10575,	\mdfframetitleboxdepth
\MakeUppercase	.	10576,	11163, 13253
	125,	11314,	11315,	\mdfframetitleboxheight
	574, 602, 603,	11317,	11362, 13252
	618, 709, 867,	11363,	11365,	\mdfframetitleboxtotalheight
	972, 1119, 1222,	14027,	14028, 13254
	6070, 6144, 6247,	14030,	14127,	\mdfframetitleboxwidth
	6332, 6457, 6458,	14128,	14130, 13251
	6641, 8046, 8317,	18149,	18188,	\mdseries 317,
	10373, 12544,	19561,	19564,	7473, 7475, 7477,
	15148, 15245,	19569,	19573,	7478, 7565, 7566,
	15403, 15639,	19577,	19581,	7567, 7570, 7571
	15862, 15863, 16036	19585,	19589,	\meaning 2385,
\marginline	19593,	19597,	2388, 2631, 2864,
	16498, 17078, 17761	19782,	20350,	2891, 2906, 2924,
\marginnote	20351,	20353,	2932, 2941, 3005
\marginpar	...	20397, 20398, 20400		\mediabutton
	4216,			13800, 13861, 13862
	4924, 16499,			\medskip
	17079, 17762, 19696			5777
\marginparpush			\medskipamount ... 8356
 4149, 20550			\mem@makecol 10284, 10306
\marginparsep			\memRTLleftskip . 13900
	1775, 2177, 4190,			\memRTLraggedleft 13905
	4193, 4197, 4349,			\memRTLraggedright 13904
	4356, 11546,			\memRTLrightsip . 13901
	11548, 11552,			\memRTLvleftskip 13902
	11557, 11560,			\memRTLvrightsip 13903
	11562, 20561, 20563			\message 1725,
\marginparwidth	1774,			\mdf@frametitleaboveskip@length 1727, 11164, 11172,
	2178, 4189, 4194,		 13257 11176, 11181,
	4206, 4304, 4574,			\mdf@frametitlealignment 11189, 11195,
	4667, 4711, 4755,		 13238 11205, 11210,
	11546, 11548,			\mdf@frametitlebelowskip@length 11212, 11219,
	11560, 11562,		 13258 11227, 11240,
	20469, 20513, 20563			\mdf@frametitlebox 11248, 11253,
\markboth 13237, 13250, 11258, 11271,
	124, 568,			13251, 13252, 11282, 11290, 11302
	5675, 8032, 12543			\MessageBreak
\mathindent	10619, 10635			148, 3064,
\mathsurround			3078, 3090, 3104,
\max@poem@no			3746, 3757, 3764,
	.. 5870, 5979, 5980			3776, 3782, 3880,
\maxdepth	.			\mdf@frametitlefontcolor 3933, 3934, 3935,
\maxdimen			3949, 3950, 3952,
	6998,			
	6999, 7001, 7061,			
	7062, 7064,			



	4230, 4326, 4553, 4554, 4622, 5226, 5227, 5228, 5230, 5231, 5235, 5236, 5237, 5239, 5240, 13978, 13979, 14309, 14328, 14394, 16314, 16465, 16472, 16863, 17045, 17052, 17562, 17728, 17735, 19073, 19075, 19078	13635, 13640, 13647, 13655, 13657, 13710, 13726, 13727, 13730, 13761, 13766, 13768, 13775, 13776, 13779, 13794, 13798, 13801, 13803, 13812, 13815, 13825, 13826, 13828, 13851, 13857, 13862	\mult@gfirstbox ... 14333, 14350, 14356 \mult@info 14307 \mult@LTRfootnotetext 155, 157, 14401, 14403, 14414 \mult@rightbox 14300, 14340, 14341, 14343, 14365, 14366, 14369 \mult@RTLfootnotetext 159, 161, 14405, 14407, 14418 \multfootsep . 4966, 4984
\MH	. 7847, 7853, 7866, 7881, 7893, 7901, 7948, 7964, 7966, 7970, 7971, 7973	\mkern 19502, 19503, 19611, 20295	\multicol@leftmargin 14310, 14319
\MHInternalSyntaxOff 7988	\mobile 2254	\multicols 14382
\MHInternalSyntaxOn 7828	\Mobilefone 2214	\multicolumn 13087, 18123
\MidFrameCommand	.. . 11152, 11196, 11264	\mobilesymbol 2214, 7507, 7605	\multiplefootnotemarker 4965, 4981, 5075, 5076, 5104, 5105, 5133, 5134, 8524, 8526, 8527
\minrowclearance	.. . 1463, 1497, 6796	\modernpoem@par 5772, 5773, 5996	\multiply 1759, 1764, 2102, 10063, 10180, 14817, 14821
\mintagvsep 7848	\morefloats . 4456, 4553	\myrefname 17380
\missingfigure 19740, 19770	\moreLRE 1591, 1745, 14917, 19967	N
\mix 13294, 13295, 13302, 13303, 13329, 13346, 13369, 13372, 13374, 13397, 13429, 13437, 13446, 13457, 13468, 13470, 13475, 13476, 13478, 13479, 13481, 13493, 13502, 13505, 13506, 13507, 13517, 13527, 13528, 13530, 13531, 13536, 13537, 13553, 13555, 13557, 13562, 13601, 13608, 13609, 13612, 13630, 13632,	\moreRLE 1593, 1747, 14918, 19968 \moveleft .. 4606, 14221 \moveright 10721, 14319, 20631 \mp@footgroupv@r 8599, 8632, 8664, 8815, 8959, 9110, 9261, 9412, 9563, 9714, 9865, 10058 \mpfootnoterule 10917, 10921 \msg 13349, 13352, 13400, 13403, 13418, 13421, 13463	\n@xt 1589, 1591, 1593, 1594, 1743, 1745, 1747, 1748 \na 14820, 14822, 14824, 14833, 14835, 14860, 14861 \narrower 20226 \NAT@bibitem@first@sw 14511 \nb 14820, 14823, 14824, 14833, 14834, 14855, 14871, 14872 \NC@find 18155 \NC@rewrite@X 18154 \NeedsTeXFormat 1504, 1752, 1808, 1941, 2133, 2382, 4065, 4631, 5173, 5319, 5435, 5462, 5611, 5635, 5700, 7417, 7515



\new@command .	2667, 2669		
\new@poem@width	5787, 5788, 5789, 5790, 5875, 5917, 5920		
\newblock	2380, 5887, 5994, 14505, 14507		
\newboolean 4073, 4076, 4078, 4080, 4081, 4093, 4157, 4167, 4234, 4257, 4558, 5182, 5441, 5468		
\newbox 5842, 5843		
\newcommand	1537, 1543, 1549, 1565, 1566, 1569, 1570, 1695, 1846, 1852, 1855, 1856, 1857, 1858, 1859, 1860, 1861, 2158, 2244, 2249, 2250, 2251, 2253, 2254, 2255, 2257, 2258, 2260, 2261, 2272, 2273, 2293, 2300, 2302, 2306, 2310, 2312, 2318, 2327, 2329, 2331, 2335, 2339, 2344, 2356, 2380, 2491, 2499, 2507, 2515, 2532, 2538, 2544, 2550, 2556, 2562, 2568, 2574, 2581, 2584, 2587, 2593, 2605, 2611, 2623, 2626, 2628, 2635, 2639, 2645, 2652, 2655, 2658, 2661, 2677, 2683, 2727, 2732, 2854, 2878, 2929, 2938, 3015, 3029, 3041, 3568, 3569, 3585, 3600, 3604, 3610, 3613, 3616, 3619, 3624, 3627, 3630, 3634, 3638, 3641, 3642, 3643, 3645, 3653, 3662, 3664, 3674, 3676, 3688, 3690,	3697, 3705, 3707, 3716, 3718, 3729, 3731, 3732, 3736, 3740, 3810, 3820, 3824, 3829, 3863, 3901, 3924, 3925, 3926, 3958, 3959, 3960, 3961, 3972, 4069, 4070, 4071, 4072, 4094, 4097, 4124, 4151, 4152, 4153, 4154, 4169, 4188, 4224, 4226, 4227, 4232, 4233, 4235, 4236, 4243, 4244, 4245, 4253, 4256, 4344, 4362, 4572, 4580, 4590, 4593, 4601, 4770, 4771, 4772, 4773, 4774, 4775, 4776, 4777, 4778, 4779, 4780, 4781, 4782, 4783, 4784, 4785, 4786, 4787, 4788, 4789, 4790, 4791, 4792, 4793, 4794, 4795, 4804, 4854, 4873, 4892, 4914, 4920, 4945, 4946, 4980, 5136, 5137, 5138, 5146, 5155, 5164, 5177, 5178, 5301, 5354, 5434, 5447, 5481, 5482, 5483, 5484, 5485, 5486, 5487, 5488, 5539, 5553, 5729, 5736, 5745, 5749, 5759, 5778, 5982, 5983, 7588, 7782, 7783, 8370, 8384, 10273, 10306, 10307, 10308, 10309, 10733, 10736, 10795, 10800, 10802, 10808, 10824, 10848, 10860, 10914, 10960,	10961, 10962, 11015, 11017, 11590, 12702, 12713, 14374, 14377, 14380, 16185, 16186, 16734, 16735, 17433, 17434, 19651, 19653, 19958, 19959, 20007, 20008, 20083, 20207, 20208, 20310, 20438, 20439, 20583
\newcount 1682, 1755, 1756, 3111, 3214, 3366, 3427, 3507, 8633, 20302		
\newcounter 4853, 5978, 10644, 10793, 18677, 18681, 18682		
\newdimen 5733, 5734, 5784, 8633		
\newenvironment	1893, 1904, 1913, 1922, 2357, 4203, 4218, 4221, 4259, 4386, 5967, 6031, 12465, 20163, 20172, 20181, 20190		
\newfloat@setwithin 14538, 14544, 14552, 14554		
\newfloat@Error	.. 14557		
\newfloat@setwithin 14524		
\newif	1564, 1568, 1571, 1572, 1573, 1574, 1575, 1576, 1577, 1579, 1580, 1730, 1731, 1732, 1733, 1734, 2135, 2164, 2343, 2880, 3280, 5656, 5844, 7420, 7422, 7424, 7426, 7491, 7518, 7520, 7522, 7524, 7587, 10791, 10799, 13207, 19649, 19650		



\newinsert	4459, 4460, 4461, 4462, 4463, 4464, 4465, 4466, 4467, 4468, 4469, 4470, 4471, 4472, 4473, 4474, 4475, 4476, 4477, 4478, 4479, 4480, 4481, 4482, 4483, 4484, 4485, 4486, 4487, 4488, 4489, 4490, 4491, 4492, 4508, 4509, 4510, 4511, 4512, 4513, 4514, 4515, 4516, 4517, 4518, 4519, 4520, 4521, 4522, 4523, 4524, 4525, 4526, 4527, 4528, 4529, 4530, 4531, 4532, 4533, 8625, 8631	15740, 15762, 15922, 15944, 16329, 16878, 17577	6092, 6106, 6130, 6268, 6269, 6283, 6307, 6421, 6429, 6441, 6570, 6586, 6616, 6621, 6629, 6847, 8001, 8014, 8029, 8033, 8041, 8268, 8291, 8296, 8305, 8349, 8350, 10323, 10339, 10348, 10352, 10360, 12520, 12522, 12567, 13204, 13264, 14270, 14281, 14282, 14293, 14294, 15046, 15048, 15187, 15188, 15202, 15226, 15559, 15560, 15574, 15598, 15789, 15805, 15974, 15990, 16019, 16023, 16031, 16426, 17426, 18307, 18324, 18331, 18472, 18475, 18503, 18504, 18526, 18527, 18543, 18544, 18560, 18561, 18577, 18578, 18594, 18595, 18611, 18612, 18629, 18630, 18648, 18649, 18668, 18669, 18703, 18704, 18739, 18897, 18898, 19004, 19006, 19054, 19086, 19091, 19094, 19494, 19499, 19507, 19608, 19609, 19613, 20292, 20293, 20297
\newlength	... 2262, 2263, 2264, 2266, 2267, 2268, 2270, 2271, 2354, 4185, 4186, 4187, 4241, 4258, 5046, 7572, 7574, 7576, 7578, 7580, 18709, 18711, 18712, 19339	... 1684, 1685, 1686 16301, 16304, 16372, 16808, 16840, 16850, 16853, 16921, 17507, 17539, 17549, 17552, 17620	
\newline	... 2325, 4420	... 9699	
\newlinechar	... 1700	\ninecolumnfootstyle 9796	
\newlinetospace	4417, 4437, 4438, 4439, 5676, 5677, 5678	\nl 188	
\NewList	... 3314	\no@bib@break 16451, 17031, 17714	
\newlistentry	18674, 18741	\noalign . 1377, 5898, 8643, 13094, 13095, 13096, 16593, 16618, 16620, 17173, 17198, 17200, 17856, 17881, 17883	
\newpage	468, 490, 819, 839, 1071, 1091, 1321, 1341, 3927, 3929, 3933, 3938, 3939, 3942, 3946, 3948, 3951, 5572, 5609, 5610, 6518, 6540, 7414, 8120, 8140, 8217, 8239, 10439, 10459, 13094, 13891, 15355, 15375, 15496, 15518,	\nobibliography .. 4850 \nobreak 14, 16, 219, 221, 520, 538, 565, 569, 657, 658, 672, 698, 885, 886, 900, 916, 1140, 1141, 1155, 1182, 3989, 4973, 5313, 5314, 5798, 5800, 5806, 6091,	
		\nobreakspace 564 \node . 19694, 19724, 19730	



\noexpand	396,	18019,	18091,	19675,	19677,
1965,	1966,	18128,	18129,	19679,	19682,
1981,	2008,	18202,	18209,	19686,	19688,
2014,	2392,	18684,	19156,	19744,	19806,
2405,	2425,	19189,	19196,	20225	
2528,	2630,	19201,	19202,	\nointerlineskip	.
2633,	2859,	19262,	19633,	7641,
2861,	2863,	19634,	19635,	7662,	
2889,	2891,	19636,	19637,	11135,	13247,
2910,	2911,	19638,	19639,	14317,	20558,
2921,	2922,	19640,	19641,	20566	
2925,	2931,	19883,	19898,	\nopagebreak	.
2934,	2940,	19926,	19932,	5852,
2943,	3002,	19945,	20156,	5862,	13096
3005,	3131,	20157,	20256,	\nopagenumbers	.
3282,	3288,	20587		2344	
3356,	3359,	\noindent	\normalbaselines	20065
3363,	3447,	171,	173,	\normalbaselineskip	
3457,	3458,	458,	633,	321,
3479,	3481,	642,	642,	4110,	
3483,	3491,	940,	1192,	10062,	
3493,	3496,	1201,	1201,	10179,	
3498,	3533,	1789,	4212,	13228,	
3755,	3756,	4405,	4405,	15116,	
3894,	3999,	4996,	5014,	15130	
4034,	4822,	5032,	5032,	\normalcolor	.
4832,	5225,	5149,	5158,	2110,	2110
5234,	5237,	5167,	5167,	6808,	7019,
5929,	5932,	5377,	5397,	7084,	
7196,	7371,	5558,	5558,	7962,	8599,
7776,	10646,	5560,	5562,	8609,	10269,
10647,	10652,	5753,	5753,	10280,	11091,
10653,	10705,	6140,	6328,	11144,	11338,
12050,	12060,	6508,	6508,	11384,	12553,
12068,	12069,	6704,	8110,	13266,	14295,
12070,	12072,	8207,	8207,	19392,	19614,
12098,	12106,	8352,	10079,	19860,	20298,
12107,	12108,	10091,	10103,	20371,	20420,
12110,	12139,	10129,	10143,	20635,	20645,
12140,	12141,	10157,	10197,	\normalfont	20670
12143,	12170,	10211,	10228,	25,	38,
12171,	12172,	10236,	10429,	52,	
12174,	12201,	11414,	12681,	68,	85,
12202,	12203,	13955,	15163,	251,	265,
12205,	13123,	15172,	15613,	280,	298,
13171,	13174,	15622,	15688,	457,	
13728,	13995,	15731,	15912,	460,	562,
16448,	16449,	16222,	16259,	809,	
17028,	17029,	16372,	16426,	811,	1063,
17711,	17712,	16540,	16545,	1311,	
		16771,	16808,	1788,	
		16921,	17120,	1791,	
		17125,	17341,	1855,	
		17370,	17376,	1860,	
		17382,	17388,	1861,	
		17394,	17400,	1863,	
		17406,	17412,	1864,	
		17418,	17427,	1865,	
		17470,	17507,	1866,	
		17620,	17803,	1867,	
		17808,	19672,	1868,	
				1869,	
				4151,	
				4770,	
				4771,	
				4772,	
				4860,	
				4879,	
				4898,	
				4964,	
				5199,	
				5206,	
				5213,	
				5405,	
				6417,	
				6437,	
				6507,	
				6510,	
				6612,	
				6627,	
				7834,	
				7839,	
				7845,	
				8026,	
				8039,	
				8109,	
				8112,	
				8206,	
				8209,	
				8287,	
				8303,	
				8537,	
				8541,	
				8543,	
				8549,	
				8553,	
				8555,	
				8561,	
				8565,	
				8567,	



10345, 10428, 12467, 12507, 13240, 14295, 14630, 15347, 15488, 15689, 15732, 15914, 16029, 18734, 19093, 19614, \normalfootnotes	10358, 10431, 12502, 12553, 13881, 14617, 15345, 15486, 15682, 15725, 15911, 16016, 18729, 18735, 19392, 20298, 20670	6541, 8077, 8091, 8141, 8172, 8186, 8240, 10396, 10410, 10460, 14271, 14281, 14282, 14293, 14294, 15161, 15164, 15286, 15315, 15376, 15425, 15454, 15519, 15611, 15614, 15690, 15704, 15763, 15877, 15891, 15945, 16268, 16290, 16301, 16372, 16380, 16817, 16839, 16850, 16921, 16929, 17516, 17538, 17549, 17620, 17628, 18044, 18050, 18072, 18472, 18503, 18526, 18543, 18560, 18577, 18594, 18611, 18629, 18648, 18668, 18703, 19054, 19494, 19608, 20292	18874, 18982, 19156, 1871, 1872, 1873
\normallineskip	202, 2202, 13227, 15115, 15129	16301, 16301, 16380, 16839, 16921, 17516, 17549, 17628, 18050, 18472, 18526, 18560, 18594, 18629, 18668, 19054, 19608, 20292	O
\normalparindent 42, 56, 72, 255, 269, 284	42, 56, 72, 255, 269, 284	18072, 18472, 18503, 18543, 18577, 18611, 18648, 18668, 18703, 19054, 19494, 19608, 20292	\obeylines . . . 5888, 5996
\normalsfcodes	10714, 20624	\number	\ocgbase . . . 13784, 13786
\normalsize	317, 4103, 4104, 4111, 4678, 4722, 4766, 4860, 4879, 4898, 5276, 7475, 7567, 10714, 14013, 15771, 16229, 16236, 16778, 16785, 17477, 17484, 19093, 20480, 20524, 20622	8, 139, 213, 2875, 3398, 3513, 3519, 3525, 3528, 3534, 3538, 5870, 5971, 7648, 7669, 7714, 7720, 7723, 7766, 7772, 7775, 7885, 7888, 12514, 14385	\oddpage 1756, 1760, 1761, 1762, 1765, 1766, 1767
\NOT	4305, 4306, 4345, 4365, 4369, 5052, 5081, 5110, 5192, 5196	\numberline	\oddsidemargin
\null	423, 437, 491, 631, 634, 750, 779, 840, 938, 941, 1002, 1031, 1092, 1190, 1193, 1252, 1281, 1342, 5313, 5887, 6138, 6141, 6194, 6223, 6326, 6329, 6371, 6400, 6473, 6487,	... 4398, 12758, 12763, 14007, 18402, 19404, 19622, 19625, 19628	1778, 2173, 7813, 11566, 11575, 11579, 20606, 20610
		\numberline@box	\on@line 20157
		... 19057, 19058	\on@stripcols@break 7280
		\numberline@tempa 19624	\onecolumn 607, 623, 872, 1124, 221, 6075, 6252, 6462, 15153, 15408, 15867, 18437
		\numberwithin 339	\opening 8337, 12555
		\numexpr . 2678, 4006,	\OptArg 1872, 1938
			\OptArg@i 1938, 1939
			\OptArg@ii 1938, 1940
			\OptArgs 1937
			\optparams
			4279, 5136, 5137, 5138, 5140, 5141, 5142
			\OR 4273, 4345, 4365, 4369, 4621
			\or 1413, 1414, 1415, 1417, 1418, 1438, 1439, 1440, 1444, 1445, 1446, 1447, 1448, 1452, 1453, 1481, 1482, 1483, 1485, 1486, 1601, 1607, 1613, 1619, 1625, 1631, 1633, 1635, 1637, 1643, 1649, 1655, 1668, 6779, 6780, 6781, 6783, 6784, 7906, 7909, 7912, 7927, 7950, 7951, 7952, 7953, 11894, 11898, 18716, 18719, 18722, 19547,



	19658, 19665, 19887, 19936, 20325, 20326, 20328 \orig@footnotetext .. 152, 14398, 14413 \orig@LTRfootnotetext .. 156, 14402, 14417 \orig@RTLfootnotetext .. 160, 14406, 14421 \origin@RaggedLeft . 15134, 15136, 15137 \origin@RaggedRight . 15135, 15136, 15137 \originalHbadness 19720, 19738 \othermargin 882 \outer@nobreak .. 2128, 4672, 4716, 4760, 20474, 20518 \outputpenalty 7170, 7171, 7179, 7180, 7189, 7190, 7344, 7345, 7353, 7354, 7363, 7364, 13179, 13180 \overfullrule 2162, 2163, 15029 \OVP@calc 14612	4116, 4118, 4119, 5324, 5325, 5326, 5328, 5329, 5395, 6068, 6072, 6083, 6099, 6115, 6122, 6161, 6167, 6195, 6245, 6249, 6260, 6276, 6292, 6299, 6314, 6320, 6372, 6416, 6422, 6427, 6431, 6433, 6436, 6439, 6443, 6445, 6455, 6460, 6474, 6563, 6578, 6591, 6593, 6595, 6597, 6611, 6617, 6622, 6625, 6630, 6862, 6872, 6885, 6895, 6908, 6918, 6931, 6941, 7303, 7626, 7627, 7993, 8007, 8063, 8065, 8067, 8069, 8078, 8173, 8262, 8286, 8292, 8297, 8301, 8306, 8362, 8364, 8366, 8368, 8409, 8410, 10316, 10331, 10344, 10349, 10353, 10356, 10361, 10364, 10366, 10368, 10370, 10397, 10498, 10880, 10882, 10883, 10884, 10885, 10886, 10918, 11437, 11444, 11483, 11490, 11535, 12482, 12486, 12495, 12497, 12498, 12499, 12551, 12569, 12571, 12573, 12575, 13933, 14263, 14275, 14287, 14423, 14425, 14426, 14427, 15146, 15150,	15179, 15195, 15211, 15218, 15233, 15239, 15287, 15401, 15405, 15426, 15551, 15567, 15583, 15590, 15656, 15662, 15691, 15783, 15797, 15813, 15815, 15817, 15819, 15860, 15865, 15878, 15967, 15982, 15995, 15997, 15999, 16001, 16015, 16020, 16024, 16027, 16032, 16230, 16234, 16237, 16241, 16486, 16489, 16491, 16494, 16645, 16664, 16779, 16783, 16786, 16790, 17066, 17069, 17071, 17074, 17225, 17244, 17347, 17349, 17351, 17353, 17478, 17482, 17485, 17489, 17749, 17752, 17754, 17757, 17908, 17927, 18435, 18710, 18878, 18881, 18885, 18986, 18989, 18993, 19323, 19326, 19330, 19336, 19418, 19602, 20286, 20680 \p@enumiv .. 86, 299, 583, 718, 981, 1231, 2372, 6153, 6341, 6650, 8055, 8326, 10382, 12468, 15254, 15648, 15842,
--	--	--	--



16045, 16455, 17035, 17718, 18374	\PackageWarning 138, 2673, 3734, 3763, 5973, 7429, 7527, 10648, 11269, 12595, 14327, 14384, 14518, 18679, 19070	238, 239, 259, 273, 288, 320, 323, 407, 426, 432, 434, 435, 454, 497, 503, 507, 519, 538, 565, 568, 634, 644, 658, 671, 698, 759, 769, 776, 777, 805, 844, 850, 854, 886, 900, 915, 941, 955, 1011, 1021, 1028, 1029, 1057, 1096, 1102, 1106, 1141, 1154, 1182, 1193, 1203, 1261, 1271, 1278, 1279, 1307, 1347, 1353, 1358, 1363, 1366, 1785, 2126, 4299, 4307, 4366, 4367, 4370, 4371, 4396, 4405, 4406, 4575, 4591, 5315, 5430, 5431, 5432, 5433, 5558, 5560, 5562, 5580, 5581, 5582, 5756, 5863, 5877, 5888, 5906, 5988, 5996, 6021, 6092, 6105, 6130, 6141, 6203, 6213, 6220, 6221, 6269, 6282, 6307, 6329, 6380, 6390, 6397, 6398, 6421, 6429, 6441, 6476, 6482, 6484, 6485, 6504, 6547, 6553, 6557, 6569, 6586, 6616, 6621, 6629, 6706, 6847, 7264, 7634, 7655, 8001, 8013, 8029, 8032, 8040, 8080, 8086, 8088, 8089, 8106, 8145, 8151, 8155, 8175, 8181, 8183, 8184, 8203, 8246, 8252,
\p@subfigure \p@subtable \PackageError 12462, 2494, 2497, 2502, 2505, 2510, 2513, 2518, 2521, 2672, 3943, 4070, 5178, 12693, 12700, 12866, 12869, 12872, 12875, 12878, 12881, 12884, 12887, 12891, 12894, 12897, 12900, 12903, 12906, 12909, 12912, 12915, 12918, 12921, 12924, 12927, 12930, 12933, 12936, 12939, 12942, 12945, 12948, 12951, 12954, 12957, 12960, 12963, 12966, 12969, 12972, 12975, 12978, 12981, 12984, 12987, 12990, 12993, 12996, 12999, 13002, 13005, 13008, 13011, 13014, 13017, 13020, 13023, 13026, 13029, 13032, 13035, 13038, 13041, 13044, 13047, 13050, 13053, 13056, 13059, 13062, 13065, 13068, 13071, 13074, 14390, 18335, 18688, 20312	\PackageWarningNoLine \page@sofar \pagebreak 13095, 19790, 19799 \pagedepth \pagefillstretch \pagefilstretch \pagefootnoterule 10916, 10924 \pagegoal 11163, 11165, 11170, 11177, 11218, 11220, 13185, 14233, 19787 \pageinwindow \pagenumbering 2209, 5660 \pageref \pageshrink 11179, 11183, 11199, 11225, 11237, 19790 \pagestretch 11178, 11199, 11237, 19794 \pagestyle 1754, 2200, 2208, 2351, 4425, 5661, 7513 \pagetotal 11165, 11170, 11176, 13890, 14231, 14234, 14245, 19782, 19787, 19845 \paperheight 2137, 2140, 2143, 2146, 2149, 2152, 2155, 2156, 7790 \paperwidth 2138, 2141, 2144, 2147, 2150, 2153, 2156, 2157, 7790, 7798 \par 5, 15, 46, 60, 76, 107, 108, 109, 110, 172, 174, 210, 220, 237,	
\PackageInfo 2674, 3631, 3733, 3880, 4072, 19644		



8256, 8267, 8291,	15341, 15380,	17370, 17376,
8296, 8305, 8339,	15386, 15390,	17382, 17388,
8344, 8347, 8349,	15434, 15444,	17394, 17400,
8350, 8360, 8605,	15451, 15452,	17406, 17412,
8702, 8705, 8708,	15482, 15526,	17418, 17420,
8789, 8850, 8853,	15532, 15537,	17423, 17426,
8856, 8933, 8997,	15542, 15545,	17430, 17469,
9000, 9003, 9084,	15560, 15573,	17514, 17519,
9148, 9151, 9154,	15598, 15614,	17522, 17524,
9235, 9299, 9302,	15624, 15688,	17529, 17532,
9305, 9386, 9450,	15693, 15699,	17534, 17536,
9453, 9456, 9537,	15701, 15702,	17542, 17550,
9601, 9604, 9607,	15721, 15731,	17556, 17626,
9688, 9752, 9755,	15769, 15774,	17632, 17635,
9758, 9839, 9903,	15777, 15788,	17637, 17643,
9906, 9909, 9990,	15805, 15880,	17646, 17648,
10228, 10236,	15886, 15888,	17651, 17654,
10322, 10339,	15889, 15908,	17798, 17802,
10348, 10352,	15951, 15957,	17803, 17807,
10360, 10399,	15961, 15973,	17808, 17812,
10405, 10407,	15990, 16019,	18133, 18740,
10408, 10425,	16023, 16031,	18746, 18899,
10464, 10470,	16221, 16266,	19005, 19086,
10474, 10642,	16271, 16274,	19513, 19615,
11087, 12490,	16276, 16281,	19672, 19673,
12491, 12492,	16284, 16286,	19679, 19680,
12511, 12521,	16288, 16294,	19682, 19690,
12529, 12557,	16302, 16308,	19743, 20009,
12562, 12565,	16378, 16384,	20010, 20011,
12567, 12640,	16387, 16389,	20012, 20164,
12734, 13128,	16395, 16398,	20173, 20182,
13220, 13243,	16400, 16403,	20191, 20260,
13247, 13877,	16406, 16426,	20299, 20659, 20680
13949, 13955,	16535, 16539,	\par@updaterelative
13961, 13965,	16540, 16544, 16262,
13971, 13986,	16545, 16549,	16374, 16811,
14005, 14014,	16770, 16815,	16923, 17510, 17622
14271, 14283,	16820, 16823,	\paragraph 5211
14296, 14431,	16825, 16830,	\paragraphfootnotes
14443, 14505,	16833, 16835, 10043
14784, 14955,	16837, 16843,	\paragraphfootstyle
14956, 14957,	16851, 16857, 10160
14958, 15038,	16927, 16933,	\parbox
15039, 15046,	16936, 16938,	2297, 2299, 7501,
15047, 15107,	16944, 16947,	8355, 10523,
15121, 15164,	16949, 16952,	10524, 10525,
15174, 15188,	16955, 17115,	10529, 10530,
15201, 15226,	17119, 17120,	10531, 11695,
15295, 15305,	17124, 17125,	11697, 11701,
15312, 15313,	17129, 17340,	11703, 11734,



11735,	11738,	10116,	10217,	8697, 8845, 8992,
11739,	11796,	10320,	10335,	9143, 9294, 9445,
11797,	11800,	12519,	13227,	9596, 9747, 9898,
11801,	11825,	14264,	14276,	10107, 10111,
11827,	11831,	14288,	15061,	10115, 10216,
11833,	13132,	15074,	15087,	10242, 10319,
13943,	13972,	15098,	15115,	10334, 10345,
14429,	14431,	15183,	15199,	10357, 10429,
14432,	14434,	15222,	15555,	11413, 12486,
14436,	14437,	15571,	15594,	12518, 13223,
14439,	14441,	15786,	15801,	14265, 14277,
14443,	14444,	15971,	15986,	14289, 14498,
14446,	14448,	18286,	18315,	15062, 15075,
14449,	14450,	18345,	18464,	15088, 15099,
14451,	14452,	18495,	18518,	15110, 15149,
14453,	14455,	18535,	18552,	15185, 15198,
14456,	14457,	18569,	18586,	15221, 15281,
14458,	14459,	18603,	18621,	15298, 15404,
14460,	14461,	18640,	18660,	15420, 15437,
14462,	14463,	18695,	18890,	15557, 15570,
14464,	14466,	18998,	19024,	15593, 15688,
14467,	14468,	19026,	19086,	15731, 15768,
14469,	14471,	19487,	19489,	15785, 15800,
14472,	14473,	19603,	20202, 20287	15864, 15912,
14474,	14476,	\parindent . . .	12, 42,	15970, 15985,
14477,	14478,	56, 72, 103, 217,		16016, 16028,
14479,	14480,	233, 255, 269,		16222, 16771,
14481,	14483,	284, 458, 516,		17341, 17470,
14484,	14485,	533, 560, 604,		18296, 18333,
14486,	14487,	619, 655, 668,		18434, 18465,
14488,	14490,	693, 745, 762,		18496, 18519,
14491,	14492,	868, 883, 895,		18536, 18553,
14493,	14494,	912, 949, 997,		18570, 18587,
16601,	17181,	1014, 1060, 1120,		18604, 18622,
17370,	17376,	1138, 1151, 1177,		18641, 18661,
17382,	17388,	1247, 1264, 1789,		18696, 18889,
17394,	17400,	2204, 4127, 4798,		18997, 19028,
17406,	17412,	5307, 5349, 5357,		19423, 19484,
17418,	17429, 17864	5422, 5575, 5881,		19485, 19604,
\parfillskip . . .	13,	5991, 6071, 6089,		20100, 20202,
218,	517, 534,	6102, 6125, 6189,		20227, 20228, 20288
653,	669, 694,	6206, 6248, 6266,		\parsep . . .
880,	896, 913,	6279, 6302, 6366,	952, 4119,	
1136,	1152, 1178,	6383, 6417, 6437,	4120, 5329, 5330,	
5306,	5882, 6087,	6459, 6508, 6566,	5368, 5395, 20099	
6103,	6126, 6264,	6581, 6612, 6626,	\parshape . . .	
6280,	6303, 6567,	6730, 6761, 6852,	6703,	
6582,	6734, 6853,	7996, 8010, 8024,	11291, 11299,	
7997,	8011, 8265,	8037, 8110, 8207,	12682, 14580,	
10108,	10112,	8264, 8287, 8302,	14600, 14790,	
			14955, 14957,	
			15687, 15730,	



16209,	16218,	1256, 5802, 6131, 6198, 6308, 6375, 6587, 6691, 6697, 7168, 7177, 7187, 7342, 7351, 7361, 10014, 10109, 10113, 10117, 10219, 10340, 11200, 15227, 15290, 15429, 15599, 15806, 15991, 18900, 19411, 19519, 19786
\parskip	103, 181, 233, 605, 620, 869, 1121, 1782, 2205, 4128, 4799, 5350, 5358, 5421, 5576, 5880, 5912, 5990, 6025, 6072, 6249, 6460, 7170, 7179, 7189, 7344, 7353, 7363, 8343, 8346, 8348, 8350, 12486, 12561, 12564, 12566, 13223, 13232, 14790, 15110, 15124, 15150, 15405, 15768, 15865, 17363, 18435, 19423, 19781, 19785, 20099	\pgf@baseline \pgf@insertlayers 14767 \pgf@nodecallback 14723 \pgf@oldpicture .. 14730 \pgf@picmaxx .. 14724, 14736, 14738, 14756 \pgf@picmaxy 14726, 14740 \pgf@picminx 14725, 14739, 14749 \pgf@picminy 14727, 14741 \pgf@picture \pgf@picture@serial@count 14721, 14722 \pgf@process 14745, 14748, 14755 \pgf@relevantforpicturesizefalse 5521, 5522, 5525 \pgf@relevantforpicturesizetrue 14744 \pgf@relevantforpicturesizefromglobal 14728 \pgf@remember@layerlist@globally 14762 \pgf@resetpathsizes 14729 \pgf@restore@layerlist@fromglobal 14766 \pgf@shift@baseline 14746 \pgf@trimleft \pgf@trimleft@final 14750, 14751, 14753 \pgf@trimright \pgf@trimright@final 14757, 14758, 14760 \pgf@x 14749, 14753, 14756, 14760 \pgf@y 14746 \pgfpic 14776
\part	23, 12505	\plitemsep 5369 \plparsep 5368 \plpartopsep 5371 \pLRE 1590, 1591, 1744, 1745 \pltsep 5370 \poem@finish 5921, 5970, 5977 \poem@line 5840, 5846, 5897 \poem@linebegin 5797, 5855 \poem@lineend 5798, 5861 \poem@lineparsebegin 5809, 5866, 5893
\partname	564, 8028	
\partopsep	5371, 13928, 13930, 14574, 14594	
\PassOptionsToClass 5613, 5614, 5615, 5616, 5617, 5637, 5638, 5639, 5640, 5641	
\PassOptionsToPackage 4630, 5460	
\pbs	.. 14638, 14664, 14665	
\pbs@last@page	... 14656	
\pbs@newkey	... 14642	
\pdfstringdefDisableCommands 12425	
\penalty	.. 754, 1006,	



\poem@lineparseend	\prevdepth . . . 4299, 4307, 7704, 7758, 13933, 14324	9135, 9161, 9174, 9186, 9213, 9226, 9266, 9276, 9286,
\poem@lineversesep	\pRLE 1592, 1593, 1746, 1747 \process@cols . 14300, 14333, 14350, 14356	9312, 9325, 9337, 9364, 9377, 9417, 9427, 9437, 9463, 9476, 9488, 9515, 9528, 9568, 9578, 9588, 9614, 9627, 9639, 9666, 9679,
\poem@needrun .	\ProcessOptions . . . 2167, 4095, 5186, 5445, 5477, 5618, 5642, 7431, 7529	9719, 9729, 9739, 9765, 9778, 9790, 9817, 9830, 9870, 9880, 9890, 9916, 9929, 9941, 9968, 9981, 10075, 10087, 10099,
\poem@obeylines	\ProcessOptionsX . 1677	10125, 10139, 10153, 10193, 10207, 10972, 10989, 11005, 11033, 11047, 11061
\poem@prop .	\protect 403, 1590, 1591, 1592, 1593, 1699, 1744, 1745, 1746, 1747, 1947, 1953, 1959, 1965, 1974, 1980, 2736, 2737, 3282, 3288, 3985, 4398, 10705, 11101, 11115, 12758, 12763, 13116, 14007, 18123, 18124, 18128, 18136, 18402, 18746, 19952, 20587	\protected @write . . . 1662, 1666, 3965, 3976
\poemblocksep	\protected 1744, 1746, 2672, 2673, 2674, 2684, 2692, 2694, 2700, 2886, 2902, 2918, 2941, 2943, 2993, 3021, 3034, 14919, 14929, 14939, 14947, 19969, 19979, 19989, 19998	\protected@edef 57, 73, 256, 270, 285, 4997, 5015, 5033, 8421, 8437, 8453, 8466, 8479, 8492, 8669, 8679, 8689, 8715, 8728, 8740, 8767, 8780, 8820, 8829, 8838, 8863, 8875, 8886, 8912, 8924, 8964, 8974, 8984, 9010, 9023, 9035, 9062, 9075, 9115, 9125,
\poemcolsepskip	\providecommand 2212, 2213, 2214, 2215, 2216, 2217, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2384, 4958, 4965, 4966, 5375, 7492, 7497, 10823	\ProvidesClass 2134, 5612, 5636
\poemextrabaselineskip	\ProvidesExplPackage 13281	\ProvidesFile . 1, 131,
\poemmarginskip		
\poemskip		
\postbibhook		
\postdisplaypenalty		
\postmath		
\PotEndMark		
\predisplaydirection		
\predisplaypenalty		
\premath		
\preparefootins		
\prepnext@tok		
\presetkeys		
\presig@skip		



<p>165, 206, 336, 347, 352, 354, 413, 608, 857, 1109, 1369, 6060, 6237, 6414, 6447, 6660, 6715, 6757, 6759, 6762, 6800, 6843, 6858, 6954, 6992, 7620, 7785, 7788, 7827, 7989, 8162, 8336, 8369, 10312, 10488, 10517, 10533, 10610, 10640, 10649, 10654, 10789, 11129, 11306, 11416, 11543, 11585, 11886, 12464, 12550, 12554, 12576, 12687, 12791, 13077, 13206, 13865, 14022, 14260, 14298, 14428, 14495, 14523, 14561, 14582, 14602, 14636, 14668, 14716, 14780, 14995, 15036, 15052, 15138, 15393, 15670, 15852, 16055, 16184, 16733, 17324, 17432, 18007, 18014, 18074, 18100, 18105, 18139, 18214, 18244, 18263, 18280, 18309, 18358, 18439, 18747, 19402, 19648, 19777, 19853, 19957, 20817</p> <p>\ProvidesPackage 1507, 1753, 1809, 1942, 2383, 4066, 4632, 5174, 5320, 5436, 5463,</p>	<p>5701, 7418, 7516 \prune 14800, 14838, 14842, 14847, 14851, 14863, 14874, 14901 \prw@mkboth .. 18408, 18413, 18425, 18430 \psgrid 14999 \pspicture 14996 \psset 15034 \pst@dima 15011 \pst@dimb 15009, 15014, 15016, 15021, 15024 \pst@dimc 15027 \pst@dimd ... 15008, 15014, 15015, 15016, 15017, 15021, 15022, 15023, 15024, 15025 \pst@hbox 15004, 15008, 15009, 15010, 15026, 15028, 15029, 15031 \pst@ifstar 14996 \pst@killglue ... 15000 \pst@picture 14996 \pst@shift 15001, 15023, 15031 \pst@tempa . 15013, 15015 \publisher .. 5538, 5539 \publishers 16359, 16908, 17607 \put 6863, 6864, 6865, 6866, 6867, 6868, 6873, 6874, 6875, 6876, 6877, 6878, 6886, 6887, 6888, 6889, 6890, 6891, 6896, 6897, 6898, 6899, 6900, 6901, 6909, 6910, 6911, 6912, 6913, 6914, 6919, 6920, 6921, 6922, 6923, 6924, 6932, 6933, 6934, 6935, 6936, 6937, 6942, 6943, 6944, 6945, 6946, 6947, 7790, 7804,</p>	<p>7822, 14615, 14617, 14630, 14633</p> <p>Q</p> <p>\Q 4815, 4837 \q 13369, 13372, 13601, 13655 \qauthor 15037 \qquad 5251, 5258, 5265, 5272, 5279, 5314, 15039 \quad 4437, 4438, 4439, 5676, 5677, 5678, 5783, 20066, 20075 \quote 2261 \quotecolour 2223, 7436, 7534 \quotefont ... 2232, 2240, 7476, 7569 \quotestyle 2240, 7489, 7618 \quotewidth ... 2262, 2274, 7489, 7618</p> <p>R</p> <p>\R@@page 16060, 16061, 16070, 16072, 16103, 16104, 16115, 16117 \raggedbottom 2210 \raggeddictum 16495, 17075, 17758 \raggeddictumauthor 16497, 17077, 17760 \raggeddictumtext .. 16496, 17076, 17759 \RaggedLeft 15066, 15134, 15136, 18012, 18013, 20776, 20780, 20784, 20792 \raggedleft . 25, 104, 234, 560, 6417, 6612, 6626, 8024, 8037, 8287, 8302, 8339, 8342, 8347, 8355, 10345, 10357, 12487, 12507, 12557, 12560, 12565,</p>
--	---	---



13904,	13905,	19031,	19034,	12746,	12752,
15039,	15041,	19038,	19139,	13079,	13998,
15047,	16016,	20199,	20204,	14571,	14592,
16028,	16409,	20206,	20207,	18399	
16410,	16495,	\RaggedRightLeftskip		\refvskip	17364
16496,	16497,	15084	\regex	13309,
16499,	16958,	\RaggedRightParfillskip		13314,	13317,
17075,	17076,	15087	13320,	13323,
17077,	17079,	\RaggedRightParindent		13324,	13360,
17423,	17429,	4125,	13365,	13367,
17657,	17758,	4796,	5355,	13411,	13412,
17759,	17760,	5355,	15088	13424	
17762,	20203,	\RaggedRightRightskip		\relax	2, 8,
20205,	20207,	5352,	10,	12,
	20208	\raggedsection	15085	14,	28,
		16409,	103,	132,
		16958,	17057	166,	207,
		\raise	10511,	213,	215,
		box	12502	217,	219,
		4350,	233,	242,	298,
		4355,	311,	329,	403,
		4366,	417,	418,	440,
		4367,	419,	443,	441,
		4370,	442,	448,	
		4371,	449,	450,	451,
		7835,	475,	476,	477,
		7840,	478,	479,	484,
		7856,	485,	486,	487,
		7859,	511,	605,	620,
		7975,	627,	657,	663,
		11708,	681,	734,	741,
		11710,	742,	747,	756,
		11714,	743,	747,	756,
		11716,	765,	782,	783,
		11743,	788,	789,	790,
		11748,	791,	794,	797,
		11805,	801,	826,	827,
		11806,	828,	833,	834,
		11809,	835,	836,	869,
		11810,	885,	907,	925,
		11838,	934,	968,	993,
		11840,	994,	995,	999,
		11844,	1008,	1017,	1034,
		11846,	1040,	1041,	
		12683	1042,	1043,	1046,
		\rangle	1049,	1053,	1078,
		\rangle	1079,	1080,	1085,
		\rangle	1086,	1087,	1088,
		\rangle	1121,	1128,	1140,
		\rangle	1146,	1164,	1214,
		\rangle	1243,	1244,	1245,
		\rangle	1249,	1258,	1267,
		\rangle	1284,	1285,	1290,
		\rangle	1291,	1292,	1293,
		\rangle	1296,	1299,	1303,
		\rangle	1328,	1329,	1330,
		\rangle	1335,	1336,	1337,



1338, 1425, 1426,	6493, 6498, 6499,	10448, 10453,
1443, 1444, 1445,	6500, 6501, 6525,	10454, 10455,
1599, 1605, 1611,	6526, 6527, 6528,	10456, 10493,
1617, 1623, 1629,	6529, 6534, 6535,	10495, 10499,
1641, 1647, 1653,	6536, 6537, 6561,	10546, 10582,
1660, 1669, 1670,	6703, 6717, 6718,	10611, 10621,
1699, 1796, 1797,	6719, 6724, 6725,	10664, 10684,
1798, 1803, 1804,	6726, 6727, 6730,	10685, 10700,
1805, 1806, 2030,	6734, 6735, 6736,	10787, 10919,
2038, 2046, 2097,	6737, 6738, 6739,	10941, 10950,
2167, 2384, 2582,	6839, 6857, 7007,	11109, 11124,
2585, 2595, 2613,	7070, 7431, 7529,	11162, 11184,
2667, 2678, 2691,	7621, 7622, 7623,	11222, 11323,
2875, 2879, 3122,	7624, 7625, 7637,	11371, 11648,
3123, 3127, 3166,	7658, 7712, 7724,	11650, 11653,
3467, 3209, 3232,	7727, 7764, 7776,	11666, 11668,
3351, 3365, 3428,	7779, 7811, 7817,	11671, 11917,
3430, 3439, 3440,	7878, 7957, 8005,	11928, 11939,
3456, 3464, 3481,	8073, 8074, 8075,	11950, 11964,
3492, 3497, 3550,	8094, 8095, 8100,	11975, 11986,
3574, 3589, 3606,	8101, 8102, 8103,	11997, 12012,
3621, 3637, 3654,	8127, 8128, 8129,	12027, 12068,
3666, 3698, 3709,	8134, 8135, 8136,	12087, 12106,
3788, 3996, 3997,	8137, 8166, 8167,	12125, 12139,
4006, 4034, 4099,	8168, 8189, 8190,	12158, 12170,
4597, 4806, 4914,	8191, 8192, 8197,	12189, 12201,
4977, 4981, 4985,	8198, 8199, 8200,	12220, 12302,
5065, 5076, 5094,	8224, 8225, 8226,	12336, 12367,
5105, 5123, 5134,	8227, 8228, 8233,	12396, 12467,
5192, 5389, 5397,	8234, 8235, 8236,	12486, 12496,
5402, 5433, 5618,	8260, 8404, 8405,	12508, 12514,
5642, 5738, 5743,	8406, 8407, 8408,	12516, 12518,
5746, 5753, 5791,	8527, 8656, 8698,	12520, 12590,
5797, 5892, 5918,	8760, 8807, 8846,	12602, 12609,
5946, 5953, 5960,	8905, 8951, 8993,	12610, 12614,
5972, 6008, 6072,	9055, 9102, 9144,	12615, 12682,
6079, 6091, 6097,	9206, 9253, 9295,	13116, 13245,
6113, 6169, 6185,	9357, 9404, 9446,	13248, 13251,
6186, 6187, 6191,	9508, 9555, 9597,	13252, 13253,
6200, 6209, 6226,	9659, 9706, 9748,	13259, 13868,
6227, 6232, 6233,	9810, 9857, 9899,	13869, 13870,
6234, 6235, 6249,	9961, 10017,	13871, 13872,
6256, 6268, 6274,	10050, 10175,	13932, 14036,
6290, 6322, 6362,	10308, 10309,	14136, 14262,
6363, 6364, 6368,	10314, 10392,	14264, 14265,
6377, 6386, 6403,	10393, 10394,	14268, 14274,
6404, 6409, 6410,	10413, 10414,	14276, 14277,
6411, 6412, 6460,	10419, 10420,	14280, 14286,
6467, 6468, 6469,	10421, 10422,	14288, 14289,
6490, 6491, 6492,	10446, 10447,	14292, 14382,



14424,	14621,	15756,	15757,	17585,	17586,
14622,	14623,	15758,	15759,	17587,	17588,
14672,	14677,	15781,	15865,	17589,	17602,
14682,	14691,	15871,	15872,	17603,	17604,
14699,	14721,	15873,	15894,	17605,	17606,
14724,	14725,	15895,	15896,	17607,	17608,
14726,	14727,	15897,	15902,	17609,	17610,
14736,	14738,	15903,	15904,	17611,	17612,
14739,	14740,	15905,	15929,	17687,	17750,
14741,	14910,	15930,	15931,	17755,	17916,
14974,	15051,	15932,	15933,	17933,	18021,
15132,	15150,	15938,	15939,	18058,	18121,
15157,	15187,	15940,	15941,	18136,	18146,
15193,	15209,	15965,	16230,	18148,	18177,
15241,	15277,	16231,	16237,	18332,	18350,
15278,	15279,	16238,	16240,	18351,	18435,
15283,	15292,	16249,	16250,	18444,	18462,
15301,	15318,	16251,	16311,	18465,	18468,
15319,	15324,	16337,	16338,	18493,	18496,
15325,	15326,	16339,	16340,	18499,	18516,
15327,	15330,	16341,	16354,	18519,	18522,
15333,	15337,	16355,	16356,	18533,	18536,
15362,	15363,	16357,	16358,	18539,	18550,
15364,	15369,	16359,	16360,	18553,	18556,
15370,	15371,	16361,	16362,	18565,	18567,
15372,	15405,	16363,	16364,	18570,	18573,
15414,	15415,	16425,	16487,	18582,	18584,
15416,	15422,	16492,	16653,	18587,	18590,
15431,	15440,	16670,	16779,	18601,	18604,
15457,	15458,	16780,	16786,	18607,	18619,
15459,	15460,	16787,	16789,	18622,	18625,
15465,	15466,	16798,	16799,	18638,	18641,
15467,	15468,	16800,	16860,	18644,	18658,
15471,	15474,	16886,	16887,	18661,	18664,
15478,	15503,	16888,	16889,	18676,	18691,
15504,	15505,	16890,	16903,	18693,	18696,
15506,	15507,	16904,	16905,	18699,	18713,
15512,	15513,	16906,	16907,	18743,	18744,
15514,	15515,	16908,	16909,	18745,	18874,
15559,	15565,	16910,	16911,	18895,	18982,
15581,	15607,	16912,	16913,	19008,	19020,
15664,	15669,	16961,	16977,	19022,	19028,
15674,	15675,	16985,	16993,	19045,	19049,
15676,	15707,	17004,	17067,	19061,	19063,
15708,	15709,	17072,	17233,	19069,	19078,
15710,	15715,	17250,	17478,	19080,	19142,
15716,	15717,	17479,	17485,	19156,	19190,
15718,	15747,	17486,	17488,	19197,	19203,
15748,	15749,	17497,	17498,	19264,	19323,
15750,	15751,	17499,	17559,	19326,	19330,



19336,	19381,	545, 549, 550,	5543, 5544, 5548,
19417,	19425,	551, 552, 584,	5549, 5571, 5595,
19426,	19428,	624, 646, 662,	5657, 5670, 5675,
19429,	19442,	680, 688, 701,	5683, 6076, 6080,
19453,	19457,	703, 704, 705,	6096, 6112, 6120,
19462,	19467,	706, 719, 725,	6134, 6154, 6160,
19475,	19479,	731, 737, 738,	6166, 6171, 6172,
19488,	19489,	748, 805, 807,	6173, 6174, 6175,
19500,	19508,	873, 890, 903,	6176, 6178, 6180,
19519,	19525,	906, 924, 931,	6182, 6192, 6253,
19529,	19533,	957, 958, 959,	6257, 6273, 6289,
19550,	19554,	960, 961, 966,	6297, 6311, 6313,
19603,	19604,	982, 989, 990,	6319, 6342, 6348,
19607,	19655,	1000, 1057, 1059,	6349, 6350, 6351,
19663,	19804,	1125, 1129, 1145,	6352, 6353, 6355,
19887,	19936,	1163, 1172, 1185,	6357, 6359, 6369,
19951,	20028,	1205, 1211, 1216,	6465, 6504, 6506,
20085,	20097,	1217, 1218, 1219,	6560, 6575, 6590,
20138,	20230,	1232, 1239, 1240,	6594, 6598, 6600,
20233,	20235,	1250, 1307, 1309,	6602, 6604, 6605,
20287,	20288,	1785, 1787, 2159,	6606, 6607, 6608,
20291,	20311,	2160, 2161, 2197,	6609, 6632, 6651,
20320,	20324,	2198, 2203, 2252,	6716, 6721, 6743,
20359,	20406,	2256, 2287, 2292,	6750, 6760, 6844,
20674,	20675, 20676	2373, 3548, 3572,	6849, 6859, 6882,
\remainx	14431	3904, 3909, 3929,	6905, 6928, 6955,
\remainxox .	14466, 14473	3942, 3964, 3975,	6971, 7432, 7472,
\remainxoxx		4103, 4112, 4153,	7473, 7474, 7475,
	14476, 14485, 14494	4271, 4274, 4275,	7476, 7477, 7478,
\remainxx . .	14434, 14436	4279, 4280, 4432,	7479, 7493, 7498,
\remainxxx		4433, 4782, 4783,	7530, 7564, 7565,
	.. 14439, 14441,	4784, 4785, 4786,	7566, 7567, 7568,
	14443, 14468, 14471	4787, 4788, 4789,	7569, 7570, 7571,
\remainxxxx . .	14446,	4790, 4844, 4959,	7581, 7593, 7781,
	14448, 14450,	4968, 4989, 5007,	7782, 7783, 7786,
	14452, 14478,	5025, 5140, 5141,	7789, 7793, 7809,
	14480, 14483,	5142, 5224, 5233,	7962, 7963, 7990,
	14487, 14490, 14492	5285, 5293, 5317,	8004, 8056, 8062,
\remainxxxxx		5322, 5333, 5334,	8066, 8071, 8106,
	.. 14455, 14457,	5335, 5336, 5337,	8108, 8158, 8159,
	14459, 14461, 14463	5338, 5339, 5405,	8160, 8161, 8164,
\remove@strip .	14044,	5410, 5412, 5413,	8203, 8205, 8259,
	14074, 14144, 14174	5430, 5431, 5432,	8273, 8275, 8277,
\renewcommand . . .	19,	5433, 5490, 5491,	8279, 8280, 8281,
	20, 21, 22, 86,	5492, 5494, 5498,	8282, 8283, 8284,
	168, 175, 190,	5499, 5500, 5504,	8308, 8327, 8337,
	224, 225, 226,	5505, 5511, 5515,	8350, 8361, 8365,
	227, 299, 339,	5516, 5517, 5521,	8413, 8429, 8445,
	415, 454, 456,	5522, 5527, 5531,	8461, 8474, 8487,
	510, 527, 541,	5532, 5533, 5542,	10313, 10328,



10363,	10367,	15066,	15079,	16416,	16417,
10383,	10390,	15092,	15103,	16431,	16456,
10425,	10427,	15118,	15154,	16485,	16490,
10477,	10478,	15176,	15192,	16495,	16496,
10479,	10480,	15208,	15216,	16497,	16498,
10481,	10482,	15230,	15232,	16501,	16574,
10484,	10486,	15238,	15255,	16592,	16614,
10611,	10621,	15261,	15262,	16616,	16637,
10641,	10650,	15263,	15264,	16639,	16641,
10740,	10759,	15265,	15266,	16644,	16650,
10761,	10763,	15268,	15270,	16659,	16661,
10765,	10766,	15273,	15274,	16663,	16669,
10767,	10768,	15284,	15341,	16739,	16743,
10769,	10770,	15343,	15410,	16747,	16751,
10772,	10774,	15411,	15423,	16777,	16784,
10776,	10778,	15482,	15484,	16791,	16804,
10779,	10780,	15548,	15564,	16806,	16868,
10781,	10782,	15580,	15588,	16870,	16915,
10783,	10784,	15602,	15604,	16959,	16960,
10794,	10863,	15626,	15627,	16968,	16969,
11130,	11544,	15628,	15629,	16972,	16973,
11554,	12468,	15630,	15631,	16976,	16984,
12525,	12526,	15633,	15635,	16992,	17011,
12527,	12528,	15649,	15655,	17036,	17065,
12551,	12555,	15661,	15666,	17070,	17075,
12568,	12572,	15672,	15680,	17076,	17077,
12580,	12581,	15721,	15723,	17078,	17081,
12582,	12583,	15780,	15794,	17154,	17172,
13142,	13866,	15809,	15812,	17194,	17196,
13877,	13900,	15816,	15820,	17217,	17219,
13901,	13902,	15822,	15824,	17221,	17224,
13903,	13904,	15826,	15827,	17230,	17238,
13905,	13906,	15828,	15829,	17240,	17243,
13907,	13909,	15830,	15843,	17249,	17325,
13911,	13913,	15869,	15908,	17438,	17442,
13915,	13916,	15910,	15964,	17446,	17450,
13918,	13919,	15979,	15994,	17476,	17483,
13926,	13927,	15998,	16002,	17490,	17503,
13929,	13935,	16004,	16006,	17505,	17567,
13936,	14429,	16008,	16009,	17569,	17614,
14432,	14437,	16010,	16011,	17658,	17659,
14444,	14453,	16012,	16013,	17663,	17664,
14464,	14469,	16046,	16190,	17667,	17668,
14474,	14481,	16194,	16198,	17671,	17675,
14488,	14505,	16202,	16228,	17679,	17694,
14507,	14524,	16235,	16242,	17719,	17748,
14566,	14587,	16255,	16257,	17753,	17758,
14669,	14678,	16319,	16321,	17759,	17760,
15037,	15040,	16366,	16411,	17761,	17764,
15049,	15053,	16412,	16413,	17837,	17855,



<code>17877, 17899, 17900, 17902, 17904, 17907, 17913, 17921, 17923, 17926, 17932, 18008, 18011, 18281, 18310, 18346, 18348, 18361, 18375, 18386, 18442, 18489, 18508, 18530, 18547, 18564, 18581, 18598, 18616, 18634, 18635, 18654, 18655, 18674, 18742, 19016, 19038, 19315, 19317, 19319, 19335, 19342, 19344, 19346, 19349, 19353, 19358, 19362, 19366, 19380, 19385, 19387, 19390, 19394, 19397, 19403, 19523, 19630, 19652, 19670, 19692, 19704, 19740, 20205, 20206, 20437, 20438, 20439, 20680, 20719, 20721, 20722, 20723, 20773, 20775, 20777, 20779, 20783, 20785, 20789, 20791</code>	<code>\RenewDocumentCommand 13467, 13800</code>	<code>5399, 5415, 5626, 6061, 6136, 6142, 6238, 6324, 6330, 6448, 6639, 6701, 6722, 6856, 8044, 8315, 10371, 10628, 11147, 14017, 14496, 14603, 15139, 15159, 15166, 15243, 15394, 15609, 15616, 15637, 15831, 15853, 16034, 16420, 17000, 17683, 18362, 18365, 18391, 20067</code>	<code>\reserved@a .. 2076, 2080, 2086, 2089, 2092, 2095, 2448, 2452, 2723, 2724, 2725, 3753, 3761, 3771, 3773, 3780, 3782, 3787, 3789, 3790, 3793, 3796, 3832, 3833, 3834, 3836, 3843, 3846, 3871, 3872, 3892, 3894, 3898, 3905, 3907, 3986, 3987, 19034, 19035, 19038, 19039, 19519, 19520, 20152, 20158</code>
<code>\renewenvironment 83, 296, 572, 593, 609, 629, 636, 707, 858, 936, 943, 970, 1110, 1188, 1195, 1220, 4374, 4377, 4380, 4383, 5381, 5391,</code>		<code>5399, 5415, 5626, 5621, 5622, 5623, 5624, 5625, 5644, 5645, 5646, 5647, 5648, 5649, 20713, 20714, 20715, 20716, 20765</code>	<code>\reserved@b .. 2056, 2057, 2448, 2452, 2453, 3743, 3744, 3772, 3830, 3832, 3849, 3866, 3867, 3872, 3877, 3879, 3880, 3882, 3885, 3905, 3907</code>
	<code>\RequirePackage 1555,</code>	<code>1557, 1558, 1559, 1560, 1561, 1810, 1811, 2169, 2170, 2171, 2172, 2179, 2180, 2195, 2248, 3751, 3752, 3768, 3812, 3813, 3816, 4068, 4130, 4132, 4139, 4160, 4164, 4200, 4201, 4424, 4634, 4635, 4636, 4637, 4841, 4842, 4957, 5176, 5351, 5362, 5414, 5440, 5448, 5465, 5620, 5621, 5622, 5623, 5624, 5625, 5644, 5645, 5646, 5647, 5648, 5649, 20713, 20714, 20715, 20716, 20765</code>	<code>\reserved@c 3845, 3848, 3849, 3853, 3864, 3877, 3891, 3895</code>
	<code>\RequireXeTeX 1556, 1729</code>		<code>\reserved@d 2447, 2452, 3865, 3884, 3897</code>
			<code>\reset@dir 14974, 20028</code>
			<code>\reset@font .. 37, 51, 67, 250, 264, 279, 4677, 4721, 4765, 4993, 4994, 5011, 5012, 5029, 5030, 8417, 8433, 8449, 8469, 8482, 8495, 8667, 8677, 8687, 8713, 8725, 8738, 8765, 8778, 8818, 8827, 8836, 8861, 8872, 8884, 8910, 8922, 8962, 8972, 8982, 9008, 9020, 9033, 9060, 9073, 9113, 9123, 9133, 9159, 9171</code>



9184, 9211, 9224,	14422, 15238,	13900, 13901,
9264, 9274, 9284,	15277, 15414,	14264, 14268,
9310, 9322, 9335,	15661, 15674,	14269, 14276,
9362, 9375, 9415,	15816, 15871,	14281, 14288,
9425, 9435, 9461,	15998, 16235,	14293, 15058,
9473, 9486, 9513,	16249, 16490,	15060, 15071,
9526, 9566, 9576,	16784, 16798,	15073, 15084,
9586, 9612, 9624,	17070, 17350,	15086, 15095,
9637, 9664, 9677,	17483, 17497, 17753	15097, 15114,
9717, 9727, 9737,	\rightfootnoterule	15157, 15170,
9763, 9775, 9788,	1634, 7622, 8405,	15181, 15182,
9815, 9828, 9868,	10891, 11409, 20676	15187, 15198,
9878, 9888, 9914,	\rightline ... 14994,	15221, 15224,
9926, 9939, 9966,	20215, 20219, 20221	15225, 15553,
9979, 10073,	\rightmargin ... 951,	15554, 15559,
10085, 10097,	5367, 5386, 5394,	15570, 15593,
10123, 10137,	5400, 11284,	15596, 15597,
10151, 10191,	11288, 12666,	15607, 15620,
10205, 10714,	12667, 12680,	15669, 15785,
10966, 10967,	15047, 20090,	15800, 15803,
10983, 10984,	20101, 20107,	15804, 15809,
10999, 11000,	20113, 20121, 20125	15810, 15970,
11029, 11030,	\rightskip ... 12, 13,	15985, 15988,
11043, 11044,	217, 218, 315, 319,	15989, 18285,
11057, 11058,	516, 533, 536,	18290, 18301,
20479, 20523, 20621	537, 627, 640,	18314, 18318,
\resizebox 11498	651, 652, 657,	18338, 18341,
\restore@protect . 2738	668, 693, 696,	18346, 18350,
\restoreCaptionSkip	697, 878, 879,	18351, 18462,
..... 11679	885, 895, 898,	18463, 18464,
\restorecounters@ 7889	899, 912, 934,	18472, 18493,
\restylefloat 4624	1128, 1134, 1135,	18494, 18495,
\resumename 2249	1140, 1151, 1177,	18503, 18516,
\righskip 18744	1180, 1181, 1199,	18517, 18518,
\right 20055,	5305, 5312, 5313,	18526, 18533,
20064, 20066	5883, 6079, 6085,	18534, 18535,
\right@cor 14046,	6086, 6091, 6102,	18543, 18550,
14047, 14146, 14147	6125, 6128, 6129,	18551, 18552,
\right@footnoterule	6256, 6262, 6263,	18560, 18567,
... 26, 240, 417,	6268, 6279, 6302,	18568, 18569,
545, 731, 741, 966,	6305, 6306, 6566,	18577, 18584,
993, 1211, 1243,	6581, 6584, 6585,	18585, 18586,
6166, 6185, 6319,	6717, 6718, 6719,	18594, 18601,
6362, 6467, 6594,	6845, 6846, 6852,	18602, 18603,
8066, 8073, 8166,	7996, 7999, 8000,	18611, 18619,
8365, 10367,	8010, 8264, 8623,	18620, 18621,
10392, 10879,	10241, 10319,	18629, 18638,
10893, 10903,	10334, 10337,	18639, 18640,
11026, 11054,	10338, 12518,	18648, 18658,
12494, 12572,	12519, 13226,	18659, 18660,



18668,	18693,	16079,	16088,	5142, 5492, 6472, 6546, 8171, 8245,
18694,	18695,	16106,	16107,	10936, 15419,
18703,	18743,	16108,	16109,	15525, 15679,
18745,	19423,	16110, 16126, 16137	\rot@label . 16059, 16102	15767, 15876,
19485,	19486,	\rot@LR 16070, 16115	\rot@mess@toks 16062,	15950, 16254,
19487,	19493,	\rot@mess@toks 16062,	16074, 16084,	16370, 16803,
19496,	19543,	16093,	16105,	16919, 17502, 17618
19603,	19608,	16120, 16132, 16142	\RTLfootnotetext 2014, 2025,
19631,	19638,	\rot@message 16093, 16142	5932, 5942, 11115,	
20007,	20008,	\rot@pageref 16060, 16103	11118, 12098,	
20200,	20227,	\rotate 16156	13174, 18209, 18213	
20228,	20287, 20292	\rotatebox 10785, 11611,	\RTLfootscript 8533,	
\RL .	12429, 14964, 20018	11660, 11873,	8561, 8565, 8567	
\rlap	316,	13293, 13301,	\RTLfoottextfont 8434, 8441,
457,	808, 1310,	13823, 16079,	8491, 8497, 8585,	
1788,	6507, 8109,	16088, 16126, 16137	8687, 8708, 8738,	
8206,	10428,	\rotateframe 10747, 10784	8836, 8856, 8884,	
10523,	10529,	\rotFPbot . . . 16080,	8982, 9003, 9033,	
11136,	11436,	16087, 16127, 16136	9133, 9154, 9184,	
11482,	11548,	\rotFPTop 16078,	9284, 9305, 9335,	
11549,	11562,	16089, 16125, 16138	9435, 9456, 9486,	
11563,	12552,	\rrb 1859, 1869	9586, 9607, 9637,	
14322,	14980,	\rsb 1858, 1867	9737, 9758, 9788,	
15344,	15485,	\RTL 14957, 20011	9888, 9909, 9939,	
15682,	15725,	\RTL@column@boxes . . .	10097, 10117, 10151	
15911,	16257,	14346, 14376, 14381	\RTL@marginnote	5164
16321,	16806,	\RTL@outputdblcol . . .	\RTL@marginpar	20484
16870,	17505,	6994, 10534,	\RTL@multicolcolumns	14374
17569,	18049, 20038	11356, 14023,	\RTL@sidenote . 4896, 5138	
\RLE	1592, 1746, 12428,	20346, 20437, 20438	\RTL@thanks . 422, 442,	
	14964, 14965,	\RTLcases . 20065, 20068	477, 496, 5492,	
	14969, 19657,	\RTLcite	5500, 5517, 5533,	
	20018, 20019, 20023	4953, 5073, 5102,	5544, 6472, 6492,	
\rmfamily	737,	5131, 5153, 5162, 5171	6527, 6546, 8171,	
	989, 1239, 5195,	\RTLcolumnfootnotes 8516	8191, 8226, 8245,	
	5248, 5251, 5255,	\RTLdblcol 20438	11113, 13870,	
	5258, 5262, 5265,	\RTLdfnmakecol	15419, 15459,	
	5269, 5272, 5276,	7782	15505, 15525,	
	5279, 15273, 15410	\RTLfootfootmark . . .	15679, 15709,	
\roman numeral .	3424,	8558, 8708,	15749, 15767,	
	3425, 5920, 5982,	8856, 9003, 9154,	15876, 15896,	
	7897, 7900, 7946,	9305, 9456, 9607,	15931, 15950,	
	10742,	9758, 9909, 10117	16254, 16339,	
	10744,	\RTLfootmarkstyle . . .	16370, 16803,	
	10747,	8533, 8572	16888, 16919,	
	10749,	\RTLfootnote	17502, 17587, 17618	
	10751,	496, 1946, 1959,		
	10755,			
\rot@float@box	16063,			
	16064,			
	16065,			



\rtside	14838, 14840, 14851, 14853, 14874, 14876	20777, 20783, 20785, 20789, 20791	\scr@dte@tocline
\rule	46, 60, 76, 259, 273, 288, 2297, 7486, 7978, 7982, 7985, 8425, 8441, 8457, 8471, 8484, 8497, 10977, 10994, 11010, 11037, 11051, 11065, 13474, 15031	\SC@justify@caption .. 18011, 20775, 20779, 20784, 20786, 20790, 20792	\scr@dte@tocline@init 19108
S		\sc@temp	\scr@dte@tocline@numberwidth 19060, 19062, 19064, 19067
\s	13323, 13324	17367, 17369, 17373, 17375, 17379, 17381, 17385, 17387, 17391, 17393, 17397, 17399, 17403, 17405, 17409, 17411, 17415, 17417, 17427, 17429	\scr@dte@tocline@numbox 19059, 19061, 19075
\save@dir	14973, 20027	\sc@wm@text	\scr@dte@undottedtocline@init 18749
\savebox	7903, 11608, 11610, 11690	7787	\scr@ifundefinedorrelax .. 18783, 18831, 18876, 18938, 18984, 19008,
\saveCaptionSkip	11640	\scalebox	19047, 19152, 19154, 19183, 19186, 19187,
\savecounters@	7886	\scantokens	19194, 19217, 19257, 19258, 19260, 19276,
\saved@dir	14973, 14974, 20027, 20028	\scr@caption	19329, 19356, 19375
\sbox	7969, 11642, 11659, 12611, 12619, 12621, 12623, 12632, 12728, 13133, 13292, 13300, 13492, 13779, 13818, 13823, 13937, 13952, 13984, 14604, 16511, 16525, 16565, 17091, 17105, 17145, 17774, 17788, 17828, 18300, 18317, 19059, 20657	16617, 16619, 16621, 17197, 17199, 17201, 17880, 17882, 17884	\scr@LT@array . 12438, 16614, 16615, 16589, 17169, 17852
\sc@temp	17369, 17370, 17375, 17376, 17381, 17382, 17387, 17388, 17393, 17394, 17399, 17400, 17405, 17406, 17411, 17412, 17417, 17418	\scr@caption@before@longtable@warning 16589, 17169, 17852	\scr@caption@before@longtable@warning 17194, 17195, 17207, 17877, 17878, 17890
\SC@FLOAT	18008, 20773, .. 18008, 20773,	\scr@compatibility	\scr@parindent
		16961, 16977, 16985, 16993	16726, 17315, 17998
		\scr@dte@current	\scr@saved@footnotetext
		19138, 19141	16187,
		\scr@dte@def@1@largetocline	16191, 16736, 16740, 17435, 17439
		18905	\scr@saved@LTRfootnotetext
		\scr@dte@def@1@tocline	16185, 16188,
		19107	16195, 16734, 16737, 16744,
		\scr@dte@def@1@undottedtocline	17433, 17436, 17443
		18748	\scr@saved@RTLfootnotetext
		\scr@dte@donumwidth	16186, 16189, 16199, 16735, 16738, 16748,
		19342, 19343	16186, 16189, 16199, 16735, 16738, 16748,
		\scr@dte@largetocline@init	16186, 16189, 16199, 16735, 16738, 16748,
		18906	16533, 16547, 16548, 16566, 17113, 17127, 17128, 17146, 17796, 17810, 17811, 17829
		\scr@date@nosub	\scr@smashdp
		19154, 19156, 19186, 19187, 19189, 19194, 19196, 19201, 19202, 19260, 19262	16547, 16548, 16566, 17113, 17127, 17128, 17146, 17796, 17810, 17811, 17829
		\scr@dte@numberline@box	
		19057, 19084	



\scr@tmp@footnotetext		\selectfont ... 350, 2679, 5558, 5560, 5562, 14617, 14630	7263, 7268, 7277, 7279, 7294, 7295, 7306, 7307, 7319,
\scr@tmp@LTRfootnotetext		\separatorcolumnwidth 2264, 2265, 2276, 2282, 2298, 2303, 2309, 2367, 7584, 7614	7320, 7340, 7348, 7358, 7406, 7630, 7638, 7639, 7643, 7651, 7659, 7660, 7664, 7679, 7682, 7687, 7691, 7699,
\scr@tmp@RTLfootnotetext		\SepMark .. 20077, 20078 \seq ... 13555, 13556, 14651, 14654, 14657	7736, 7739, 7744, 7748, 7753, 8462, 8475, 8488, 8577, 8635, 8640, 8647, 8710, 8722, 8735, 8775, 8858, 8869,
\scriptsize .. 5333, 17368, 17374, 17380, 17386, 17392, 17398, 17404, 17410, 17416		\set@color 6803, 6808, 6816, 6822, 6830, 6837, 6842, 11143, 19856, 19860, 19956	8881, 8910, 9005, 9017, 9030, 9070, 9156, 9168, 9181, 9221, 9307, 9319, 9332, 9372, 9458, 9470, 9483, 9523, 9609, 9621, 9634, 9674, 9760, 9772, 9785, 9825, 9911, 9923, 9936, 9976, 10002, 10003, 10010, 10023, 10026, 10028, 10033, 10036, 10038, 10040, 10077, 10089,
\scshape .. 6420		\SetatBoolean 2507	10101, 10119, 10127, 10133, 10141, 10147, 10155, 10195, 10202, 10209, 10224, 10233, 10253, 10261, 10274, 10287, 10297, 10507, 10537, 10540, 10553, 10573, 10576, 10590, 10641, 10681, 10686, 11027, 11041, 11055, 11074, 11198, 11207, 11211, 11235, 11249, 11311, 11316,
\secshape . 15768, 15809		\setbaselineskip .. 2677	
\SectFont 632, 641, 939, 947, 1191, 1200, 6139, 6327, 15162, 15171, 15612, 15621		\SetBoolean 2491	
\sectfont 15041		\setboolean	
\section .. 573, 601, 617, 632, 638, 641, 708, 866, 939, 945, 947, 971, 1118, 1191, 1197, 1200, 1221, 2293, 2359, 5197, 5219, 5287, 5295, 5410, 5413, 5417, 6139, 6327, 8045, 15162, 15168, 15171, 15612, 15618, 15621		4074, 4075, 4077, 4079, 4084, 4085, 4089, 4090, 4161, 4165, 4168, 4173, 4175, 4179, 4181, 4559, 5183, 5184, 5185, 5442, 5443, 5444, 5469, 5470	
\sectionbib .. 18386		\setbox 390,	
\sectionfont .. 2233, 2241, 7477, 7570		1416, 1418, 1419, 1475, 2108, 4605, 4661, 4664, 4705, 4708, 4749, 4752, 5811, 5822, 6035, 6049, 6675, 6702, 6707, 6739, 6774, 6803, 6958, 6959, 6963, 6966, 6976, 6980, 6983, 6987, 6997, 7000, 7001, 7015, 7032, 7048, 7060, 7063, 7064, 7078, 7091, 7107, 7128, 7129, 7134, 7135, 7140, 7143, 7166, 7174, 7184, 7235, 7249, 7253,	
\sectionstyle 2241, 2299			
\sectiontitlecolour .. 2224, 7439, 7447, 7454, 7461, 7468, 7538, 7544, 7550, 7556, 7562			



11317,	11332,	19856,	19961,	\setfootnoteRL . . . 10956
11359,	11364,	20037,	20038,	\setkeys . 6666, 6683,
11365,	11380,	20154,	20224,	7867, 7873, 7875,
11419,	11428,	20250,	20349,	11427, 11471,
11435,	11436,	20352,	20353,	11599, 12617,
11481,	11482,	20367,	20396,	14610, 14675,
13112,	13121,	20399,	20400,	16067, 16112, 19741
13183,	13188,	20414,	20463,	\setlatin 1565
13191,	13200,	20466,	20507,	\setlength 178,
13212,	13244,	20510,	20538,	201, 202, 514,
13250,	14026,	20552,	20570, 20632	531, 667, 691,
14029,	14030,	\setcaptionfont . . . 4153		893, 911, 948,
14052,	14057,	\setcaptionwidth . 13146		949, 950, 951,
14067,	14085,	\setchapterpreamble		952, 1150, 1175,
14090,	14126, 17005, 17688		1933, 1934, 1935,
14129,	14130,	\setcitationfont . 4788		2137, 2138, 2140,
14152,	14157,	\setcounter . . . 439,		2141, 2143, 2144,
14167,	14185,	474, 749, 781,		2146, 2147, 2149,
14190,	14221,	825, 1001, 1033,		2150, 2152, 2153,
14302,	14318,	1077, 1251, 1283,		2155, 2156, 2157,
14782,	14796,	1327, 1795, 4861,		2162, 2163, 2201,
14799,	14818,	4880, 4899, 4931,		2202, 2204, 2205,
14819,	14825,	5181, 5693, 5978,		2206, 2207, 2265,
14826,	14837,	6193, 6225, 6370,		2274, 2275, 2278,
14839,	14841,	6402, 6489, 6524,		2280, 2283, 2284,
14843,	14846,	8093, 8126, 8188,		2286, 2289, 2355,
14848,	14850,	8223, 10412,		2365, 2366, 2367,
14852,	14862,	10445, 10729,		4098, 4125, 4126,
14864,	14873,	12578, 12579,		4127, 4128, 4149,
14875,	14890,	13898, 14569,		4155, 4156, 4189,
14892,	14900,	14590, 15285,		4192, 4196, 4242,
14902,	14911,	15317, 15361,		4294, 4295, 4796,
14979,	14980,	15424, 15456,		4797, 4798, 4799,
15010,	15028,	15502, 15706,		4805, 5047, 5340,
16148,	16158,	15746, 15893,		5341, 5342, 5343,
16169,	16176,	15928, 16245,		5344, 5345, 5346,
16531,	17111,	16336, 16449,		5347, 5349, 5350,
17368,	17374,	16522, 16523,		5352, 5355, 5356,
17380,	17386,	16794, 16885,		5357, 5358, 5575,
17392,	17398,	17029, 17102,		5576, 6101, 6123,
17404,	17410,	17103, 17493,		6278, 6300, 6564,
17416,	17794,	17584, 17712,		6579, 6850, 7573,
18037,	18085,	17785, 17786, 18686		7577, 7579, 7582,
18126,	18176,	\setdefaultbibitems		7849, 7994, 8009,
18246,	19561, 20082		8573, 8574, 8587,
19564,	19569,	\setdefaultmarginpar		10318, 10332,
19573,	19577, 20574		11072, 11521,
19581,	19585,	\setDefaults 11597		11522, 11528,
19589,	19593,	\setfloatalignment 4233		11529, 11531,
19597,	19848,	\setfootnoteLR . . . 10958		11532, 11601,



11602,	11614,	\setparsizes . . 16262,	\sevencolumnfootstyle
11618,	11620,	16374, 16811, 9494
11622,	11626,	16923, 17510, 17622	\sf 17368, 17374,
11628,	12584,	\setRTL 14985, 20045	17380, 17386,
12585,	12586,	\setRTL . 14959, 14962,	17392, 17398,
12587,	12612,	14974, 14985,	17404, 17410, 17416
12626,	12628,	19683, 19723,	\sf@size 12502
12630,	12634,	19757, 20013,	\sfcode 93, 306,
12656,	12661,	20016, 20028, 20045	589, 721, 984,
12664,	12668,	\setRTLbibitems . 20080	1234, 6156, 6344,
12669,	12670,	\setRTLcitationfont	6656, 8058, 8332,
13167,	14609, 4790	10385, 12475,
15197,	15219,	\setRTLmain 1736	14510, 15257,
15569,	15591,	\setRTLmarginnotefont	15651, 15848,
15798,	15968, 4787	16051, 16459,
15983,	16204,	\setRTLmarginpar 20572	17039, 17722, 18380
16528,	16554,	\setRTLparagraphfootnotes	\sh@wgridXunit ... 14999
16753,	17108, 8411	\sh@wgridYunit ... 14999
17134,	17452,	\setRTLsidenotefont 4784	\shadowbox 7963
17791,	17817,	\setRTLtable 1569	\shadowsize
18289,	18290,	\setsidenotefont . 4782	7973, 7977, 7978,
18338,	18339,	\setSingleSpace	7981, 7982, 7985
18341,	18710, 8518, 8523	\shipout .. 10709, 20592
18714,	18715,	\setspace@singlespace	\shortauthors
18717,	18718,	.. 4992, 5010, 5028	... 115, 116, 121,
18720,	18721,	\setthesection ... 13915	12534, 12535, 12540
18723,	18724,	\settodepth 14605	\shortcite 14512
18726,	18727,	\settoheight 7846, 14606	\shorttitle
18887,	18995,	\settowidth 89, 302,	... 114, 115, 121,
19340,	20136, 20139	578, 713, 976,	12533, 12534, 12540
\setLR	14986, 20046	1226, 2269, 6148,	\showbox 11272
\setLTR	14960,	6336, 6645, 7575,	\showgridp@s ... 14998
14961,	14974,	7891, 8050, 8321,	\showoutput 11272
14986,	14987,	10377, 12471,	\sidecaptionsep
20014,	20015,	12658, 14608, 18009,
20028,	20046, 20047	15249, 15643,	18010, 20774,
\setLTRbibitems .	20081	15837, 16040,	20778, 20783,
\setLTRcitationfont		16442, 17022,	20785, 20789, 20791
 4789	17367, 17373,	\sidenote 4858, 4912,
\setLTRmarginnotefont		17379, 17385,	4950, 5045, 5136
 4786	17391, 17397,	\sidenotes 4955
\setLTRmarginpar 20573		17403, 17409,	\sideways 16174
\setLTRparagraphfootnotes		17415, 17705,	\sigindent 17428
 8412	18369, 19526, 19528	\sixcolumnfootnotes
\setLTRsidenotefont		\Setversedim 9246
 4783	.. 5706, 5710, 5736	\sixcolumnfootstyle
\setLTRtable	1570	\SetWatermarkText 7786 9343
\setmarginnotefont 4785		\sevencolumnfootnotes	\sixt@n 2075, 2097
\setnonlatin	1566 9397	\size@chapter 15041



\skip	5899, 5900, 7684, 7741, 8598, 8608, 8626, 10243, 10267, 10278, 11090, 11313, 11361	7633, 7654, 11136, 12683, 14983, 20041, 20043	17727, 18196, 18198, 18255, 19077, 19079, 19645, 20314, 20543
\skip@ 321, 322	\SOUL@apo	18031
\skipalgoofslide	186, 194	\SOUL@comma	18030
\skiptotal 202	\SOUL@eventuallyexhyphen	18020
\sloppy 42, 56, 72, 92, 255, 269, 284, 305, 585, 720, 983, 1233, 2374, 6155, 6343, 6652, 8057, 8328, 10384, 11304, 12474, 13229, 14509, 15117, 15131, 15256, 15650, 15844, 16047, 16458, 17038, 17721, 18376	\SOUL@grave	18032
\slshape 658, 886, 1141, 2321, 6092, 6269, 7475, 7476, 7566, 7567, 7569, 15188, 15560, 15774	\SOUL@ignorespacesfalse	18024
\small 416, 641, 740, 947, 992, 1200, 1242, 1820, 2235, 2325, 2330, 2360, 5322, 5323, 5388, 5396, 5401, 5420, 6184, 6361, 6466, 8072, 8165, 10391, 15171, 15276, 15413, 15621, 15673, 15870, 16248, 16797, 17496	\SOUL@lasttoken ..	18027
\smallcaps 5676, 5677, 5678	\SOUL@lowerthan ..	18017
\smallskip 14431, 14436, 14443, 14452, 14463, 14468, 14473, 14480, 14487, 14494, 15038	\SOUL@minus	18029
\smash 4350, 4355, 4366, 4367, 4370, 4371, 4578,	\SOUL@postamble ..	18034
		\SOUL@preamble ..	18026
		\SOUL@soeventuallyskip	18021
		\SOUL@spaceskip ..	18022
		\SOUL@start	18015
		\SOUL@ulcolor ..	18046, 18052, 18058, 18066
		\SOUL@uldp	18058
		\SOUL@uleverspace ..	18060
		\SOUL@ulht	18058
		\SOUL@ulleaders	18046, 18052, 18068
		\SOUL@uloverlap ..	18039
		\SOUL@underline ..	18036
		\SOUL@word	18028
		\soulomit	18019
		\space	1507, 2860, 3003, 3746, 3933, 3935, 3946, 3948, 3951, 4414, 4419, 4420, 4553, 4554, 6420, 6615, 7131, 7137, 7300, 7308, 7309, 8290, 10347, 11172, 11180, 11181, 11205, 11213, 12596, 13600, 14308, 14310, 14311, 14312, 14313, 15006, 16018, 16061, 16104, 16313, 16464, 16862, 17044, 17561,
		\splittopskip ..	40, 54, 70, 253, 267, 282, 8591, 8637, 8641, 8793, 8794, 8798, 8799, 8937, 8938, 8942, 8943, 9088, 9089, 9093, 9094, 9239, 9240, 9244, 9245, 9390, 9391, 9395, 9396, 9541, 9542, 9546, 9547, 9692, 9693, 9697, 9698, 9843, 9844, 9848, 9849, 9994, 9995, 9999, 10000, 10969,



10986, 11002, 11203, 11204, 14792 \stepcounter .. 4869, 4888, 4907, 4939, 5059, 5088, 5117, 5869, 10728, 10796, 10866, 10936, 10945, 12264, 13079, 14564, 14568, 14585, 14589, 16058, 16101, 20652 \stopbreaks 8351, 17427 \str .. . 13312, 13363, 13435, 13453, 13515, 13539, 13544, 13618, 13649, 13662, 13684, 13738, 13770 \stretch .. . 1477, 1480, 6776, 6779 \string .. . 362, 1387, 1663, 1667, 2385, 2391, 2463, 2465, 2483, 2484, 2487, 2488, 2665, 2705, 2706, 2712, 2860, 2890, 2911, 2914, 2941, 2943, 3003, 3064, 3065, 3078, 3079, 3090, 3091, 3104, 3105, 3119, 3120, 3121, 3122, 3126, 3746, 3755, 3759, 3765, 3776, 3933, 3935, 3946, 3948, 3949, 3950, 3951, 3953, 4553, 4554, 6812, 6815, 6833, 6836, 11176, 11177, 11178, 11179, 11180, 11302, 11503, 11504, 16313, 16464, 16466, 16472, 16862, 17044, 17046, 17052, 17561, 17727, 17729, 17735, 18222,	19644, 19901, 19948, 20314, 20334 \strip@prefix 2911, 2924 \strip@pt .. . 2582, 2678, 10067, 10184 \stripsep .. . 7049, 7108, 7123, 7169, 7178, 7188, 7233, 7343, 7352, 7362, 14061, 14063, 14070, 14161, 14163, 14170, 14232, 14235, 14237, 14244 \strut .. . 46, 60, 76, 259, 273, 288, 1850, 8359, 8702, 8705, 8708, 8788, 8789, 8850, 8853, 8856, 8932, 8933, 8997, 9000, 9003, 9083, 9084, 9148, 9151, 9154, 9234, 9235, 9299, 9302, 9305, 9385, 9386, 9450, 9453, 9456, 9536, 9537, 9601, 9604, 9607, 9687, 9688, 9752, 9755, 9758, 9838, 9839, 9903, 9906, 9909, 9989, 9990, 10109, 10113, 10117, 10218, 13243, 16512, 16514, 16533, 16535, 16538, 16540, 16543, 16547, 16549, 16559, 16561, 16566, 16570, 17092, 17094, 17113, 17115, 17118, 17120, 17123, 17127, 17129, 17139, 17141, 17146, 17150, 17430, 17775, 17777, 17796, 17798,	17801, 17803, 17806, 17810, 17812, 17822, 17824, 17829, 17833, 18300, 18305 \strutbox .. . 40, 54, 70, 253, 267, 282, 388, 392, 8426, 8442, 8458, 8472, 8485, 8498, 8592, 8793, 8798, 8937, 8942, 9088, 9093, 9239, 9244, 9390, 9395, 9541, 9546, 9692, 9697, 9843, 9848, 9994, 9999, 10970, 10977, 10987, 10994, 11003, 11010, 11037, 11051, 11065, 13098, 13114, 13156, 13245, 16556, 16557, 17136, 17137, 17819, 17820, 18086, 18087, 18122, 20251, 20252 \subfig@oldlabel 4284, 4286 \subfigure .. . 4283, 4290 \subitem .. . 108, 238, 5431, 12491 \subjclass .. . 334 \subject .. . 16358, 16907, 17606 \subject@font . 16271, 16384, 16820, 16933, 17519, 17632 \subparagraph 5233, 5234, 5237 \subsection 2300, 5204, 5220 \subsectioncolour 2226, 7440, 7448, 7455, 7462, 7469, 7539, 7545, 7551, 7557, 7563 \subsectionfont 2234, 2242, 7478, 7571
---	--	---



\subsectionstyle	2242, 2301	\textdir	13778	6469, 8075, 8168,
\subsubitem	109, 239, 5432, 12492	\textendash	746, 998, 1061, 1248, 6190, 6367, 15282, 15421	10394, 10885, 10896, 14426, 15279, 15416, 15676, 15873, 16251, 16800, 17499
\subsubsection	5224, 5225, 5228	\textheight	1769, 2176, 7032, 7091, 11601, 16066, 16111, 20651	\textwidthfootnoterule
\subtable	4290	\textit	18746	1638, 7624, 8407, 10894, 11410, 20677
\symbol	1863, 1873	\textsl	4437, 4438, 4439	\TeXeToff
\sys	13533	\textsuperscript	4984, 8570, 8571, 8572, 16227, 16776, 17346, 17475	\TeXeTon
T				
\t@cb@bchapsec	18361	\texttt	1873, 1937, 1939, 1940, 3108	\TeXeTstate
\tabcaption	11650, 11668	\textwidth	1768, 2174, 2265, 2274, 2275, 2287, 2289, 4192, 4196, 4295, 4596, 4597, 5737, 7016, 7024, 7079, 7144, 7150, 7321, 7326, 7486, 7501, 7573, 7582, 7696, 7799, 8636, 10022, 10553, 10559, 10591, 10681, 10686, 11077, 11333, 11381, 11389, 11549, 11552, 11557, 11563, 13217, 14091, 14099, 14191, 14222, 14411, 14412, 14415, 14416, 14419, 14420, 14424, 14427, 16264, 16292, 16296, 16376, 16813, 16841, 16845, 16925, 17427, 17512, 17540, 17544, 17624, 20368, 20376, 20415, 20636, 20646	\TeXeTstate
\tabcolsep	18119	\textwidth@footnoterule 419, 743, 995, 1245, 6187, 6364,	\TF@conlab
\tabskip	398, 5879, 13123, 13124, 18092, 18130, 20257			.. 11132, 11134, 11141
\tabular	18191			\TF@savecolor
\tabularnewline	407, 13093, 18094, 20259			\TF@Title
\tabularx	18182			\thanklessauthor
\tabularxcolumn	18144		 5485, 5518, 5521, 5558
\tagform@	346			\thanklesspublisher
\tamark	13881		 5486, 5545, 5548, 5562
\tcb@vbox	18267			\thanklesstitle
\tcd	14789, 14796, 14797			5501, 5504, 5560
\tcdsav	14789			\thanks
\tcl	14813, 14814, 14820			333, 420, 440, 475, 494, 744, 756, 782, 793, 794, 803, 826, 843, 996, 1008, 1034, 1045, 1046, 1055, 1078, 1095, 1246, 1258, 1284, 1295, 1296, 1305, 1328, 1346, 1796, 5484, 5485, 5486, 5487, 5490, 5497, 5498, 5514, 5515, 5530, 5531, 5542, 6188, 6200, 6226, 6365, 6377, 6403, 6470, 6490, 6525, 6544, 8076, 8094, 8127, 8144, 8169, 8189, 8224, 8243, 10395, 10413, 10446, 10463, 13868, 15280, 15292,
\tcn	14797, 14798, 14820, 14821, 14822, 14823			
\Telefon	2215			
\tencolumnfootnotes	9850			
\tencolumnfootstyle	9947			
\TeX	12430, 14975, 14976, 14984, 20029, 20030, 20042			
\textbf	2328, 5377, 11149, 11151, 11153, 11155			
\textbullet	2212, 7432, 7496, 7530			
\textcolor	7962, 7977, 7981, 7984, 11139, 12600			
\textdef@	348			



15318,	15329,	10813,	10814,	16449,	17029,
15330,	15339,	10817,	10870,	17712,	18115,
15362,	15379,	10874,	10928,	18116,	18146,
15417,	15431,	11101,	11115,	18165,	18167,
15457,	15470,	11165,	11172,	18191,	18196,
15471,	15480,	11176,	11177,	18198,	18199,
15503,	15523,	11178,	11179,	18202,	18203,
15677,	15707,	11180,	11181,	18206,	18209,
15747,	15765,	11189,	11195,	18210,	18213,
15874,	15894,	11202,	11203,	18318,	19075,
15929,	15948,	11205,	11210,	19078,	19080,
16252,	16337,	11212,	11213,	19156,	19427,
16368,	16801,	11227,	11253,	19430,	19431,
16886,	16917,	11283,	11284,	19433,	19435,
17500,	17585,	17616	11285,	19439,	19444,
\thankses	333	11291,	11292,	19448,	19459,
\the	124,	11302,	11319,	19460,	19463,
125,	1375,	1469,	11321,	19469,	19473,
1470,	1472,	1473,	11369,	19481,	19482,
1534,	1726,	1760,	11518,	19519,	19535,
1762,	1765,	1767,	12059,	19539,	19638,
2006,	2008,	2011,	12066,	19801,	19813,
2014,	2019,	2022,	12097,	19818,	19839,
2025,	2130,	2398,	12104,	19840,	19842,
2400,	2401,	2422,	12137,	19964,	19965,
2424,	2425,	2875,	12168,	20093,	20140,
3121,	3216,	3271,	12199,	20320,	20322,
3299,	3301,	3306,	12543,	20334,	20355,
3308,	3309,	3319,	12672,	20357,	20402,
3326,	3328,	3333,	12676,	20404	\the@cornersize . . .
3337,	3338,	3343,	12684,	10499,	10500
3348,	3356,	3359,	13174,	\thealgcfc	168
3363,	3369,	3453,	14032,	\theAlgoLine	20719
3454,	3455,	3480,	14045,	\thechapter . . .	318,
3999,	4006,	4035,	14069,	5193,	6171,
4826,	4836,	4971,	14132,	6177,	6177,
4982,	5788,	5795,	14145,	6179,	6181,
5926,	5929,	5932,	14169,	6348,	6354,
5936,	5939,	5942,	14245,	6356,	6358,
6047,	6662,	6667,	14310,	6420,	6599,
6711,	6772,	7003,	14312,	6601,	6601,
7005,	7066,	7068,	14314,	6603,	6604,
7131,	7137,	7138,	14674,	6605,	6605,
7139,	7271,	7281,	14694,	6615,	8274,
7300,	7308,	7309,	14722,	8276,	8276,
7310,	7313,	7315,	14753,	8278,	8279,
7316,	7317,	10542,	14914,	8280,	8280,
10544,	10578,		16074,	8290,	10347,
10580,	10794,		16093,	10477,	10483,
10809,	10810,		16132,	10485,	10487,
			16142,	10760,	10762,
				10764,	10765,
				10766,	10773,
				10775,	10777,
				10778,	10779,
				12787,	13906,



13915,	13917,	... 10794, 10797, 10826, 10831, 10849, 10852, 10872	\thepage . 1758, 1763, 2350, 4325, 4437, 4438, 4439, 4448, 4449, 5664, 5665, 5676, 5677, 5678, 7197, 7215, 7372, 7390, 19845, 20543	
13918,	13919,	\thefootnote ... 456, 748, 807, 1000, 1059, 1250, 1309, 1787, 6192, 6369, 6506, 8108, 8205, 10427, 11951, 15284, 15343, 15423, 15484, 15680, 15723, 15910, 16255, 16319, 16804, 16868, 17503, 17567	\theparagraph ... 21, 22, 226, 227, 551, 552, 705, 706, 959, 960, 1218, 1219, 5214, 6174, 6175, 6351, 6352, 6608, 6609, 8160, 8161, 8283, 8284, 10480, 10481, 10769, 10770, 10782, 10783, 12527, 12528, 13911, 13914, 15264, 15265, 15629, 15630, 15829, 15830, 16012, 16013, 16416, 16418, 16972, 16974, 17667, 17669	
14544,	15044,	\thecontentspage 5251, 5258, 5265, 5272, 5279	\theHchapter ... 14544	
15261,	15267,	\thedate 5480, 5488, 5534	\theHsection 14552, 14554	
15269,	15271,	\theDefaultDepth . 12579	\theindex . 98, 228, 12481	
15626,	15632,	\theDefaultLines . 12578	\theL@lines ... 12625, 12630, 12637	
15634,	15636,	\theenumiv ... 86,	\TheList ... 3317	
15821,	15823,	89, 299, 302, 584, 719, 982, 1232, 2373, 6154, 6342, 6651, 8056, 8327, 10383, 12468, 12471, 15255, 15649, 15843, 16046, 16456, 17036, 17719, 18375	\thelstlisting 12758, 12763, 12786, 12789	
17676,	17680, 18402	\theequation ... 6176, 6353, 6598, 8273, 10482, 10759, 10772, 12553, 13916, 15266, 15635, 15820, 16002, 16992, 17679, 20670	\thempfn ... 2031, 2039, 2047, 5060, 5066, 5089, 5095, 5118, 5124, 5947, 5954, 5961, 10937, 10942, 10946, 10951, 11079, 11105, 11110, 11120, 11125, 11918, 11929, 11940, 12070, 12108, 12141, 12172, 12203, 12265, 13275	
\thefigure ... 6178,	6355, 6600, 8275, 10484, 10761, 10774, 13918, 15268, 15631, 15822, 16004, 16976, 17671, 18102	\thempfootnote 11079, 13275	\thepart ... 556, 564, 8020, 8028	
\thefootdir@label .		\theorem@indent 14578, 14579, 14598, 14599	\ther@tfl@t .. 16059, 16060, 16102, 16103	
		\theorem@prework . 14572	\thesection ... 19, 224, 549, 703, 957, 1216, 5200, 6171, 6172, 6348, 6349, 6605, 6606, 8158, 8280, 8281, 10477, 10478, 10766, 10767, 10779, 10780, 12525, 13906, 13908, 14552, 14554, 15261, 15262, 15626, 15627, 15826, 15827, 16009, 16010, 16412, 16960, 16968, 17659, 17663	
		\theorem@postskipamount ... 14573, 14593	\thesubparagraph 22,	
		\theorem@preskipamount ... 14576, 14596		



	227, 552, 706, 960, 1219, 6175, 6352, 6609, 8161, 8284, 10481, 10770, 10783, 12528, 13913, 15265, 15630, 15830, 16013, 16417, 16973, 17668	6357, 6602, 8277, 10486, 10763, 10776, 13919, 15270, 15633, 15824, 16006, 16984, 17675, 18103 \thinlines 6862, 6872, 6885, 6895, 6908, 6918, 6931, 6941	15715, 15756, 15902, 15938, 16355, 16904, 17603 \TitleBarFrame 11130, 11149, 11151, 11153, 11155
\thesubsection	19, 20, 224, 225, 549, 550, 703, 704, 957, 958, 1216, 1217, 5207, 6172, 6173, 6349, 6350, 6606, 6607, 8158, 8159, 8281, 8282, 10478, 10479, 10767, 10768, 10780, 10781, 12525, 12526, 13907, 13910, 15262, 15263, 15627, 15628, 15827, 15828, 16010, 16011, 16412, 16414, 16968, 16970, 17663, 17665	\thispagestyle 101, 113, 231, 472, 604, 619, 823, 868, 1075, 1120, 1325, 5565, 5587, 5608, 6071, 6248, 6459, 6522, 8124, 8221, 8338, 8341, 10443, 12484, 12532, 12556, 12559, 13896, 15149, 15359, 15404, 15500, 15744, 15864, 15926, 16260, 16333, 16809, 16882, 17508, 17581, 18434	\TitleFont . 737, 753, 844, 846, 852, 989, 1005, 1096, 1098, 1104, 1239, 1255, 1347, 1349, 1355, 1358, 1359, 1364, 6197, 6374, 15273, 15289, 15380, 15382, 15388, 15410, 15428, 15526, 15528, 15534, 15537, 15538, 15543 \titlefont 2230, 2238, 7566, 16274, 16387, 16823, 16936, 17522, 17635
\thesubsubsection	20, 21, 225, 226, 550, 551, 704, 705, 958, 959, 1217, 1218, 6173, 6174, 6350, 6351, 6607, 6608, 8159, 8160, 8282, 8283, 10479, 10480, 10768, 10769, 10781, 10782, 12526, 12527, 13909, 13912, 15263, 15264, 15628, 15629, 15828, 15829, 16011, 16012, 16413, 16416, 16969, 16972, 17664, 17667	\thm@topsepadd 14573, 14574, 14577, 14593, 14594, 14597 \thr@@ 359, 375, 1384, 1402, 1426, 1435, 8938, 8943, 18022, 18219, 18239	\titleformat . . 5190, 5197, 5204, 5211 \titlehead 16357, 16906, 17605 \titlepage 630, 937, 1189, 6137, 6325, 15160, 15610
\thetable	6180,	\threecolumnfootnotes 8800 \threecolumnfootstyle 8891 \tiny 1833, 4962, 5334 \title 330, 448, 484, 788, 833, 1040, 1085, 1290, 1335, 1803, 2252, 2291, 5479, 5494, 6232, 6409, 6498, 6534, 8100, 8134, 8197, 8233, 10419, 10453, 15324, 15369, 15465, 15512,	\titlepagestyle 16333, 16882, 17581 \titlespacing 5218, 5219, 5220 \titlestyle . 2238, 7597 \tl 13295, 13303, 13308, 13310, 13311, 13312, 13313, 13315, 13316, 13318, 13321, 13325, 13334, 13338, 13341, 13346, 13351, 13359, 13361, 13362, 13363, 13364,



13366,	13368,	\tmpcount ... 3507, 3533	\tocstyle@indentstyle
13370,	13371,	\toaddress . 8347, 12565 19475, 19545
13373,	13379,	\toc@headstar	\tocstyle@l@define
13383,	13386, 18424, 18429	.. 19562, 19565,
13387,	13390,	\tocbasic@DependOnPenaltyAndTOCLevel 19570,	19574,
13397,	13402, 19019	19578, 19582,
13410,	13413,	\tocbasic@SetPenaltyByTOCLevel 19586,	19590,
13414,	13415, 19103	19594, 19598, 19630
13416,	13417,	\TOCEEntryStyleStartInitCode	\tocstyle@macrochangelwarning
13420,	13426,	... 16636, 16649, 19618, 19625
13427,	13428,	16668, 17216,	\tocstyle@numberline
13433,	13435,	17229, 17248, 19404, 19523
13442,	13446,	17899, 17912, 17931	\tocstyle@saved@dottedtocline
13451,	13453,	\toclevel@subfigure 19620
13455,	13457, 18636	\tocstyle@saved@numberline
13476,	13482,	\toclevel@subtable 18656 19628
13483,	13484,	\TOCLineLeaderFill	\tocstyle@depth 19415,
13485,	13486, 16653,	19427, 19439,
13498,	13501,	16670, 17233,	19459, 19460,
13504,	13506,	17250, 17916,	19463, 19481,
13530,	13531,	17933, 19120, 19381	19482, 19531,
13533,	13542,	\tocstyle@@numberline	19533, 19535, 19539
13545,	13546, 19526,	\tocstyleTOC
13547,	13548,	19528, 19546,	.. 19427, 19430,
13549,	13550,	19548, 19551, 19553	19431, 19433,
13552,	13558,	\tocstyle@activate@all@1	19435, 19439,
13563,	13566, 19639	19440, 19442,
13567,	13580,	\tocstyle@activate@features	19443, 19447,
13582,	13583, 19416	19451, 19452,
13584,	13585,	\tocstyle@dottedtocline	19455, 19456,
13586,	13587, 19403	19459, 19460,
13588,	13597,	\tocstyle@feature@dothook	19463, 19465,
13600,	13604, 19502	19467, 19468,
13605,	13606,	\tocstyle@feature@entryhook	19472, 19477,
13609,	13623, 19498	19478, 19481,
13629,	13642,	\tocstyle@feature@entryvskip	19482, 19531,
13647,	13651, 19417, 19420	19533, 19534, 19538
13672,	13680,	\tocstyle@feature@leaders	\today
13681,	13706, 19500, 19505	5488 \token
13710,	13711,	\tocstyle@feature@pagenumberbox	14642
13712,	13725, 19508, 19511	122, 124, 1469, 1470,
13797,	13798,	\tocstyle@feature@pagenumberhook	1472, 1473, 4819,
13806,	13807, 19509, 19511	4820, 4826, 6772,
13808,	13809,	\tocstyle@feature@parfillskip	11208, 11209,
13819,	13820, 19488, 19489	11210, 12541, 12543
13821,	13826,	\tocstyle@feature@raggedhook	\toks@
13831,	13833, 19424	121, 125, 4031, 4035, 7002,
13836,	13837,	\tocstyle@feature@spaceafternumber	7003, 7004, 7005,
13842,	13843, 19525,	7065, 7066, 7067,
13848,	13861, 13862	19529, 19550, 19554	7068, 10541,



10542,	10543,	5370, 13928, 13930	\ttl@glcmds 18295
10544,	10577,	\topskip 311, 1781, 7257, 7260, 11214, 11216, 11221, 13934, 14225, 18400, 18406, 18411, 18418, 18423, 18428	\ttl@hmode@error . 18294 \ttl@leaders 18347 \ttl@lselect 18354, 18357 \ttl@makeline 18288, 18343
10578,	10579,	\TOTALHEIGHT 18251, 18255	\ttl@margin 18342, 18348 \ttl@midlongest . . 18307
10580,	11318,	\totalheight 11500	\ttl@outnblock . . 18321
11319,	11320,	\tovalue 3391, 3478, 3486, 3517, 3530, 3536, 3537	\ttl@savel@chapter 18356 \ttl@savel@part . 18353
11321,	11366,	\tracingmacros 3506	\ttlh@hang 18287
11367,	11368,	\traditionalconnverses	\turn 16146
11369,	11470,	.. 5726, 5749, 5765	\turnbox 16167
11473,	11507,	\traditionalhalfverses	\tw@ 358, 366, 1383, 1391, 1425, 1429, 1434, 2087, 2706, 8794,
11509,	11513, 5715, 5719, 5726, 5759	8799, 10504, 10505, 11207, 11211, 11212, 11226, 11230,
11515,	11518,	\traditionalpoem . . 5968	11235, 11238, 11249, 11253, 11254, 11255, 11256, 11259,
12048,	12051,	\traditionalpoem@cr	11425, 11426, 11436, 11438, 11439, 11441, 11442, 11445, 11447, 11448, 11482, 11484, 11485, 11487, 11488, 11491, 11493, 11494, 12674, 14318, 14325, 14326, 14334, 14335, 14340, 14341, 14347, 14357, 14358, 14365, 14366, 14383, 14388, 14980, 14981, 16218, 16767, 17338, 17466, 18022, 18120, 18218, 18226, 18548, 20038, 20039, 20270, 20274, 20276
12540,	12544,	\traditionalpoem@obeyslines	11442, 11445, 11447, 11448, 11482, 11484, 11485, 11487, 11488, 11491, 11493, 11494, 12674, 14318, 14325, 14326, 14334, 14335, 14340, 14341, 14347, 14357, 14358, 14365, 14366, 14383, 14388, 14980, 14981, 16218, 16767, 17338, 17466, 18022, 18120, 18218, 18226, 18548, 20038, 20039, 20270, 20274, 20276
14031,	14032,	\trimb 4821, 4828	\trimc 4830
14033,	14034,	\trivlist	\trivlist
14131,	14132,	.. 14801, 14803, 14804, 14805, 14807, 14813, 14815, 14817, 14818, 14819, 14882, 14883, 14884, 14885, 14889, 14890, 14894	10632, 14575, 14595
\tolerance	8698, 8846, 8993, 9144, 9295, 9446, 9597, 9748, 9899	\ttdefault .. 7472, 7564	\ttfamily 1820, 1860, 1861, 1863, 1864, 1865, 1866, 1867, 1868, 1869
\toname	8347, 12565	\ttfamily 1820, 1860, 1861, 1863, 1864, 1865, 1866, 1867, 1868, 1869	\ttfamily 1820, 18319, 18323, 18325
\topheight 14801, 14803, 14804, 14805, 14807, 14813, 14815, 14817, 14818, 14819, 14882, 14883, 14884, 14885, 14889, 14890, 14894	\ttfamily 1820, 1860, 1861, 1863, 1864, 1865, 1866, 1867, 1868, 1869	\ttfamily 1820, 18319, 18323, 18325
\topmargin	1773, 2175, 7818, 10721, 20630	\ttl@beginlongest 18293	\ttl@beginlongest 18293
\topmark	7002, 7011, 7065, 7074, 10541, 10550, 10577, 10586, 11318, 11327, 11366, 11375, 14031, 14040, 14131, 14140, 20354, 20363, 20401, 20410	\ttl@calc . 18288, 18300	\ttl@calc . 18288, 18300
\topsep	1915, 1924, 2365, 4118, 5328,	\ttl@changecentercr	\ttl@changecentercr
	 18292 18292
		\ttl@contentsstretch	\ttl@contentsstretch
	 18330 18330
		\ttl@corr	\ttl@corr
		18345, 18346, 18349	18345, 18346, 18349
		\ttl@endlongest . 18308	\ttl@endlongest . 18308
		\ttl@filleft 18282, 18311	\ttl@filleft 18282, 18311
		\ttl@filright	\ttl@filright
	 18283, 18312 18283, 18312



\twocolumn . . .	465,	\TX@trial@ftn 18178, 18179, 18180	\undefined 3837, 5921,
601, 617,	816,	\TX@typeout@	18152, 18194	5974, 5977, 5979,
866, 1068,	1118,	\TX@verb	18145	16517, 16519,
1318, 1757,	6069,	\TX@vwarn	18181	16521, 17097,
6246, 6456,	6515,	\TX@xftnttext	18161	17099, 17101,
7196, 7371,	8117,	\TX@xLTrftnttext . . .	18162, 18205	17780, 17782, 17784
8214,	10436,	\TX@xRTLftnttext . . .	18163, 18212	\underline 20229, 20237
13887,	15147,	\typeout	1533,	\undertext 20237
15352,	15402,	1535, 4321, 4323,		\unexpanded
15493,	15737,	4324, 4325, 4327,		2733, 2742,
15861,	15919,	4329, 4330, 4331,		2743, 2750, 2751,
16326,	16875,	10804, 15020,		2764, 2765, 2772,
17574,	18400,	19427, 19439,		2773, 2874, 2995
18406,	18411,	19459, 19460,		\unhbox 1499,
18418, 18423,	18428	19463, 19481, 19482		5794, 6059, 6798,
\twocolumnfootnotes	.			10004, 10028,
.....	8649			10038, 10041,
\twocolumnfootstyle	.			10224, 10228,
.....	8746			10233, 10236,
\TX@			20147, 20280,
18142,				20281, 20282, 20283
18143, 18171,	18172			
\TX@align .	18195, 18197			
\TX@arith	18157			
\TX@ckpt . . .	18147, 18193			
\TX@col@width .	18144,			
18150, 18155,	18198			
\TX@cols	18151, 18155,	18199		
\TX@endtabularx	.			
.....	12037,			
12048, 12054,	18140			
\TX@find@endtabularxa	.			
.....	18142, 18143			
\TX@find@endtabularxb	.			
.....	18172			
\TX@find@endtabularxbb	.			
.....	18170			
\TX@ftn .	18167, 18202,			
18204, 18206,				
18209, 18211,	18213			
\TX@ftnttext	18161			
\TX@LTRftnttext				
.....	18162, 18201			
\TX@newcol	18144			
\TX@old@table	18149			
\TX@RTLftnttext				
.....	18163, 18208			
\TX@target .	18150, 18164			
\TX@trial				
. 18154, 18159,	18175			



\unrestored@protected@xdef	7705, 7745, 7750, 7754, 7759, 8463, 8476, 8489, 8579, 8611, 8617, 8648, 8711, 8723, 8736, 8776, 8859, 8870, 8882, 8920, 9006, 9018, 9031, 9071, 9157, 9169, 9182, 9222, 9308, 9320, 9333, 9373, 9459, 9471, 9484, 9524, 9610, 9622, 9635, 9675, 9761, 9773, 9786, 9826, 9912, 9924, 9937, 9977, 10002, 10122, 10136, 10150, 10203, 10222, 10231, 10256, 10264, 10271, 10276, 10282, 11028, 11042, 11056, 11093, 11098, 11201, 11211, 11238, 11316, 11364, 13244, 13247, 14029, 14129, 16151, 16161, 16179, 16514, 16535, 16540, 16549, 17094, 17115, 17120, 17129, 17777, 17798, 17803, 17812, 20162, 20352, 20399, 20575	\uppermargin \uppertitleback \upshape \urlstyle \use \usebox
\untilcondition	3392, 3406, 3490, 3533	14243, 14839, 14843, 14848, 14852, 14864, 14875, 14895, 14898, 14903, 20147, 20352, 20399
\unvbox 6708, 6709, 6963, 6966, 6983, 6987, 7000, 7050, 7063, 7109, 7167, 7175, 7176, 7185, 7263, 7265, 7269, 7272, 7278, 7282, 7341, 7349, 7350, 7359, 7407, 7638, 7641, 7642, 7659, 7662, 7663, 7688, 7695, 7700,	\unvcopy 7235, 7682, 7739 \uppercase . 318, 773, 793, 1025, 1045, 1275, 1295, 6217, 6394, 15309, 15329, 15448, 15470 \uppercaseonnonmath 114, 12533
		\uppermargin \uppertitleback \upshape \urlstyle \use \usebox



	14910, 14911, 19961		10809, 10810,	7651, 7659, 7660,
\usecounter 91, 304, 582, 717, 980, 1230, 2371, 5366, 6152, 6340, 6649, 8054, 8325, 10381, 12473, 15253, 15647, 15841, 16044, 16448, 16453, 17028, 17033, 17711, 17716, 18373		10813, 10814, 10817, 16504, 17084, 17767, 18146	7668, 7682, 7687, 7691, 7694, 7698, 7699, 7716, 7723, 7739, 7744, 7748,
\usekomafont	.. 16232, 16239, 16276, 16389, 16640, 16643, 16660, 16662, 16781, 16788, 16825, 16938, 17220, 17223, 17239, 17242, 17480, 17487, 17524, 17637, 17903, 17906, 17922, 17925		\varcustomer .. 17358, 17384, 17385, 17388	7749, 7752, 7753, 7768, 7775, 8462, 8475, 8488, 8577, 8710, 8722, 8735, 8775, 8858, 8869,
\usepackage 3755, 3756, 3761, 3762, 3765, 3768, 3813, 3814		\varinvoice .. 17359, 17390, 17391, 17394	8881, 8919, 9005, 9017, 9030, 9070, 9156, 9168, 9181, 9221, 9307, 9319, 9332, 9372, 9458,
\usetocbasicnumberline 19056		\varmyref 17357, 17378, 17379, 17382	9470, 9483, 9523, 9609, 9621, 9634, 9674, 9760, 9772, 9785, 9825, 9911,
V			\varrefitemi .. 17360, 17396, 17397, 17400	9923, 9936, 9976, 10002, 10077, 10089, 10101, 10119, 10127,
\v@aaa	... 7128, 7130, 7131, 7132, 7134, 7136, 7137, 7138, 7139, 7294, 7296, 7298, 7300, 7301, 7306, 7307, 7309, 7312, 7313, 7316		\varrefitemii .. 17361, 17402, 17403, 17406	10133, 10141, 10147, 10155, 10195, 10202, 10209, 10253, 10261, 10274,
\v@ccc 7129, 7135, 7137, 7138, 7139, 7140, 7149, 7157, 7295, 7307, 7308, 7312, 7315, 7319, 7325, 7331		\varrefitemiii .. 17362, 17408, 17409, 17412	10553, 10590, 10681, 10686, 10709, 10722, 10736, 11027, 11041, 11055,
\vadjust	5797, 5798, 5805		\varrefitemnamei .. 17398	11074, 11198, 11211, 11235, 11316, 11332, 11364, 11380,
\valign 8638, 8642		\varrefitemnameii .. 17404	13121, 13183, 13188, 13191, 13196, 13197, 13200, 13212, 13250, 13782,
\value 4864, 4883, 4902, 4934, 10794,		\varrefitemnameiii .. 17410	13934, 14029, 14052, 14057, 14059, 14067, 14085, 14090, 14129, 14152, 14157, 14159, 14167, 14185, 14190, 14221,



14661, 14825,	6400, 6473, 6487,	492, 498, 504,
14826, 14839,	7638, 7659, 8077,	508, 570, 649,
14843, 14848,	8091, 8172, 8186,	751, 760, 770,
14852, 14864,	10396, 10410,	841, 845, 851,
14875, 14890,	15161, 15164,	855, 876, 1003,
14892, 14894,	15286, 15315,	1012, 1022, 1093,
14897, 14902,	15425, 15454,	1097, 1103, 1107,
14939, 14946,	15611, 15614,	1132, 1253, 1262,
14947, 14954,	15690, 15704,	1272, 1343, 1348,
15050, 16531,	15877, 15891, 20633	1354, 1358, 1364,
17111, 17794,	\vfill ... 5561, 8638,	1367, 2126, 5837,
18098, 18132,	8642, 10308,	5864, 5900, 5901,
18137, 19561,	14890, 14895,	5907, 5911, 5913,
19564, 19569,	14896, 16076,	6024, 6026, 6083,
19573, 19577,	16091, 16123,	6122, 6195, 6204,
19581, 19585,	16140, 16268,	6214, 6260, 6299,
19589, 19593,	16290, 16295,	6372, 6381, 6391,
19597, 19989,	16301, 16817,	6422, 6427, 6431,
19997, 19998,	16839, 16844,	6433, 6439, 6443,
20006, 20137,	16850, 17516,	6445, 6474, 6477,
20142, 20248,	17538, 17543, 17549	6483, 6542, 6548,
20265, 20352,	\vfuzz . 4832, 4835, 4836	6554, 6558, 6578,
20367, 20399,	\vleftskip 13902, 13903	6617, 6622, 6630,
20414, 20553,	\voffset 1777	7049, 7108, 7169,
20592, 20631, 20632	\voidb@x ... 6675, 6739	7170, 7178, 7179,
\vboxL ... 14947,	\vphantom 19724	7188, 7189, 7270,
16066, 16111, 19998	\vpic . 14815, 14825, 14826	7343, 7344, 7352,
\vboxR ... 14939, 19989	\vrightskip 13902, 13903	7353, 7362, 7363,
\vcenter	\vrule 390,	7703, 7757, 8034,
401, 1483, 6782,	498, 4607, 4608,	8042, 8078, 8081,
18132, 20065,	5780, 5782, 6797,	8087, 8142, 8146,
20144, 20145, 20248	7019, 7084, 7147,	8152, 8156, 8173,
\veqno ... 337, 338	7159, 7324, 7333,	8176, 8182, 8241,
\verb ... 18145	10555, 10596,	8247, 8253, 8257,
\VerbBox ... 7965, 7967	11338, 11384,	8292, 8297, 8306,
\verse@i . 5811, 5842,	13112, 13169,	8598, 8608, 8621,
5848, 5856, 5897	13510, 13772,	10239, 10243,
\verse@ii ... 5822,	13853, 14062,	10257, 10265,
5843, 5849, 5851,	14069, 14094,	10267, 10278,
5857, 5859, 5897	14162, 14169,	10331, 10349,
\versewidth	14196, 14225,	10353, 10361,
5774, 5784, 5876	14338, 14352,	10397, 10400,
\vfil ... 423,	18058, 18086,	10406, 10461,
437, 631, 634,	18127, 20251,	10465, 10471,
750, 779, 938,	20371, 20420, 20567	10475, 10721,
941, 1002, 1031,	\vsiz e ... 7205, 7380,	10723, 10724,
1190, 1193, 1252,	10701, 11163,	11090, 11199,
1281, 5781, 6138,	11214, 13195, 13203	11237, 11242,
6141, 6194, 6223,	\vskip ... 319, 322,	12651, 12653,
6326, 6329, 6371,	424, 427, 433,	12726, 12739,



13139,	13156,	16826,	16832,	8350,	10344,
13157,	13159,	16834,	16836,	10356,	12564,
13265,	13928,	16852,	16930,	12566,	13232,
13930,	13933,	16934,	16937,	13245,	16015,
13974,	13983,	16939,	16946,	16027,	17421,
13991,	14060,	16948,	16951,	17424,	17426,
14061,	14063,	16956,	17067,	17431,	18400,
14070,	14087,	17072,	17156,	18406,	18411,
14160,	14161,	17158,	17162,	18418,	18423,
14163,	14170,	17164,	17175,	\vsplit . . .	6958, 6959,
14187,	14232,	17177,	17185,	6976,	6980, 7001,
14244,	14263,	17187,	17363,	7064,	7130, 7136,
14275,	14287,	17364,	17479,	7141,	7296, 7298,
14790,	14807,	17486,	17520,	7307,	7319, 7409,
14828,	14894,	17523,	17525,	8647,	10540,
15179,	15218,	17531,	17533,	10576,	11207,
15287,	15296,	17535,	17551,	11317,	11365,
15306,	15377,	17629,	17633,	14030,	14130,
15381,	15387,	17636,	17638,	14796,	14799,
15391,	15426,	17645,	17647,	14818,	14819,
15435,	15445,	17650,	17655,	14837,	14841,
15520,	15527,	17750,	17755,	14846,	14850,
15533,	15537,	17839,	17841,	14862,	14873,
15543,	15546,	17845,	17847,	14900,	20353,
15551,	15590,	17858,	17860,	\vss	316,
15691,	15694,	17868,	17870,	7035,	7094, 7130,
15700,	15764,	18492,	18511,	7136,	7141, 7149,
15770,	15775,	18532,	18549,	7152,	7157, 7162,
15778,	15797,	18566,	18583,	7297,	7307, 7319,
15878,	15881,	18600,	18618,	7325,	7327, 7331,
15887,	15946,	18637,	18657,	7335,	7410, 7695,
15952,	15958,	18692,	18881,	7705,	7750, 7759,
15962,	15982,	19418,	19602,	10737,	13188,
16020,	16024,	19781,	19785,	13200,	13783,
16032,	16231,	19804,	20171,	14825,	14826,
16238,	16272,	20180,	20189,	14897,	15050, 20147
16275,	16277,	20198,	20286,	\vtop	180,
16283,	16285,	20553,	20630,	401,	407, 1418,
16287,	16303,	20641,	20656,	1485,	4666, 4710,
16381,	16385,	\vspace	2294,	4754,	6708, 6784,
16388,	16390,	4209,	4299, 4307,	13103,	18098,
16397,	16399,	4925,	4929, 4991,	18132,	18137,
16402,	16407,	4996,	5009, 5014,	20143,	20248,
16487,	16492,	5027,	5032, 5149,	20265,	20468, 20512
16576,	16578,	5158,	5167, 5248,	W	
16582,	16584,	5255,	5262, 5269,	\waslice	14825, 14843,
16595,	16597,	5276,	5559, 5603,	14848,	14864,
16605,	16607,	5607,	6416, 6436,	14883,	14884, 14893
16780,	16787,	6611,	6625, 8286,	\wbslice	14826,
16821,	16824,	8301,	8346, 8348,		



	14839, 14852,	\WF@adjlw .. 19818, 19843	\XC@tstfalse
	14875, 14882,	\WF@adjtlm 19840, 19843 19886, 19935
	14884, 14885,	\WF@box 19815, 19848, 19849	\XC@tsttrue .. 19887,
	14889, 14890,	\WF@floatfalse 19781,	19888, 19889,
	14897, 14902, 14903	19789, 19799, 19802	19936, 19937, 19938
\wd	5787, 5788, 5848, 5849,	\WF@fltmes 19808	\XC@bidideclaredclor
	5851, 5857, 5897,	\WF@info 19788, 19942, 19947
	5998, 6000, 6013,	19798, 19801,	\XC@bidideclaredcolor
	6015, 6806, 7978,	19810, 19845, 19847 19941, 19943
	7982, 10012,	\WF@ovh 19815	\XC@bidiundeclaredcolor
	10515, 10642,	\WF@place .. 19813, 19819 19926, 19928
	11136, 11254,	\WF@putfigmaybe .. 19779	\XC@coremodel
	11255, 11445,	\WF@size .. 19792, 19846 19870, 19913
	11447, 11491,	\WF@startwrapping 19851	\XC@current@color .. .
	11493, 11614,	\WF@wfname 19898,
	11695, 11697,	19810, 19845, 19847	19901, 19902,
	11701, 11703,	\WF@wrapil 19839, 19842	19932, 19948, 19949
	11734, 11735,	\whilecondition 3392,	\XC@declaredclor .. .
	11738, 11739,	3406, 3495, 3527 19893, 19900
	11763, 11764,	\whiledo 10685	\XC@declaredcolor 19892
	11766, 11779,	\widowpenalty .. 92,	\XC@display .. 19899,
	11780, 11782,	305, 588, 720,	19903, 19933, 19950
	11796, 11797,	983, 1233, 2374,	\XC@edef .. 19886, 19935
	11800, 11801,	5885, 6155, 6343,	\XC@fbox 19954
	11825, 11827,	6655, 8057, 8331,	\XC@getmodclr
	11831, 11833,	10384, 12474, 19866, 19909
	12612, 12656,	14509, 15256,	\XC@inflate 19880, 19923
	12657, 12668,	15650, 15847,	\XC@let@Nc .. 19901, 19948
	12733, 13134,	16050, 16458,	\XC@mclr .. 19880, 19923
	13251, 13940,	17038, 17721, 18379	\XC@mmod 19878,
	13944, 13946,	\WIDTH 18247, 18255	19879, 19921, 19922
	13954, 13985,	\width .. 11157, 11425,	\XC@mul 19881, 19924
	14304, 14783,	11513, 11515,	\XC@split 19944
	14981, 15004,	13819, 13828, 13852	\XC@tgcmod .. 19874, 19917
	15031, 16063,	\widthof 7833, 7838	\XC@type .. 19887, 19936
	16108, 16164,	\windowbox .. 14892, 14898	\XC@undeclaredcolor
	16171, 16529,	\wlog 7131, 7137, 7139, 19883, 19894
	17109, 17369,	7300, 7308, 7315	\xcolor@ .. 19898, 19932
	17375, 17381,	\write 3986,	\xdef 343, 396,
	17387, 17393,	5770, 5773,	1853, 2530, 2665,
	17399, 17405,	5984, 18184, 20333	2750, 2751, 2754,
	17411, 17417,	\wstrutbox .. 14802, 14804	2755, 2772, 2773,
	17792, 18038,	X	2776, 2777, 3877,
	18196, 18247,	\x 3527, 3528, 3998,	4032, 5788, 5790,
	18301, 18318,	4001, 12439,	5871, 5873, 5875,
	19061, 19075,	12448, 12450, 12462	7003, 7005, 7066,
	19815, 19859,	\XC@tmp 19886, 19887,	7068, 7648, 7669,
	20039, 20225, 20658	19901, 19935,	7714, 7720, 7721,
	\WF@@everypar 19778	19936, 19944, 19948	7766, 7772, 7773,
			10067, 10184,



10246,	10542,	649,	650,	653,	6807,	6841,	6852,
10544,	10578,	655,	668,	693,	6970,	7124,	7171,
10580,	10928,	745,	762,	820,	7180,	7190,	7208,
11319,	11321,	864,	868,	869,	7211,	7248,	7290,
11367,	11369,	876,	877,	880,	7345,	7354,	7364,
12049,	12605,	883,	895,	912,	7383,	7386,	7636,
13119,	14032,	949,	952,	997,	7657,	7674,	7675,
14034,	14132,	1014,	1060,	1072,	7677,	7678,	7686,
14134,	14746,	1116,	1120,	1121,	7708,	7710,	7713,
14753,	14760,	1132,	1133,	1136,	7731,	7732,	7734,
18318,	19443,	1138,	1151,	1177,	7735,	7743,	7760,
19447,	19468,	1247,	1264,	1322,	7762,	7765,	7947,
19472,	19534,	1359,	1385,	1389,	7969,	7971,	7973,
19538,	19813,	1392,	1405,	1427,	7976,	7978,	7980,
19818,	19839,	1435,	1453,	1463,	7982,	7984,	7985,
19840,	19842,	1465,	1475,	1477,	7991,	7996,	8010,
19843,	20355,	1482,	1496,	1498,	8024,	8037,	8121,
20357,	20402,	1499,	2071,	2126,	8218,	8264,	8274,
\XeLaTeX	12431,	3372,	3382,	4106,	8276,	8278,	8287,
	20043,	4115,	4414,	4647,	8302,	8425,	8441,
\XeTeX . . .	12430,	4651,	4691,	4695,	8457,	8471,	8484,
	14983,	4735,	4739,	5325,	8497,	8535,	8540,
\XeTeXcharclass	1687,	5352,	5383,	5395,	8547,	8552,	8559,
	1688,	5573,	5801,	5804,	8564,	8622,	8623,
\XeTeXinterchartokenstate	1689,	5807,	5848,	5849,	8697,	8845,	8992,
	1690	5851,	5857,	5871,	9143,	9294,	9445,
\XeTeXinterchartoks	1683	5875,	5879,	5880,	9596,	9747,	9898,
	1691,	5881,	5882,	5883,	10011,	10107,	
	1692,	5884,	5897,	5910,	10111,	10115,	
\xyzzy	1693,	5978,	5990,	5991,	10216,	10240,	
	1694	5998,	6000,	6013,	10241,	10242,	
	4813	6015,	6023,	6067,	10319,	10334,	
		6071,	6072,	6083,	10345,	10357,	
		6084,	6087,	6089,	10440,	10483,	
		6102,	6125,	6177,	10485,	10487,	
		6179,	6181,	6189,	10516,	10667,	
		6206,	6244,	6248,	10720,	10737,	
		6249,	6260,	6261,	10760,	10762,	
		6264,	6266,	6279,	10764,	10773,	
		6302,	6354,	6356,	10775,	10777,	
		6358,	6366,	6383,	10923,	10977,	
		6417,	6437,	6454,	10994,	11010,	
		6459,	6460,	6519,	11037,	11051,	
		6566,	6581,	6599,	11065,	11079,	
		6601,	6603,	6612,	11083,	11204,	
		6626,	6677,	6678,	11254,	11261,	
		6689,	6691,	6774,	11287,	11288,	
		6776,	6781,	6795,	11289,	11419,	
		6797,	6798,	6803,	11420,	11421,	
		6804,	6805,	6806,	11428,	11435,	



11436,	11437,	15149,	15150,	17072,	17117,
11438,	11439,	15179,	15180,	17181,	17261,
11441,	11442,	15183,	15185,	17266,	17269,
11444,	11445,	15198,	15221,	17275,	17285,
11447,	11481,	15267,	15269,	17295,	17305,
11482,	11483,	15271,	15281,	17342,	17471,
11484,	11485,	15298,	15356,	17479,	17486,
11487,	11488,	15400,	15404,	17488,	17510,
11490,	11491,	15405,	15420,	17533,	17551,
11493,	11505,	15437,	15497,	17578,	17622,
11571,	12482,	15538,	15551,	17647,	17750,
12486,	12502,	15552,	15555,	17755,	17800,
12506,	12518,	15557,	15570,	17864,	17944,
12530,	12547,	15593,	15632,	17949,	17952,
12628,	12692,	15634,	15636,	17958,	17968,
12699,	12704,	15689,	15732,	17978,	17988,
12715,	12787,	15741,	15768,	18029,	18030,
13081,	13083,	15785,	15800,	18031,	18032,
13115,	13121,	15821,	15823,	18037,	18038,
13124,	13129,	15825,	15859,	18042,	18054,
13132,	13169,	15864,	15865,	18088,	18111,
13183,	13187,	15923,	15970,	18123,	18127,
13188,	13191,	15985,	16003,	18220,	18224,
13197,	13223,	16005,	16007,	18231,	18242,
13225,	13247,	16016,	16028,	18285,	18286,
13276,	13890,	16063,	16064,	18296,	18300,
13893,	13917,	16065,	16108,	18301,	18302,
14042,	14046,	16109,	16110,	18305,	18314,
14056,	14117,	16148,	16152,	18315,	18317,
14142,	14146,	16153,	16158,	18318,	18320,
14156,	14214,	16162,	16163,	18328,	18333,
14231,	14240,	16164,	16169,	18348,	18434,
14242,	14263,	16170,	16171,	18435,	18509,
14275,	14287,	16176,	16180,	18599,	18617,
14307,	14318,	16181,	16223,	18710,	18889,
14324,	14498,	16231,	16238,	18997,	19026,
14503,	14544,	16240,	16262,	19336,	19340,
14554,	14604,	16285,	16303,	19418,	19423,
14605,	14606,	16330,	16374,	19428,	19476,
14608,	14610,	16399,	16487,	19602,	19788,
14615,	14633,	16492,	16537,	19795,	19796,
14911,	14955,	16601,	16677,	19814,	19830,
14957,	14979,	16680,	16686,	19833,	19842,
14980,	14981,	16696,	16706,	19843,	19845,
14990,	14991,	16716,	16772,	19849,	19856,
15004,	15028,	16780,	16787,	19857,	19858,
15029,	15050,	16789,	16811,	19859,	19954,
15095,	15096,	16834,	16852,	19961,	20009,
15110,	15113,	16879,	16923,	20011,	20037,
15127,	15145,	16948,	17067,	20038,	20039,



20090 ,	20091 ,	20560 ,	20567 ,	... 3743, 3830, 3866
20092 ,	20171 ,	20602 ,	20628 ,	\zifrefundefined ...
20180 ,	20189 ,	20639 ,	20667 , 10826, 10849
20198 ,	20202 ,	\z@skip ..	2126, 10718,	\zref@extractdefault
20222 ,	20223 ,		10719, 13223, 10831, 10852
20253 ,	20264 ,		13226, 15110,	\zref@labelbyprops
20272 ,	20277 ,		15114, 15124, 10797, 10872
20286 ,	20449 ,		18092, 18097,	
20453 ,	20493 ,		18130, 18136,	
20497 ,	20538 ,		20201, 20202,	
20542 ,	20545 ,		20257, 20263, 20628	\ 1690
20555 ,	20556 ,	\zap@space	\ 1690

9 Change History

v13.9	General: Added implementation of the package.	o	toc, lot, lof, etc with multicol package.	317
v14.2	General: Fixed the wrong order of		v14.3 General: Removed \leavevmode to avoid extra \par.	146

